

10427-AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.79	68.23	17.02	0.00	150.0	± 9.6 %
		Y	5.77	68.19	16.91		150.0	
		Z	5.68	68.16	16.93		150.0	
10430-AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.62	70.75	18.36	0.00	150.0	± 9.6 %
		Y	4.65	70.82	18.34		150.0	
		Z	4.49	71.02	18.27		150.0	
10431-AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.98	69.52	17.66	0.00	150.0	± 9.6 %
		Y	5.00	69.56	17.61		150.0	
		Z	4.84	69.52	17.50		150.0	
10432-AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	5.29	69.46	17.74	0.00	150.0	± 9.6 %
		Y	5.30	69.51	17.68		150.0	
		Z	5.15	69.45	17.61		150.0	
10433-AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	5.54	69.50	17.83	0.00	150.0	± 9.6 %
		Y	5.56	69.55	17.77		150.0	
		Z	5.41	69.46	17.71		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.62	70.96	18.09	0.00	150.0	± 9.6 %
		Y	4.64	71.04	18.09		150.0	
		Z	4.48	71.29	17.99		150.0	
10435-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	91.80	124.81	33.49	3.23	80.0	± 9.6 %
		Y	34.50	107.01	28.07		80.0	
		Z	32.03	105.86	28.08		80.0	
10447-AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	4.24	69.37	17.02	0.00	150.0	± 9.6 %
		Y	4.26	69.41	16.98		150.0	
		Z	4.08	69.37	16.73		150.0	
10448-AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.74	69.15	17.43	0.00	150.0	± 9.6 %
		Y	4.76	69.20	17.38		150.0	
		Z	4.63	69.19	17.30		150.0	
10449-AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	5.00	69.10	17.52	0.00	150.0	± 9.6 %
		Y	5.02	69.15	17.47		150.0	
		Z	4.90	69.13	17.42		150.0	
10450-AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	5.18	69.03	17.55	0.00	150.0	± 9.6 %
		Y	5.20	69.09	17.50		150.0	
		Z	5.09	69.05	17.46		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	4.16	69.50	16.67	0.00	150.0	± 9.6 %
		Y	4.18	69.56	16.66		150.0	
		Z	3.99	69.52	16.35		150.0	
10456-AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	16.60	90.55	27.78	0.00	150.0	± 9.6 %
		Y	13.55	85.78	25.69		150.0	
		Z	19.20	93.51	28.66		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	4.24	67.48	17.36	0.00	150.0	± 9.6 %
		Y	4.26	67.54	17.30		150.0	
		Z	4.20	67.45	17.21		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	4.08	69.44	17.28	0.00	150.0	± 9.6 %
		Y	4.11	69.54	17.30		150.0	
		Z	4.02	70.12	17.24		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	5.10	66.62	17.51	0.00	150.0	± 9.6 %
		Y	5.10	66.64	17.44		150.0	
		Z	5.05	67.39	17.67		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.06	70.01	16.09	0.00	150.0	± 9.6 %
		Y	1.09	69.88	16.17		150.0	
		Z	1.06	69.85	16.12		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	127.49	34.51	3.29	80.0	± 9.6 %
		Y	100.00	124.61	32.89		80.0	
		Z	100.00	124.74	33.20		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	60.64	109.97	27.65	3.23	80.0	± 9.6 %
		Y	15.77	89.90	21.38		80.0	
		Z	16.82	90.84	22.09		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	29.54	98.50	24.17	3.23	80.0	± 9.6 %
		Y	10.92	84.04	19.13		80.0	
		Z	12.44	85.76	20.10		80.0	
10464-AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.01	33.67	3.23	80.0	± 9.6 %
		Y	100.00	123.03	32.00		80.0	
		Z	100.00	123.31	32.39		80.0	
10465-AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	49.60	107.00	26.83	3.23	80.0	± 9.6 %
		Y	14.17	88.39	20.86		80.0	
		Z	15.23	89.38	21.59		80.0	
10466-AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.35	96.29	23.50	3.23	80.0	± 9.6 %
		Y	10.05	82.88	18.70		80.0	
		Z	11.46	84.57	19.66		80.0	
10467-AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.13	33.72	3.23	80.0	± 9.6 %
		Y	100.00	123.15	32.05		80.0	
		Z	100.00	123.43	32.44		80.0	
10468-AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	52.57	107.88	27.07	3.23	80.0	± 9.6 %
		Y	14.55	88.79	21.00		80.0	
		Z	15.62	89.78	21.73		80.0	
10469-AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.79	96.53	23.56	3.23	80.0	± 9.6 %
		Y	10.10	82.96	18.72		80.0	
		Z	11.55	84.68	19.69		80.0	
10470-AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.15	33.72	3.23	80.0	± 9.6 %
		Y	100.00	123.15	32.05		80.0	
		Z	100.00	123.43	32.44		80.0	
10471-AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	53.30	108.03	27.10	3.23	80.0	± 9.6 %
		Y	14.61	88.82	20.99		80.0	
		Z	15.68	89.81	21.73		80.0	
10472-AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.99	96.61	23.57	3.23	80.0	± 9.6 %
		Y	10.11	82.96	18.71		80.0	
		Z	11.56	84.69	19.68		80.0	
10473-AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.13	33.71	3.23	80.0	± 9.6 %
		Y	100.00	123.14	32.04		80.0	
		Z	100.00	123.42	32.43		80.0	
10474-AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	52.71	107.90	27.07	3.23	80.0	± 9.6 %
		Y	14.51	88.75	20.97		80.0	
		Z	15.59	89.76	21.71		80.0	
10475-AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.81	96.54	23.55	3.23	80.0	± 9.6 %
		Y	10.07	82.92	18.70		80.0	
		Z	11.52	84.65	19.68		80.0	

10477-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	51.51	107.48	26.93	3.23	80.0	± 9.6 %
		Y	14.32	88.51	20.88		80.0	
		Z	15.39	89.52	21.62		80.0	
10478-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.73	96.47	23.53	3.23	80.0	± 9.6 %
		Y	10.06	82.88	18.68		80.0	
		Z	11.49	84.60	19.65		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	11.71	92.57	26.94	3.23	80.0	± 9.6 %
		Y	8.97	87.08	24.45		80.0	
		Z	10.71	89.11	24.83		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	10.84	86.44	23.42	3.23	80.0	± 9.6 %
		Y	8.79	82.42	21.47		80.0	
		Z	9.73	83.13	21.41		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	10.39	85.15	22.70	3.23	80.0	± 9.6 %
		Y	8.48	81.32	20.81		80.0	
		Z	9.18	81.72	20.64		80.0	
10482-AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.64	78.17	19.57	2.23	80.0	± 9.6 %
		Y	5.72	78.72	19.86		80.0	
		Z	5.41	77.04	18.79		80.0	
10483-AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	8.17	81.99	22.03	2.23	80.0	± 9.6 %
		Y	7.02	79.09	20.43		80.0	
		Z	7.40	79.11	20.03		80.0	
10484-AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	8.15	81.69	21.92	2.23	80.0	± 9.6 %
		Y	7.05	78.91	20.37		80.0	
		Z	7.34	78.76	19.90		80.0	
10485-AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.29	79.90	20.81	2.23	80.0	± 9.6 %
		Y	6.33	80.32	21.02		80.0	
		Z	6.09	79.00	20.26		80.0	
10486-AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.38	74.82	18.84	2.23	80.0	± 9.6 %
		Y	5.37	75.04	18.96		80.0	
		Z	5.31	74.25	18.23		80.0	
10487-AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.45	74.71	18.82	2.23	80.0	± 9.6 %
		Y	5.44	74.90	18.93		80.0	
		Z	5.35	74.08	18.17		80.0	
10488-AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.44	78.91	20.90	2.23	80.0	± 9.6 %
		Y	6.45	79.19	21.04		80.0	
		Z	6.38	78.52	20.69		80.0	
10489-AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.83	75.31	19.96	2.23	80.0	± 9.6 %
		Y	5.78	75.37	19.99		80.0	
		Z	5.80	74.92	19.59		80.0	
10490-AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.91	75.03	19.92	2.23	80.0	± 9.6 %
		Y	5.86	75.08	19.93		80.0	
		Z	5.89	74.71	19.55		80.0	
10491-AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.26	76.66	20.24	2.23	80.0	± 9.6 %
		Y	6.24	76.86	20.32		80.0	
		Z	6.27	76.50	20.13		80.0	
10492-AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.12	74.44	19.94	2.23	80.0	± 9.6 %
		Y	6.06	74.47	19.93		80.0	
		Z	6.11	74.19	19.67		80.0	

10493-AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.21	74.35	19.96	2.23	80.0	± 9.6 %
		Y	6.15	74.36	19.94		80.0	
		Z	6.20	74.09	19.67		80.0	
10494-AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.56	77.38	20.24	2.23	80.0	± 9.6 %
		Y	6.58	77.69	20.38		80.0	
		Z	6.55	77.20	20.19		80.0	
10495-AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.25	75.02	20.11	2.23	80.0	± 9.6 %
		Y	6.20	75.06	20.11		80.0	
		Z	6.21	74.66	19.84		80.0	
10496-AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.31	74.70	20.07	2.23	80.0	± 9.6 %
		Y	6.25	74.73	20.06		80.0	
		Z	6.28	74.40	19.80		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.72	75.65	18.04	2.23	80.0	± 9.6 %
		Y	4.79	76.24	18.36		80.0	
		Z	4.36	73.84	16.84		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.19	71.29	15.63	2.23	80.0	± 9.6 %
		Y	4.22	71.69	15.86		80.0	
		Z	3.90	69.82	14.39		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.22	71.05	15.42	2.23	80.0	± 9.6 %
		Y	4.25	71.44	15.65		80.0	
		Z	3.91	69.55	14.15		80.0	
10500-AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.25	79.20	20.78	2.23	80.0	± 9.6 %
		Y	6.25	79.52	20.95		80.0	
		Z	6.12	78.56	20.37		80.0	
10501-AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.56	74.93	19.25	2.23	80.0	± 9.6 %
		Y	5.53	75.08	19.33		80.0	
		Z	5.51	74.48	18.74		80.0	
10502-AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.58	74.60	19.10	2.23	80.0	± 9.6 %
		Y	5.55	74.74	19.17		80.0	
		Z	5.55	74.22	18.60		80.0	
10503-AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.40	78.81	20.86	2.23	80.0	± 9.6 %
		Y	6.40	79.09	20.99		80.0	
		Z	6.34	78.41	20.63		80.0	
10504-AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.82	75.28	19.94	2.23	80.0	± 9.6 %
		Y	5.77	75.34	19.97		80.0	
		Z	5.79	74.89	19.56		80.0	
10505-AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.90	74.99	19.89	2.23	80.0	± 9.6 %
		Y	5.84	75.04	19.90		80.0	
		Z	5.87	74.65	19.52		80.0	
10506-AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.53	77.32	20.21	2.23	80.0	± 9.6 %
		Y	6.55	77.62	20.34		80.0	
		Z	6.52	77.13	20.15		80.0	
10507-AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.23	74.98	20.09	2.23	80.0	± 9.6 %
		Y	6.18	75.02	20.09		80.0	
		Z	6.20	74.62	19.81		80.0	

10508-AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.30	74.67	20.05	2.23	80.0	± 9.6 %
		Y	6.25	74.70	20.04		80.0	
		Z	6.27	74.36	19.78		80.0	
10509-AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.49	75.29	19.53	2.23	80.0	± 9.6 %
		Y	6.49	75.53	19.62		80.0	
		Z	6.52	75.23	19.51		80.0	
10510-AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.64	74.23	19.91	2.23	80.0	± 9.6 %
		Y	6.59	74.28	19.90		80.0	
		Z	6.62	73.98	19.71		80.0	
10511-AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.66	73.95	19.89	2.23	80.0	± 9.6 %
		Y	6.61	73.99	19.87		80.0	
		Z	6.65	73.72	19.69		80.0	
10512-AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.61	76.16	19.62	2.23	80.0	± 9.6 %
		Y	6.64	76.50	19.76		80.0	
		Z	6.63	76.05	19.62		80.0	
10513-AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.60	74.77	20.06	2.23	80.0	± 9.6 %
		Y	6.56	74.84	20.06		80.0	
		Z	6.56	74.40	19.83		80.0	
10514-AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.55	74.32	20.00	2.23	80.0	± 9.6 %
		Y	6.50	74.36	19.98		80.0	
		Z	6.53	74.00	19.77		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.06	65.13	15.43	0.00	150.0	± 9.6 %
		Y	1.09	65.14	15.40		150.0	
		Z	1.08	65.09	15.37		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	0.80	72.98	16.39	0.00	150.0	± 9.6 %
		Y	0.81	72.64	16.67		150.0	
		Z	0.80	72.90	16.78		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.96	67.72	15.96	0.00	150.0	± 9.6 %
		Y	0.99	67.58	15.94		150.0	
		Z	0.96	67.49	15.91		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	5.21	68.99	17.61	0.00	150.0	± 9.6 %
		Y	5.22	69.05	17.55		150.0	
		Z	5.11	69.01	17.50		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	5.50	69.44	17.83	0.00	150.0	± 9.6 %
		Y	5.51	69.49	17.77		150.0	
		Z	5.37	69.44	17.72		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	5.31	69.32	17.67	0.00	150.0	± 9.6 %
		Y	5.33	69.37	17.62		150.0	
		Z	5.20	69.35	17.59		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	5.23	69.27	17.62	0.00	150.0	± 9.6 %
		Y	5.24	69.32	17.57		150.0	
		Z	5.12	69.30	17.55		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	5.27	69.23	17.66	0.00	150.0	± 9.6 %
		Y	5.28	69.28	17.60		150.0	
		Z	5.16	69.27	17.57		150.0	

10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	5.13	69.11	17.49	0.00	150.0	± 9.6 %
		Y	5.14	69.16	17.44		150.0	
		Z	5.02	69.12	17.40		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	5.22	69.18	17.64	0.00	150.0	± 9.6 %
		Y	5.23	69.23	17.59		150.0	
		Z	5.11	69.25	17.57		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	5.16	68.14	17.19	0.00	150.0	± 9.6 %
		Y	5.17	68.20	17.13		150.0	
		Z	5.07	68.17	17.09		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	5.41	68.61	17.35	0.00	150.0	± 9.6 %
		Y	5.43	68.67	17.30		150.0	
		Z	5.30	68.63	17.27		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	5.32	68.59	17.30	0.00	150.0	± 9.6 %
		Y	5.34	68.64	17.24		150.0	
		Z	5.21	68.58	17.20		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	5.35	68.62	17.34	0.00	150.0	± 9.6 %
		Y	5.36	68.67	17.28		150.0	
		Z	5.23	68.62	17.24		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	5.35	68.62	17.34	0.00	150.0	± 9.6 %
		Y	5.36	68.67	17.28		150.0	
		Z	5.23	68.62	17.24		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	5.37	68.77	17.35	0.00	150.0	± 9.6 %
		Y	5.38	68.82	17.29		150.0	
		Z	5.25	68.81	17.28		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	5.23	68.77	17.36	0.00	150.0	± 9.6 %
		Y	5.24	68.81	17.30		150.0	
		Z	5.09	68.67	17.22		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	5.36	68.64	17.32	0.00	150.0	± 9.6 %
		Y	5.38	68.69	17.26		150.0	
		Z	5.24	68.65	17.22		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	6.68	71.66	19.02	0.00	150.0	± 9.6 %
		Y	6.57	71.28	18.72		150.0	
		Z	6.52	71.38	18.77		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	6.67	71.44	18.86	0.00	150.0	± 9.6 %
		Y	6.57	71.09	18.58		150.0	
		Z	6.66	71.73	18.93		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	6.77	72.26	19.27	0.00	150.0	± 9.6 %
		Y	6.62	71.75	18.90		150.0	
		Z	6.38	71.25	18.64		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	6.76	71.97	19.14	0.00	150.0	± 9.6 %
		Y	6.61	71.47	18.77		150.0	
		Z	6.60	71.72	18.90		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	6.50	70.67	18.48	0.00	150.0	± 9.6 %
		Y	6.49	70.65	18.37		150.0	
		Z	6.37	70.59	18.35		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	6.77	71.96	19.18	0.00	150.0	± 9.6 %
		Y	6.62	71.45	18.82		150.0	
		Z	6.37	70.91	18.53		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	6.69	71.72	19.07	0.00	150.0	± 9.6 %
		Y	6.55	71.23	18.71		150.0	
		Z	6.20	70.34	18.24		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	6.93	71.99	19.25	0.00	150.0	± 9.6 %
		Y	6.79	71.49	18.89		150.0	
		Z	6.78	71.77	19.03		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	7.01	71.94	19.26	0.00	150.0	± 9.6 %
		Y	6.85	71.39	18.86		150.0	
		Z	6.55	70.70	18.47		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	6.36	69.56	17.82	0.00	150.0	± 9.6 %
		Y	6.33	69.48	17.67		150.0	
		Z	6.35	69.76	17.86		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	7.73	73.46	19.80	0.00	150.0	± 9.6 %
		Y	7.90	73.96	19.97		150.0	
		Z	8.06	74.55	20.24		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	6.68	70.52	18.26	0.00	150.0	± 9.6 %
		Y	6.63	70.37	18.09		150.0	
		Z	6.59	70.45	18.16		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	7.35	72.41	19.28	0.00	150.0	± 9.6 %
		Y	7.22	72.00	18.96		150.0	
		Z	7.02	71.63	18.79		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	64.82	118.33	36.20	0.00	150.0	± 9.6 %
		Y	58.12	115.70	35.27		150.0	
		Z	46.82	110.73	33.58		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	7.53	73.13	19.68	0.00	150.0	± 9.6 %
		Y	7.32	72.50	19.26		150.0	
		Z	7.87	74.27	20.15		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	7.92	74.19	20.16	0.00	150.0	± 9.6 %
		Y	7.66	73.46	19.69		150.0	
		Z	6.94	71.51	18.70		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	6.82	71.04	18.55	0.00	150.0	± 9.6 %
		Y	6.74	70.77	18.31		150.0	
		Z	6.98	71.84	18.91		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	6.48	69.58	17.78	0.00	150.0	± 9.6 %
		Y	6.47	69.57	17.68		150.0	
		Z	6.45	69.78	17.83		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	7.56	72.36	19.24	0.00	150.0	± 9.6 %
		Y	7.39	71.85	18.87		150.0	
		Z	7.42	72.05	18.99		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	9.57	77.35	21.69	0.00	150.0	± 9.6 %
		Y	8.90	75.74	20.80		150.0	
		Z	8.52	74.86	20.36		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	8.40	74.43	20.25	0.00	150.0	± 9.6 %
		Y	8.13	73.68	19.76		150.0	
		Z	8.41	74.54	20.19		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	7.84	72.90	19.48	0.00	150.0	± 9.6 %
		Y	7.66	72.39	19.11		150.0	
		Z	7.50	72.08	18.97		150.0	