

10558-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	7.35	71.28	18.57	0.00	150.0	± 9.6 %
		Y	7.47	71.70	18.72		150.0	
		Z	8.49	74.77	20.33		150.0	
10560-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	7.52	71.81	18.97	0.00	150.0	± 9.6 %
		Y	7.41	71.49	18.69		150.0	
		Z	7.74	72.68	19.35		150.0	
10561-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	7.57	72.24	19.22	0.00	150.0	± 9.6 %
		Y	7.52	72.11	19.06		150.0	
		Z	7.33	71.68	18.85		150.0	
10562-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	12.27	82.78	24.20	0.00	150.0	± 9.6 %
		Y	11.29	80.91	23.27		150.0	
		Z	9.08	76.27	21.11		150.0	
10563-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	10.95	79.75	22.82	0.00	150.0	± 9.6 %
		Y	10.21	78.20	21.99		150.0	
		Z	8.45	73.93	19.83		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	5.61	69.31	17.94	0.46	150.0	± 9.6 %
		Y	5.62	69.36	17.88		150.0	
		Z	5.51	69.31	17.82		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.92	69.86	18.28	0.46	150.0	± 9.6 %
		Y	5.93	69.90	18.22		150.0	
		Z	5.80	69.84	18.16		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	5.73	69.67	18.06	0.46	150.0	± 9.6 %
		Y	5.74	69.71	18.00		150.0	
		Z	5.62	69.69	17.97		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	5.71	69.83	18.24	0.46	150.0	± 9.6 %
		Y	5.72	69.88	18.18		150.0	
		Z	5.61	69.89	18.18		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	5.65	69.52	17.92	0.46	150.0	± 9.6 %
		Y	5.66	69.55	17.84		150.0	
		Z	5.55	69.54	17.80		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	5.63	69.79	18.22	0.46	150.0	± 9.6 %
		Y	5.64	69.83	18.16		150.0	
		Z	5.53	69.84	18.16		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	5.69	69.69	18.22	0.46	150.0	± 9.6 %
		Y	5.70	69.74	18.16		150.0	
		Z	5.59	69.78	18.16		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.56	69.17	17.63	0.46	130.0	± 9.6 %
		Y	1.56	68.93	17.51		130.0	
		Z	1.60	69.03	17.46		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.59	69.76	17.92	0.46	130.0	± 9.6 %
		Y	1.59	69.51	17.79		130.0	
		Z	1.63	69.59	17.74		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	3.62	88.47	22.16	0.46	130.0	± 9.6 %
		Y	3.57	88.83	22.66		130.0	
		Z	3.16	86.49	21.89		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.91	75.84	20.21	0.46	130.0	± 9.6 %
		Y	1.87	75.33	20.07		130.0	
		Z	1.90	75.28	19.98		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	5.40	69.20	18.06	0.46	130.0	± 9.6 %
		Y	5.40	69.22	17.98		130.0	
		Z	5.33	69.29	17.97		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	5.43	69.34	18.09	0.46	130.0	± 9.6 %
		Y	5.43	69.35	18.01		130.0	
		Z	5.36	69.40	17.99		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	5.72	69.79	18.34	0.46	130.0	± 9.6 %
		Y	5.73	69.80	18.25		130.0	
		Z	5.62	69.83	18.23		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	5.59	69.84	18.33	0.46	130.0	± 9.6 %
		Y	5.59	69.85	18.25		130.0	
		Z	5.50	69.91	18.25		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	5.42	69.53	17.91	0.46	130.0	± 9.6 %
		Y	5.42	69.54	17.83		130.0	
		Z	5.32	69.55	17.79		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	5.50	69.65	18.01	0.46	130.0	± 9.6 %
		Y	5.50	69.64	17.92		130.0	
		Z	5.39	69.62	17.85		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	5.53	70.07	18.34	0.46	130.0	± 9.6 %
		Y	5.53	70.07	18.26		130.0	
		Z	5.42	70.06	18.24		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	5.42	69.51	17.87	0.46	130.0	± 9.6 %
		Y	5.42	69.50	17.77		130.0	
		Z	5.30	69.49	17.71		130.0	
10583-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	5.40	69.20	18.06	0.46	130.0	± 9.6 %
		Y	5.40	69.22	17.98		130.0	
		Z	5.33	69.29	17.97		130.0	
10584-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	5.43	69.34	18.09	0.46	130.0	± 9.6 %
		Y	5.43	69.35	18.01		130.0	
		Z	5.36	69.40	17.99		130.0	
10585-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	5.72	69.79	18.34	0.46	130.0	± 9.6 %
		Y	5.73	69.80	18.25		130.0	
		Z	5.62	69.83	18.23		130.0	
10586-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	5.59	69.84	18.33	0.46	130.0	± 9.6 %
		Y	5.59	69.85	18.25		130.0	
		Z	5.50	69.91	18.25		130.0	
10587-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	5.42	69.53	17.91	0.46	130.0	± 9.6 %
		Y	5.42	69.54	17.83		130.0	
		Z	5.32	69.55	17.79		130.0	
10588-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	5.50	69.65	18.01	0.46	130.0	± 9.6 %
		Y	5.50	69.64	17.92		130.0	
		Z	5.39	69.62	17.85		130.0	
10589-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	5.53	70.07	18.34	0.46	130.0	± 9.6 %
		Y	5.53	70.07	18.26		130.0	
		Z	5.42	70.06	18.24		130.0	
10590-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	5.42	69.51	17.87	0.46	130.0	± 9.6 %
		Y	5.42	69.50	17.77		130.0	
		Z	5.30	69.49	17.71		130.0	

10591-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	5.55	69.25	18.16	0.46	130.0	± 9.6 %
		Y	5.56	69.27	18.08		130.0	
		Z	5.48	69.31	18.06		130.0	
10592-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	5.77	69.61	18.27	0.46	130.0	± 9.6 %
		Y	5.77	69.63	18.19		130.0	
		Z	5.68	69.69	18.19		130.0	
10593-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	5.72	69.66	18.23	0.46	130.0	± 9.6 %
		Y	5.72	69.67	18.15		130.0	
		Z	5.62	69.70	18.13		130.0	
10594-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	5.74	69.69	18.30	0.46	130.0	± 9.6 %
		Y	5.75	69.71	18.21		130.0	
		Z	5.66	69.77	18.22		130.0	
10595-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	5.76	69.82	18.29	0.46	130.0	± 9.6 %
		Y	5.77	69.83	18.21		130.0	
		Z	5.66	69.84	18.18		130.0	
10596-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	5.69	69.79	18.27	0.46	130.0	± 9.6 %
		Y	5.69	69.80	18.18		130.0	
		Z	5.59	69.83	18.17		130.0	
10597-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	5.65	69.79	18.21	0.46	130.0	± 9.6 %
		Y	5.65	69.79	18.13		130.0	
		Z	5.55	69.80	18.09		130.0	
10598-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	5.61	69.96	18.40	0.46	130.0	± 9.6 %
		Y	5.61	69.97	18.32		130.0	
		Z	5.51	69.96	18.29		130.0	
10599-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	8.36	76.77	22.08	0.46	130.0	± 9.6 %
		Y	7.86	75.28	21.23		130.0	
		Z	7.93	75.71	21.40		130.0	
10600-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	83.88	129.05	40.58	0.46	130.0	± 9.6 %
		Y	54.99	119.04	37.53		130.0	
		Z	39.58	111.11	34.82		130.0	
10601-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	10.19	81.27	24.14	0.46	130.0	± 9.6 %
		Y	9.85	80.45	23.66		130.0	
		Z	9.91	80.72	23.70		130.0	
10602-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	9.81	80.00	23.48	0.46	130.0	± 9.6 %
		Y	9.57	79.38	23.09		130.0	
		Z	10.11	80.86	23.71		130.0	
10603-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	8.50	76.68	22.00	0.46	130.0	± 9.6 %
		Y	8.12	75.55	21.33		130.0	
		Z	9.96	80.61	23.72		130.0	
10604-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	7.42	73.87	20.62	0.46	130.0	± 9.6 %
		Y	7.24	73.25	20.19		130.0	
		Z	7.56	74.54	20.84		130.0	
10605-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	11.57	84.21	25.56	0.46	130.0	± 9.6 %
		Y	10.38	81.61	24.28		130.0	
		Z	9.96	80.71	23.76		130.0	
10606-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	6.85	72.21	19.64	0.46	130.0	± 9.6 %
		Y	6.80	72.05	19.45		130.0	
		Z	7.22	73.71	20.30		130.0	

10607-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	5.37	68.39	17.63	0.46	130.0	± 9.6 %
		Y	5.37	68.42	17.56		130.0	
		Z	5.30	68.47	17.55		130.0	
10608-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	5.63	68.86	17.80	0.46	130.0	± 9.6 %
		Y	5.64	68.88	17.72		130.0	
		Z	5.54	68.93	17.72		130.0	
10609-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	5.52	68.79	17.69	0.46	130.0	± 9.6 %
		Y	5.53	68.82	17.61		130.0	
		Z	5.43	68.84	17.59		130.0	
10610-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	5.57	68.90	17.81	0.46	130.0	± 9.6 %
		Y	5.57	68.92	17.73		130.0	
		Z	5.48	68.96	17.73		130.0	
10611-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	5.54	68.95	17.79	0.46	130.0	± 9.6 %
		Y	5.54	68.96	17.71		130.0	
		Z	5.43	68.95	17.68		130.0	
10612-AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	5.55	69.02	17.78	0.46	130.0	± 9.6 %
		Y	5.55	69.04	17.70		130.0	
		Z	5.45	69.07	17.70		130.0	
10613-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	5.58	69.01	17.73	0.46	130.0	± 9.6 %
		Y	5.58	69.02	17.65		130.0	
		Z	5.47	69.04	17.63		130.0	
10614-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	5.49	69.16	17.91	0.46	130.0	± 9.6 %
		Y	5.49	69.17	17.83		130.0	
		Z	5.37	69.09	17.77		130.0	
10615-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	5.55	68.78	17.60	0.46	130.0	± 9.6 %
		Y	5.55	68.79	17.52		130.0	
		Z	5.44	68.80	17.49		130.0	
10616-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	7.15	72.74	19.92	0.46	130.0	± 9.6 %
		Y	6.99	72.21	19.54		130.0	
		Z	7.08	72.72	19.79		130.0	
10617-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	7.24	72.82	19.91	0.46	130.0	± 9.6 %
		Y	7.07	72.27	19.52		130.0	
		Z	7.33	73.38	20.08		130.0	
10618-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	7.53	74.21	20.62	0.46	130.0	± 9.6 %
		Y	7.27	73.39	20.09		130.0	
		Z	6.97	72.69	19.71		130.0	
10619-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	7.52	73.93	20.45	0.46	130.0	± 9.6 %
		Y	7.21	72.96	19.85		130.0	
		Z	7.25	73.31	20.00		130.0	
10620-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	6.85	71.39	19.15	0.46	130.0	± 9.6 %
		Y	6.73	70.99	18.83		130.0	
		Z	6.82	71.63	19.18		130.0	
10621-AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	6.66	70.99	19.04	0.46	130.0	± 9.6 %
		Y	6.58	70.72	18.79		130.0	
		Z	6.59	71.05	18.98		130.0	
10622-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	7.65	74.28	20.75	0.46	130.0	± 9.6 %
		Y	7.36	73.37	20.18		130.0	
		Z	6.91	72.18	19.54		130.0	

10623-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	7.25	73.11	20.09	0.46	130.0	± 9.6 %
		Y	7.10	72.60	19.72		130.0	
		Z	6.63	71.30	19.02		130.0	
10624-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	7.72	74.03	20.65	0.46	130.0	± 9.6 %
		Y	7.42	73.09	20.05		130.0	
		Z	7.58	73.78	20.36		130.0	
10625-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	10.18	79.67	23.30	0.46	130.0	± 9.6 %
		Y	9.57	78.23	22.53		130.0	
		Z	11.95	83.13	24.58		130.0	
10626-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	6.70	70.29	18.53	0.46	130.0	± 9.6 %
		Y	6.59	69.94	18.23		130.0	
		Z	6.69	70.46	18.54		130.0	
10627-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	8.60	75.50	21.17	0.46	130.0	± 9.6 %
		Y	8.25	74.56	20.59		130.0	
		Z	9.42	77.64	22.06		130.0	
10628-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	7.02	71.22	18.91	0.46	130.0	± 9.6 %
		Y	6.93	70.92	18.65		130.0	
		Z	6.94	71.13	18.77		130.0	
10629-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	8.10	74.24	20.50	0.46	130.0	± 9.6 %
		Y	7.84	73.49	20.01		130.0	
		Z	7.41	72.40	19.44		130.0	
10630-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	56.46	115.95	35.95	0.46	130.0	± 9.6 %
		Y	59.83	117.06	36.16		130.0	
		Z	57.52	115.75	35.56		130.0	
10631-AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	X	20.91	95.04	29.34	0.46	130.0	± 9.6 %
		Y	16.92	90.27	27.42		130.0	
		Z	9.74	78.33	22.36		130.0	
10632-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	8.62	75.79	21.44	0.46	130.0	± 9.6 %
		Y	8.27	74.81	20.84		130.0	
		Z	9.19	77.33	22.04		130.0	
10633-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	9.22	77.24	21.98	0.46	130.0	± 9.6 %
		Y	8.73	75.99	21.26		130.0	
		Z	7.59	73.09	19.81		130.0	
10634-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	7.28	71.94	19.34	0.46	130.0	± 9.6 %
		Y	7.19	71.65	19.09		130.0	
		Z	7.97	74.33	20.52		130.0	
10635-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	X	6.73	69.99	18.12	0.46	130.0	± 9.6 %
		Y	6.70	69.90	17.97		130.0	
		Z	6.72	70.22	18.17		130.0	
10636-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	8.31	74.19	20.53	0.46	130.0	± 9.6 %
		Y	8.03	73.37	20.00		130.0	
		Z	8.09	73.61	20.11		130.0	
10637-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	12.10	82.45	24.39	0.46	130.0	± 9.6 %
		Y	11.52	81.29	23.76		130.0	
		Z	9.45	76.85	21.65		130.0	
10638-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	9.54	77.03	21.86	0.46	130.0	± 9.6 %
		Y	9.15	76.06	21.28		130.0	
		Z	9.77	77.57	21.97		130.0	

10639-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	X	8.41	74.14	20.46	0.46	130.0	± 9.6 %
		Y	8.18	73.51	20.02		130.0	
		Z	7.96	73.01	19.77		130.0	
10640-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	X	7.70	71.87	19.13	0.46	130.0	± 9.6 %
		Y	7.59	71.60	18.90		130.0	
		Z	10.04	78.18	22.25		130.0	
10641-AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	8.69	74.71	20.77	0.46	130.0	± 9.6 %
		Y	8.24	73.45	20.00		130.0	
		Z	8.46	74.17	20.36		130.0	
10642-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	X	8.18	73.36	20.17	0.46	130.0	± 9.6 %
		Y	7.94	72.66	19.69		130.0	
		Z	8.42	74.20	20.51		130.0	
10643-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	8.20	73.71	20.29	0.46	130.0	± 9.6 %
		Y	7.97	73.03	19.83		130.0	
		Z	7.82	72.74	19.67		130.0	
10644-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	X	16.21	88.92	27.10	0.46	130.0	± 9.6 %
		Y	14.24	85.93	25.76		130.0	
		Z	10.50	79.18	22.77		130.0	
10645-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	14.11	85.32	25.61	0.46	130.0	± 9.6 %
		Y	12.55	82.61	24.32		130.0	
		Z	9.49	76.17	21.23		130.0	
10646-AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	X	59.89	132.23	44.21	9.30	60.0	± 9.6 %
		Y	66.17	134.23	44.31		60.0	
		Z	35.09	116.44	38.91		60.0	
10647-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	X	71.49	137.63	45.87	9.30	60.0	± 9.6 %
		Y	78.02	139.24	45.83		60.0	
		Z	39.53	120.17	40.16		60.0	
10648-AAA	CDMA2000 (1x Advanced)	X	1.03	67.02	12.57	0.00	150.0	± 9.6 %
		Y	1.06	67.17	12.86		150.0	
		Z	0.97	66.67	12.05		150.0	
10652-AAD	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	5.27	71.86	19.06	2.23	80.0	± 9.6 %
		Y	5.23	71.82	19.01		80.0	
		Z	5.33	71.84	18.78		80.0	
10653-AAD	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	5.85	71.50	19.40	2.23	80.0	± 9.6 %
		Y	5.80	71.45	19.32		80.0	
		Z	5.89	71.41	19.14		80.0	
10654-AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	5.72	71.13	19.40	2.23	80.0	± 9.6 %
		Y	5.67	71.08	19.31		80.0	
		Z	5.79	71.05	19.16		80.0	
10655-AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	5.82	71.33	19.52	2.23	80.0	± 9.6 %
		Y	5.77	71.27	19.43		80.0	
		Z	5.88	71.16	19.25		80.0	
10658-AAA	Pulse Waveform (200Hz, 10%)	X	10.37	82.93	21.06	10.00	50.0	± 9.6 %
		Y	11.27	84.88	21.48		50.0	
		Z	10.75	83.25	22.31		50.0	
10659-AAA	Pulse Waveform (200Hz, 20%)	X	9.52	82.62	19.51	6.99	60.0	± 9.6 %
		Y	11.30	85.59	20.35		60.0	
		Z	9.95	83.49	20.89		60.0	

10660-AAA	Pulse Waveform (200Hz, 40%)	X	8.99	83.77	18.32	3.98	80.0	± 9.6 %
		Y	13.99	89.75	20.15		80.0	
		Z	10.20	86.38	20.25		80.0	
10661-AAA	Pulse Waveform (200Hz, 60%)	X	100.00	84.64	10.47	2.22	100.0	± 9.6 %
		Y	100.00	85.27	11.37		100.0	
		Z	100.00	86.26	11.61		100.0	
10662-AAA	Pulse Waveform (200Hz, 80%)	X	100.00	99.15	17.30	0.97	120.0	± 9.6 %
		Y	100.00	104.58	19.59		120.0	
		Z	100.00	106.03	20.55		120.0	
10670-AAA	Bluetooth Low Energy	X	6.83	82.91	17.22	2.19	100.0	± 9.6 %
		Y	13.56	91.41	19.91		100.0	
		Z	9.06	87.64	19.73		100.0	

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.