




Duty Cycle NVNT a 5260MHz Ant 2




Duty Cycle NVNT a 5280MHz Ant 2




Duty Cycle NVNT a 5320MHz Ant 2




Duty Cycle NVNT ac20 5260MHz Ant 1




Duty Cycle NVNT ac20 5280MHz Ant 1




Duty Cycle NVNT ac20 5320MHz Ant 1




Duty Cycle NVNT ac20 5260MHz Ant 2




Duty Cycle NVNT ac20 5280MHz Ant 2




Duty Cycle NVNT ac20 5320MHz Ant 2




Duty Cycle NVNT ac40 5270MHz Ant 1




Duty Cycle NVNT ac40 5310MHz Ant 1




Duty Cycle NVNT ac40 5270MHz Ant 2




Duty Cycle NVNT ac40 5310MHz Ant 2




Duty Cycle NVNT ac80 5290MHz Ant 1




Duty Cycle NVNT ac80 5290MHz Ant 2




Duty Cycle NVNT ax20 5260MHz Ant 1




Duty Cycle NVNT ax20 5280MHz Ant 1




Duty Cycle NVNT ax20 5320MHz Ant 1




Duty Cycle NVNT ax20 5260MHz Ant 2




Duty Cycle NVNT ax20 5280MHz Ant 2




Duty Cycle NVNT ax20 5320MHz Ant 2




Duty Cycle NVNT ax40 5270MHz Ant 1




Duty Cycle NVNT ax40 5310MHz Ant 1




Duty Cycle NVNT ax40 5270MHz Ant 2




Duty Cycle NVNT ax40 5310MHz Ant 2




Duty Cycle NVNT ax80 5290MHz Ant 1




Duty Cycle NVNT ax80 5290MHz Ant 2




Duty Cycle NVNT n20 5260MHz Ant 1




Duty Cycle NVNT n20 5280MHz Ant 1




Duty Cycle NVNT n20 5320MHz Ant 1




Duty Cycle NVNT n20 5260MHz Ant 2




Duty Cycle NVNT n20 5280MHz Ant 2




Duty Cycle NVNT n20 5320MHz Ant 2




Duty Cycle NVNT n40 5270MHz Ant 1




Duty Cycle NVNT n40 5310MHz Ant 1



Duty Cycle NVNT n40 5270MHz Ant 2



Duty Cycle NVNT n40 5310MHz Ant 2



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	FCC Limit (dBm)	IC Limit (dBm)	Verdict
NVNT	a	5260	Ant 1	9.68	1.71	11.39	24	23.18	Pass
NVNT	a	5280	Ant 1	10.21	1.69	11.9	24	23.18	Pass
NVNT	a	5320	Ant 1	10.4	1.7	12.1	24	23.18	Pass
NVNT	a	5260	Ant 2	10.49	1.69	12.18	24	23.17	Pass
NVNT	a	5280	Ant 2	9.97	1.69	11.66	24	23.17	Pass
NVNT	a	5320	Ant 2	9.98	1.69	11.67	24	23.17	Pass
NVNT	ac20	5260	Ant 1	9.79	0.93	10.72	24	23.50	Pass
NVNT	ac20	5280	Ant 1	10.22	0.94	11.16	24	23.50	Pass
NVNT	ac20	5320	Ant 1	10.47	0.94	11.41	24	23.50	Pass
NVNT	ac20	5260	Ant 2	10.78	0.94	11.72	24	23.49	Pass
NVNT	ac20	5280	Ant 2	9.97	0.94	10.91	24	23.49	Pass
NVNT	ac20	5320	Ant 2	10.28	0.94	11.22	24	23.49	Pass
NVNT	ac40	5270	Ant 1	10.63	2.82	13.45	24	24	Pass
NVNT	ac40	5310	Ant 1	10.02	2.81	12.83	24	24	Pass
NVNT	ac40	5270	Ant 2	10.64	2.82	13.46	24	24	Pass
NVNT	ac40	5310	Ant 2	10.42	2.81	13.23	24	24	Pass
NVNT	ac80	5290	Ant 1	9.71	3.45	13.16	24	24	Pass
NVNT	ac80	5290	Ant 2	9.65	3.44	13.09	24	24	Pass
NVNT	ax20	5260	Ant 1	10.06	1.98	12.04	24	23.78	Pass
NVNT	ax20	5280	Ant 1	9.68	1.99	11.67	24	23.78	Pass
NVNT	ax20	5320	Ant 1	9.76	2	11.76	24	23.78	Pass
NVNT	ax20	5260	Ant 2	10.81	1.98	12.79	24	23.79	Pass
NVNT	ax20	5280	Ant 2	10.37	1.98	12.35	24	23.79	Pass
NVNT	ax20	5320	Ant 2	10.32	1.98	12.3	24	23.79	Pass
NVNT	ax40	5270	Ant 1	9.99	2.47	12.46	24	24	Pass
NVNT	ax40	5310	Ant 1	10.18	2.47	12.65	24	24	Pass
NVNT	ax40	5270	Ant 2	8.73	2.47	11.2	24	24	Pass
NVNT	ax40	5310	Ant 2	10.04	2.47	12.51	24	24	Pass
NVNT	ax80	5290	Ant 1	10	2.8	12.8	24	24	Pass
NVNT	ax80	5290	Ant 2	9.77	2.8	12.57	24	24	Pass
NVNT	n20	5260	Ant 1	9.9	1.8	11.7	24	23.48	Pass
NVNT	n20	5280	Ant 1	10.22	1.79	12.01	24	23.48	Pass
NVNT	n20	5320	Ant 1	10.54	1.79	12.33	24	23.48	Pass
NVNT	n20	5260	Ant 2	10.65	1.79	12.44	24	23.47	Pass
NVNT	n20	5280	Ant 2	9.88	1.79	11.67	24	23.47	Pass
NVNT	n20	5320	Ant 2	10.04	1.79	11.83	24	23.47	Pass

NVNT	n40	5270	Ant 1	9.73	2.57	12.3	24	24	Pass
NVNT	n40	5310	Ant 1	9.94	2.58	12.52	24	24	Pass
NVNT	n40	5270	Ant 2	10.56	2.58	13.14	24	24	Pass
NVNT	n40	5310	Ant 2	10.35	2.57	12.92	24	24	Pass

Equivalent Isotropically Radiated Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Antenna Gain (dBi)	EIRP Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant 1	9.68	1.71	11.39	2.95	14.34	29.18	Pass
NVNT	a	5280	Ant 1	10.21	1.69	11.9	2.95	14.85	29.18	Pass
NVNT	a	5320	Ant 1	10.4	1.7	12.1	2.95	15.05	29.18	Pass
NVNT	a	5260	Ant 2	10.49	1.69	12.18	2.95	15.13	29.17	Pass
NVNT	a	5280	Ant 2	9.97	1.69	11.66	2.95	14.61	29.17	Pass
NVNT	a	5320	Ant 2	9.98	1.69	11.67	2.95	14.62	29.17	Pass
NVNT	ac20	5260	Ant 1	9.79	0.93	10.72	2.95	13.67	29.50	Pass
NVNT	ac20	5280	Ant 1	10.22	0.94	11.16	2.95	14.11	29.50	Pass
NVNT	ac20	5320	Ant 1	10.47	0.94	11.41	2.95	14.36	29.50	Pass
NVNT	ac20	5260	Ant 2	10.78	0.94	11.72	2.95	14.67	29.49	Pass
NVNT	ac20	5280	Ant 2	9.97	0.94	10.91	2.95	13.86	29.49	Pass
NVNT	ac20	5320	Ant 2	10.28	0.94	11.22	2.95	14.17	29.49	Pass
NVNT	ac40	5270	Ant 1	10.63	2.82	13.45	2.95	16.4	30	Pass
NVNT	ac40	5310	Ant 1	10.02	2.81	12.83	2.95	15.78	30	Pass
NVNT	ac40	5270	Ant 2	10.64	2.82	13.46	2.95	16.41	30	Pass
NVNT	ac40	5310	Ant 2	10.42	2.81	13.23	2.95	16.18	30	Pass
NVNT	ac80	5290	Ant 1	9.71	3.45	13.16	2.95	16.11	30	Pass
NVNT	ac80	5290	Ant 2	9.65	3.44	13.09	2.95	16.04	30	Pass
NVNT	ax20	5260	Ant 1	10.06	1.98	12.04	2.95	14.99	29.78	Pass
NVNT	ax20	5280	Ant 1	9.68	1.99	11.67	2.95	14.62	29.78	Pass
NVNT	ax20	5320	Ant 1	9.76	2	11.76	2.95	14.71	29.78	Pass
NVNT	ax20	5260	Ant 2	10.81	1.98	12.79	2.95	15.74	29.79	Pass
NVNT	ax20	5280	Ant 2	10.37	1.98	12.35	2.95	15.3	29.79	Pass
NVNT	ax20	5320	Ant 2	10.32	1.98	12.3	2.95	15.25	29.79	Pass
NVNT	ax40	5270	Ant 1	9.99	2.47	12.46	2.95	15.41	30	Pass
NVNT	ax40	5310	Ant 1	10.18	2.47	12.65	2.95	15.6	30	Pass
NVNT	ax40	5270	Ant 2	8.73	2.47	11.2	2.95	14.15	30	Pass
NVNT	ax40	5310	Ant 2	10.04	2.47	12.51	2.95	15.46	30	Pass
NVNT	ax80	5290	Ant 1	10	2.8	12.8	2.95	15.75	30	Pass
NVNT	ax80	5290	Ant 2	9.77	2.8	12.57	2.95	15.52	30	Pass
NVNT	n20	5260	Ant 1	9.9	1.8	11.7	2.95	14.65	29.48	Pass
NVNT	n20	5280	Ant 1	10.22	1.79	12.01	2.95	14.96	29.48	Pass
NVNT	n20	5320	Ant 1	10.54	1.79	12.33	2.95	15.28	29.48	Pass
NVNT	n20	5260	Ant 2	10.65	1.79	12.44	2.95	15.39	29.47	Pass
NVNT	n20	5280	Ant 2	9.88	1.79	11.67	2.95	14.62	29.47	Pass
NVNT	n20	5320	Ant 2	10.04	1.79	11.83	2.95	14.78	29.47	Pass
NVNT	n40	5270	Ant 1	9.73	2.57	12.3	2.95	15.25	30	Pass
NVNT	n40	5310	Ant 1	9.94	2.58	12.52	2.95	15.47	30	Pass


NVNT	n40	5270	Ant 2	10.56	2.58	13.14	2.95	16.09	30	Pass
NVNT	n40	5310	Ant 2	10.35	2.57	12.92	2.95	15.87	30	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant 1	20.892	Pass
NVNT	a	5280	Ant 1	21.333	Pass
NVNT	a	5320	Ant 1	21	Pass
NVNT	a	5260	Ant 2	20.991	Pass
NVNT	a	5280	Ant 2	21.03	Pass
NVNT	a	5320	Ant 2	21.36	Pass
NVNT	ac20	5260	Ant 1	21.642	Pass
NVNT	ac20	5280	Ant 1	21.525	Pass
NVNT	ac20	5320	Ant 1	21.993	Pass
NVNT	ac20	5260	Ant 2	21.999	Pass
NVNT	ac20	5280	Ant 2	21.354	Pass
NVNT	ac20	5320	Ant 2	21.495	Pass
NVNT	ac40	5270	Ant 1	40.104	Pass
NVNT	ac40	5310	Ant 1	40.296	Pass
NVNT	ac40	5270	Ant 2	40.17	Pass
NVNT	ac40	5310	Ant 2	40.068	Pass
NVNT	ac80	5290	Ant 1	81.384	Pass
NVNT	ac80	5290	Ant 2	82.068	Pass
NVNT	ax20	5260	Ant 1	21.078	Pass
NVNT	ax20	5280	Ant 1	21.411	Pass
NVNT	ax20	5320	Ant 1	21.384	Pass
NVNT	ax20	5260	Ant 2	21.423	Pass
NVNT	ax20	5280	Ant 2	21.129	Pass
NVNT	ax20	5320	Ant 2	21.156	Pass
NVNT	ax40	5270	Ant 1	40.446	Pass
NVNT	ax40	5310	Ant 1	40.29	Pass
NVNT	ax40	5270	Ant 2	40.05	Pass
NVNT	ax40	5310	Ant 2	40.056	Pass
NVNT	ax80	5290	Ant 1	80.832	Pass
NVNT	ax80	5290	Ant 2	81.24	Pass
NVNT	n20	5260	Ant 1	21.543	Pass
NVNT	n20	5280	Ant 1	21.402	Pass
NVNT	n20	5320	Ant 1	21.453	Pass
NVNT	n20	5260	Ant 2	21.21	Pass
NVNT	n20	5280	Ant 2	21.57	Pass
NVNT	n20	5320	Ant 2	21.429	Pass

NVNT	n40	5270	Ant 1	39.726	Pass
NVNT	n40	5310	Ant 1	39.876	Pass
NVNT	n40	5270	Ant 2	40.086	Pass
NVNT	n40	5310	Ant 2	39.522	Pass


-26dB Bandwidth NVNT a 5260MHz Ant 1




-26dB Bandwidth NVNT a 5280MHz Ant 1




-26dB Bandwidth NVNT a 5320MHz Ant 1




-26dB Bandwidth NVNT a 5260MHz Ant 2




-26dB Bandwidth NVNT a 5280MHz Ant 2




-26dB Bandwidth NVNT a 5320MHz Ant 2




-26dB Bandwidth NVNT ac20 5260MHz Ant 1




-26dB Bandwidth NVNT ac20 5280MHz Ant 1




-26dB Bandwidth NVNT ac20 5320MHz Ant 1




-26dB Bandwidth NVNT ac20 5260MHz Ant 2




-26dB Bandwidth NVNT ac20 5280MHz Ant 2




-26dB Bandwidth NVNT ac20 5320MHz Ant 2




-26dB Bandwidth NVNT ac40 5270MHz Ant 1




-26dB Bandwidth NVNT ac40 5310MHz Ant 1




-26dB Bandwidth NVNT ac40 5270MHz Ant 2




-26dB Bandwidth NVNT ac40 5310MHz Ant 2




-26dB Bandwidth NVNT ac80 5290MHz Ant 1




-26dB Bandwidth NVNT ac80 5290MHz Ant 2




-26dB Bandwidth NVNT ax20 5260MHz Ant 1




-26dB Bandwidth NVNT ax20 5280MHz Ant 1




-26dB Bandwidth NVNT ax20 5320MHz Ant 1




-26dB Bandwidth NVNT ax20 5260MHz Ant 2




-26dB Bandwidth NVNT ax20 5280MHz Ant 2




-26dB Bandwidth NVNT ax20 5320MHz Ant 2




-26dB Bandwidth NVNT ax40 5270MHz Ant 1




-26dB Bandwidth NVNT ax40 5310MHz Ant 1




-26dB Bandwidth NVNT ax40 5270MHz Ant 2




-26dB Bandwidth NVNT ax40 5310MHz Ant 2




-26dB Bandwidth NVNT ax80 5290MHz Ant 1




-26dB Bandwidth NVNT ax80 5290MHz Ant 2




-26dB Bandwidth NVNT n20 5260MHz Ant 1




-26dB Bandwidth NVNT n20 5280MHz Ant 1




-26dB Bandwidth NVNT n20 5320MHz Ant 1



-26dB Bandwidth NVNT n20 5260MHz Ant 2



-26dB Bandwidth NVNT n20 5280MHz Ant 2



-26dB Bandwidth NVNT n20 5320MHz Ant 2

