

## **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

Applicant: Hong Kong AMobile Intelligent Corp. Limited Taiwan Branch

8F.-1, No.700, Zhongzheng Rd., Zhonghe Dist., New Taipei City

235, Taiwan

**Product Name:** GT78-V Rugged Android Tablet

**Brand Name: AMobile** 

Model No.: GT78-V8, GT78-V7

**Model Difference:** Difference in screen size and position of light sensor

FCC ID: 2AQ5W-GT78V8 E2/2018/80017 **Report Number:** 

**FCC Rule Part:** §15.247, Cat: DTS

Nov. 21, 2018 **Issue Date:** 

**Date of Test:** Aug. 02, 2018 ~ Sep. 26, 2018

Date of EUT Re-Aug. 02, 2018

ceived:

#### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留<sup>9</sup>0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
E2/2018/80017	Rev.00	Initial creation of docu- ment	All	Oct. 26, 2018	Stefanie Yu / Clerk
E2/2018/80017	Rev.01	Update information for Model No. and FCC ID	1,4	Nov. 21, 2018	Stefanie Yu / Clerk

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present of the industry of the content of the lower of the industry of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# **Table of Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	7
4	DESCRIPTION OF TEST MODES	8
5	MEASUREMENT UNCERTAINTY	10
6	CONDUCTED EMISSION TEST	11
7	DUTY CYCLE OF TEST SIGNAL	15
8	PEAK OUTPUT POWER MEASUREMENT	17
9	6DB BANDWIDTH MEASUREMENT	21
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	25
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	38
12	PEAK POWER SPECTRAL DENSITY	89
13	ANTENNA REQUIREMENT	93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## **GENERAL INFORMATION**

## 1.1 Product description

#### General:

Product Name:	GT78-V Rugged Android Tablet			
Brand Name:	AMobile			
Marketing Name:	N/A			
Model No.:	GT78-V8, GT78-V7			
Model Difference:	Difference in screen size and position of light sensor			
Software version:	N/A			
Hardware version:	N/A			
USB Cable	Model No.: N/A, Supplier: N/A			
	3.8Vdc from Rechargeable Li-polymer Battery			
Power Supply:	Battery: Model No.: DPR999-00 Supplier: AMobile			

#### WLAN 2.4GHz:

,	···-·						
Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology			
11b/g	2412-2462	11	b: 15.55dBm g: 18.69dBm	DSSS, OFDM			
11n	HT20 2412-2462	11	HT20: 18.69dBm	OFDM			
11n	HT40 2422-2452	9	HT40: 19.75dBm	OFDM			
Antenna	Designation:	PCB Ante	PCB Antenna, Gain: 3.5dBi				
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM					
Transition Rate:		802.11 g 802.11 n	: 1/2/5.5/11 Mbps : 6/9/12/18/24/36/48/54 Mbps _20MHz: 6.5 – 72.2Mbps _40MHz: 13.5 - 150.0Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present of the industry of the content of the lower of the industry of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



## 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

## 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Number and Designation are: 735305 / TW0002

## 1.4 Special Accessories

There are no special accessories used while test was conducted.

## 1.5 Equipment Modifications

There was no modification incorporated into the EUT.

#### 1.6 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m\*9m\*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留<sup>9</sup>0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, intention is drawn to the limitation of liability, intention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sgs.com

SGS Taiwan Ltd.



#### SYSTEM TEST CONFIGURATION

## 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



## 2.4 Configuration of Tested System

## Fig. 2-1 Radiated Emission & Conducted (Antenna Port)



Fig. 2-2 Conduction (AC Power Line)



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1	Notebook	Lenovo	L430	R9-WR6X4	Shielded	Unshielded
2	Bluetooth Test Software	N/A	N/A	N/A	N/A	N/A

## SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **DESCRIPTION OF TEST MODES**

## 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n, HT20

are provided for 602.11b, 602.11g and 602.11h_11120						
CHANNEL	CHANNEL FREQUENCY		FREQUENCY			
1	2412 MHz	7	2442 MHz			
2	2417 MHz	8	2447 MHz			
3	2422 MHz	9	2452 MHz			
4	2427 MHz	10	2457 MHz			
5	2432 MHz	11	2462 MHz			
6	2437 MHz					
	CHANNEL  1  2  3  4	CHANNEL         FREQUENCY           1         2412 MHz           2         2417 MHz           3         2422 MHz           4         2427 MHz           5         2432 MHz	CHANNEL         FREQUENCY         CHANNEL           1         2412 MHz         7           2         2417 MHz         8           3         2422 MHz         9           4         2427 MHz         10           5         2432 MHz         11			

7 channels are provided for 802.11n HT40

p								
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY					
3	2422 MHz	7	2442 MHz					
4	2427 MHz	8	2447 MHz					
5	2432 MHz	9	2452 MHz					
6	2437 MHz							

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

#### **RADIATED EMISSION TEST:**

	RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)				
802.11g	1 to 11	1,6,11	OFDM	6				

	RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)				
802.11b	1 to 11	1, 6, 11	DSSS	1				
802.11g	1 to 11	1, 6, 11	OFDM	6				
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0				
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	MCS 0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E1 position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)			
802.11b	1 to 11	1, 6, 11	DSSS	1			
802.11g	1 to 11	1, 6, 11	OFDM	6			
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0			
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	MCS 0			



## **MEASUREMENT UNCERTAINTY**

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

## Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : <b>Vertical</b> )	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : <b>Horizontal</b> )	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### CONDUCTED EMISSION TEST

## 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

#### Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

## 6.2 Measurement Equipment Used

Conducted Emission Test Site										
EQUIPMENT MFR MODEL SERIAL LAST CAL DUE										
TYPE	TYPE NUMBER NUMBER CAL.									
LISN	TESEQ	NNB 51	36076	2018/02/14	2019/2/13					
EMI Test Receiver	R&S	ESCI	101300	2017/11/02	2018/11/1					
Notebook	Lenovo	L420	S0012467	N/A	N/A					

#### 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



## 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

www.tw.sqs.com



#### AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode: operation mode Test By: Jerry

Site: Conduction Room

Phase: L1

Limit: FCC Class B Conduction(QP)

Power: AC 120V/60Hz Temperature: Humidity:

Mode: Note:

# Conducted Emission Data:#1057 File : Condution Date: 2018/9/3 Time: 下午 11:43:00 FCC Class B Conduction(AVG 0.150 0.5 (MHz) 30.000

No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1 *	0.1500	32.18	19.65	51.83	66.00	-14.17	peak	
2	0.1620	29.56	19.67	49.23	65.36	-16.13	peak	
3	0.1940	25.46	19.73	45.19	63.86	-18.67	peak	
4	0.2260	19.72	19.78	39.50	62.60	-23.10	peak	
5	0.4740	16.89	20.19	37.08	56.44	-19.36	peak	
6	4.1900	19.85	20.14	39.99	56.00	-16.01	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Conduction Room

Phase:

22 °C Temperature:

Limit: FCC Class B Conduction(QP)

AC 120V/60Hz Power:

Humidity: 64 %

Mode: Note:

# Conducted Emission File: Condution Data:#1058 Date: 2018/9/3 Time: 下午 11:43:57 80.0 dBuV FCC Class B Conduction(QP) FCC Class B Conduction(AVG) 0.0 0.150 0.5 (MHz) 30.000

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.1500	34.33	19.64	53.97	66.00	-12.03	peak	
2		0.1620	30.79	19.66	50.45	65.36	-14.91	peak	
3		0.1940	27.49	19.71	47.20	63.86	-16.66	peak	
4		0.2220	20.36	19.76	40.12	62.74	-22.62	peak	
5		0.4820	15.99	20.19	36.18	56.30	-20.12	peak	
6		3.8180	16.59	20.20	36.79	56.00	-19.21	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## **DUTY CYCLE OF TEST SIGNAL**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### Formula:

Duty Cycle = Ton / (Ton+Toff)

#### **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

## **Duty Cycle:**

	Duty Cycle (%)	Duty Factor (dB)	1/T (kHz)	VBW setting (kHz)
802.11b	100.00	0.00	0.00	0.01
802.11g	100.00	0.00	0.00	0.01
802.11n_20	100.00	0.00	0.00	0.01
802.11n_40	100.00	0.00	0.00	0.01

Duty Cycle Factor:  $10 * \log(1/1) = 0$ 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.




## 7.1 DUTY CYCLE TEST SIGNAL Measurement Result

Duty Cycle\_802.11b\_20MHz\_Chain0\_2412MHz Duty Cycle\_802.11n\_20MHz\_Chain0\_2412MHz





## Duty Cycle\_802.11g\_20MHz\_Chain0\_2412MHz



## Duty Cycle\_802.11n\_20MHz\_Chain0\_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, intention is drawn to the limitation of liability, intention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sgs.com



## PEAK OUTPUT POWER MEASUREMENT

## 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.


The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

#### 8.2 Measurement Equipment Used

Conducted Emission Test Site											
EQUIPMENT	LAST	CAL DUE.									
TYPE		NUMBER	NUMBER	CAL.							
Power Meter	Anritsu	ML2496A	1326001	2018/08/09	2019/08/02						
Power Sensor	Anritsu	MA2411B	1315048	2018/08/09	2019/08/02						
Power Sensor	Anritsu	MA2411B	1315049	2018/08/09	2019/08/02						
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25						
Attenuator	Marvelous	MVE2213-10	RF31	2017/12/26	2018/12/25						

#### 8.3 Test Set-up

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

#### 8.5 Measurement Result

802.1	1b Ch0						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)		RESULT		
1	2412	1	14.33	1 Watt =	30.00	dBm	PASS
6	2437	1	15.55	1 Watt =	30.00	dBm	PASS
11	2462	1	15.32	1 Watt =	30.00	dBm	PASS
802.1	1b Ch0						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT
1	2412	1	12.42	1 Watt =	30.00	dBm	PASS
6	2437	1	13.35	1 Watt =	30.00	dBm	PASS
11	2462	1	12.35	1 Watt =	30.00	dBm	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.1	1g Ch0						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESULT			
1	2412	6	16.70	1 Watt =	30.00	dBm	PASS
6	2437	6	18.69	1 Watt =	30.00	dBm	PASS
11	2462	6	17.57	1 Watt =	30.00	dBm	PASS
802.1	1g Ch0					·	
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)		Limit		RESULT
<b>CH</b>			include tune up tolerance Power	1 Watt =	<b>Limit</b> 30.00	dBm	<b>RESULT</b> PASS
	(MHz)	Rate	include tune up tolerance Power (dBm)		-	dBm dBm	

802.1	1n_HT20	M Ch0					
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESULT			
1	2412	MCS0	16.91	1 Watt =	30.00	dBm	PASS
6	2437	MCS0	18.35	1 Watt =	30.00	dBm	PASS
11	2462	MCS0	18.69	1 Watt =	30.00	dBm	PASS
802.1	1n_HT20	M Ch0					
			Max. Avg. Output	Limit			
СН	Freq. (MHz)	Data Rate	include tune up tolerance Power (dBm)		Limit		RESULT
<b>CH</b> 1	-		tolerance Power	1 Watt =	<b>Limit</b> 30.00	dBm	<b>RESULT</b> PASS
	(MHz)	Rate	tolerance Power (dBm)		-	dBm dBm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present of the industry of the content of the lower of the industry of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



802.1	802.11n_HT40M Ch0									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESULT						
3	2422	MCS0	19.66	1 Watt =	30.00	dBm	PASS			
6	2437	MCS0	19.75	1 Watt =	30.00	dBm	PASS			
9	2452	MCS0	17.35	1 Watt =	30.00	dBm	PASS			
802.1	1n_HT40	M Ch0								
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)		RESULT					
3	2422	MCS0	10.31	1 Watt =	30.00	dBm	PASS			
6	2437	MCS0	10.64	1 Watt =	30.00	dBm	PASS			
9	2452	MCS0	9.62	1 Watt =	30.00	dBm	PASS			

offset 10.80 dB for SISO mode

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group

<sup>\*</sup> Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.



#### 6DB BANDWIDTH MEASUREMENT


## 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

#### 9.2 Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT MFR MODEL SERIAL LAST CAL DUE						
TYPE	TYPE NUMBER NUMBER CAL.					
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29	
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25	
DC Block	PASTERNACK	PE8210	RF29	2017/12/26	2018/12/25	

#### 9.3 Test Set-up



#### 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- For 6dB Bandwidth:
  - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:
  - Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.
- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 9.5 Measurement Result

#### 6dB Bandwidth

#### 802.11b Ch0

## 802 11a Ch0

002.116 0110					
Fre	q.	6dB BW	Limit	Result	
(MH	z)	(kHz)	(kHz)	Result	
241	2	8704.00	> 500	PASS	
243	37	9588.20	> 500	PASS	
246	32	8552.40	> 500	PASS	

OUZ. I IG OIIO					
Freq.	6dB BW	Limit	Result		
(MHz)	(kHz)	(kHz)	Result		
2412	9184.60	> 500	PASS		
2437	16516.00	> 500	PASS		
2462	11790.00	> 500	PASS		

#### 802.11 n HT20 Ch0

#### 802.11 n HT40 Ch0

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Resuit
2412	9605.30	> 500	PASS
2437	17736.00	> 500	PASS
2462	11352.00	> 500	PASS

002.11_11_11 70 0110				
Freq.	6dB BW	Limit	Result	
(MHz)	(kHz)	(kHz)	Result	
2422	11960.00	> 500	PASS	
2437	11597.00	> 500	PASS	
2452	15676.00	> 500	PASS	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

<sup>\*</sup>Refer to next page for plots






#### OBW 6dB\_802.11b\_20MHz\_Chain0\_2412MHz

## ter Freq 2.412000000 GHz Genter Fre 2.412 GHz CF Step 100000 NR 1 FVBW 300 kHz Occupied Bandwidth 14.129 MHz Prep Offs 1.2658 MHz Transmit Freq Error % of OBW Power 99.00 %


## OBW 6dB\_802.11g\_20MHz\_Chain0\_2412MHz



#### OBW 6dB\_802.11b\_20MHz\_Chain0\_2437MHz



## OBW 6dB\_802.11g\_20MHz\_Chain0\_2437MHz



## OBW 6dB\_802.11b\_20MHz\_Chain0\_2462MHz




#### OBW 6dB\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留兒天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






#### OBW 6dB\_802.11n\_20MHz\_Chain0\_2412MHz

## ter Freq 2.412000000 GHz Genter Fre CF Step scoop nov Mar FVBW 300 kHz Occupied Bandwidth 18.613 MHz Preg Other 900.12 kHz Transmit Freq Error % of OBW Power 99.00 % 9.605 MHz


## OBW 6dB\_802.11n\_40MHz\_Chain0\_2422MHz




#### OBW 6dB\_802.11n\_20MHz\_Chain0\_2437MHz




#### OBW 6dB\_802.11n\_40MHz\_Chain0\_2437MHz



## OBW 6dB\_802.11n\_20MHz\_Chain0\_2462MHz



#### OBW 6dB\_802.11n\_40MHz\_Chain0\_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留兒天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

#### 10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required.

## 10.2 Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT MFR MODEL SERIAL LAST CAL DUI						
TYPE NUMBER NUMBER CAL.						
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29	
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25	
DC Block	PASTERNACK	PE8210	RF29	2017/12/26	2018/12/25	

## 10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 10.4 Measurement Procedure

#### Reference Level of Emission Limit:

- Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

## **Conducted Band Edge:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- Repeat above procedures until all default test channel (low, middle, and high) was complete.

#### **Conducted Spurious Emission:**

- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 10.5 Measurement Result


Reference Level of Limit 802.11b mode		Reference Level of Limit 802.11g mode			
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	2.09	-17.91	2412	-1.69	-21.69
2437	0.08	-19.92	2437	-3.21	-23.21
2462	2.64	-17.36	2462	-2.87	-22.87

Reference Level of Limit 802.11n20 mode			Referenc	e Level	of Limit 802.11n40 MODE
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	-1.09	-21.09	2422	-2.08	-22.08
2437	-6.18	-26.18	2437	-4.57	-24.57
2462	-2.27	-22.27	2452	-5.43	-25.43

dB for SISO mode offset 10.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present of the industry of the content of the lower of the industry of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Reference Level 802.11b 20MHz Chain0 2412MHz




Reference Level\_802.11b\_20MHz\_Chain0\_2437MHz




Reference Level\_802.11b\_20MHz\_Chain0\_2462MHz




Reference Level 802.11g 20MHz Chain0 2412MHz



Reference Level\_802.11g\_20MHz\_Chain0\_2437MHz




Reference Level\_802.11g\_20MHz\_Chain0\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留<sup>90</sup>天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Reference Level 802.11n 20MHz Chain0 2412MHz




Reference Level\_802.11n\_20MHz\_Chain0\_2437MHz




Reference Level\_802.11n\_20MHz\_Chain0\_2462MHz




Reference Level 802.11n 40MHz Chain0 2422MHz



Reference Level\_802.11n\_40MHz\_Chain0\_2437MHz




Reference Level\_802.11n\_40MHz\_Chain0\_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留<sup>90</sup>天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Band Edge\_802.11b\_20MHz\_Chain0\_2412MHz

# Mkr3 2.390 00 GHz -56.18 dBm Center Fre Stop Fre CF Step 12.000000 MH Stop 2.43000 GHz Sweep 11.53 ms (1001 pts


Band Edge\_802.11g\_20MHz\_Chain0\_2412MHz



## Band Edge\_802.11b\_20MHz\_Chain0\_2462MHz




Band Edge\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.subscom/terms">www.subscom/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Band Edge\_802.11n\_20MHz\_Chain0\_2412MHz

# R BF 500 DC DEDECTION OF THE PROOF FROM THE CONTROL OF THE PROOF FROM THE CONTROL OF THE PROOF THE PR Mkr3 2.390 00 GHz -47.79 dBm Center Fre Stop Fre CF Step 12.000000 MH r 2.37000 GHz BW 100 kHz Span 120.0 MH: Sweep 11.53 ms (1001 pts


## Band Edge\_802.11n\_40MHz\_Chain0\_2422MHz



## Band Edge\_802.11n\_20MHz\_Chain0\_2462MHz




Band Edge\_802.11n\_40MHz\_Chain0\_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.subscom/terms">www.subscom/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






#### 802.11b


#### **Spurious Emission Test Data CH-Low**





#### **Spurious Emission Test Data CH-Mid**






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is active the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.


<mark>SGS Taiwan Ltd. |</mark>No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Spurious Emission Test Data CH-High





802.11g Spurious Emission Test Data CH-Low






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is active the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.


<mark>SGS Taiwan Ltd. |</mark>No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號








**Spurious Emission Test Data CH-Mid** 












Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.


<mark>SGS Taiwan Ltd. |N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







#### 802.11n\_HT20

#### **Spurious Emission Test Data CH-Low**












Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is active the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.


<mark>SGS Taiwan Ltd. |N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Spurious Emission Test Data CH-High





#### 802.11n\_HT40 Spurious Emission Test Data CH-Low






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is active the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.


<mark>SGS Taiwan Ltd. |N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






**Spurious Emission Test Data CH-Mid** 





**Spurious Emission Test Data CH-High** 





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. |N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



### 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

### 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level  $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留<sup>9</sup>0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



# 11.2 Measurement Equipment Used:

	966 Chamber								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Broadband Anten- na	SCHWAZBECK	VULB 9168	9168-617	2017/10/27	2018/10/26				
Horn Antenna	Schwarzbeck	BBHA9120D	1341	2018/06/07	2019/06/06				
Horn Antenna	SCHWAZBECK	BBHA9170	184	2017/12/12	2018/12/11				
Loop Antenna	ETS.LINDGREN	6502	148045	2018/04/19	2019/04/18				
3m Site NSA	SGS	966 chamber D	N/A	2018/07/06	2019/07/05				
EMI Test Receiver	R&S	ESU 40	100363	2018/04/11	2019/04/10				
Pre-Amplifier	EMC Instruments	EMC184045B	980135	2017/10/27	2018/10/26				
Pre-Amplifier	EMC Instruments	EMC9135	980234	2017/12/26	2018/12/25				
Pre-Amplifier	EMC Instruments	EMC12630SE	980271	2017/12/26	2018/12/25				
Attenuator	Marvelous	WATT-218FS-1 0	RF246	2017/12/26	2018/12/25				
Highpass Filter	Micro Tronics	BRM50701-01	G008	2017/12/26	2018/12/25				
Coaxial Cable	Huber Suhner	EMC106-SM-S M-7200	150703	2017/12/26	2018/12/25				
Coaxial Cable	Huber Suhner	RG 214/U	W22.03	2017/12/26	2018/12/25				

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present in the present of the intervention of the content or appearance of this decument is undertile and effective ment in the present in the present of the intervention of the content or appearance of the intervention of the content of the content or appearance of this decument is undertile and effective ment or appearance of the intervention of the content of the cont pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com




#### 11.3 Test SET-UP


# (A) Radiated Emission Test Set-UP Frequency Below 30MHz.



# (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



#### 11.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

www.tw.sgs.com



## 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	<u> </u>	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual  $FS(dB\mu V/m) = SPA$ . Reading level $(dB\mu V) + Factor(dB)$ 

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

### 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

#### 11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




### **Radiated Band Edge Measurement Result**

:802.11b **Operation Mode Test Date** :2018-08-31 :BE CH Low :25/60 Test Mode Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2412 MHz :Jerry Test Channel Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2390.00	Average	40.53	-5.57	34.96	54.00	-19.04
2390.00	Peak	54.14	-5.57	48.57	74.00	-25.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






:802.11b **Operation Mode** :BE CH Low Test Mode :E1 Plan **EUT Pol** 

:2412 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer




. Detector	Spectrum	Factor	Actual	Limit	Margin	
Mode	Reading Level		FS	@3m		
PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB	
00 Average	40.44	-5.57	34.87	54.00	-19.13	
00 Peak	54.26	-5.57	48.69	74.00	-25.31	
(	PK/QP/AV OO Average	Mode Reading Level  Z PK/QP/AV dBμV  00 Average 40.44	Mode Reading Level  Z PK/QP/AV dBμV dB  00 Average 40.44 -5.57	Mode         Reading Level         FS           Z         PK/QP/AV         dBμV         dB         dBμV/m           00         Average         40.44         -5.57         34.87	Mode         Reading Level         FS         @3m           Z         PK/QP/AV         dBμV         dB         dBμV/m         dBμV/m           00         Average         40.44         -5.57         34.87         54.00	Mode         Reading Level         FS         @3m           Z         PK/QP/AV         dBμV         dB         dBμV/m         dBμV/m         dB           00         Average         40.44         -5.57         34.87         54.00         -19.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:802.11b **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2462 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60 Antenna Pol. :VERTICAL :Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	40.58	-4.90	35.68	54.00	-18.32
2483.50	Peak	54.71	-4.90	49.81	74.00	-24.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:2018-08-31

:HORIZONTAL

:25/60




:802.11b **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** Test Channel

Temp./Humi. Antenna Pol. :2462 MHz

:Jerry Engineer

**Test Date** 




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.97	-4.90	35.07	54.00	-18.93
2483.50	Peak	54.60	-4.90	49.70	74.00	-24.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode :802.11g
Test Mode :BE CH Low
EUT Pol :E1 Plan
Test Channel :2412 MHz

Test Date :2018-08-31
Temp./Humi. :25/60
Antenna Pol. :VERTICAL
Engineer :Jerry




	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	2390.00	Average	40.53	-5.57	34.96	54.00	-19.04
	2390.00	Peak	54.73	-5.57	49.16	74.00	-24.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this





Test Channel


:802.11g **Operation Mode** :BE CH Low Test Mode :E1 Plan **EUT Pol** 

:2412 MHz

**Test Date** :2018-08-31 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.52	-5.57	34.95	54.00	-19.05
2390.00	Peak	54.61	-5.57	49.04	74.00	-24.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:802.11g **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2462 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60 Antenna Pol. :VERTICAL :Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB	
2483.50	Average	40.56	-4.90	35.66	54.00	-18.34	
2483.50	Peak	59.16	-4.90	54.26	74.00	-19.74	
2485.70	Average	40.46	-4.88	35.58	54.00	-18.42	
2485.70	Peak	58.37	-4.88	53.49	74.00	-20.51	
2487.90	Average	40.59	-4.86	35.73	54.00	-18.27	
2487.90	Peak	58.63	-4.86	53.77	74.00	-20.23	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






:802.11g **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2462 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	Average	40.11	-4.90	35.21	54.00	-18.79
2483.50	Peak	57.90	-4.90	53.00	74.00	-21.00
2485.00	Average	40.10	-4.90	35.20	54.00	-18.80
2485.00	Peak	56.79	-4.90	51.89	74.00	-22.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Operation Mode :802.11n20
Test Mode :BE CH Low
EUT Pol :E1 Plan
Test Channel :2412 MHz

Test Date :2018-08-31
Temp./Humi. :25/60
Antenna Pol. :VERTICAL
Engineer :Jerry




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.72	-5.57	35.15	54.00	-18.85
2390.04	Peak	56.86	-5.58	51.28	74.00	-22.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this

w. No.104, you may local, year appaintuous and any you could be read to the country of the coun






Operation Mode :802.11n20
Test Mode :BE CH Low
EUT Pol :E1 Plan

Test Channel :2412 MHz

Test Date :2018-08-31 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.63	-5.57	35.06	54.00	-18.94
2390.00	Peak	57.82	-5.57	52.25	74.00	-21.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.


No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this

10.10年,Yourning Courtewn appeinturation in a first water appeint, if a want 2000 利 1.0 平 正放 医刺 1.0 座 亲国 医正上的 i




:802.11n20 **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2462 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60 Antenna Pol. :VERTICAL :Jerry Engineer



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	_
	2483.50	Average	40.80	-4.90	35.90	54.00	-18.10	
	2483.50	Peak	58.17	-4.90	53.27	74.00	-20.73	
	2485.70	Average	40.70	-4.88	35.82	54.00	-18.18	
	2485.70	Peak	58.52	-4.88	53.64	74.00	-20.36	
	2489.40	Average	40.94	-4.85	36.09	54.00	-17.91	
	2489.40	Peak	57.94	-4.85	53.09	74.00	-20.91	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






:802.11n20 **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2462 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	40.59	-4.90	35.69	54.00	-18.31
2483.50	Peak	57.93	-4.90	53.03	74.00	-20.97
2485.30	Average	40.46	-4.89	35.57	54.00	-18.43
2485.30	Peak	60.08	-4.89	55.19	74.00	-18.81
2489.60	Average	40.36	-4.85	35.51	54.00	-18.49
2489.60	Peak	57.97	-4.85	53.12	74.00	-20.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




:802.11n40 **Operation Mode** :BE CH Low Test Mode :E1 Plan **EUT Pol** :2422 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60 Antenna Pol. :VERTICAL :Jerry Engineer



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	2390.00	Average	42.03	-5.57	36.46	54.00	-17.54
	2390.00	Peak	57.95	-5.57	52.38	74.00	-21.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Operation Mode :802.11n40
Test Mode :BE CH Low
EUT Pol :E1 Plan
Test Channel :2422 MHz


Temp./Humi. Antenna Pol.

**Test Date** 

:2018-08-31 :25/60

:HORIZONTAL

Engineer :Jerry



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	2390.00	Average	40.10	-5.57	34.53	54.00	-19.47
	2390.00	Peak	56.89	-5.57	51.32	74.00	-22.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.


No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this

10.10-1, valuing to all rew a permuosinan and value before a permit, a want to 00 为 10 中 五 及 应 对 10 庄 未 函 应 10 上 的



:802.11n40 **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2452 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60 Antenna Pol. :VERTICAL :Jerry Engineer



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
Average	48.38	-4.90	43.48	54.00	-10.52
Peak	66.62	-4.90	61.72	74.00	-12.28
Average	48.44	-4.86	43.58	54.00	-10.42
Peak	67.98	-4.86	63.12	74.00	-10.88
Average	48.56	-4.85	43.71	54.00	-10.29
Peak	67.41	-4.85	62.56	74.00	-11.44
Average	46.56	-4.83	41.73	54.00	-12.27
Peak	65.76	-4.83	60.93	74.00	-13.07
	Mode PK/QP/AV  Average Peak Average Peak Average Peak Average Average	Mode Reading Level PK/QP/AV dBµV  Average 48.38 Peak 66.62 Average 48.44 Peak 67.98 Average 48.56 Peak 67.41 Average 46.56	Mode         Reading Level           PK/QP/AV         dBμV         dB           Average         48.38         -4.90           Peak         66.62         -4.90           Average         48.44         -4.86           Peak         67.98         -4.86           Average         48.56         -4.85           Peak         67.41         -4.85           Average         46.56         -4.83	Mode PK/QP/AVReading Level dBμVFS dBμV/mAverage48.38-4.9043.48Peak66.62-4.9061.72Average48.44-4.8643.58Peak67.98-4.8663.12Average48.56-4.8543.71Peak67.41-4.8562.56Average46.56-4.8341.73	Mode PK/QP/AVReading Level dBμVFS dB μV/m@3m dBμV/mAverage48.38-4.9043.4854.00Peak66.62-4.9061.7274.00Average48.44-4.8643.5854.00Peak67.98-4.8663.1274.00Average48.56-4.8543.7154.00Peak67.41-4.8562.5674.00Average46.56-4.8341.7354.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:802.11n40 **Operation Mode** :BE CH High Test Mode :E1 Plan **EUT Pol** :2452 MHz Test Channel

**Test Date** :2018-08-31 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	46.86	-4.90	41.96	54.00	-12.04
2483.50	Peak	64.92	-4.90	60.02	74.00	-13.98
2487.80	Average	46.50	-4.87	41.63	54.00	-12.37
2487.80	Peak	65.69	-4.87	60.82	74.00	-13.18
2491.90	Average	44.62	-4.83	39.79	54.00	-14.21
2491.90	Peak	62.88	-4.83	58.05	74.00	-15.95
2493.40	Average	43.36	-4.82	38.54	54.00	-15.46
2493.40	Peak	61.32	-4.82	56.50	74.00	-17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




### **Below 1GHz Worst-Case Data:**

# **Radiated Spurious Emission Measurement Result**

Operation Mode :802.11g
Test Mode :Tx CH Low
EUT Pol :E1 Plan
Test Channel :2412 MHz

Test Date :2018-09-03 Temp./Humi. :25/60

Antenna Pol. :VERTICAL Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
54.25	Peak	34.05	-17.19	16.86	40.00	-23.14
466.50	Peak	34.11	-11.48	22.63	46.00	-23.37
632.37	Peak	33.54	-8.12	25.42	46.00	-20.58
765.26	Peak	34.39	-6.83	27.56	46.00	-18.44
870.02	Peak	34.43	-4.84	29.59	46.00	-16.41
974.78	Peak	34.42	-3.38	31.04	54.00	-22.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**肯限公司** t (886-2) 2299-3279

f (886-2) 2298-0488




:802.11g **Operation Mode** :Tx CH Low Test Mode :E1 Plan **EUT Pol** 

:2412 MHz Test Channel

**Test Date** :2018-09-03 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
320.03	Peak	36.99	-16.87	20.12	46.00	-25.88	
480.08	Peak	36.35	-11.04	25.31	46.00	-20.69	
639.16	Peak	37.76	-8.13	29.63	46.00	-16.37	
799.21	Peak	35.45	-6.49	28.96	46.00	-17.04	
859.35	Peak	35.88	-5.45	30.43	46.00	-15.57	
976.72	Peak	35.14	-3.42	31.72	54.00	-22.28	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:802.11g **Operation Mode** :Tx CH Mid Test Mode :E1 Plan **EUT Pol** :2437 MHz Test Channel

**Test Date** :2018-09-03 :25/60 Temp./Humi. Antenna Pol. :VERTICAL :Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
55.22	Peak	34.65	-17.26	17.39	40.00	-22.61	
159.98	Peak	33.20	-16.19	17.01	43.50	-26.49	
378.23	Peak	33.37	-13.25	20.12	46.00	-25.88	
550.89	Peak	34.50	-10.36	24.14	46.00	-21.86	
771.08	Peak	34.91	-6.92	27.99	46.00	-18.01	
971.87	Peak	35.27	-3.33	31.94	54.00	-22.06	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:802.11g **Operation Mode** :Tx CH Mid Test Mode :E1 Plan **EUT Pol** 

:2437 MHz Test Channel

**Test Date** :2018-09-03 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
49.40	Peak	32.91	-16.90	16.01	40.00	-23.99	
320.03	Peak	37.72	-16.87	20.85	46.00	-25.15	
479.11	Peak	36.62	-11.07	25.55	46.00	-20.45	
640.13	Peak	37.23	-8.14	29.09	46.00	-16.91	
865.17	Peak	35.13	-5.12	30.01	46.00	-15.99	
981.57	Peak	34.90	-3.54	31.36	54.00	-22.64	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



:802.11g **Operation Mode** :Tx CH High Test Mode :E1 Plan **EUT Pol** :2462 MHz Test Channel

**Test Date** :2018-09-03 :25/60 Temp./Humi. Antenna Pol. :VERTICAL Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
73.65	Peak	38.95	-20.23	18.72	40.00	-21.28	
171.62	Peak	33.03	-16.62	16.41	43.50	-27.09	
438.37	Peak	42.97	-11.77	31.20	46.00	-14.80	
591.63	Peak	34.62	-8.77	25.85	46.00	-20.15	
858.38	Peak	35.17	-5.47	29.70	46.00	-16.30	
964.11	Peak	34.49	-3.77	30.72	54.00	-23.28	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




:802.11g **Operation Mode** :Tx CH High Test Mode :E1 Plan **EUT Pol** 

:2462 MHz Test Channel

**Test Date** :2018-09-03 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
30.00	Peak	33.37	-17.05	16.32	40.00	-23.68	
151.25	Peak	33.12	-16.17	16.95	43.50	-26.55	
480.08	Peak	36.82	-11.04	25.78	46.00	-20.22	
639.16	Peak	38.66	-8.13	30.53	46.00	-15.47	
858.38	Peak	35.00	-5.47	29.53	46.00	-16.47	
982.54	Peak	35.04	-3.57	31.47	54.00	-22.53	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### **Above 1GHz Data:**

### **Radiated Spurious Emission Measurement Result**

**Operation Mode** :802.11b **Test Date** :2018-08-31 :Tx CH Low :25/60 Test Mode Temp./Humi. :E1 Plan **EUT Pol** :VERTICAL Antenna Pol. Test Channel :2412 MHz :Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
4824.00	Average	52.30	0.38	52.68	54.00	-1.32
4824.00	Peak	54.12	0.38	54.50	74.00	-19.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488






:802.11b **Operation Mode** Test Mode :Tx CH Low

:E1 Plan **EUT Pol** :2412 MHz Test Channel

**Test Date** :2018-08-31 :25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	51.89	0.38	52.27	54.00	-1.73
4824.00	Peak	53.92	0.38	54.30	74.00	-19.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






Operation Mode :802.11b Test Date :2018-08-31
Test Mode :Tx CH Mid Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :2437 MHz Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	52.14	0.66	52.80	54.00	-1.20
4874.00	Peak	54.60	0.66	55.26	74.00	-18.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this



:802.11b **Operation Mode Test Date** :2018-08-31 Test Mode :Tx CH Mid :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2437 MHz :Jerry Test Channel Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
4874.00	Average	50.72	0.66	51.38	54.00	-2.62
4874.00	Peak	53.47	0.66	54.13	74.00	-19.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




:802.11b **Operation Mode Test Date** :2018-09-03 Test Mode :Tx CH High :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2462 MHz :Jerry Test Channel Engineer



Littili iviatgiti	
@3m	
dBµV/m dB	
54.00 -2.46	
74.00 -19.51	
	dBμV/m dB 54.00 -2.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






:802.11b **Operation Mode Test Date** :2018-09-03 Test Mode :Tx CH High :25/60 Temp./Humi.

:E1 Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:2462 MHz :Jerry Test Channel Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
4924.00	Average	50.09	0.97	51.06	54.00	-2.94
4924.00	Peak	53.16	0.97	54.13	74.00	-19.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:802.11g **Operation Mode** :Tx CH Low Test Mode :E1 Plan **EUT Pol** :2412 MHz Test Channel

**Test Date** :2018-09-01 :25/60 Temp./Humi. Antenna Pol. :VERTICAL :Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4824.00	Average	38.61	0.38	38.99	54.00	-15.01	
4824.00	Peak	53.43	0.38	53.81	74.00	-20.19	
	MHz 4824.00	Mode MHz PK/QP/AV  4824.00 Average	Mode Reading Level MHz PK/QP/AV dBμV  4824.00 Average 38.61	Mode Reading Level  MHz PK/QP/AV dBμV dB  4824.00 Average 38.61 0.38	Mode         Reading Level         FS           MHz         PK/QP/AV         dBμV         dB         dBμV/m           4824.00         Average         38.61         0.38         38.99	Mode Mode PK/QP/AV         Reading Level ABμV         FS dBμV/m         @3m dBμV/m           4824.00         Average         38.61         0.38         38.99         54.00	Mode Mode PK/QP/AV         Reading Level dB μV         FS dB μV/m         @3m dB μV/m           4824.00         Average         38.61         0.38         38.99         54.00         -15.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






:802.11g **Operation Mode** :Tx CH Low Test Mode :E1 Plan **EUT Pol** 

:2412 MHz Test Channel

**Test Date** :2018-09-01 :25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Jerry Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
4824.0	00 Average	38.89	0.38	39.27	54.00	-14.73
4824.0	00 Peak	53.52	0.38	53.90	74.00	-20.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:802.11g **Operation Mode Test Date** :2018-09-01 :Tx CH Mid Test Mode :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2437 MHz :Jerry Test Channel Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
4874.00	Average	41.67	0.66	42.33	54.00	-11.67
4874.00	Peak	54.10	0.66	54.76	74.00	-19.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11g
Test Mode :Tx CH Mid

EUT Pol :E1 Plan
Test Channel :2437 MHz

Test Date :2018-09-01 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Jerry



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	4874.00	Average	41.58	0.66	42.24	54.00	-11.76
	4874.00	Peak	53.91	0.66	54.57	74.00	-19.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this



:802.11g **Operation Mode Test Date** :2018-09-01 :Tx CH High Test Mode :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2462 MHz :Jerry Test Channel Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
4924.00	Average	31.36	0.97	32.33	54.00	-21.67	
4924.00	Peak	45.82	0.97	46.79	74.00	-27.21	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






:802.11g **Operation Mode** :Tx CH High Test Mode **EUT Pol** 

:E1 Plan :2462 MHz Test Channel

**Test Date** :2018-09-01 :25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Jerry Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
4924.00	Average	34.68	0.97	35.65	54.00	-18.35
4924.00	Peak	46.93	0.97	47.90	74.00	-26.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



:802.11n20 **Operation Mode Test Date** :2018-09-01 Test Mode :Tx CH Low :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2412 MHz :Jerry Test Channel Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	40.61	0.38	40.99	54.00	-13.01
4824.00	Peak	56.15	0.38	56.53	74.00	-17.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






Operation Mode :802.11n20
Test Mode :Tx CH Low
EUT Pol :E1 Plan

Test Channel :2412 MHz

Test Date :2018-09-01 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	38.58	0.38	38.96	54.00	-15.04
4824.00	Peak	53.36	0.38	53.74	74.00	-20.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this




:802.11n20 **Operation Mode Test Date** :2018-09-01 Test Mode :Tx CH Mid :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2437 MHz :Jerry Test Channel Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	41.23	0.66	41.89	54.00	-12.11
4874.00	Peak	53.58	0.66	54.24	74.00	-19.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:2018-09-01


:25/60



:802.11n20 **Operation Mode Test Date** Test Mode :Tx CH Mid Temp./Humi.

:E1 Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:2437 MHz :Jerry Test Channel Engineer



Freq	. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.	00 Average	42.39	0.66	43.05	54.00	-10.95
4874.	00 Peak	55.68	0.66	56.34	74.00	-17.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




:802.11n20 **Operation Mode Test Date** :2018-09-01 Test Mode :Tx CH High :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2462 MHz :Jerry Test Channel Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
4924.00	Average	31.53	0.97	32.50	54.00	-21.50
4924.00	Peak	46.08	0.97	47.05	74.00	-26.95
	MHz 4924.00	Mode MHz PK/QP/AV  4924.00 Average	Mode Reading Level  MHz PK/QP/AV dBμV  4924.00 Average 31.53	Mode         Reading Level           MHz         PK/QP/AV         dBμV         dB           4924.00         Average         31.53         0.97	Mode         Reading Level         FS           MHz         PK/QP/AV         dBμV         dB         dBμV/m           4924.00         Average         31.53         0.97         32.50	Mode         Reading Level         FS         @3m           MHz         PK/QP/AV         dBμV         dB         dBμV/m         dBμV/m           4924.00         Average         31.53         0.97         32.50         54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:2018-09-01


:25/60



Operation Mode :802.11n20 Test Date
Test Mode :Tx CH High Temp./Humi.

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :2462 MHz Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4924.00	Average	35.57	0.97	36.54	54.00	-17.46	
4924.00	Peak	50.93	0.97	51.90	74.00	-22.10	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this

100.104,YVIIAIIIIIIQIOOU,YEW Taipeiiniuusiitaii air,YVIIAUDisiiteliy aipeioity, Taiwaii2700分以中立及世界几度来因世上上

:2018-09-01


:VERTICAL

:25/60

:Jerry



:802.11n40 **Operation Mode Test Date** Test Mode :Tx CH Low Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :2422 MHz Test Channel Engineer




Free	q. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MH	z PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
4844	.00 Average	33.27	0.49	33.76	54.00	-20.24
4844	.00 Peak	51.51	0.49	52.00	74.00	-22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






:802.11n40 **Operation Mode Test Date** :2018-09-01 Test Mode :Tx CH Low :25/60 Temp./Humi.

:E1 Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:2422 MHz :Jerry Test Channel Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
4844.00	Average	35.34	0.49	35.83	54.00	-18.17	
4844.00	Peak	53.25	0.49	53.74	74.00	-20.26	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:802.11n40 **Operation Mode Test Date** :2018-09-01 Test Mode :Tx CH Mid :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2437 MHz :Jerry Test Channel Engineer




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	35.15	0.66	35.81	54.00	-18.19
4874.00	Peak	53.22	0.66	53.88	74.00	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






Operation Mode :802.11n40 Test Date :2018-09-01
Test Mode :Tx CH Mid Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :2437 MHz Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	37.30	0.66	37.96	54.00	-16.04
4874.00	Peak	55.69	0.66	56.35	74.00	-17.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this




:802.11n40 **Operation Mode Test Date** :2018-09-01 Test Mode :Tx CH High :25/60 Temp./Humi. :E1 Plan **EUT Pol** Antenna Pol. :VERTICAL :2452 MHz :Jerry Test Channel Engineer



m dB
-19.15
-23.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11n40 Test Date :2018-09-01
Test Mode :Tx CH High Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :2452 MHz Engineer :Jerry



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4904.00	Average	35.57	0.84	36.41	54.00	-17.59
4904.00	Peak	50.21	0.84	51.05	74.00	-22.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this

10.10-19-yvuluing (Oct.) rewriting in the state of the s



## 12 PEAK POWER SPECTRAL DENSITY

# 12.1 Standard Applicable

Per Part 15.247 (e)

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.


#### Per RSS-247 section 5.4 d

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1 W. The e.i.r.p. shall not exceed 4 W, except as provided in section 5.4(e).

# 12.2 Measurement Equipment Used

Conducted Emission Test Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.		
TYPE		NUMBER	NUMBER	CAL.			
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29		
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25		
DC Block	PASTERNACK	PE8210	RF29	2017/12/26	2018/12/25		

### 12.3 Test Set-up




### 12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz & VBW = 10 kHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





- 5. For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

### 12.5 Measurement Result

POWER DENSITY 802.11b						
Freq.	PPSD	Limit	Result			
(MHz)	(dBm)	(dBm)	Result			
2412	-16.87	8.00	PASS			
2437	-18.57	8.00	PASS			
2462	-16.11	8.00	PASS			


POWER DENSITY 802.11g						
Freq.	PPSD	Limit	Result			
(MHz)	(dBm)	(dBm)	Result			
2412	-15.88	8.00	PASS			
2437	-17.23	8.00	PASS			
2462	-16.85	8.00	PASS			

POWER DENSITY 802.11n HT20				POWER DENSITY 802.11n HT40			
Freq.	PPSD	Limit	Dogult	Freq.	PPSD	Limit	Result
(MHz)	(dBm)	(dBm)	Result	(MHz)	(dBm)	(dBm)	Resuit
2412	-15.53	8.00	PASS	2422	-16.47	8.00	PASS
2437	-20.68	8.00	PASS	2437	-18.24	8.00	PASS
2462	-16.39	8.00	PASS	2452	-18.55	8.00	PASS

dB for SISO mode offset 10.80


\*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Power Density\_802.11b\_20MHz\_Chain0\_2412MHz




Power Density 802.11b 20MHz Chain0 2437MHz




Power Density\_802.11b\_20MHz\_Chain0\_2462MHz




Power Density\_802.11g\_20MHz\_Chain0\_2412MHz



Power Density\_802.11g\_20MHz\_Chain0\_2437MHz




Power Density\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.subscom/terms">www.subscom/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. |</mark> No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Power Density\_802.11n\_20MHz\_Chain0\_2412MHz




Power Density 802.11n 20MHz Chain0 2437MHz




Power Density\_802.11n\_20MHz\_Chain0\_2462MHz




Power Density\_802.11n\_40MHz\_Chain0\_2422MHz



Power Density\_802.11n\_40MHz\_Chain0\_2437MHz



Power Density\_802.11n\_40MHz\_Chain0\_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.subscom/terms">www.subscom/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. |</mark> No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 13 ANTENNA REQUIREMENT

# 13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

### 13.2 Antenna Connected Construction

The antenna is designed with unique RF connector and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group