

Specification For Approval

Date: 2023 / 12 / 11

File No.: 231211002


Version: 1.0

Customer : 磐旭智能股份有限公司

Customer P/N : 5650006020070M

INVAX P/N : LDS-PD602-070M

Description : PD602 SPEAKER ANTENNA HOLDER



Cortec Checked By:



Customer Approved By:



INVAX System Technology Corp.
4F. No. 815.Chung Hsiao East Rd.,Sec.5
Taipei, TAIWAN

TEL:886-2-2788-5218 FAX:886-2-2783-1658
<http://www.invaxsystem.com>



Cortec Technology Inc.
Xian-Xi Industrial, Sha-Tou Administration Zone,
Chang-An Town, Dong-Guan City, Guangdong
Province, China

TEL:86-769-85388261 FAX:86-769-85317869
<http://www.cortec.com.cn>


Index:


- 1. Revision History / Page 3**
- 2. Mechanical and Packing Drawing / Page 4**
- 3. Material Description and RoHS Test Report / Page 5 ~ end**

1. Revision History

Revision	Date	Change Notification	Description
1.0	2023.12.11	初版	

Sample Photo





HF	☐
RoHS	☒
REACH	☐
CONFIDENTIAL 2	

SIGN	DATE	DESCRIPTION	APPROVER
☒		与仅供参考： ☒ 无变更 ☐ 有变更：	
☐			
☐			
☐			

NOTES: UNLESS OTHERWISE SPECIFIED

1. PRIMARY DIMENSIONS ARE METRIC (MILLIMETERS). SECONDARY DIMENSIONS, SHOWN IN BRACKETS, UNIFIED (INCHES). INTERPRET PER ANSI Y14.5M.
2. MATERIAL: SABIC LNP THERMOCOMP COMPOUND DX11355, COLOUR BLACK C OR ENGINEER APPROVAL EQUIVALENT.
FINISH: PARTS MUST BE CLEAN AND FREE OF CHIPS. NOT VISIABLE SINKMARK, SHRINKAGE, & WEDDING LINES
CORE/CAVITIE SIDE LASER DIRECT STRUCTURING ANTENNA AREAS SHALL BE POLISHED SPI-BI.
3. FOR NEXT ASSEMBLY AND USED ON APPLICATION, REFER TO LATEST APPROPRIATE DATA BASE.

* The componet should be comply with the prohibit of hazardous substances in the RoHs and REACH Directive.

VIEW SHOWN
VIEW IS FOR REFERENCE ONLY
SCALE: NONE

Invax System Group.			Cortec Technology Inc.		
Cortec			Http://www.invaxsystem.com E-mail:info@invax.com.tw		
			Tel :886-2-27885218 Fax:886-2-27831658		
TITLE: PD602					
PART NO.: LDS-PD602-070M			CUSTOMER P/N: /		
APP BY	CHK BY	RF BY	DES BY		Tolerance
SF	YS		LISA	UNITS: mm	X.X ±0.1
2023.11.10	2023.11.10		2023.11.10	SCALE: 1/1	X.XX ±0.05
				REVISION: A	X° ±1