

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	69.34	26.45	42.89	74.00	-4.66	100	356	Peak	Horizontal	
2	5180.00	110.87	67.89	42.98	68.20	42.67	100	356	Peak	Horizontal	
3	5453.50	56.08	12.82	43.26	74.00	-17.92	100	356	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	64.43	21.54	42.89	74.00	-9.57	100	92	Peak	Vertical	
2	5180.00	100.19	66.21	42.98	68.20	40.99	100	92	Peak	Vertical	
3	5434.00	56.05	12.81	43.24	74.00	-17.95	100	92	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	51.05	0.15	42.90	54.00	-2.95	100		356 Average	Horizontal	
2 *	5180.00	102.12	59.14	42.98	54.00	48.12	100		356 Average	Horizontal	
3	5426.00	43.75	0.52	43.23	54.00	-10.25	100		356 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	48.66	5.76	42.90	54.00	-5.34	100		92 Average	Vertical	
2 *	5180.00	99.51	56.53	42.98	54.00	45.51	100		92 Average	Vertical	
3	5458.50	43.73	0.47	43.26	54.00	-10.27	100		92 Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	66.64	23.76	42.88	74.00	-7.36	100	354	Peak	Horizontal	
2 *	5200.00	115.48	72.44	43.04	68.20	47.28	100	354	Peak	Horizontal	
3	5441.00	56.36	13.12	43.24	74.00	-17.64	100	354	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	63.62	20.72	42.90	68.20	-4.58	114	92	Peak	Vertical	
2 *	5200.00	111.06	68.02	43.04	68.20	43.66	114	92	Peak	Vertical	
3	5420.50	56.97	13.74	43.23	74.00	-17.03	114	92	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	50.67	7.77	42.90	54.00	-3.33	100		354 Average	Horizontal	
2 *	5200.00	105.78	62.74	43.04	54.00	51.78	100		354 Average	Horizontal	
3	5450.00	44.05	0.80	43.25	54.00	-9.95	100		354 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	47.74	4.84	42.90	54.00	-6.26	114		92 Average	Vertical	
2 *	5200.00	102.21	59.17	43.04	54.00	48.21	114		92 Average	Vertical	
3	5426.00	43.93	0.70	43.23	54.00	-10.07	114		92 Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	60.00	17.11	42.89	74.00	-14.00	100	355	Peak	Horizontal	
2 *	5240.00	115.19	73.20	42.99	68.20	47.99	100	355	Peak	Horizontal	
3	5351.00	58.18	15.21	42.97	74.00	-15.82	100	355	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	58.10	15.25	42.85	74.00	-15.90	104	87	Peak	Vertical	
2 *	5240.00	113.12	70.13	42.99	68.20	44.92	104	87	Peak	Vertical	
3	5358.00	56.17	13.17	43.00	74.00	-17.83	104	87	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	46.13	3.23	42.90	54.00	-7.87	100	355	Average	Horizontal	
2 *	5240.00	106.56	63.57	42.99	54.00	52.56	100	355	Average	Horizontal	
3	5350.50	44.89	1.92	42.97	54.00	-9.11	100	355	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	44.64	1.76	42.88	54.00	-9.36	104	87	Average	Vertical	
2 *	5240.00	102.92	59.93	42.99	54.00	48.92	104	87	Average	Vertical	
3	5354.50	44.23	1.24	42.99	54.00	-9.77	104	87	Average	Vertical	

802.11ac VHT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	70.37	20.94	41.43	74.00	-3.63	100	359	Peak	Horizontal	
2 *	5180.00	110.43	60.06	41.57	68.20	42.23	100	359	Peak	Horizontal	
3	5413.50	55.97	13.58	42.39	74.00	-18.03	100	359	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	67.30	25.87	41.43	74.00	-6.70	119	93	Peak	Vertical	
2 *	5180.00	106.44	64.87	41.57	68.20	38.24	119	93	Peak	Vertical	
3	5416.50	55.96	13.59	42.37	74.00	-18.04	119	93	Peak	Vertical	

802.11ac VHT20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5180.00	52.12	10.69	41.43	54.00	-1.88	100	359	Average	Horizontal	
2	5180.00	100.59	59.02	41.57	54.00	46.59	100	359	Average	Horizontal	
3	5420.50	42.94	0.60	42.34	54.00	-11.06	100	359	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	48.57	7.14	41.43	54.00	-5.43	119	93	Average	Vertical	
2	5180.00	96.79	55.22	41.57	54.00	42.79	119	93	Average	Vertical	
3	5423.00	42.84	0.52	42.32	54.00	-11.16	119	93	Average	Vertical	

802.11ac VHT20

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	67.30	25.87	41.43	74.00	-6.70	100	76	Peak	Horizontal	
2 *	5200.00	113.59	71.93	41.66	68.20	45.39	100	76	Peak	Horizontal	
3	5458.50	55.95	13.80	42.15	74.00	-18.05	100	76	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	64.24	22.82	41.42	74.00	-9.76	105	93	Peak	Vertical	
2 *	5200.00	109.68	68.22	41.66	68.20	41.68	105	93	Peak	Vertical	
3	5451.00	55.45	13.33	42.12	74.00	-18.55	105	93	Peak	Vertical	

802.11ac VHT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	51.38	9.95	41.43	54.00	-2.62	100	76	Average	Horizontal	
2	5200.00	105.74	62.08	41.66	54.00	49.74	100	76	Average	Horizontal	
3	5372.00	43.03	0.95	42.08	54.00	-10.97	100	76	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	48.72	7.29	41.43	54.00	-5.28	105	93	Average	Vertical	
2	5200.00	100.41	58.75	41.66	54.00	46.41	105	93	Average	Vertical	
3	5401.00	42.73	0.25	42.48	54.00	-11.27	105	93	Average	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	60.77	19.34	41.43	74.00	-13.23	116		1 Peak	Horizontal	
2 *	5240.00	114.64	73.03	41.61	66.20	48.44	116		1 Peak	Horizontal	
3	5355.00	57.86	16.03	41.83	74.00	-16.14	116		1 Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	58.48	17.05	41.43	74.00	-15.52	114		93 Peak	Vertical	
2 *	5240.00	112.23	70.62	41.61	66.20	46.03	114		93 Peak	Vertical	
3	5407.50	56.29	13.86	42.43	74.00	-17.71	114		93 Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Data	Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5149.00	44.31	2.88	41.43	54.00	-9.69		116	1	Average	Horizontal	
2	5240.00	104.45	62.84	41.61	54.00	50.45		116	1	Average	Horizontal	
3	5354.00	43.68	1.86	41.82	54.00	-10.32		116	1	Average	Horizontal	

802.11ac VHT40

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	66.31	23.41	42.90	68.20	-1.89	100	356	Peak	Horizontal	
2	5190.00	105.47	62.46	43.01	68.20	37.27	100	356	Peak	Horizontal	
3	5425.00	55.82	12.59	43.23	74.00	-18.18	100	356	Peak	Horizontal	

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	62.09	19.19	42.90	68.20	-6.11	111	90	Peak	Vertical	
2	5190.00	100.72	57.71	43.01	68.20	32.52	111	90	Peak	Vertical	
3	5361.50	57.01	13.98	43.03	74.00	-16.99	111	90	Peak	Vertical	

802.11ac VHT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	50.45	7.56	42.89	54.00	-3.55	100	356	Average	Horizontal	
2 *	5190.00	96.95	53.94	43.01	54.00	42.95	100	356	Average	Horizontal	
3	5459.00	43.84	0.58	43.26	54.00	-10.16	100	356	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	47.34	4.44	42.90	54.00	-6.66	111	90	Average	Vertical	
2 *	5190.00	91.68	48.67	43.01	54.00	37.68	111	90	Average	Vertical	
3	5425.00	43.65	0.42	43.23	54.00	-10.35	111	90	Average	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	66.04	23.17	42.87	74.00	-7.96	100	73	Peak	Horizontal	
2 *	5230.00	111.71	68.70	43.01	68.20	43.51	100	73	Peak	Horizontal	
3	5355.00	59.20	16.21	42.99	74.00	-14.80	100	73	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	62.25	19.39	42.86	74.00	-11.75	100	92	Peak	Vertical	
2 *	5230.00	107.31	64.30	43.01	68.20	39.11	100	92	Peak	Vertical	
3	5352.50	56.92	13.94	42.98	74.00	-17.08	100	92	Peak	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	53.00	10.10	42.90	54.00	-1.00	100	73	Average	Horizontal	
2 *	5230.00	102.07	59.06	43.01	54.00	48.07	100	73	Average	Horizontal	
3	5350.00	46.27	3.30	42.97	54.00	-7.73	100	73	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	49.90	7.08	42.90	54.00	-4.02	100	92	Average	Vertical	
2 *	5230.00	90.03	55.02	43.01	54.00	46.03	100	92	Average	Vertical	
3	5351.00	44.97	2.00	42.97	54.00	-9.03	100	92	Average	Vertical	


802.11ac VHT80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.00	65.44	22.66	42.78	74.00	-8.56	100	356	Peak	Horizontal	
2 *	5210.00	101.64	58.61	43.03	68.20	33.44	100	356	Peak	Horizontal	
3	5373.00	55.82	12.74	43.08	74.00	-18.18	100	356	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.00	62.78	19.94	42.84	74.00	-11.22	100	91	Peak	Vertical	
2 *	5210.00	98.75	55.72	43.03	68.20	30.55	100	91	Peak	Vertical	
3	5381.50	55.38	12.26	43.12	74.00	-18.62	100	91	Peak	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	52.63	9.73	42.90	54.00	-1.37	100	356	Average	Horizontal	
2	5210.00	92.58	49.55	43.03	54.00	38.58	100	356	Average	Horizontal	
3	5354.00	44.61	1.62	42.99	54.00	-9.39	100	356	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	49.41	6.51	42.90	54.00	-4.59	100	91	Average	Vertical	
2	5210.00	69.33	46.30	43.03	54.00	35.33	100	91	Average	Vertical	
3	5413.50	44.47	1.25	43.22	54.00	-9.53	100	91	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	59.64	16.77	42.87	74.00	-14.36	100	355	Peak	Horizontal	
2 *	5260.00	115.02	72.85	42.97	68.20	47.62	100	355	Peak	Horizontal	
3	5351.00	66.25	23.28	42.97	74.00	-7.75	100	355	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	57.35	14.50	42.85	74.00	-16.65	107	91	Peak	Vertical	
2 *	5260.00	112.32	69.35	42.97	68.20	44.12	107	91	Peak	Vertical	
3	5352.00	60.51	17.53	42.98	74.00	-13.49	107	91	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	44.97	2.10	42.87	54.00	-9.03	100	355 Average	Horizontal	
2 *	5260.00	105.63	62.66	42.97	54.00	51.63	100	355 Average	Horizontal	
3 !	5350.50	48.96	5.99	42.97	54.00	-5.04	100	355 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	44.00	1.11	42.89	54.00	-10.00	107	91 Average	Vertical	
2 *	5260.00	103.03	60.06	42.97	54.00	49.03	107	91 Average	Vertical	
3	5351.00	46.58	3.61	42.97	54.00	-7.42	107	91 Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5053.50	56.56	13.95	42.61	74.00	-17.44	126	360	Peak	Horizontal	
2 *	5300.00	114.00	71.16	42.92	68.20	45.80	126	360	Peak	Horizontal	
3 !	5352.00	68.22	25.24	42.98	74.00	-5.78	126	360	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	56.47	13.71	42.76	74.00	-17.53	100	87	Peak	Vertical	
2 *	5300.00	110.16	67.24	42.92	68.20	41.96	100	87	Peak	Vertical	
3	5352.00	65.12	22.14	42.98	74.00	-8.88	100	87	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.50	44.35	1.58	42.77	54.00	-9.65	126	360	Average	Horizontal	
2 *	5350.00	105.16	62.24	42.92	54.00	51.16	126	360	Average	Horizontal	
3 !	5350.00	52.36	9.39	42.97	54.00	-1.64	126	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5095.00	43.75	1.19	42.56	54.00	-10.25	100	87	Average	Vertical	
2 *	5350.00	100.72	57.80	42.92	54.00	46.72	100	87	Average	Vertical	
3 !	5350.00	48.68	5.71	42.97	54.00	-5.32	100	87	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5056.50	54.76	13.48	41.28	74.00	-19.24	100	71	Peak	Horizontal	
2 *	5320.00	110.51	68.59	41.92	68.20	42.31	100	71	Peak	Horizontal	
3 !	5353.00	71.50	29.70	41.80	74.00	-2.50	100	71	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5043.50	55.00	13.74	41.26	74.00	-19.00	104	90	Peak	Vertical	
2 *	5320.00	107.52	65.60	41.92	68.20	39.32	104	90	Peak	Vertical	
3 !	5353.00	69.87	28.07	41.80	74.00	-4.13	104	90	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5184.00	42.21	0.90	41.31	54.00	-11.79	100	71	Average	Horizontal	
2 *	5320.00	101.19	59.27	41.92	54.00	47.19	100	71	Average	Horizontal	
3 !	5350.50	51.76	9.99	41.77	54.00	-2.24	100	71	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	42.07	0.70	41.37	54.00	-11.93	104	90	Average	Vertical	
2 *	5320.00	90.16	55.24	41.92	54.00	44.16	104	90	Average	Vertical	
3 !	5350.00	49.37	7.61	41.76	54.00	-4.63	104	90	Average	Vertical	


802.11ac VHT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	57.80	16.37	41.43	74.00	-16.20	100	75	Peak	Horizontal	
2 *	5260.00	114.52	72.84	41.68	68.20	46.32	100	75	Peak	Horizontal	
3	5354.50	62.95	21.13	41.82	74.00	-11.05	100	75	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	55.14	13.72	41.42	74.00	-18.86	110	93	Peak	Vertical	
2 *	5260.00	111.85	70.17	41.68	68.20	43.65	110	93	Peak	Vertical	
3	5353.50	60.44	18.63	41.81	74.00	-13.56	110	93	Peak	Vertical	

802.11ac VHT20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	43.25	1.82	41.43	54.00	-10.75	100	75 Average	Horizontal	
2 *	5260.00	104.31	62.63	41.68	54.00	50.31	100	75 Average	Horizontal	
3	5350.50	47.08	5.31	41.77	54.00	-6.92	100	75 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5095.50	42.25	0.95	41.30	54.00	-11.75	110	93 Average	Vertical	
2 *	5260.00	102.11	60.43	41.68	54.00	48.11	110	93 Average	Vertical	
3	5351.00	45.28	3.51	41.77	54.00	-8.72	110	93 Average	Vertical	

802.11ac VHT20

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.00	55.81	12.99	42.82	74.00	-18.19	100	360	Peak	Horizontal	
2 *	5360.00	111.76	68.84	42.92	68.20	43.56	100	360	Peak	Horizontal	
3 !	5360.50	70.51	27.49	43.02	74.00	-3.49	100	360	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.50	55.33	12.65	42.68	74.00	-18.67	100	98	Peak	Vertical	
2 *	5360.00	109.19	66.27	42.92	68.20	40.99	100	98	Peak	Vertical	
3	5352.00	63.96	20.98	42.98	74.00	-10.04	100	98	Peak	Vertical	

802.11ac VHT20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.00	43.23	0.49	42.74	54.00	-10.77	100	360	Average	Horizontal	
2 *	5300.00	102.91	59.89	42.92	54.00	48.91	100	360	Average	Horizontal	
3 !	5350.00	52.64	9.67	42.97	54.00	-1.36	100	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	42.78	0.04	42.74	54.00	-11.22	100	98	Average	Vertical	
2 *	5300.00	100.20	57.28	42.92	54.00	46.28	100	98	Average	Vertical	
3 !	5350.00	48.63	5.66	42.97	54.00	-5.37	100	98	Average	Vertical	

802.11ac VHT20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	55.12	12.22	42.90	68.20	-13.08	138	360	Peak	Horizontal	
2 *	5320.00	110.78	67.04	42.94	68.20	42.58	138	360	Peak	Horizontal	
3 !	5351.50	72.10	29.12	42.98	74.00	-1.90	138	360	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.00	55.44	12.88	42.56	74.00	-18.56	100	88	Peak	Vertical	
2 *	5320.00	107.66	64.72	42.94	68.20	39.46	100	88	Peak	Vertical	
3	5352.00	66.78	23.80	42.98	74.00	-7.22	100	88	Peak	Vertical	

802.11ac VHT20


CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4996.50	56.99	14.53	42.46	74.00	-17.01	100	72 Peak	Horizontal	
2 *	5278.00	108.95	65.99	42.96	68.20	40.75	100	72 Peak	Horizontal	
3	5353.00	65.26	22.28	42.98	74.00	-8.74	100	72 Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4736.50	55.95	13.81	42.14	74.00	-18.05	122	98 Peak	Vertical	
2 *	5278.00	105.68	62.64	42.96	68.20	37.40	122	98 Peak	Vertical	
3	5351.50	62.79	19.81	42.98	74.00	-11.21	122	98 Peak	Vertical	

802.11ac VHT40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	44.71	1.81	42.90	54.00	-9.29	100	72 Average	Horizontal	
2 *	5270.00	100.09	57.13	42.96	54.00	46.09	100	72 Average	Horizontal	
3 !	5350.00	51.34	8.37	42.97	54.00	-2.66	100	72 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.00	43.61	0.84	42.77	54.00	-10.39	122	98 Average	Vertical	
2 *	5270.00	96.38	53.42	42.96	54.00	42.38	122	98 Average	Vertical	
3 !	5350.50	49.11	6.14	42.97	54.00	-4.89	122	98 Average	Vertical	

802.11ac VHT40

CH 62 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5082.50	55.62	13.14	42.48	74.00	-18.38	114	357	Peak	Horizontal	
2 *	5310.00	106.59	63.46	42.93	68.20	38.39	114	357	Peak	Horizontal	
3 !	5351.50	70.22	27.24	42.98	74.00	-3.78	114	357	Peak	Horizontal	

CH 62 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5082.00	55.16	12.58	42.58	74.00	-18.84	110	91	Peak	Vertical	
2 *	5310.00	103.21	60.28	42.93	68.20	35.01	110	91	Peak	Vertical	
3	5351.00	66.07	23.10	42.97	74.00	-7.93	110	91	Peak	Vertical	

802.11ac VHT40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5188.50	43.67	1.06	42.61	54.00	-10.33	114	357	Average	Horizontal	
2 *	5351.00	97.09	54.16	42.93	54.00	43.09	114	357	Average	Horizontal	
3 !	5351.00	52.22	9.25	42.97	54.00	-1.78	114	357	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5053.50	43.65	1.04	42.61	54.00	-10.35	110	91	Average	Vertical	
2 *	5350.00	94.61	51.68	42.93	54.00	40.61	110	91	Average	Vertical	
3 !	5350.00	49.10	6.13	42.97	54.00	-4.90	110	91	Average	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	56.83	13.94	42.89	74.00	-17.17	100	353	Peak	Horizontal	
2 *	5290.00	101.18	50.24	42.94	68.20	32.98	100	353	Peak	Horizontal	
3 !	5351.00	68.80	25.83	42.97	74.00	-5.20	100	353	Peak	Horizontal	

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	55.55	12.69	42.86	74.00	-18.45	100	95	Peak	Vertical	
2 *	5290.00	99.36	56.42	42.94	68.20	31.16	100	95	Peak	Vertical	
3 !	5350.00	66.00	23.03	42.97	68.20	-2.20	100	95	Peak	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	45.25	2.35	42.90	54.00	-8.75	100	353	Average	Horizontal	
2 *	5290.00	92.36	49.42	42.94	54.00	38.36	100	353	Average	Horizontal	
3 !	5350.50	52.19	9.22	42.97	54.00	-1.81	100	353	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	44.19	1.32	42.87	54.00	-9.81	100	95	Average	Vertical	
2 *	5290.00	90.40	47.46	42.94	54.00	36.40	100	95	Average	Vertical	
3 !	5350.00	51.37	8.40	42.97	54.00	-2.63	100	95	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	60.44	18.28	42.16	74.00	-13.56	100		2 Peak	Horizontal	
2	5469.50	66.71	24.50	42.21	68.20	-1.49	100		2 Peak	Horizontal	
3 *	5500.00	107.62	65.27	42.35	68.20	39.42	100		2 Peak	Horizontal	
4	6985.50	59.13	15.37	43.76	68.20	-9.07	100		2 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	57.68	15.53	42.15	74.00	-16.32	110		94 Peak	Vertical	
2	5469.50	64.44	22.24	42.20	68.20	-3.76	110		94 Peak	Vertical	
3 *	5500.00	104.67	62.32	42.35	68.20	36.47	110		94 Peak	Vertical	
4	6841.50	59.16	15.39	43.77	68.20	-9.04	110		94 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.54	2.37	42.17	54.00	-9.46	100		2 Average	Horizontal	
2 *	5500.00	98.85	56.50	42.35	54.00	44.85	100		2 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	43.49	1.32	42.17	54.00	-10.51	110		94 Average	Vertical	
2 *	5500.00	95.29	52.94	42.35	54.00	41.29	110		94 Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	56.62	14.24	42.38	74.00	-17.38	100		24 Peak	Horizontal	
2	5469.50	55.47	13.26	42.21	68.20	-12.73	100		24 Peak	Horizontal	
3 *	5580.00	112.97	70.73	42.24	68.20	44.77	100		24 Peak	Horizontal	
4	6944.00	60.09	16.29	43.80	68.20	-8.11	100		24 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5448.00	55.31	13.17	42.14	74.00	-18.69	100		87 Peak	Vertical	
2	5469.50	55.33	13.12	42.21	68.20	-12.87	100		87 Peak	Vertical	
3 *	5580.00	109.02	66.78	42.24	68.20	40.82	100		87 Peak	Vertical	
4	6932.00	59.31	15.55	43.76	68.20	-8.89	100		87 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.58	43.18	0.82	42.36	54.00	-10.82	100	24 Average	Horizontal	
2 *	5500.00	103.15	68.91	42.24	54.00	49.15	100	24 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5409.00	42.95	0.53	42.42	54.00	-11.05	100	87 Average	Vertical	
2 *	5500.00	99.75	57.51	42.24	54.00	45.75	100	87 Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5440.50	55.79	13.60	42.19	74.00	-18.21	321		1 Peak	Horizontal	
2	5460.00	54.87	12.70	42.17	68.20	-13.33	321		1 Peak	Horizontal	
3 *	5700.00	108.51	66.14	42.37	68.20	40.31	321		1 Peak	Horizontal	
4 !	5725.00	64.73	22.24	42.49	68.20	-3.47	321		1 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.00	55.49	13.15	42.34	74.00	-18.51	100		86 Peak	Vertical	
2	5461.00	54.75	12.58	42.17	68.20	-13.45	100		86 Peak	Vertical	
3 *	5700.00	103.97	61.60	42.37	68.20	35.77	100		86 Peak	Vertical	
4	5725.50	61.74	19.25	42.49	68.20	-6.46	100		86 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5486.00	42.93	0.49	42.44	54.00	-11.07	321		1 Average	Horizontal	
2 *	5700.00	99.12	56.85	42.37	54.00	45.22	321		1 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5486.00	42.82	0.33	42.49	54.00	-11.18	100		86 Average	Vertical	
2 *	5700.00	94.47	52.10	42.37	54.00	40.47	100		86 Average	Vertical	


802.11ac VHT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5460.00	62.86	19.60	43.26	68.20	-5.34	310			360 Peak	Horizontal	
2 5460.00	67.17	23.90	43.27	68.20	-1.03	310			360 Peak	Horizontal	
3 * 5500.00	109.48	66.19	43.29	68.20	41.28	310			360 Peak	Horizontal	
4 6995.50	60.28	14.89	45.39	68.20	-7.92	310			360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5455.00	59.73	16.47	43.26	74.00	-14.27	114			88 Peak	Vertical	
2 5460.00	67.10	23.83	43.27	68.20	-1.10	114			88 Peak	Vertical	
3 * 5500.00	104.77	61.48	43.29	68.20	36.57	114			88 Peak	Vertical	
4 6953.00	59.47	14.19	45.28	68.20	-8.73	114			88 Peak	Vertical	


802.11ac VHT20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.95	1.69	43.26	54.00	-9.05	310	360 Average	Horizontal	
2 *	5500.00	100.17	56.88	43.29	54.00	46.17	310	360 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.10	0.84	43.26	54.00	-9.90	114	88 Average	Vertical	
2 *	5500.00	96.02	52.73	43.29	54.00	42.02	114	88 Average	Vertical	


802.11ac VHT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5386.00	55.54	12.40	43.14	74.00	-18.46	100		1 Peak	Horizontal	
2	5467.50	56.31	13.04	43.27	68.20	-11.89	100		1 Peak	Horizontal	
3 *	5580.00	113.06	69.66	43.40	68.20	44.86	100		1 Peak	Horizontal	
4	6968.00	59.30	13.98	45.32	68.20	-8.90	100		1 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5423.50	55.93	12.70	43.23	74.00	-18.07	100		88 Peak	Vertical	
2	5462.00	55.33	12.07	43.26	68.20	-12.87	100		88 Peak	Vertical	
3 *	5580.00	109.76	66.36	43.40	68.20	41.56	100		88 Peak	Vertical	
4	6971.00	59.85	14.53	45.32	68.20	-8.35	100		88 Peak	Vertical	

802.11ac VHT20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.00	43.57	0.34	43.23	54.00	-10.43	100		1 Average	Horizontal	
2 *	5500.00	103.84	60.44	43.40	54.00	49.84	100		1 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.00	43.17	-0.09	43.26	54.00	-10.83	100		88 Average	Vertical	
2 *	5500.00	99.83	56.43	43.40	54.00	45.83	100		88 Average	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.50	55.23	12.01	43.22	74.00	-18.77	321		2 Peak	Horizontal	
2	5461.00	54.96	11.60	43.26	68.20	-13.34	321		2 Peak	Horizontal	
3 *	5700.00	108.57	64.91	43.66	68.20	40.37	321		2 Peak	Horizontal	
4 !	5725.00	65.71	22.02	43.69	68.20	-2.49	321		2 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5446.00	55.13	11.88	43.25	74.00	-18.87	100	89	Peak	Vertical	
2	5462.00	55.35	12.09	43.26	68.20	-12.85	100	89	Peak	Vertical	
3 *	5700.00	103.85	60.19	43.66	68.20	35.65	100	89	Peak	Vertical	
4 !	5725.00	63.79	20.10	43.69	68.20	-4.41	100	89	Peak	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5431.00	43.13	-0.11	43.24	54.00	-10.87	321		2 Average	Horizontal	
2 *	5700.00	99.43	55.77	43.66	54.00	45.43	321		2 Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.50	43.11	-0.11	43.22	54.00	-10.89	100		89 Average	Vertical	
2 *	5700.00	95.15	51.49	43.66	54.00	41.15	100		89 Average	Vertical	


802.11ac VHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	62.63	19.37	43.26	68.20	-5.57	100	360	Peak	Horizontal	
2	5465.00	65.51	22.24	43.27	68.20	-2.69	100	360	Peak	Horizontal	
3	5510.00	105.26	61.94	43.32	68.20	37.06	100	360	Peak	Horizontal	
4	6939.50	59.63	14.37	45.26	68.20	-8.57	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.50	58.45	15.19	43.26	74.00	-15.55	114	87	Peak	Vertical	
2	5469.50	61.22	17.95	43.27	68.20	-6.98	114	87	Peak	Vertical	
3	5510.00	101.59	58.27	43.32	68.20	33.39	114	87	Peak	Vertical	
4	6903.00	60.06	14.83	45.23	68.20	-8.14	114	87	Peak	Vertical	


802.11ac VHT40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	46.32	3.06	43.26	54.00	-7.68	100	360	Average	Horizontal	
2 *	5510.00	95.52	52.20	43.32	54.00	41.52	100	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	44.41	1.15	43.26	54.00	-9.59	114	87	Average	Vertical	
2 *	5510.00	92.33	49.01	43.32	54.00	38.33	114	87	Average	Vertical	