

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

GFSK


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.04	40.49	2.96	37.53	54.00	-13.51	161	190	Average	Horizontal		
2 *	2402.00	99.97	62.34	37.63	54.00	45.97	161	190	Average	Horizontal		
3	2834.16	41.64	3.47	38.17	54.00	-12.36	161	190	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.00	40.27	2.85	37.42	54.00	-13.73	364	149	Average	Vertical		
2 *	2402.00	98.29	60.66	37.63	54.00	44.29	364	149	Average	Vertical		
3	2639.10	41.65	3.64	38.01	54.00	-12.35	364	149	Average	Vertical		

GFSK

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	2337.26	53.27	15.94	37.33	74.00	-20.73	354	339 Peak	Horizontal		
2 *	2441.00	103.72	66.04	37.68	74.00	29.72	354	339 Peak	Horizontal		
3	2880.88	54.73	16.41	38.32	74.00	-19.27	354	339 Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	2382.33	53.67	16.13	37.54	74.00	-20.33	180	309 Peak	Vertical		
2 *	2441.00	94.10	56.42	37.68	74.00	20.10	180	309 Peak	Vertical		
3	2487.94	54.98	17.16	37.82	74.00	-19.02	180	309 Peak	Vertical		

GFSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.38	40.37	2.85	37.52	54.00	-13.63	354	339	Average	Horizontal	
2 *	2441.00	103.20	65.52	37.68	54.00	49.20	354	339	Average	Horizontal	
3	2835.45	41.80	3.62	38.18	54.00	-12.20	354	339	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.71	40.40	2.83	37.57	54.00	-13.60	180	309	Average	Vertical	
2 *	2441.00	93.51	55.83	37.68	54.00	39.51	180	309	Average	Vertical	
3	2638.28	41.63	3.62	38.01	54.00	-12.37	100	309	Average	Vertical	

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2356.96	54.74	17.33	37.41	74.00	-19.26	312	334 Peak	Horizontal		
2 *	2488.00	101.04	63.25	37.79	74.00	27.04	312	334 Peak	Horizontal		
3	2674.38	54.91	16.95	37.96	74.00	-19.09	312	334 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2322.04	53.72	16.44	37.28	74.00	-20.28	337	151 Peak	Vertical		
2 *	2488.00	97.67	59.88	37.79	74.00	23.67	337	151 Peak	Vertical		
3	2851.97	55.00	16.82	38.18	74.00	-19.00	337	151 Peak	Vertical		

GFSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.12	40.31	2.74	37.57	54.00	-13.69	312	334	Average	Horizontal	
2 *	2480.00	100.43	62.64	37.79	54.00	46.43	312	334	Average	Horizontal	
3	2837.46	41.63	3.45	38.18	54.00	-12.37	312	334	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.30	40.24	2.76	37.48	54.00	-13.76	337	151	Average	Vertical	
2 *	2480.00	97.05	59.26	37.79	54.00	43.05	337	151	Average	Vertical	
3	2831.68	41.62	3.44	38.18	54.00	-12.38	337	151	Average	Vertical	

8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2342.92	53.56	16.21	37.35	74.00	-20.44	365	337	Peak	Horizontal		
2 *	2402.00	100.54	62.91	37.63	74.00	26.54	365	337	Peak	Horizontal		
3	2653.73	54.81	16.79	38.02	74.00	-19.19	365	337	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2351.42	52.94	15.56	37.38	74.00	-21.06	326	150	Peak	Vertical		
2 *	2402.16	98.85	61.22	37.63	74.00	24.85	326	150	Peak	Vertical		
3	2674.38	54.82	16.86	37.96	74.00	-19.18	326	150	Peak	Vertical		

8DPSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.05	40.63	3.08	37.55	54.00	-13.37	365	337	Average	Horizontal	
2 *	2402.00	97.89	60.26	37.63	54.00	43.89	365	337	Average	Horizontal	
3	2830.73	42.01	3.83	38.18	54.00	-11.99	365	337	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.42	40.58	3.33	37.25	54.00	-13.42	326	150	Average	Vertical	
2 *	2402.16	95.25	57.62	37.63	54.00	41.25	326	150	Average	Vertical	
3	2633.79	42.08	4.07	38.01	54.00	-11.92	326	150	Average	Vertical	

8DPSK

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2336.43	53.01	16.04	36.97	74.00	-20.99	175	320	Peak	Horizontal		
2 *	2441.00	101.07	63.67	37.40	74.00	-27.07	175	320	Peak	Horizontal		
3	2880.65	54.74	16.87	37.87	74.00	-19.26	175	320	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2325.22	52.98	16.09	36.89	74.00	-21.02	330	334	Peak	Vertical		
2 *	2441.00	94.67	57.27	37.40	74.00	-20.67	330	334	Peak	Vertical		
3	2515.32	54.71	17.23	37.48	74.00	-19.29	330	334	Peak	Vertical		

8DPSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.74	39.85	2.78	37.07	54.00	-14.15	175	320	Average	Horizontal	
2 *	2441.00	98.43	61.03	37.40	54.00	44.43	175	320	Average	Horizontal	
3	2859.20	41.18	3.46	37.72	54.00	-12.82	175	320	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.44	39.87	2.80	37.07	54.00	-14.13	330	334	Average	Vertical	
2 *	2441.00	91.97	54.57	37.40	54.00	37.97	330	334	Average	Vertical	
3	2852.68	41.06	3.33	37.73	54.00	-12.94	330	334	Average	Vertical	

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2323.33	53.11	16.23	36.88	74.00	-20.89	386	351	Peak	Horizontal		
2 *	2488.00	101.06	63.58	37.48	74.00	27.06	386	351	Peak	Horizontal		
3	2857.87	55.75	17.99	37.76	74.00	-18.25	386	351	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.91	52.54	15.47	37.07	74.00	-21.46	393	37	Peak	Vertical		
2 *	2488.00	95.38	57.90	37.48	74.00	21.38	393	37	Peak	Vertical		
3	2504.46	54.36	16.87	37.49	74.00	-19.64	393	37	Peak	Vertical		

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.52	39.95	2.87	37.08	54.00	-14.05	386	351	Average	Horizontal	
2 *	2488.00	98.67	61.19	37.48	54.00	44.67	386	351	Average	Horizontal	
3	2837.34	40.99	3.38	37.61	54.00	-13.01	386	351	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.00	39.86	2.76	37.10	54.00	-14.14	393	37	Average	Vertical	
2 *	2488.00	92.98	55.58	37.40	54.00	38.98	393	37	Average	Vertical	
3	2858.20	41.17	3.45	37.72	54.00	-12.83	393	37	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

Middle Channel(Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	58.83	39.88	18.95	119.13	-60.30	100	146	Peak	Open	
2	0.04	56.48	37.32	19.16	115.67	-59.19	100	177	Peak	Open	
3	0.06	52.78	33.89	18.89	112.11	-59.33	100	177	Peak	Open	
4	0.08	46.84	28.43	18.41	109.59	-62.75	100	177	Peak	Open	
5	0.10	42.42	24.48	17.94	107.63	-65.21	100	177	Peak	Open	
6	0.13	33.10	15.06	18.04	105.57	-72.47	100	145	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.45	42.57	23.75	18.82	94.57	-52.00	100	159	Peak	Open	
2	6.90	32.35	12.07	20.28	69.50	-37.15	100	204	Peak	Open	
3	11.02	35.19	13.56	21.63	69.50	-34.31	100	219	Peak	Open	
4	13.55	43.76	21.96	21.80	69.50	-25.74	100	360	Peak	Open	
5	19.97	35.34	13.10	22.24	69.50	-34.16	100	171	Peak	Open	
6	27.37	35.68	13.37	22.31	69.50	-33.82	100	88	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

GFSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	60.07	22.71	30.39	-7.68	40.00	-17.29		400	71	Peak	Horizontal	
2	127.00	24.11	33.77	-9.66	43.50	-19.39		200	89	Peak	Horizontal	
3	288.99	30.27	37.11	-6.84	46.00	-15.73		100	158	Peak	Horizontal	
4	516.94	27.59	29.84	-2.25	46.00	-18.41		154	360	Peak	Horizontal	
5	709.00	31.70	29.98	1.72	46.00	-14.30		100	208	Peak	Horizontal	
6	924.34	34.28	29.38	4.90	46.00	-11.72		300	104	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	55.22	26.46	33.65	-7.19	40.00	-13.54		100	225	Peak	Vertical	
2	159.01	21.79	28.78	-6.99	43.50	-21.71		400	313	Peak	Vertical	
3	290.93	24.79	31.63	-6.84	46.00	-21.21		200	227	Peak	Vertical	
4	552.83	28.43	29.51	-1.08	46.00	-17.57		300	161	Peak	Vertical	
5	713.85	31.80	30.16	1.64	46.00	-14.20		300	360	Peak	Vertical	
6	945.68	35.39	30.50	4.89	46.00	-10.61		200	357	Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4882.00	24.00	34.34	-10.34	54.00	-30.00	480	236	Average	Horizontal	CF	
2	4882.00	54.10	64.44	-10.34	74.00	-19.90	480	236	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4882.00	25.09	35.43	-10.34	54.00	-28.91	180	250	Average	Vertical	CF	
2	4882.00	55.19	65.53	-10.34	74.00	-18.81	180	250	Peak	Vertical		

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	23.95	34.17	-10.22	54.00	-30.05	180	284	Average	Horizontal	CF
2	4960.00	54.05	64.27	-10.22	74.00	-19.95	180	284	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	24.38	34.60	-10.22	54.00	-29.62	180	311	Average	Vertical	CF
2	4960.00	54.48	64.70	-10.22	74.00	-19.52	180	311	Peak	Vertical	


8DPSK

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	21.83	32.05	-10.22	54.00	-32.17	180	272	Average	Horizontal	CF	
2	4960.00	51.93	62.15	-10.22	74.00	-22.07	180	272	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	24.19	34.41	-10.22	54.00	-29.81	180	151	Average	Vertical	CF	
2	4960.00	54.29	64.51	-10.22	74.00	-19.71	180	151	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

