




Ground



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13.56	56.78	34.98	21.80	124.00	-67.22	100	360	Peak	Ground	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

9kHz~150kHz(Open)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.02	68.46	49.71	18.75	120.06	-51.60	100	189	Peak	Open		
2	0.05	62.50	43.37	19.13	114.03	-51.53	100	189	Peak	Open		
3	0.07	52.58	34.01	18.57	110.34	-57.76	100	186	Peak	Open		
4	0.10	45.25	27.28	17.97	107.72	-62.47	100	194	Peak	Open		
5	0.12	43.32	25.30	18.02	105.85	-62.53	100	189	Peak	Open		
6	0.15	41.29	23.18	18.11	104.30	-63.01	100	189	Peak	Open		

150kHz~30MHz(Open)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.15	48.84	30.71	18.13	104.08	-55.24	100	181	Peak	Open		
2	0.45	44.63	25.81	18.82	94.57	-49.94	100	184	Peak	Open		
3	4.42	33.79	14.26	19.53	69.50	-35.71	100	184	Peak	Open		
4	10.72	35.40	13.79	21.61	69.50	-34.10	100	74	Peak	Open		
5	22.57	36.65	14.39	22.26	69.50	-32.85	100	45	Peak	Open		
6	27.10	35.39	13.09	22.30	69.50	-34.11	100	32	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	40.67	24.39	32.30	-7.91	40.00	-15.61	300	355	Peak	Horizontal		
2	200.72	25.08	35.05	-9.97	43.50	-18.42	100	180	Peak	Horizontal		
3	287.05	28.81	35.65	-6.84	46.00	-17.19	100	195	Peak	Horizontal		
4	681.33	29.81	38.07	-8.26	46.00	-16.19	400	303	Peak	Horizontal		
5	729.37	31.99	38.32	-6.33	46.00	-14.01	200	0	Peak	Horizontal		
6	845.77	33.80	38.10	-4.30	46.00	-12.20	297	0	Peak	Horizontal		

Vertical



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	40.67	30.03	37.94	-7.91	40.00	-9.97	100	266	Peak	Vertical		
2	88.20	23.02	36.38	-13.36	43.50	-20.48	200	301	Peak	Vertical		
3	441.28	27.36	38.66	-11.30	46.00	-18.64	200	360	Peak	Vertical		
4	589.69	28.88	29.37	-0.49	46.00	-17.12	200	18	Peak	Vertical		
5	749.74	31.93	29.29	2.64	46.00	-14.07	100	84	Peak	Vertical		
6	905.91	34.14	29.75	4.39	46.00	-11.86	400	335	Peak	Vertical		

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.16	20.99	11.37	9.62	55.30	-34.31	Average	line1	
2	0.16	31.50	21.88	9.62	65.30	-33.80	QP	line1	
3	0.47	37.34	27.71	9.63	46.48	-9.14	Average	line1	
4	0.47	42.32	32.69	9.63	56.48	-14.16	QP	line1	
5	0.97	20.77	11.13	9.64	46.00	-25.23	Average	line1	
6	0.97	26.01	16.37	9.64	56.00	-29.99	QP	line1	
7	1.83	20.53	10.87	9.66	46.00	-25.47	Average	line1	
8	1.83	25.67	16.01	9.66	56.00	-30.33	QP	line1	
9	8.80	25.28	15.54	9.74	50.00	-24.72	Average	line1	
10	8.80	30.89	21.15	9.74	60.00	-29.11	QP	line1	
11	14.35	33.03	23.27	9.76	50.00	-16.97	Average	line1	
12	14.35	37.70	27.94	9.76	60.00	-22.30	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.17	22.69	13.07	9.62	55.13	-32.44	Average	neutral	
2	0.17	33.08	23.46	9.62	65.13	-32.05	QP	neutral	
3	0.47	35.66	26.03	9.63	46.44	-10.78	Average	neutral	
4	0.47	40.22	30.59	9.63	56.44	-16.22	QP	neutral	
5	0.97	20.76	11.12	9.64	46.00	-25.24	Average	neutral	
6	0.97	25.60	15.96	9.64	56.00	-30.40	QP	neutral	
7	2.13	18.37	8.71	9.66	46.00	-27.63	Average	neutral	
8	2.13	23.50	13.84	9.66	56.00	-32.50	QP	neutral	
9	8.98	26.17	16.40	9.77	50.00	-23.83	Average	neutral	
10	8.98	31.19	21.42	9.77	60.00	-28.81	QP	neutral	
11	13.65	31.30	21.49	9.81	50.00	-18.70	Average	neutral	
12	13.65	36.05	26.24	9.81	60.00	-23.95	QP	neutral	