

CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001


Page 1 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<WiFi>

Photograph 1: Test Setup for Spurious Emissions (Front View 1)



Photograph 2: Test Setup for Spurious Emissions (Front View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 2 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 3: Test Setup for Spurious Emissions (Back View 1)



Photograph 4: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 3 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 5: Test Setup for Spurious Emissions (Back View 3)



Photograph 6: Test Setup for Spurious Emissions (Back View 4)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 4 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<Bluetooth>

Photograph 7: Test Setup for Spurious Emissions (Front View 1)



Photograph 8: Test Setup for Spurious Emissions (Front View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 5 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 9: Test Setup for Spurious Emissions (Back View 1)



Photograph 10: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 6 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 11: Test Setup for Spurious Emissions (Back View 3)



Photograph 12: Test Setup for Spurious Emissions (Back View 4)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001


Page 7 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<WWAN>
X-plane

Photograph 13: Test Setup for Spurious Emissions (Front View 1)



Photograph 14: Test Setup for Spurious Emissions (Front View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 8 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 15: Test Setup for Spurious Emissions (Back View 1)



Photograph 16: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 9 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 17: Test Setup for Spurious Emissions (Back View 3)



Photograph 18: Test Setup for Spurious Emissions (Back View 4)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 10 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<WWAN>
Y-plane

Photograph 19: Test Setup for Spurious Emissions (Front View 1)



Photograph 20: Test Setup for Spurious Emissions (Front View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 11 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 21: Test Setup for Spurious Emissions (Back View 1)



Photograph 22: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 12 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 23: Test Setup for Spurious Emissions (Back View 3)



Photograph 24: Test Setup for Spurious Emissions (Back View 4)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 13 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<WWAN>
Z-plane

Photograph 25: Test Setup for Spurious Emissions (Front View 1)



Photograph 26: Test Setup for Spurious Emissions (Front View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 14 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 27: Test Setup for Spurious Emissions (Back View 1)



Photograph 28: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 15 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 29: Test Setup for Spurious Emissions (Back View 3)



Photograph 30: Test Setup for Spurious Emissions (Back View 4)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 16 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<NFC>

Photograph 31: Test Setup for Spurious Emissions (Front View 1)



Photograph 32: Test Setup for Spurious Emissions (Back View 1)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 17 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 33: Test Setup for Spurious Emissions (Back View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 18 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<Co-Located>
X-plane

Photograph 34: Test Setup for Spurious Emissions (Front View 1)



Photograph 35: Test Setup for Spurious Emissions (Front View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 19 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 36: Test Setup for Spurious Emissions (Back View 1)



Photograph 37: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 20 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 38: Test Setup for Spurious Emissions (Back View 3)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 21 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<Co-Located>
Y-plane

Photograph 39: Test Setup for Spurious Emissions (Front View 1)



Photograph 40: Test Setup for Spurious Emissions (Front View 2)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 22 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 41: Test Setup for Spurious Emissions (Back View 1)



Photograph 42: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 23 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 43: Test Setup for Spurious Emissions (Back View 3)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 24 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

<Co-Located>
Z-plane

Photograph 44: Test Setup for Spurious Emissions (Front View 1)



Photograph 45: Test Setup for Spurious Emissions (Front View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 25 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 46: Test Setup for Spurious Emissions (Back View 1)



Photograph 47: Test Setup for Spurious Emissions (Back View 2)




CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 26 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 48: Test Setup for Spurious Emissions (Back View 3)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 27 of 28


Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 49: Test Setup for Mains Conducted Emissions (Front View)



Photograph 50: Test Setup for Mains Conducted Emissions (Back View)



CN242PFI 001 / CN24V8EN 001
CN24X0FL 001 / CN24DMG1 001
CN24RX0M 001 / CN243R14 001
CN24Y2ZS 001 / CN24SOX6 001
CN246HO1 001

Page 28 of 28

Product: 6" Rugged Mobile Computing Device

Type Identification: PD602

Photograph 51: Test Setup for DFS

