

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^F (k=2)
0		CW	CW	0.00	± 4.7 %
10010	CAA	SAR Validation (Square, 100ms, 10ms)	Test	10.00	± 9.6 %
10011	CAB	UMTS-FDD (WCDMA)	WCDMA	2.91	± 9.6 %
10012	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	± 9.6 %
10013	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	± 9.6 %
10021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	± 9.6 %
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	± 9.6 %
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.56	± 9.6 %
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	± 9.6 %
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	± 9.6 %
10027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	± 9.6 %
10028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	± 9.6 %
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	± 9.6 %
10030	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	5.30	± 9.6 %
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	± 9.6 %
10032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetooth	1.16	± 9.6 %
10033	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	Bluetooth	7.74	± 9.6 %
10034	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluetooth	4.53	± 9.6 %
10035	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	Bluetooth	3.83	± 9.6 %
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	8.01	± 9.6 %
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Bluetooth	4.77	± 9.6 %
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	± 9.6 %
10039	CAB	CDMA2000 (1xRTT, RC1)	CDMA2000	4.57	± 9.6 %
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	± 9.6 %
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	± 9.6 %
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	13.80	± 9.6 %
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	± 9.6 %
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	TD-SCDMA	11.01	± 9.6 %
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	± 9.6 %
10059	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	± 9.6 %
10060	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	± 9.6 %
10061	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	± 9.6 %
10062	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	± 9.6 %
10063	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	WLAN	8.63	± 9.6 %
10064	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	± 9.6 %
10065	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	± 9.6 %
10066	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	± 9.6 %
10067	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	WLAN	10.12	± 9.6 %
10068	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	± 9.6 %
10069	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	WLAN	10.56	± 9.6 %
10071	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	± 9.6 %
10072	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.62	± 9.6 %
10073	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	9.94	± 9.6 %
10074	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	± 9.6 %
10075	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	± 9.6 %
10076	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	± 9.6 %
10077	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	± 9.6 %
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	± 9.6 %
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	AMPS	4.77	± 9.6 %
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	± 9.6 %
10097	CAB	UMTS-FDD (HSDPA)	WCDMA	3.98	± 9.6 %
10098	CAB	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	± 9.6 %
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	± 9.6 %
10100	CAE	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	± 9.6 %
10101	CAE	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	± 9.6 %
10102	CAE	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10103	CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10104	CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-TDD	9.97	± 9.6 %
10105	CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TDD	10.01	± 9.6 %
10108	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.80	± 9.6 %

10109	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10110	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-FDD	5.75	± 9.6 %
10111	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-FDD	6.44	± 9.6 %
10112	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	± 9.6 %
10113	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	± 9.6 %
10114	CAC	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WLAN	8.10	± 9.6 %
10115	CAC	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.46	± 9.6 %
10116	CAC	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8.15	± 9.6 %
10117	CAC	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	± 9.6 %
10118	CAC	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	± 9.6 %
10119	CAC	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8.13	± 9.6 %
10140	CAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-FDD	6.49	± 9.6 %
10141	CAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	± 9.6 %
10142	CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10143	CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-FDD	6.35	± 9.6 %
10144	CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-FDD	6.65	± 9.6 %
10145	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	± 9.6 %
10146	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.41	± 9.6 %
10147	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.72	± 9.6 %
10149	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	± 9.6 %
10150	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10151	CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TDD	9.28	± 9.6 %
10152	CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 %
10153	CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	± 9.6 %
10154	CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	± 9.6 %
10155	CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10156	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5.79	± 9.6 %
10157	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	± 9.6 %
10158	CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	± 9.6 %
10159	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	± 9.6 %
10160	CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-FDD	5.82	± 9.6 %
10161	CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10162	CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-FDD	6.58	± 9.6 %
10166	CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD	5.46	± 9.6 %
10167	CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.21	± 9.6 %
10168	CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.79	± 9.6 %
10169	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10170	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10171	AAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-FDD	6.49	± 9.6 %
10172	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10173	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10174	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10175	CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10176	CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10177	CAI	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10178	CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10179	CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10180	CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10181	CAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10182	CAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10183	AAD	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10184	CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10185	CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-FDD	6.51	± 9.6 %
10186	AAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10187	CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10188	CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10189	AAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10193	CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	± 9.6 %
10194	CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WLAN	8.12	± 9.6 %
10195	CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	± 9.6 %
10196	CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8.10	± 9.6 %
10197	CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10198	CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	± 9.6 %
10219	CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8.03	± 9.6 %

10220	CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10221	CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.27	± 9.6 %
10222	CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8.06	± 9.6 %
10223	CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	± 9.6 %
10224	CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	WLAN	8.08	± 9.6 %
10225	CAB	UMTS-FDD (HSPA+)	WCDMA	5.97	± 9.6 %
10226	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.49	± 9.6 %
10227	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	± 9.6 %
10228	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	± 9.6 %
10229	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10230	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10231	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	9.19	± 9.6 %
10232	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10233	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10234	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10235	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10236	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10237	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10238	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10239	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10240	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10241	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	± 9.6 %
10242	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	± 9.6 %
10243	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9.46	± 9.6 %
10244	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10245	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	± 9.6 %
10246	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10247	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	± 9.6 %
10248	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	± 9.6 %
10249	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10250	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	± 9.6 %
10251	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	± 9.6 %
10252	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10253	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9.90	± 9.6 %
10254	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	± 9.6 %
10255	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	± 9.6 %
10256	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	± 9.6 %
10257	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	± 9.6 %
10258	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	± 9.6 %
10259	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-TDD	9.98	± 9.6 %
10260	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	± 9.6 %
10261	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10262	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-TDD	9.83	± 9.6 %
10263	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-TDD	10.16	± 9.6 %
10264	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TDD	9.23	± 9.6 %
10265	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 %
10266	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.07	± 9.6 %
10267	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10268	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10269	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	± 9.6 %
10270	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	9.58	± 9.6 %
10274	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	± 9.6 %
10275	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	± 9.6 %
10277	CAA	PHS (QPSK)	PHS	11.81	± 9.6 %
10278	CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	PHS	11.81	± 9.6 %
10279	CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	PHS	12.18	± 9.6 %
10290	AAB	CDMA2000, RC1, SO55, Full Rate	CDMA2000	3.91	± 9.6 %
10291	AAB	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3.46	± 9.6 %
10292	AAB	CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	± 9.6 %
10293	AAB	CDMA2000, RC3, SO3, Full Rate	CDMA2000	3.50	± 9.6 %
10295	AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	CDMA2000	12.49	± 9.6 %
10297	AAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5.81	± 9.6 %
10298	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10299	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-FDD	6.39	± 9.6 %

10300	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10301	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	WiMAX	12.03	± 9.6 %
10302	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3CTRL)	WiMAX	12.57	± 9.6 %
10303	AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	12.52	± 9.6 %
10304	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	11.86	± 9.6 %
10305	AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC)	WiMAX	15.24	± 9.6 %
10306	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC)	WiMAX	14.67	± 9.6 %
10307	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC)	WiMAX	14.49	± 9.6 %
10308	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	WiMAX	14.46	± 9.6 %
10309	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3)	WiMAX	14.58	± 9.6 %
10310	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3)	WiMAX	14.57	± 9.6 %
10311	AAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	± 9.6 %
10313	AAA	iDEN 1:3	iDEN	10.51	± 9.6 %
10314	AAA	iDEN 1:6	iDEN	13.48	± 9.6 %
10315	AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc dc)	WLAN	1.71	± 9.6 %
10316	AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc dc)	WLAN	8.36	± 9.6 %
10317	AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc dc)	WLAN	8.36	± 9.6 %
10352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	± 9.6 %
10353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	± 9.6 %
10354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	± 9.6 %
10355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	± 9.6 %
10356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	± 9.6 %
10387	AAA	QPSK Waveform, 1 MHz	Generic	5.10	± 9.6 %
10388	AAA	QPSK Waveform, 10 MHz	Generic	5.22	± 9.6 %
10396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	± 9.6 %
10399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	± 9.6 %
10400	AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc dc)	WLAN	8.37	± 9.6 %
10401	AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc dc)	WLAN	8.60	± 9.6 %
10402	AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc dc)	WLAN	8.53	± 9.6 %
10403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	± 9.6 %
10404	AAB	CDMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	± 9.6 %
10406	AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	CDMA2000	5.22	± 9.6 %
10410	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10414	AAA	WLAN CCDF, 64-QAM, 40MHz	Generic	8.54	± 9.6 %
10415	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc dc)	WLAN	1.54	± 9.6 %
10416	AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10417	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10418	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc, Long)	WLAN	8.14	± 9.6 %
10419	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc, Short)	WLAN	8.19	± 9.6 %
10422	AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	± 9.6 %
10423	AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	± 9.6 %
10424	AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	± 9.6 %
10425	AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	± 9.6 %
10426	AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	± 9.6 %
10427	AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	± 9.6 %
10430	AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	± 9.6 %
10431	AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	± 9.6 %
10432	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10433	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10434	AAA	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	± 9.6 %
10435	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10447	AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	± 9.6 %
10448	AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.53	± 9.6 %
10449	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.51	± 9.6 %
10450	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	± 9.6 %
10451	AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	± 9.6 %
10453	AAD	Validation (Square, 10ms, 1ms)	Test	10.00	± 9.6 %
10456	AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc dc)	WLAN	8.63	± 9.6 %
10457	AAA	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	± 9.6 %
10458	AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	± 9.6 %
10459	AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8.25	± 9.6 %
10460	AAA	UMTS-FDD (WCDMA, AMR)	WCDMA	2.39	± 9.6 %
10461	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10462	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.30	± 9.6 %

10463	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10464	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10466	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10467	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10468	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10469	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10470	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10471	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10472	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10473	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10474	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10475	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10477	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10478	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10479	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10480	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.18	± 9.6 %
10481	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10482	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.71	± 9.6 %
10483	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, Sub)	LTE-TDD	8.39	± 9.6 %
10484	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.47	± 9.6 %
10485	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.59	± 9.6 %
10486	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.38	± 9.6 %
10487	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.60	± 9.6 %
10488	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.70	± 9.6 %
10489	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10491	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10492	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.41	± 9.6 %
10493	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.37	± 9.6 %
10496	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10497	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10498	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.40	± 9.6 %
10499	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.68	± 9.6 %
10500	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10501	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.44	± 9.6 %
10502	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.52	± 9.6 %
10503	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.72	± 9.6 %
10504	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10505	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10506	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10507	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10509	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.99	± 9.6 %
10510	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.49	± 9.6 %
10511	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.42	± 9.6 %
10514	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc dc)	WLAN	1.57	± 9.6 %
10517	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10518	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10519	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc dc)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc dc)	WLAN	8.12	± 9.6 %
10521	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc dc)	WLAN	7.97	± 9.6 %
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10523	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc dc)	WLAN	8.08	± 9.6 %
10524	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc dc)	WLAN	8.27	± 9.6 %
10525	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc dc)	WLAN	8.36	± 9.6 %
10526	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc dc)	WLAN	8.42	± 9.6 %
10527	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc dc)	WLAN	8.21	± 9.6 %

10528	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc dc)	WLAN	8.36	± 9.6 %
10529	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc dc)	WLAN	8.36	± 9.6 %
10531	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc dc)	WLAN	8.43	± 9.6 %
10532	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10533	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc dc)	WLAN	8.38	± 9.6 %
10534	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc dc)	WLAN	8.45	± 9.6 %
10535	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc dc)	WLAN	8.45	± 9.6 %
10536	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc dc)	WLAN	8.32	± 9.6 %
10537	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc dc)	WLAN	8.44	± 9.6 %
10538	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc dc)	WLAN	8.54	± 9.6 %
10540	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc dc)	WLAN	8.39	± 9.6 %
10541	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc dc)	WLAN	8.46	± 9.6 %
10542	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc dc)	WLAN	8.65	± 9.6 %
10543	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc dc)	WLAN	8.65	± 9.6 %
10544	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc dc)	WLAN	8.47	± 9.6 %
10545	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10546	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc dc)	WLAN	8.35	± 9.6 %
10547	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc dc)	WLAN	8.49	± 9.6 %
10548	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc dc)	WLAN	8.37	± 9.6 %
10550	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc dc)	WLAN	8.38	± 9.6 %
10551	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc dc)	WLAN	8.50	± 9.6 %
10552	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc dc)	WLAN	8.42	± 9.6 %
10553	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc dc)	WLAN	8.45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc dc)	WLAN	8.48	± 9.6 %
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc dc)	WLAN	8.47	± 9.6 %
10556	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc dc)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc dc)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc dc)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc dc)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc dc)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc dc)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc dc)	WLAN	8.77	± 9.6 %
10564	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc dc)	WLAN	8.25	± 9.6 %
10565	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc dc)	WLAN	8.13	± 9.6 %
10567	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc dc)	WLAN	8.00	± 9.6 %
10568	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc dc)	WLAN	8.37	± 9.6 %
10569	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc dc)	WLAN	8.10	± 9.6 %
10570	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc dc)	WLAN	8.30	± 9.6 %
10571	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10572	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10573	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10574	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10575	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10576	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10577	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10578	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10579	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10580	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10581	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10582	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10583	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10584	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10585	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10586	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10587	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10588	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10589	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10590	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10591	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc dc)	WLAN	8.63	± 9.6 %
10592	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10593	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc dc)	WLAN	8.64	± 9.6 %
10594	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10595	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc dc)	WLAN	8.74	± 9.6 %

10596	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc dc)	WLAN	8.71	± 9.6 %
10597	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc dc)	WLAN	8.72	± 9.6 %
10598	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc dc)	WLAN	8.50	± 9.6 %
10599	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc dc)	WLAN	8.79	± 9.6 %
10600	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10601	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc dc)	WLAN	8.82	± 9.6 %
10602	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc dc)	WLAN	8.94	± 9.6 %
10603	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc dc)	WLAN	9.03	± 9.6 %
10604	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc dc)	WLAN	8.76	± 9.6 %
10605	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc dc)	WLAN	8.97	± 9.6 %
10606	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10607	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc dc)	WLAN	8.64	± 9.6 %
10608	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc dc)	WLAN	8.77	± 9.6 %
10609	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc dc)	WLAN	8.57	± 9.6 %
10610	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc dc)	WLAN	8.78	± 9.6 %
10611	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10612	AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10613	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc dc)	WLAN	8.94	± 9.6 %
10614	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc dc)	WLAN	8.59	± 9.6 %
10615	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10616	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc dc)	WLAN	8.82	± 9.6 %
10617	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc dc)	WLAN	8.81	± 9.6 %
10618	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc dc)	WLAN	8.58	± 9.6 %
10619	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc dc)	WLAN	8.86	± 9.6 %
10620	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc dc)	WLAN	8.87	± 9.6 %
10621	AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10622	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc dc)	WLAN	8.68	± 9.6 %
10623	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10624	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc dc)	WLAN	8.96	± 9.6 %
10625	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc dc)	WLAN	8.96	± 9.6 %
10626	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10627	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10628	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc dc)	WLAN	8.71	± 9.6 %
10629	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10630	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc dc)	WLAN	8.72	± 9.6 %
10631	AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc dc)	WLAN	8.81	± 9.6 %
10632	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10633	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc dc)	WLAN	8.83	± 9.6 %
10634	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc dc)	WLAN	8.80	± 9.6 %
10635	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc dc)	WLAN	8.86	± 9.6 %
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc dc)	WLAN	8.98	± 9.6 %
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc dc)	WLAN	9.06	± 9.6 %
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc dc)	WLAN	9.06	± 9.6 %
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc dc)	WLAN	8.89	± 9.6 %
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc dc)	WLAN	9.05	± 9.6 %
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc dc)	WLAN	9.11	± 9.6 %
10646	AAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10647	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6 %
10652	AAE	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	± 9.6 %
10653	AAE	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	± 9.6 %
10654	AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAA	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAA	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAA	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAA	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAA	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAA	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAA	IEEE 802.11ax (20MHz, MCS0, 90pc dc)	WLAN	9.09	± 9.6 %

10672	AAA	IEEE 802.11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAA	IEEE 802.11ax (20MHz, MCS2, 90pc dc)	WLAN	8.78	± 9.6 %
10674	AAA	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAA	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAA	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAA	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAA	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAA	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAA	IEEE 802.11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAA	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	± 9.6 %
10682	AAA	IEEE 802.11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAA	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10686	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAA	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAA	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAA	IEEE 802.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAA	IEEE 802.11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAA	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc dc)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %
10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc dc)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc dc)	WLAN	8.69	± 9.6 %
10706	AAA	IEEE 802.11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAA	IEEE 802.11ax (40MHz, MCS0, 99pc dc)	WLAN	8.32	± 9.6 %
10708	AAA	IEEE 802.11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAA	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAA	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAA	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAA	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 %
10713	AAA	IEEE 802.11ax (40MHz, MCS6, 99pc dc)	WLAN	8.33	± 9.6 %
10714	AAA	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 %
10715	AAA	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6 %
10716	AAA	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	± 9.6 %
10717	AAA	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8.48	± 9.6 %
10718	AAA	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAA	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 %
10720	AAA	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9.6 %
10721	AAA	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 %
10722	AAA	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 %
10723	AAA	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10724	AAA	IEEE 802.11ax (80MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6 %
10725	AAA	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10726	AAA	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 %
10727	AAA	IEEE 802.11ax (80MHz, MCS8, 90pc dc)	WLAN	8.66	± 9.6 %
10728	AAA	IEEE 802.11ax (80MHz, MCS9, 90pc dc)	WLAN	8.65	± 9.6 %
10729	AAA	IEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAA	IEEE 802.11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAA	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAA	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAA	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAA	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAA	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %

10736	AAA	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAA	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAA	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAA	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAA	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAA	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAA	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAA	IEEE 802.11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10744	AAA	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9.16	± 9.6 %
10745	AAA	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10746	AAA	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10747	AAA	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	AAA	IEEE 802.11ax (160MHz, MCS5, 90pc dc)	WLAN	8.93	± 9.6 %
10749	AAA	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAA	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	± 9.6 %
10751	AAA	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAA	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10753	AAA	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	± 9.6 %
10754	AAA	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	± 9.6 %
10755	AAA	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAA	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAA	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAA	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAA	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAA	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAA	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAA	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAA	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAA	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAA	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAA	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAB	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAB	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAC	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %

10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAC	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAC	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAC	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAC	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAC	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %

10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAA	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAA	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10899	AAA	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAA	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAA	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAA	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAA	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAA	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAA	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAA	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAA	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAA	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAA	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAA	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAA	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAA	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAA	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAA	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAA	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAA	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAA	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAA	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAA	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAA	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAA	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAA	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAA	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAA	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAA	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAA	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAA	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAA	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAA	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAA	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAA	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAA	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAA	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAA	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAA	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAA	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAA	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAA	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAA	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAA	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAA	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %

10954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAA	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **B.V. ADT (Auden)**

Certificate No: **EX3-3971_Jan20**

CALIBRATION CERTIFICATE

Object **EX3DV4 - SN:3971**

Calibration procedure(s) **QA CAL-01.v9, QA CAL-14.v5, QA CAL-23.v5, QA CAL-25.v7
Calibration procedure for dosimetric E-field probes**

Calibration date: **January 27, 2020**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	03-Apr-19 (No. 217-02892/02893)	Apr-20
Power sensor NRP-Z91	SN: 103244	03-Apr-19 (No. 217-02892)	Apr-20
Power sensor NRP-Z91	SN: 103245	03-Apr-19 (No. 217-02893)	Apr-20
Reference 20 dB Attenuator	SN: S5277 (20x)	04-Apr-19 (No. 217-02894)	Apr-20
DAE4	SN: 660	27-Dec-19 (No. DAE4-660_Dec19)	Dec-20
Reference Probe ES3DV2	SN: 3013	31-Dec-19 (No. ES3-3013_Dec19)	Dec-20
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (in house check Jun-18)	In house check: Jun-20
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-18)	In house check: Jun-20
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-18)	In house check: Jun-20
RF generator HP 8648C	SN: US3642U01700	04-Aug-99 (in house check Jun-18)	In house check: Jun-20
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-19)	In house check: Oct-20

	Name	Function	Signature
Calibrated by:	Michael Weber	Laboratory Technician	
Approved by:	Katja Pokovic	Technical Manager	

Issued: February 4, 2020

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

Accreditation No.: **SCS 0108**

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL	tissue simulating liquid
NORM _{x,y,z}	sensitivity in free space
ConvF	sensitivity in TSL / NORM _{x,y,z}
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization φ	φ rotation around probe axis
Polarization ϑ	ϑ rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., $\vartheta = 0$ is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- *NORM_{x,y,z}*: Assessed for E-field polarization $\vartheta = 0$ ($f \leq 900$ MHz in TEM-cell; $f > 1800$ MHz: R22 waveguide). *NORM_{x,y,z}* are only intermediate values, i.e., the uncertainties of *NORM_{x,y,z}* does not affect the E^2 -field uncertainty inside TSL (see below *ConvF*).
- *NORM(f)_{x,y,z} = NORM_{x,y,z} * frequency_response* (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of *ConvF*.
- *DCP_{x,y,z}*: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- *PAR*: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- *A_{x,y,z}; B_{x,y,z}; C_{x,y,z}; D_{x,y,z}; VR_{x,y,z}*: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- *ConvF and Boundary Effect Parameters*: Assessed in flat phantom using E-field (or Temperature Transfer Standard for $f \leq 800$ MHz) and inside waveguide using analytical field distributions based on power measurements for $f > 800$ MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to *NORM_{x,y,z} * ConvF* whereby the uncertainty corresponds to that given for *ConvF*. A frequency dependent *ConvF* is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- *Spherical isotropy (3D deviation from isotropy)*: in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- *Sensor Offset*: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- *Connector Angle*: The angle is assessed using the information gained by determining the *NORM_x* (no uncertainty required).

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3971

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm ($\mu\text{V}/(\text{V}/\text{m})^2$) ^A	0.37	0.51	0.49	± 10.1 %
DCP (mV) ^B	95.1	101.6	98.6	

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dB $\sqrt{\mu\text{V}}$	C	D dB	VR mV	Max dev.	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	144.1	± 3.5 %	± 4.7 %
		Y	0.00	0.00	1.00		141.8		
		Z	0.00	0.00	1.00		144.4		
10352- AAA	Pulse Waveform (200Hz, 10%)	X	1.51	60.00	7.96	10.00	60.0	± 3.0 %	± 9.6 %
		Y	20.00	90.76	20.36		60.0		
		Z	20.00	89.78	19.97		60.0		
10353- AAA	Pulse Waveform (200Hz, 20%)	X	1.38	62.32	7.62	6.99	80.0	± 1.8 %	± 9.6 %
		Y	20.00	92.95	20.23		80.0		
		Z	20.00	91.08	19.21		80.0		
10354- AAA	Pulse Waveform (200Hz, 40%)	X	0.54	60.00	5.04	3.98	95.0	± 1.1 %	± 9.6 %
		Y	20.00	97.39	20.92		95.0		
		Z	20.00	92.72	18.33		95.0		
10355- AAA	Pulse Waveform (200Hz, 60%)	X	0.34	60.00	3.48	2.22	120.0	± 1.2 %	± 9.6 %
		Y	20.00	103.75	22.52		120.0		
		Z	20.00	88.97	15.17		120.0		
10387- AAA	QPSK Waveform, 1 MHz	X	8.00	70.00	7.00	0.00	150.0	± 3.8 %	± 9.6 %
		Y	0.73	62.53	9.36		150.0		
		Z	0.54	60.00	7.17		150.0		
10388- AAA	QPSK Waveform, 10 MHz	X	2.02	68.78	16.08	0.00	150.0	± 1.2 %	± 9.6 %
		Y	2.34	69.19	16.33		150.0		
		Z	2.01	66.73	14.91		150.0		
10396- AAA	64-QAM Waveform, 100 kHz	X	2.46	68.94	17.89	3.01	150.0	± 0.7 %	± 9.6 %
		Y	2.92	70.87	18.85		150.0		
		Z	2.73	68.90	17.96		150.0		
10399- AAA	64-QAM Waveform, 40 MHz	X	3.33	67.36	15.91	0.00	150.0	± 2.3 %	± 9.6 %
		Y	3.46	67.15	15.82		150.0		
		Z	3.37	66.52	15.40		150.0		
10414- AAA	WLAN CCDF, 64-QAM, 40MHz	X	4.56	65.89	15.68	0.00	150.0	± 4.2 %	± 9.6 %
		Y	4.78	65.60	15.52		150.0		
		Z	4.74	65.34	15.37		150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Page 5).

^B Numerical linearization parameter: uncertainty not required.

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3971

Sensor Model Parameters

	C1 fF	C2 fF	α V ⁻¹	T1 ms.V ⁻²	T2 ms.V ⁻¹	T3 ms	T4 V ⁻²	T5 V ⁻¹	T6
X	28.7	214.41	35.61	5.27	0.71	4.98	0.56	0.30	1.00
Y	42.3	311.68	34.79	10.26	0.21	5.06	1.03	0.24	1.00
Z	41.8	318.91	36.85	8.44	0.38	5.08	0.50	0.42	1.01

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	72
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3971

Calibration Parameter Determined in Head Tissue Simulating Media


f (MHz) ^C	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k=2)
750	41.9	0.89	10.60	10.60	10.60	0.63	0.80	± 12.0 %
835	41.5	0.90	10.26	10.26	10.26	0.58	0.80	± 12.0 %
900	41.5	0.97	10.12	10.12	10.12	0.40	1.01	± 12.0 %
1450	40.5	1.20	9.09	9.09	9.09	0.26	0.80	± 12.0 %
1640	40.2	1.31	8.81	8.81	8.81	0.34	0.86	± 12.0 %
1750	40.1	1.37	8.73	8.73	8.73	0.34	0.86	± 12.0 %
1900	40.0	1.40	8.54	8.54	8.54	0.37	0.86	± 12.0 %
2000	40.0	1.40	8.48	8.48	8.48	0.39	0.90	± 12.0 %
2300	39.5	1.67	8.06	8.06	8.06	0.26	0.95	± 12.0 %
2450	39.2	1.80	8.00	8.00	8.00	0.38	0.86	± 12.0 %
2600	39.0	1.96	7.71	7.71	7.71	0.28	0.97	± 12.0 %
3300	38.2	2.71	7.42	7.42	7.42	0.35	1.30	± 13.1 %
3500	37.9	2.91	6.96	6.96	6.96	0.30	1.30	± 13.1 %
3700	37.7	3.12	6.99	6.99	6.99	0.30	1.30	± 13.1 %
3900	37.5	3.32	6.97	6.97	6.97	0.35	1.60	± 13.1 %
4100	37.2	3.53	6.44	6.44	6.44	0.35	1.60	± 13.1 %
4200	37.1	3.63	6.40	6.40	6.40	0.35	1.70	± 13.1 %
4400	36.9	3.84	6.17	6.17	6.17	0.40	1.70	± 13.1 %
4600	36.7	4.04	6.10	6.10	6.10	0.40	1.70	± 13.1 %
4800	36.4	4.25	6.08	6.08	6.08	0.40	1.80	± 13.1 %
4950	36.3	4.40	5.80	5.80	5.80	0.40	1.80	± 13.1 %
5250	35.9	4.71	5.28	5.28	5.28	0.40	1.80	± 13.1 %
5600	35.5	5.07	4.89	4.89	4.89	0.40	1.80	± 13.1 %
5750	35.4	5.22	5.05	5.05	5.05	0.40	1.80	± 13.1 %

^C Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Validity of ConvF assessed at 6 MHz is 4-9 MHz, and ConvF assessed at 13 MHz is 9-19 MHz. Above 5 GHz frequency validity can be extended to ± 110 MHz.

^F At frequencies below 3 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ϵ and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.


Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)





Uncertainty of Frequency Response of E-field: $\pm 6.3\%$ (k=2)

Receiving Pattern (ϕ), $\theta = 0^\circ$

f=600 MHz, TEM





f=1800 MHz, R22



Uncertainty of Axial Isotropy Assessment: $\pm 0.5\%$ (k=2)


Dynamic Range f(SAR_{head}) (TEM cell , f_{eval}= 1900 MHz)




Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Conversion Factor Assessment

f = 835 MHz, WGLS R9 (H_convF)




f = 1900 MHz, WGLS R22 (H_convF)



Deviation from Isotropy in Liquid

Error (ϕ , θ), f = 900 MHz



Uncertainty of Spherical Isotropy Assessment: $\pm 2.6\%$ (k=2)

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E (k=2)
0		CW	CW	0.00	± 4.7 %
10010	CAA	SAR Validation (Square, 100ms, 10ms)	Test	10.00	± 9.6 %
10011	CAB	UMTS-FDD (WCDMA)	WCDMA	2.91	± 9.6 %
10012	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	± 9.6 %
10013	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	± 9.6 %
10021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	± 9.6 %
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	± 9.6 %
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.56	± 9.6 %
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	± 9.6 %
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	± 9.6 %
10027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	± 9.6 %
10028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	± 9.6 %
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	± 9.6 %
10030	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	5.30	± 9.6 %
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	± 9.6 %
10032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetooth	1.16	± 9.6 %
10033	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	Bluetooth	7.74	± 9.6 %
10034	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluetooth	4.53	± 9.6 %
10035	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	Bluetooth	3.83	± 9.6 %
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	8.01	± 9.6 %
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Bluetooth	4.77	± 9.6 %
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	± 9.6 %
10039	CAB	CDMA2000 (1xRTT, RC1)	CDMA2000	4.57	± 9.6 %
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	± 9.6 %
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	± 9.6 %
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	13.80	± 9.6 %
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	± 9.6 %
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	TD-SCDMA	11.01	± 9.6 %
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	± 9.6 %
10059	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	± 9.6 %
10060	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	± 9.6 %
10061	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	± 9.6 %
10062	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	± 9.6 %
10063	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	WLAN	8.63	± 9.6 %
10064	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	± 9.6 %
10065	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	± 9.6 %
10066	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	± 9.6 %
10067	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	WLAN	10.12	± 9.6 %
10068	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	± 9.6 %
10069	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	WLAN	10.56	± 9.6 %
10071	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	± 9.6 %
10072	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.62	± 9.6 %
10073	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	9.94	± 9.6 %
10074	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	± 9.6 %
10075	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	± 9.6 %
10076	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	± 9.6 %
10077	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	± 9.6 %
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	± 9.6 %
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	AMPS	4.77	± 9.6 %
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	± 9.6 %
10097	CAB	UMTS-FDD (HSDPA)	WCDMA	3.98	± 9.6 %
10098	CAB	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	± 9.6 %
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	± 9.6 %
10100	CAE	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	± 9.6 %
10101	CAE	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	± 9.6 %
10102	CAE	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10103	CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10104	CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-TDD	9.97	± 9.6 %
10105	CAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TDD	10.01	± 9.6 %
10108	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.80	± 9.6 %

10109	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10110	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-FDD	5.75	± 9.6 %
10111	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-FDD	6.44	± 9.6 %
10112	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	± 9.6 %
10113	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	± 9.6 %
10114	CAC	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WLAN	8.10	± 9.6 %
10115	CAC	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.46	± 9.6 %
10116	CAC	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8.15	± 9.6 %
10117	CAC	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	± 9.6 %
10118	CAC	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	± 9.6 %
10119	CAC	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8.13	± 9.6 %
10140	CAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-FDD	6.49	± 9.6 %
10141	CAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	± 9.6 %
10142	CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10143	CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-FDD	6.35	± 9.6 %
10144	CAE	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-FDD	6.65	± 9.6 %
10145	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	± 9.6 %
10146	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.41	± 9.6 %
10147	CAF	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.72	± 9.6 %
10149	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	± 9.6 %
10150	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10151	CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TDD	9.28	± 9.6 %
10152	CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 %
10153	CAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	± 9.6 %
10154	CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	± 9.6 %
10155	CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10156	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5.79	± 9.6 %
10157	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	± 9.6 %
10158	CAG	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	± 9.6 %
10159	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	± 9.6 %
10160	CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-FDD	5.82	± 9.6 %
10161	CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10162	CAE	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-FDD	6.58	± 9.6 %
10166	CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD	5.46	± 9.6 %
10167	CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.21	± 9.6 %
10168	CAF	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.79	± 9.6 %
10169	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10170	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10171	AAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-FDD	6.49	± 9.6 %
10172	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10173	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10174	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10175	CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10176	CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10177	CAI	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10178	CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10179	CAG	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10180	CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10181	CAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10182	CAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10183	AAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10184	CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10185	CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-FDD	6.51	± 9.6 %
10186	AAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10187	CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10188	CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10189	AAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10193	CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	± 9.6 %
10194	CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WLAN	8.12	± 9.6 %
10195	CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	± 9.6 %
10196	CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8.10	± 9.6 %
10197	CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10198	CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	± 9.6 %
10219	CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8.03	± 9.6 %

10220	CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10221	CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.27	± 9.6 %
10222	CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8.06	± 9.6 %
10223	CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	± 9.6 %
10224	CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	WLAN	8.08	± 9.6 %
10225	CAB	UMTS-FDD (HSPA+)	WCDMA	5.97	± 9.6 %
10226	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.49	± 9.6 %
10227	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	± 9.6 %
10228	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	± 9.6 %
10229	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10230	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10231	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	9.19	± 9.6 %
10232	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10233	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10234	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10235	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10236	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10237	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10238	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10239	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10240	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10241	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	± 9.6 %
10242	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	± 9.6 %
10243	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9.46	± 9.6 %
10244	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10245	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	± 9.6 %
10246	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10247	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	± 9.6 %
10248	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	± 9.6 %
10249	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10250	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	± 9.6 %
10251	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	± 9.6 %
10252	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10253	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9.90	± 9.6 %
10254	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	± 9.6 %
10255	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	± 9.6 %
10256	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	± 9.6 %
10257	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	± 9.6 %
10258	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	± 9.6 %
10259	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-TDD	9.98	± 9.6 %
10260	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	± 9.6 %
10261	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10262	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-TDD	9.83	± 9.6 %
10263	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-TDD	10.16	± 9.6 %
10264	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TDD	9.23	± 9.6 %
10265	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 %
10266	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.07	± 9.6 %
10267	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10268	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10269	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	± 9.6 %
10270	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	9.58	± 9.6 %
10274	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	± 9.6 %
10275	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	± 9.6 %
10277	CAA	PHS (QPSK)	PHS	11.81	± 9.6 %
10278	CAA	PHS (QPSK, BW 884MHz, Roll-off 0.5)	PHS	11.81	± 9.6 %
10279	CAA	PHS (QPSK, BW 884MHz, Roll-off 0.38)	PHS	12.18	± 9.6 %
10290	AAB	CDMA2000, RC1, SO55, Full Rate	CDMA2000	3.91	± 9.6 %
10291	AAB	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3.46	± 9.6 %
10292	AAB	CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	± 9.6 %
10293	AAB	CDMA2000, RC3, SO3, Full Rate	CDMA2000	3.50	± 9.6 %
10295	AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	CDMA2000	12.49	± 9.6 %
10297	AAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5.81	± 9.6 %
10298	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10299	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-FDD	6.39	± 9.6 %

10300	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10301	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	WiMAX	12.03	± 9.6 %
10302	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	WiMAX	12.57	± 9.6 %
10303	AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	12.52	± 9.6 %
10304	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	11.86	± 9.6 %
10305	AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	WiMAX	15.24	± 9.6 %
10306	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	WiMAX	14.67	± 9.6 %
10307	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	WiMAX	14.49	± 9.6 %
10308	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	WiMAX	14.46	± 9.6 %
10309	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	WiMAX	14.58	± 9.6 %
10310	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	WiMAX	14.57	± 9.6 %
10311	AAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	± 9.6 %
10313	AAA	iDEN 1:3	iDEN	10.51	± 9.6 %
10314	AAA	iDEN 1:6	iDEN	13.48	± 9.6 %
10315	AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WLAN	1.71	± 9.6 %
10316	AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	± 9.6 %
10317	AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	± 9.6 %
10352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	± 9.6 %
10353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	± 9.6 %
10354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	± 9.6 %
10355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	± 9.6 %
10356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	± 9.6 %
10387	AAA	QPSK Waveform, 1 MHz	Generic	5.10	± 9.6 %
10388	AAA	QPSK Waveform, 10 MHz	Generic	5.22	± 9.6 %
10396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	± 9.6 %
10399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	± 9.6 %
10400	AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10401	AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	WLAN	8.60	± 9.6 %
10402	AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	WLAN	8.53	± 9.6 %
10403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	± 9.6 %
10404	AAB	CDMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	± 9.6 %
10406	AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	CDMA2000	5.22	± 9.6 %
10410	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	LTE-TDD	7.82	± 9.6 %
10414	AAA	WLAN CCDF, 64-QAM, 40MHz	Generic	8.54	± 9.6 %
10415	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	WLAN	1.54	± 9.6 %
10416	AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10417	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10418	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	WLAN	8.14	± 9.6 %
10419	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	WLAN	8.19	± 9.6 %
10422	AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	± 9.6 %
10423	AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	± 9.6 %
10424	AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	± 9.6 %
10425	AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	± 9.6 %
10426	AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	± 9.6 %
10427	AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	± 9.6 %
10430	AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	± 9.6 %
10431	AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	± 9.6 %
10432	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10433	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10434	AAA	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	± 9.6 %
10435	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10447	AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	± 9.6 %
10448	AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.53	± 9.6 %
10449	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.51	± 9.6 %
10450	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	± 9.6 %

10451	AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	± 9.6 %
10453	AAD	Validation (Square, 10ms, 1ms)	Test	10.00	± 9.6 %
10456	AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	WLAN	8.63	± 9.6 %
10457	AAA	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	± 9.6 %
10458	AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	± 9.6 %
10459	AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8.25	± 9.6 %
10460	AAA	UMTS-FDD (WCDMA, AMR)	WCDMA	2.39	± 9.6 %
10461	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10462	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.30	± 9.6 %
10463	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.56	± 9.6 %
10464	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	± 9.6 %
10466	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	± 9.6 %
10467	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10468	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	± 9.6 %
10469	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.56	± 9.6 %
10470	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10471	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	± 9.6 %
10472	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	± 9.6 %
10473	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10474	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	± 9.6 %
10475	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	± 9.6 %
10477	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	± 9.6 %
10478	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	± 9.6 %
10479	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10480	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.18	± 9.6 %
10481	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	± 9.6 %
10482	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.71	± 9.6 %
10483	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.39	± 9.6 %
10484	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.47	± 9.6 %
10485	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.59	± 9.6 %
10486	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.38	± 9.6 %
10487	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.60	± 9.6 %
10488	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	± 9.6 %
10489	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	± 9.6 %
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %

10491	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10492	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.41	± 9.6 %
10493	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	± 9.6 %
10496	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %
10497	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	± 9.6 %
10498	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.40	± 9.6 %
10499	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.68	± 9.6 %
10500	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	± 9.6 %
10501	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.44	± 9.6 %
10502	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.52	± 9.6 %
10503	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.72	± 9.6 %
10504	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	± 9.6 %
10505	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %
10506	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10507	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	± 9.6 %
10509	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.99	± 9.6 %
10510	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.49	± 9.6 %
10511	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	± 9.6 %
10514	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	± 9.6 %
10515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	± 9.6 %
10516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	± 9.6 %
10517	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WLAN	1.58	± 9.6 %
10518	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10519	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	± 9.6 %
10521	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7.97	± 9.6 %
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10523	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.08	± 9.6 %
10524	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.27	± 9.6 %
10525	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10526	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10527	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	WLAN	8.21	± 9.6 %
10528	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10529	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10531	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	WLAN	8.43	± 9.6 %
10532	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10533	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	WLAN	8.38	± 9.6 %

10534	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10535	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10536	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	WLAN	8.32	± 9.6 %
10537	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	WLAN	8.44	± 9.6 %
10538	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10540	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10541	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	WLAN	8.46	± 9.6 %
10542	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	WLAN	8.65	± 9.6 %
10543	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	WLAN	8.65	± 9.6 %
10544	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	WLAN	8.47	± 9.6 %
10545	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10546	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	WLAN	8.35	± 9.6 %
10547	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10548	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10550	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	WLAN	8.38	± 9.6 %
10551	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	WLAN	8.50	± 9.6 %
10552	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10553	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	WLAN	8.47	± 9.6 %
10556	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10564	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10565	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.13	± 9.6 %
10567	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	± 9.6 %
10568	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10569	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.10	± 9.6 %
10570	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.30	± 9.6 %
10571	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	WLAN	1.99	± 9.6 %
10572	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	± 9.6 %
10573	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	± 9.6 %
10574	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WLAN	1.98	± 9.6 %
10575	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10576	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	± 9.6 %
10577	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10578	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	± 9.6 %
10579	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	± 9.6 %
10580	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10581	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	± 9.6 %
10582	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10583	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10584	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	± 9.6 %
10585	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10586	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	± 9.6 %

10587	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	± 9.6 %
10588	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10589	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	± 9.6 %
10590	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10591	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	WLAN	8.63	± 9.6 %
10592	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10593	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10594	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10595	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10596	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	WLAN	8.71	± 9.6 %
10597	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	WLAN	8.72	± 9.6 %
10598	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	WLAN	8.50	± 9.6 %
10599	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10600	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	WLAN	8.88	± 9.6 %
10601	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10602	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10603	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	WLAN	9.03	± 9.6 %
10604	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10605	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	WLAN	8.97	± 9.6 %
10606	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10607	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10608	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10609	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	WLAN	8.57	± 9.6 %
10610	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10611	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10612	AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10613	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10614	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10615	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10616	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10617	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10618	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	WLAN	8.58	± 9.6 %
10619	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	WLAN	8.86	± 9.6 %
10620	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	WLAN	8.87	± 9.6 %
10621	AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10622	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	WLAN	8.68	± 9.6 %
10623	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10624	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	WLAN	8.96	± 9.6 %
10625	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	WLAN	8.96	± 9.6 %
10626	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10627	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	WLAN	8.88	± 9.6 %
10628	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	WLAN	8.71	± 9.6 %
10629	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	WLAN	8.85	± 9.6 %
10630	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	WLAN	8.72	± 9.6 %
10631	AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10632	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10633	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10634	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	WLAN	8.80	± 9.6 %
10635	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	WLAN	8.86	± 9.6 %
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	WLAN	8.85	± 9.6 %
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	WLAN	8.98	± 9.6 %
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	WLAN	9.06	± 9.6 %
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	WLAN	9.06	± 9.6 %
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	WLAN	9.05	± 9.6 %
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	WLAN	9.11	± 9.6 %
10646	AAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.96	± 9.6 %
10647	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.96	± 9.6 %
10648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6 %
10652	AAE	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	± 9.6 %
10653	AAE	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	± 9.6 %

10654	AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAA	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAA	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAA	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAA	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAA	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAA	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAA	IEEE 802.11ax (20MHz, MCS0, 90pc duty cycle)	WLAN	9.09	± 9.6 %
10672	AAA	IEEE 802.11ax (20MHz, MCS1, 90pc duty cycle)	WLAN	8.57	± 9.6 %
10673	AAA	IEEE 802.11ax (20MHz, MCS2, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10674	AAA	IEEE 802.11ax (20MHz, MCS3, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10675	AAA	IEEE 802.11ax (20MHz, MCS4, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10676	AAA	IEEE 802.11ax (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10677	AAA	IEEE 802.11ax (20MHz, MCS6, 90pc duty cycle)	WLAN	8.73	± 9.6 %
10678	AAA	IEEE 802.11ax (20MHz, MCS7, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10679	AAA	IEEE 802.11ax (20MHz, MCS8, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10680	AAA	IEEE 802.11ax (20MHz, MCS9, 90pc duty cycle)	WLAN	8.80	± 9.6 %
10681	AAA	IEEE 802.11ax (20MHz, MCS10, 90pc duty cycle)	WLAN	8.62	± 9.6 %
10682	AAA	IEEE 802.11ax (20MHz, MCS11, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10684	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc duty cycle)	WLAN	8.26	± 9.6 %
10685	AAA	IEEE 802.11ax (20MHz, MCS2, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10686	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc duty cycle)	WLAN	8.28	± 9.6 %
10687	AAA	IEEE 802.11ax (20MHz, MCS4, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10688	AAA	IEEE 802.11ax (20MHz, MCS5, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10689	AAA	IEEE 802.11ax (20MHz, MCS6, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10690	AAA	IEEE 802.11ax (20MHz, MCS7, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10691	AAA	IEEE 802.11ax (20MHz, MCS8, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc duty cycle)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc duty cycle)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc duty cycle)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc duty cycle)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc duty cycle)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc duty cycle)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc duty cycle)	WLAN	8.69	± 9.6 %
10706	AAA	IEEE 802.11ax (40MHz, MCS11, 90pc duty cycle)	WLAN	8.66	± 9.6 %
10707	AAA	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.32	± 9.6 %
10708	AAA	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10709	AAA	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10710	AAA	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10711	AAA	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10712	AAA	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.67	± 9.6 %
10713	AAA	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10714	AAA	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.26	± 9.6 %
10715	AAA	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10716	AAA	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.30	± 9.6 %
10717	AAA	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10718	AAA	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.24	± 9.6 %
10719	AAA	IEEE 802.11ax (80MHz, MCS0, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10720	AAA	IEEE 802.11ax (80MHz, MCS1, 90pc duty cycle)	WLAN	8.87	± 9.6 %
10721	AAA	IEEE 802.11ax (80MHz, MCS2, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10722	AAA	IEEE 802.11ax (80MHz, MCS3, 90pc duty cycle)	WLAN	8.55	± 9.6 %
10723	AAA	IEEE 802.11ax (80MHz, MCS4, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10724	AAA	IEEE 802.11ax (80MHz, MCS5, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10725	AAA	IEEE 802.11ax (80MHz, MCS6, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10726	AAA	IEEE 802.11ax (80MHz, MCS7, 90pc duty cycle)	WLAN	8.72	± 9.6 %

10727	AAA	IEEE 802.11ax (80MHz, MCS8, 90pc duty cycle)	WLAN	8.66	± 9.6 %
10728	AAA	IEEE 802.11ax (80MHz, MCS9, 90pc duty cycle)	WLAN	8.65	± 9.6 %
10729	AAA	IEEE 802.11ax (80MHz, MCS10, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10730	AAA	IEEE 802.11ax (80MHz, MCS11, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10731	AAA	IEEE 802.11ax (80MHz, MCS0, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10732	AAA	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	8.46	± 9.6 %
10733	AAA	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	8.40	± 9.6 %
10734	AAA	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10735	AAA	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10736	AAA	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	8.27	± 9.6 %
10737	AAA	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10738	AAA	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10739	AAA	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10740	AAA	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10741	AAA	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.40	± 9.6 %
10742	AAA	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.43	± 9.6 %
10743	AAA	IEEE 802.11ax (160MHz, MCS0, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10744	AAA	IEEE 802.11ax (160MHz, MCS1, 90pc duty cycle)	WLAN	9.16	± 9.6 %
10745	AAA	IEEE 802.11ax (160MHz, MCS2, 90pc duty cycle)	WLAN	8.93	± 9.6 %
10746	AAA	IEEE 802.11ax (160MHz, MCS3, 90pc duty cycle)	WLAN	9.11	± 9.6 %
10747	AAA	IEEE 802.11ax (160MHz, MCS4, 90pc duty cycle)	WLAN	9.04	± 9.6 %
10748	AAA	IEEE 802.11ax (160MHz, MCS5, 90pc duty cycle)	WLAN	8.93	± 9.6 %
10749	AAA	IEEE 802.11ax (160MHz, MCS6, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10750	AAA	IEEE 802.11ax (160MHz, MCS7, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10751	AAA	IEEE 802.11ax (160MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10752	AAA	IEEE 802.11ax (160MHz, MCS9, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10753	AAA	IEEE 802.11ax (160MHz, MCS10, 90pc duty cycle)	WLAN	9.00	± 9.6 %
10754	AAA	IEEE 802.11ax (160MHz, MCS11, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10755	AAA	IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle)	WLAN	8.64	± 9.6 %
10756	AAA	IEEE 802.11ax (160MHz, MCS1, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10757	AAA	IEEE 802.11ax (160MHz, MCS2, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10758	AAA	IEEE 802.11ax (160MHz, MCS3, 99pc duty cycle)	WLAN	8.69	± 9.6 %
10759	AAA	IEEE 802.11ax (160MHz, MCS4, 99pc duty cycle)	WLAN	8.58	± 9.6 %
10760	AAA	IEEE 802.11ax (160MHz, MCS5, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10761	AAA	IEEE 802.11ax (160MHz, MCS6, 99pc duty cycle)	WLAN	8.58	± 9.6 %
10762	AAA	IEEE 802.11ax (160MHz, MCS7, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10763	AAA	IEEE 802.11ax (160MHz, MCS8, 99pc duty cycle)	WLAN	8.53	± 9.6 %
10764	AAA	IEEE 802.11ax (160MHz, MCS9, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10765	AAA	IEEE 802.11ax (160MHz, MCS10, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10766	AAA	IEEE 802.11ax (160MHz, MCS11, 99pc duty cycle)	WLAN	8.51	± 9.6 %
10767	AAB	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10776	AAB	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAB	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10780	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAB	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %

10782	AAB	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAB	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAB	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAB	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAB	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAB	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAB	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAB	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAB	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAB	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAB	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAB	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAB	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAB	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAB	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAB	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAB	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAB	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAB	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAB	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAB	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAB	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAB	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAB	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %

10824	AAB	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAB	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAB	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAB	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAB	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAB	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAB	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAB	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAB	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAB	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAB	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAB	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAB	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAB	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAB	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAB	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAB	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAB	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAB	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAB	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %

10870	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Appendix D. Photographs of EUT and Setup

The setup photographs for SAR testing are shown as follows.

Appendix E. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WCDMA Max. Tune-up Power (Full)		
Mode	RMC 12.2K	HSDPA DC-HSDPA HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II Ant0	24.5	24.5
WCDMA Band IV Ant0	24.5	24.5
WCDMA Band V Ant0	24.5	24.5

LTE Max. Tune-up Power (Full)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2 Ant0/1	24.0	23.0	22.0	19.0
LTE 4 Ant0	24.0	23.0	22.0	19.0
LTE 5 Ant0	24.5	23.5	22.5	19.5
LTE 7 Ant0/1	24.0	23.0	22.0	19.0
LTE 12 Ant0	24.5	23.5	22.5	19.5
LTE 13 Ant0	24.5	23.5	22.5	19.5
LTE 14 Ant0	24.5	23.5	22.5	19.5
LTE 17 Ant0	24.5	23.5	22.5	19.5
LTE 25 Ant0	24.0	23.0	22.0	19.0
LTE 26 Ant0	24.5	23.5	22.5	19.5
LTE 30 Ant0	23.0	22.0	21.0	18.0
LTE 38 Ant0	24.0	23.0	22.0	19.0
LTE 41 Ant0	24.0	23.0	22.0	19.0
LTE 41 HPUE	27.0	26.0	25.0	22.0
LTE 42 Ant1	24.0	23.0	22.0	19.0
LTE 48 Ant1	22.0	21.0	20.0	17.0
LTE 66 Ant0/1	24.0	23.0	22.0	19.0

5G NR Max. Tune-up Power (Full)					
DFT-S Mode	PI/2 BPSK	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2 Ant0/1	24.0	24.0	23.0	21.5	19.5
NR 5 Ant0	24.0	24.0	23.0	21.5	19.5
NR 7 Ant1	24.0	24.0	23.0	21.5	19.5
NR 12 Ant0	24.0	24.0	23.0	21.5	19.5
NR 41 Ant 1	24.0	24.0	23.0	21.5	19.5
NR 66 Ant0/1	24.0	24.0	23.0	21.5	19.5

5G NR Max. Tune-up Power (Full)				
CP Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2 Ant0/1	22.5	22.0	20.5	17.5
NR 5 Ant0	22.5	22.0	20.5	17.5
NR 7 Ant1	22.5	22.0	20.5	17.5
NR 12 Ant0	22.5	22.0	20.5	17.5
NR 41 Ant 1	22.5	22.0	20.5	17.5
NR 66 Ant0/1	22.5	22.0	20.5	17.5

Tablet WCDMA Max. Tune-up Power (Reduction)		
Mode	RMC 12.2K	HSDPA DC-HSDPA HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II Ant0	15.0	11.5
WCDMA Band IV Ant0	17.0	16.0
WCDMA Band V Ant0	18.0	17.0

Tablet LTE Max. Tune-up Power (Reduction)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2 Ant0/1	15.0	15.0	15.0	15.0
LTE 4 Ant0	14.5	14.5	14.5	14.5
LTE 5 Ant0	18.5	18.5	18.5	18.5
LTE 7 Ant0/1	11.0	11.0	11.0	11.0
LTE 12 Ant0	18.5	18.5	18.5	18.5
LTE 13 Ant0	17.5	17.5	17.5	17.5
LTE 14 Ant0	18.0	18.0	18.0	18.0
LTE 17 Ant0	18.0	18.0	18.0	18.0
LTE 25 Ant0	14.0	14.0	14.0	14.0
LTE 26 Ant0	19.0	19.0	19.0	19.0
LTE 30 Ant0	12.5	12.5	12.5	12.5
LTE 38 Ant0	15.0	15.0	15.0	15.0
LTE 41 Ant0	15.0	15.0	15.0	15.0
LTE 42 Ant1	12.0	12.0	12.0	12.0
LTE 48 Ant1	11.5	11.5	11.5	11.5
LTE 66 Ant0/1	15.5	15.5	15.5	15.5

Tablet 5G NR Max. Tune-up Power (Reduction)

DFT-S Mode	PI/2 BPSK	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2 Ant0/1	13.5	13.5	12.5	11.0	9.0
NR 5 Ant0	17.0	17.0	16.0	14.5	12.5
NR 7 Ant1	12.5	12.5	11.5	10.0	8.0
NR 12 Ant0	18.5	18.5	17.5	16.0	14.0
NR 41 Ant 1	9.5	9.5	8.5	7.0	5.0
NR 66 Ant0/1	13.0	13.0	12.0	10.5	8.5

Tablet 5G NR Max. Tune-up Power (Reduction)

CP Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2 Ant0/1	12.0	11.5	10.0	7.0
NR 5 Ant0	15.5	15.0	13.5	10.0
NR 7 Ant1	11.0	10.5	9.0	6.0
NR 12 Ant0	17.0	16.5	15.0	12.0
NR 41 Ant 1	8.0	7.5	6.0	3.0
NR 66 Ant0/1	11.5	11.0	9.5	6.5

Laptop WCDMA Max. Tune-up Power (Reduction)		
Mode	RMC 12.2K	HSDPA DC-HSDPA HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II Ant0	18.0	18.0
WCDMA Band IV Ant0	19.5	19.5
WCDMA Band V Ant0	21.0	21.0

Laptop LTE Max. Tune-up Power (Reduction)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2 Ant0/1	17.0	17.0	17.0	17.0
LTE 4 Ant0	17.5	17.5	17.5	17.5
LTE 5 Ant0	20.5	20.5	20.5	20.5
LTE 7 Ant0/1	15.0	15.0	15.0	15.0
LTE 12 Ant0	19.0	19.0	19.0	19.0
LTE 13 Ant0	20.0	20.0	20.0	20.0
LTE 14 Ant0	20.5	20.5	20.5	20.5
LTE 17 Ant0	19.0	19.0	19.0	19.0
LTE 25 Ant0	17.0	17.0	17.0	17.0
LTE 26 Ant0	20.5	20.5	20.5	20.5
LTE 30 Ant0	17.0	17.0	17.0	17.0
LTE 38 Ant0	17.5	17.5	17.5	17.5
LTE 41 Ant0	19.0	19.0	19.0	19.0
LTE 42 Ant1	16.0	16.0	16.0	16.0
LTE 48 Ant1	16.5	16.5	16.5	16.5
LTE 66 Ant0/1	17.0	17.0	17.0	17.0

Laptop 5G NR Max. Tune-up Power (Reduction)					
DFT-S Mode	PI/2 BPSK	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2 Ant0/1	17.0	17.0	16.0	14.5	12.5
NR 5 Ant0	19.0	19.0	18.0	16.5	14.5
NR 7 Ant1	14.5	14.5	13.5	12.0	10.0
NR 12 Ant0	19.0	19.0	18.0	16.5	14.5
NR 41 Ant 1	14.0	14.0	13.0	11.5	9.5
NR 66 Ant0/1	17.5	17.5	16.5	15.0	13.0

Laptop 5G NR Max. Tune-up Power (Reduction)				
CP Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2 Ant0/1	15.5	15.0	13.5	10.5
NR 5 Ant0	17.5	17.0	15.5	12.5
NR 7 Ant1	13.0	12.5	11.0	8.0
NR 12 Ant0	17.5	17.0	15.5	12.5
NR 41 Ant 1	12.5	12.0	10.5	7.5
NR 66 Ant0/1	16.0	15.5	14.0	11.0

WLAN Tune-up Power (Tablet Mode)

WLAN2.4GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11b	1	2412	16.5	18.0			
	6	2437	16.5	18.0			
	11	2462	16.5	18.0			
	12	2467	16.5	18.0			
	13	2472	16.5	18.0			
802.11g	1	2412	16.5	18.0			
	6	2437	16.5	18.0			
	11	2462	16.5	18.0			
	12	2467	16.5	18.0			
	13	2472	16.5	18.0			
802.11n HT20	1	2412	16.5	18.0	16.5	16.5	19.5
	6	2437	16.5	18.0	16.5	16.5	19.5
	11	2462	16.5	18.0	16.5	16.5	19.5
	12	2467	16.5	18.0	16.5	16.5	19.5
	13	2472	16.5	18.0	16.5	16.5	19.5
802.11n HT40	3	2422	16.5	18.0	16.5	16.5	19.5
	6	2437	16.5	18.0	16.5	16.5	19.5
	9	2452	16.5	18.0	16.5	16.5	19.5
	10	2457	16.5	18.0	16.5	16.5	19.5
	11	2462	16.5	18.0	16.5	16.5	19.5
802.11ac VHT20	1	2412	16.5	18.0	16.5	16.5	19.5
	6	2437	16.5	18.0	16.5	16.5	19.5
	11	2462	16.5	18.0	16.5	16.5	19.5
	12	2467	16.5	18.0	16.5	16.5	19.5
	13	2472	16.5	18.0	16.5	16.5	19.5
802.11ac VHT40	3	2422	16.5	18.0	16.5	16.5	19.5
	6	2437	16.5	18.0	16.5	16.5	19.5
	9	2452	16.5	18.0	16.5	16.5	19.5
	10	2457	16.5	18.0	16.5	16.5	19.5
	11	2462	16.5	18.0	16.5	16.5	19.5
802.11ax HE20	1	2412	16.5	18.0	16.5	16.5	19.5
	6	2437	16.5	18.0	16.5	16.5	19.5
	11	2462	16.5	18.0	16.5	16.5	19.5
	12	2467	16.5	18.0	16.5	16.5	19.5
	13	2472	16.5	18.0	16.5	16.5	19.5
802.11ax HE40	3	2422	16.5	18.0	16.5	16.5	19.5
	6	2437	16.5	18.0	16.5	16.5	19.5
	9	2452	16.5	18.0	16.5	16.5	19.5
	10	2457	16.5	18.0	16.5	16.5	19.5
	11	2462	16.5	18.0	16.5	16.5	19.5

WLAN Tune-up Power (Tablet Mode)

Bluetooth

Mode	Channel	Frequency	Ant 0 Max Tune-up	Ant 1 Max Tune-up
BR / EDR	0	2402		10.5
	39	2441		10.5
	78	2480		10.5
LE	0	2402		7.0
	19	2440		7.0
	39	2480		7.0

WLAN Tune-up Power (Tablet Mode)

WLAN 5.2GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	36	5180	14.0	13.0			
	40	5200	14.0	13.0			
	44	5220	14.0	13.0			
	48	5240	14.0	13.0			
802.11n HT20	36	5180	14.0	13.0	13.0	13.0	16.0
	40	5200	14.0	13.0	13.0	13.0	16.0
	44	5220	14.0	13.0	13.0	13.0	16.0
	48	5240	14.0	13.0	13.0	13.0	16.0
802.11n HT40	38	5190	14.0	13.0	13.0	13.0	16.0
	46	5230	14.0	13.0	13.0	13.0	16.0
802.11ac VHT20	36	5180	14.0	13.0	13.0	13.0	16.0
	40	5200	14.0	13.0	13.0	13.0	16.0
	44	5220	14.0	13.0	13.0	13.0	16.0
	48	5240	14.0	13.0	13.0	13.0	16.0
802.11ac VHT40	38	5190	14.0	13.0	13.0	13.0	16.0
	46	5230	14.0	13.0	13.0	13.0	16.0
802.11ac VHT80	42	5210	14.0	13.0	13.0	13.0	16.0
802.11ax HE20	36	5180	14.0	13.0	13.0	13.0	16.0
	40	5200	14.0	13.0	13.0	13.0	16.0
	44	5220	14.0	13.0	13.0	13.0	16.0
	48	5240	14.0	13.0	13.0	13.0	16.0
802.11ax HE40	38	5190	14.0	13.0	13.0	13.0	16.0
	46	5230	14.0	13.0	13.0	13.0	16.0
802.11ax HE80	42	5210	14.0	13.0	13.0	13.0	16.0

WLAN Tune-up Power (Tablet Mode)

WLAN 5.3GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	52	5260	13.5	12.5			
	56	5280	13.5	12.5			
	60	5300	13.5	12.5			
	64	5320	13.5	12.5			
802.11n HT20	52	5260	13.5	12.5	12.5	12.5	15.5
	56	5280	13.5	12.5	12.5	12.5	15.5
	60	5300	13.5	12.5	12.5	12.5	15.5
	64	5320	13.5	12.5	12.5	12.5	15.5
802.11n HT40	54	5270	13.5	12.5	12.5	12.5	15.5
	62	5310	13.5	12.5	12.5	12.5	15.5
802.11ac VHT20	52	5260	13.5	12.5	12.5	12.5	15.5
	56	5280	13.5	12.5	12.5	12.5	15.5
	60	5300	13.5	12.5	12.5	12.5	15.5
	64	5320	13.5	12.5	12.5	12.5	15.5
802.11ac VHT40	54	5270	13.5	12.5	12.5	12.5	15.5
	62	5310	13.5	12.5	12.5	12.5	15.5
802.11ac VHT80	58	5290	13.5	12.5	12.5	12.5	15.5
802.11ac VHT160	50	5250	13.5	12.5	12.5	12.5	15.5
802.11ax HE20	52	5260	13.5	12.5	12.5	12.5	15.5
	56	5280	13.5	12.5	12.5	12.5	15.5
	60	5300	13.5	12.5	12.5	12.5	15.5
	64	5320	13.5	12.5	12.5	12.5	15.5
802.11ax HE40	54	5270	13.5	12.5	12.5	12.5	15.5
	62	5310	13.5	12.5	12.5	12.5	15.5
802.11ax HE80	58	5290	13.5	12.5	12.5	12.5	15.5
802.11ax HE160	50	5250	13.5	12.5	12.5	12.5	15.5

WLAN Tune-up Power (Tablet Mode)

WLAN 5.6GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	100	5500	13.0	12.0			
	116	5580	13.0	12.0			
	120	5600	13.0	12.0			
	124	5620	13.0	12.0			
	132	5660	13.0	12.0			
	140	5700	13.0	12.0			
	144	5720	13.0	12.0			
802.11n HT20	100	5500	13.0	12.0	12.0	12.0	15.0
	116	5580	13.0	12.0	12.0	12.0	15.0
	120	5600	13.0	12.0	12.0	12.0	15.0
	124	5620	13.0	12.0	12.0	12.0	15.0
	132	5660	13.0	12.0	12.0	12.0	15.0
	140	5700	13.0	12.0	12.0	12.0	15.0
	144	5720	13.0	12.0	12.0	12.0	15.0
802.11n HT40	102	5510	13.0	12.0	12.0	12.0	15.0
	110	5550	13.0	12.0	12.0	12.0	15.0
	118	5590	13.0	12.0	12.0	12.0	15.0
	126	5630	13.0	12.0	12.0	12.0	15.0
	134	5670	13.0	12.0	12.0	12.0	15.0
	142	5710	13.0	12.0	12.0	12.0	15.0
802.11ac VHT20	100	5500	13.0	12.0	12.0	12.0	15.0
	116	5580	13.0	12.0	12.0	12.0	15.0
	120	5600	13.0	12.0	12.0	12.0	15.0
	124	5620	13.0	12.0	12.0	12.0	15.0
	132	5660	13.0	12.0	12.0	12.0	15.0
	140	5700	13.0	12.0	12.0	12.0	15.0
	144	5720	13.0	12.0	12.0	12.0	15.0
802.11ac VHT40	102	5510	13.0	12.0	12.0	12.0	15.0
	110	5550	13.0	12.0	12.0	12.0	15.0
	118	5590	13.0	12.0	12.0	12.0	15.0
	126	5630	13.0	12.0	12.0	12.0	15.0
	134	5670	13.0	12.0	12.0	12.0	15.0
	142	5710	13.0	12.0	12.0	12.0	15.0
802.11ac VHT80	106	5530	13.0	12.0	12.0	12.0	15.0
	122	5610	13.0	12.0	12.0	12.0	15.0
	138	5690	13.0	12.0	12.0	12.0	15.0
802.11ac VHT160	114	5570	13.0	12.0	12.0	12.0	15.0
802.11ax HE20	100	5500	13.0	12.0	12.0	12.0	15.0
	116	5580	13.0	12.0	12.0	12.0	15.0
	120	5600	13.0	12.0	12.0	12.0	15.0
	124	5620	13.0	12.0	12.0	12.0	15.0
	132	5660	13.0	12.0	12.0	12.0	15.0
	140	5700	13.0	12.0	12.0	12.0	15.0
	144	5720	13.0	12.0	12.0	12.0	15.0
802.11ax HE40	102	5510	13.0	12.0	12.0	12.0	15.0
	110	5550	13.0	12.0	12.0	12.0	15.0
	118	5590	13.0	12.0	12.0	12.0	15.0
	126	5630	13.0	12.0	12.0	12.0	15.0
	134	5670	13.0	12.0	12.0	12.0	15.0
	142	5710	13.0	12.0	12.0	12.0	15.0
802.11ax HE80	106	5530	13.0	12.0	12.0	12.0	15.0
	122	5610	13.0	12.0	12.0	12.0	15.0
	138	5690	13.0	12.0	12.0	12.0	15.0
802.11ax HE160	114	5570	13.0	12.0	12.0	12.0	15.0

WLAN Tune-up Power (Tablet Mode)

WLAN 5.8GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	149	5745	12.0	11.5			
	153	5765	12.0	11.5			
	157	5785	12.0	11.5			
	161	5805	12.0	11.5			
	165	5825	12.0	11.5			
802.11n HT20	149	5745	12.0	11.5	11.5	11.5	14.5
	153	5765	12.0	11.5	11.5	11.5	14.5
	157	5785	12.0	11.5	11.5	11.5	14.5
	161	5805	12.0	11.5	11.5	11.5	14.5
	165	5825	12.0	11.5	11.5	11.5	14.5
802.11n HT40	151	5755	12.0	11.5	11.5	11.5	14.5
	159	5795	12.0	11.5	11.5	11.5	14.5
802.11ac VHT20	149	5745	12.0	11.5	11.5	11.5	14.5
	153	5765	12.0	11.5	11.5	11.5	14.5
	157	5785	12.0	11.5	11.5	11.5	14.5
	161	5805	12.0	11.5	11.5	11.5	14.5
	165	5825	12.0	11.5	11.5	11.5	14.5
802.11ac VHT40	151	5755	12.0	11.5	11.5	11.5	14.5
	159	5795	12.0	11.5	11.5	11.5	14.5
802.11ac VHT80	155	5775	12.0	11.5	11.5	11.5	14.5
802.11ax HE20	149	5745	12.0	11.5	11.5	11.5	14.5
	153	5765	12.0	11.5	11.5	11.5	14.5
	157	5785	12.0	11.5	11.5	11.5	14.5
	161	5805	12.0	11.5	11.5	11.5	14.5
	165	5825	12.0	11.5	11.5	11.5	14.5
802.11ax HE40	151	5755	12.0	11.5	11.5	11.5	14.5
	159	5795	12.0	11.5	11.5	11.5	14.5
802.11ax HE80	155	5775	12.0	11.5	11.5	11.5	14.5

WLAN Tune-up Power (Laptop Mode)

WLAN2.4GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11b	1	2412	16.0	16.0			
	6	2437	16.0	16.0			
	11	2462	16.0	16.0			
	12	2467	16.0	16.0			
	13	2472	16.0	16.0			
802.11g	1	2412	16.0	16.0			
	6	2437	16.0	16.0			
	11	2462	16.0	16.0			
	12	2467	16.0	16.0			
	13	2472	16.0	16.0			
802.11n HT20	1	2412	16.0	16.0	16.0	16.0	19.0
	6	2437	16.0	16.0	16.0	16.0	19.0
	11	2462	16.0	16.0	16.0	16.0	19.0
	12	2467	16.0	16.0	16.0	16.0	19.0
	13	2472	16.0	16.0	16.0	16.0	19.0
802.11n HT40	3	2422	16.0	16.0	16.0	16.0	19.0
	6	2437	16.0	16.0	16.0	16.0	19.0
	9	2452	16.0	16.0	16.0	16.0	19.0
	10	2457	16.0	16.0	16.0	16.0	19.0
	11	2462	16.0	16.0	16.0	16.0	19.0
802.11ac VHT20	1	2412	16.0	16.0	16.0	16.0	19.0
	6	2437	16.0	16.0	16.0	16.0	19.0
	11	2462	16.0	16.0	16.0	16.0	19.0
	12	2467	16.0	16.0	16.0	16.0	19.0
	13	2472	16.0	16.0	16.0	16.0	19.0
802.11ac VHT40	3	2422	16.0	16.0	16.0	16.0	19.0
	6	2437	16.0	16.0	16.0	16.0	19.0
	9	2452	16.0	16.0	16.0	16.0	19.0
	10	2457	16.0	16.0	16.0	16.0	19.0
	11	2462	16.0	16.0	16.0	16.0	19.0
802.11ax HE20	1	2412	16.0	16.0	16.0	16.0	19.0
	6	2437	16.0	16.0	16.0	16.0	19.0
	11	2462	16.0	16.0	16.0	16.0	19.0
	12	2467	16.0	16.0	16.0	16.0	19.0
	13	2472	16.0	16.0	16.0	16.0	19.0
802.11ax HE40	3	2422	16.0	16.0	16.0	16.0	19.0
	6	2437	16.0	16.0	16.0	16.0	19.0
	9	2452	16.0	16.0	16.0	16.0	19.0
	10	2457	16.0	16.0	16.0	16.0	19.0
	11	2462	16.0	16.0	16.0	16.0	19.0

WLAN Tune-up Power (Laptop Mode)

Bluetooth

Mode	Channel	Frequency	Ant 0 Max Tune-up	Ant 1 Max Tune-up
BR / EDR	0	2402		10.5
	39	2441		10.5
	78	2480		10.5
LE	0	2402		7.0
	19	2440		7.0
	39	2480		7.0

WLAN Tune-up Power (Laptop Mode)

WLAN 5.2GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	36	5180	12.5	15.5			
	40	5200	12.5	15.5			
	44	5220	12.5	15.5			
	48	5240	12.5	15.5			
802.11n HT20	36	5180	12.5	15.5	12.5	12.5	15.5
	40	5200	12.5	15.5	12.5	12.5	15.5
	44	5220	12.5	15.5	12.5	12.5	15.5
	48	5240	12.5	15.5	12.5	12.5	15.5
802.11n HT40	38	5190	12.5	15.5	12.5	12.5	15.5
	46	5230	12.5	15.5	12.5	12.5	15.5
802.11ac VHT20	36	5180	12.5	15.5	12.5	12.5	15.5
	40	5200	12.5	15.5	12.5	12.5	15.5
	44	5220	12.5	15.5	12.5	12.5	15.5
	48	5240	12.5	15.5	12.5	12.5	15.5
802.11ac VHT40	38	5190	12.5	15.5	12.5	12.5	15.5
	46	5230	12.5	15.5	12.5	12.5	15.5
802.11ac VHT80	42	5210	12.5	15.5	12.5	12.5	15.5
802.11ax HE20	36	5180	12.5	15.5	12.5	12.5	15.5
	40	5200	12.5	15.5	12.5	12.5	15.5
	44	5220	12.5	15.5	12.5	12.5	15.5
	48	5240	12.5	15.5	12.5	12.5	15.5
802.11ax HE40	38	5190	12.5	15.5	12.5	12.5	15.5
	46	5230	12.5	15.5	12.5	12.5	15.5
802.11ax HE80	42	5210	12.5	15.5	12.5	12.5	15.5

WLAN Tune-up Power (Laptop Mode)

WLAN 5.3GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	52	5260	13.0	15.5			
	56	5280	13.0	15.5			
	60	5300	13.0	15.5			
	64	5320	13.0	15.5			
802.11n HT20	52	5260	13.0	15.5	13.0	13.0	16.0
	56	5280	13.0	15.5	13.0	13.0	16.0
	60	5300	13.0	15.5	13.0	13.0	16.0
	64	5320	13.0	15.5	13.0	13.0	16.0
802.11n HT40	54	5270	13.0	15.5	13.0	13.0	16.0
	62	5310	13.0	15.5	13.0	13.0	16.0
802.11ac VHT20	52	5260	13.0	15.5	13.0	13.0	16.0
	56	5280	13.0	15.5	13.0	13.0	16.0
	60	5300	13.0	15.5	13.0	13.0	16.0
	64	5320	13.0	15.5	13.0	13.0	16.0
802.11ac VHT40	54	5270	13.0	15.5	13.0	13.0	16.0
	62	5310	13.0	15.5	13.0	13.0	16.0
802.11ac VHT80	58	5290	13.0	15.5	13.0	13.0	16.0
802.11ac VHT160	50	5250	13.0	15.5	13.0	13.0	16.0
802.11ax HE20	52	5260	13.0	15.5	13.0	13.0	16.0
	56	5280	13.0	15.5	13.0	13.0	16.0
	60	5300	13.0	15.5	13.0	13.0	16.0
	64	5320	13.0	15.5	13.0	13.0	16.0
802.11ax HE40	54	5270	13.0	15.5	13.0	13.0	16.0
	62	5310	13.0	15.5	13.0	13.0	16.0
802.11ax HE80	58	5290	13.0	15.5	13.0	13.0	16.0
802.11ax HE160	50	5250	13.0	15.5	13.0	13.0	16.0

WLAN Tune-up Power (Laptop Mode)

WLAN 5.6GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	100	5500	13.0	14.5			
	116	5580	13.0	14.5			
	120	5600	13.0	14.5			
	124	5620	13.0	14.5			
	132	5660	13.0	14.5			
	140	5700	13.0	14.5			
	144	5720	13.0	14.5			
802.11n HT20	100	5500	13.0	14.5	13.0	13.0	16.0
	116	5580	13.0	14.5	13.0	13.0	16.0
	120	5600	13.0	14.5	13.0	13.0	16.0
	124	5620	13.0	14.5	13.0	13.0	16.0
	132	5660	13.0	14.5	13.0	13.0	16.0
	140	5700	13.0	14.5	13.0	13.0	16.0
	144	5720	13.0	14.5	13.0	13.0	16.0
802.11n HT40	102	5510	13.0	14.5	13.0	13.0	16.0
	110	5550	13.0	14.5	13.0	13.0	16.0
	118	5590	13.0	14.5	13.0	13.0	16.0
	126	5630	13.0	14.5	13.0	13.0	16.0
	134	5670	13.0	14.5	13.0	13.0	16.0
	142	5710	13.0	14.5	13.0	13.0	16.0
802.11ac VHT20	100	5500	13.0	14.5	13.0	13.0	16.0
	116	5580	13.0	14.5	13.0	13.0	16.0
	120	5600	13.0	14.5	13.0	13.0	16.0
	124	5620	13.0	14.5	13.0	13.0	16.0
	132	5660	13.0	14.5	13.0	13.0	16.0
	140	5700	13.0	14.5	13.0	13.0	16.0
	144	5720	13.0	14.5	13.0	13.0	16.0
802.11ac VHT40	102	5510	13.0	14.5	13.0	13.0	16.0
	110	5550	13.0	14.5	13.0	13.0	16.0
	118	5590	13.0	14.5	13.0	13.0	16.0
	126	5630	13.0	14.5	13.0	13.0	16.0
	134	5670	13.0	14.5	13.0	13.0	16.0
	142	5710	13.0	14.5	13.0	13.0	16.0
802.11ac VHT80	106	5530	13.0	14.5	13.0	13.0	16.0
	122	5610	13.0	14.5	13.0	13.0	16.0
	138	5690	13.0	14.5	13.0	13.0	16.0
802.11ac VHT160	114	5570	13.0	14.5	13.0	13.0	16.0
802.11ax HE20	100	5500	13.0	14.5	13.0	13.0	16.0
	116	5580	13.0	14.5	13.0	13.0	16.0
	120	5600	13.0	14.5	13.0	13.0	16.0
	124	5620	13.0	14.5	13.0	13.0	16.0
	132	5660	13.0	14.5	13.0	13.0	16.0
	140	5700	13.0	14.5	13.0	13.0	16.0
	144	5720	13.0	14.5	13.0	13.0	16.0
802.11ax HE40	102	5510	13.0	14.5	13.0	13.0	16.0
	110	5550	13.0	14.5	13.0	13.0	16.0
	118	5590	13.0	14.5	13.0	13.0	16.0
	126	5630	13.0	14.5	13.0	13.0	16.0
	134	5670	13.0	14.5	13.0	13.0	16.0
	142	5710	13.0	14.5	13.0	13.0	16.0
802.11ax HE80	106	5530	13.0	14.5	13.0	13.0	16.0
	122	5610	13.0	14.5	13.0	13.0	16.0
	138	5690	13.0	14.5	13.0	13.0	16.0
802.11ax HE160	114	5570	13.0	14.5	13.0	13.0	16.0

WLAN Tune-up Power (Laptop Mode)

WLAN 5.8GHz

Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO 0+1 Max Tune up
802.11a	149	5745	12.0	14.5			
	153	5765	12.0	14.5			
	157	5785	12.0	14.5			
	161	5805	12.0	14.5			
	165	5825	12.0	14.5			
802.11n HT20	149	5745	12.0	14.5	12.0	12.0	15.0
	153	5765	12.0	14.5	12.0	12.0	15.0
	157	5785	12.0	14.5	12.0	12.0	15.0
	161	5805	12.0	14.5	12.0	12.0	15.0
	165	5825	12.0	14.5	12.0	12.0	15.0
802.11n HT40	151	5755	12.0	14.5	12.0	12.0	15.0
	159	5795	12.0	14.5	12.0	12.0	15.0
802.11ac VHT20	149	5745	12.0	14.5	12.0	12.0	15.0
	153	5765	12.0	14.5	12.0	12.0	15.0
	157	5785	12.0	14.5	12.0	12.0	15.0
	161	5805	12.0	14.5	12.0	12.0	15.0
	165	5825	12.0	14.5	12.0	12.0	15.0
802.11ac VHT40	151	5755	12.0	14.5	12.0	12.0	15.0
	159	5795	12.0	14.5	12.0	12.0	15.0
802.11ac VHT80	155	5775	12.0	14.5	12.0	12.0	15.0
802.11ax HE20	149	5745	12.0	14.5	12.0	12.0	15.0
	153	5765	12.0	14.5	12.0	12.0	15.0
	157	5785	12.0	14.5	12.0	12.0	15.0
	161	5805	12.0	14.5	12.0	12.0	15.0
	165	5825	12.0	14.5	12.0	12.0	15.0
802.11ax HE40	151	5755	12.0	14.5	12.0	12.0	15.0
	159	5795	12.0	14.5	12.0	12.0	15.0
802.11ax HE80	155	5775	12.0	14.5	12.0	12.0	15.0

Appendix F. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (Full)

Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	22.83	22.91	22.80	23.89	23.97	23.96	23.25	23.44	23.24
HSDPA Subtest-1	22.83	22.82	22.81	22.84	23.02	23.00	23.23	23.34	23.28
HSDPA Subtest-2	22.81	22.81	22.78	22.93	22.97	22.75	23.25	23.33	23.27
HSDPA Subtest-3	22.34	22.33	22.31	22.41	23.01	22.46	22.77	22.84	22.78
HSDPA Subtest-4	22.38	22.32	22.30	22.40	22.41	22.51	22.74	22.80	22.80
DC-HSDPA Subtest-1	22.79	22.78	22.77	22.81	22.99	22.97	23.20	23.31	23.25
DC-HSDPA Subtest-2	22.77	22.77	22.74	22.90	22.94	22.72	23.22	23.30	23.24
DC-HSDPA Subtest-3	22.30	22.29	22.27	22.38	22.98	22.43	22.74	22.81	22.75
DC-HSDPA Subtest-4	22.34	22.28	22.26	22.37	22.38	22.48	22.71	22.77	22.77
HSUPA Subtest-1	22.80	22.77	22.80	22.92	22.97	22.94	23.24	23.30	23.26
HSUPA Subtest-2	20.80	20.83	20.80	20.93	20.95	20.97	21.16	21.25	21.16
HSUPA Subtest-3	21.74	21.84	21.80	21.90	21.92	21.96	22.18	22.30	22.21
HSUPA Subtest-4	20.82	20.84	20.80	20.89	20.95	21.00	21.18	21.33	21.26
HSUPA Subtest-5	22.80	22.74	22.80	22.90	23.00	23.02	23.20	23.20	23.20

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	23.38	23.30	23.30	0
		1	50	23.22	23.26	23.20	0
		1	99	23.12	23.15	23.06	0
		50	0	22.47	22.43	22.34	1
		50	25	22.39	22.34	22.37	1
		50	50	22.27	22.24	22.25	1
		100	0	22.37	22.29	22.24	1
20M	16QAM	1	0	22.83	22.73	22.70	1
		1	50	22.74	22.75	22.71	1
		1	99	22.35	22.25	22.30	1
		50	0	21.46	21.41	21.40	2
		50	25	21.37	21.38	21.30	2
		50	50	21.37	21.38	21.33	2
		100	0	21.45	21.47	21.42	2
20M	64QAM	1	0	21.74	21.79	21.68	2
		1	50	21.78	21.79	21.67	2
		1	99	21.36	21.24	21.22	2
		50	0	20.41	20.47	20.35	3
		50	25	20.34	20.33	20.31	3
		50	50	20.39	20.31	20.33	3
		100	0	20.45	20.46	20.33	3
20M	256QAM	1	0	18.44	18.43	18.37	5
		1	50	18.35	18.33	18.30	5
		1	99	18.38	18.30	18.27	5
		50	0	18.31	18.26	18.22	5
		50	25	18.31	18.25	18.23	5
		50	50	18.26	18.22	18.22	5
		100	0	18.26	18.30	18.27	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
Frequency (MHz)		1857.5	1880	1902.5			
15M	QPSK	1	0	23.26	23.27	23.18	0
		1	37	23.20	23.17	23.06	0
		1	74	23.13	23.18	23.14	0
		36	0	22.41	22.40	22.36	1
		36	19	22.41	22.20	22.20	1
		36	39	22.34	22.32	22.16	1
		75	0	22.20	22.23	22.14	1
15M	16QAM	1	0	22.75	22.67	22.65	1
		1	37	22.79	22.68	22.69	1
		1	74	22.28	22.24	22.15	1
		36	0	21.41	21.44	21.31	2
		36	19	21.38	21.36	21.36	2
		36	39	21.35	21.29	21.29	2
		75	0	21.33	21.29	21.28	2
15M	64QAM	1	0	21.70	21.70	21.69	2
		1	37	21.74	21.64	21.69	2
		1	74	21.25	21.10	21.14	2
		36	0	20.39	20.42	20.31	3
		36	19	20.33	20.26	20.30	3
		36	39	20.24	20.18	20.14	3
		75	0	20.31	20.36	20.26	3
15M	256QAM	1	0	18.29	18.37	18.43	5
		1	37	18.36	18.40	18.28	5
		1	74	18.27	18.14	18.33	5
		36	0	18.19	18.30	18.17	5
		36	19	18.18	18.14	18.22	5
		36	39	18.12	18.11	18.07	5
		75	0	18.21	18.24	18.16	5

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	23.24	23.27	23.22	0
		1	24	23.20	23.08	23.02	0
		1	49	22.97	23.01	23.01	0
		25	0	22.50	22.35	22.37	1
		25	12	22.36	22.25	22.35	1
		25	25	22.24	22.22	22.27	1
		50	0	22.21	22.28	22.11	1
10M	16QAM	1	0	22.82	22.67	22.62	1
		1	24	22.66	22.68	22.73	1
		1	49	22.17	22.26	22.16	1
		25	0	21.38	21.38	21.29	2
		25	12	21.23	21.23	21.17	2
		25	25	21.36	21.23	21.19	2
		50	0	21.38	21.25	21.24	2
10M	64QAM	1	0	21.63	21.62	21.74	2
		1	24	21.65	21.62	21.62	2
		1	49	21.18	21.20	21.06	2
		25	0	20.37	20.41	20.29	3
		25	12	20.30	20.30	20.36	3
		25	25	20.25	20.33	20.18	3
		50	0	20.35	20.29	20.21	3
10M	256QAM	1	0	18.46	18.34	18.44	5
		1	24	18.40	18.28	18.33	5
		1	49	18.25	18.33	18.17	5
		25	0	18.28	18.20	18.16	5
		25	12	18.09	18.12	18.08	5
		25	25	18.17	18.04	18.16	5
		50	0	18.22	18.17	18.18	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	23.23	23.33	23.11	0
		1	12	23.13	23.23	23.22	0
		1	24	23.17	23.04	23.00	0
		12	0	22.44	22.23	22.30	1
		12	6	22.25	22.23	22.32	1
		12	13	22.24	22.22	22.18	1
		25	0	22.20	22.28	22.02	1
5M	16QAM	1	0	22.66	22.70	22.54	1
		1	12	22.73	22.63	22.54	1
		1	24	22.23	22.23	22.30	1
		12	0	21.37	21.42	21.27	2
		12	6	21.29	21.28	21.16	2
		12	13	21.21	21.24	21.29	2
		25	0	21.44	21.30	21.33	2
5M	64QAM	1	0	21.78	21.67	21.64	2
		1	12	21.60	21.69	21.54	2
		1	24	21.25	21.19	21.08	2
		12	0	20.27	20.40	20.37	3
		12	6	20.30	20.33	20.31	3
		12	13	20.23	20.31	20.26	3
		25	0	20.34	20.31	20.19	3
5M	256QAM	1	0	18.63	18.68	18.67	5
		1	12	18.54	18.65	18.61	5
		1	24	18.17	18.07	18.09	5
		12	0	18.20	18.32	18.24	5
		12	6	18.20	18.28	18.19	5
		12	13	18.19	18.21	18.06	5
		25	0	18.26	18.21	18.13	5

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.19	23.29	23.28	0
		1	7	23.11	23.21	23.04	0
		1	14	22.99	23.01	23.06	0
		8	0	22.39	22.45	22.33	1
		8	3	22.35	22.38	22.29	1
		8	7	22.20	22.10	22.20	1
		15	0	22.20	22.15	22.19	1
3M	16QAM	1	0	22.77	22.68	22.71	1
		1	7	22.75	22.74	22.66	1
		1	14	22.27	22.14	22.16	1
		8	0	21.31	21.39	21.26	2
		8	3	21.24	21.38	21.29	2
		8	7	21.23	21.25	21.13	2
		15	0	21.39	21.25	21.40	2
3M	64QAM	1	0	21.68	21.72	21.60	2
		1	7	21.68	21.62	21.61	2
		1	14	21.14	21.21	21.19	2
		8	0	20.38	20.26	20.34	3
		8	3	20.39	20.25	20.18	3
		8	7	20.22	20.24	20.28	3
		15	0	20.46	20.27	20.28	3
3M	256QAM	1	0	18.38	18.36	18.24	5
		1	7	18.39	18.29	18.28	5
		1	14	18.18	18.30	18.29	5
		8	0	18.17	18.24	18.12	5
		8	3	18.23	18.20	18.17	5
		8	7	18.23	18.11	18.10	5
		15	0	18.30	18.16	18.08	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	23.30	23.31	23.30	0
		1	2	23.11	23.17	23.06	0
		1	5	23.12	23.06	23.06	0
		3	0	22.28	22.38	22.24	0
		3	1	22.37	22.20	22.29	0
		3	3	22.29	22.18	22.21	0
		6	0	22.24	22.20	22.08	1
1.4M	16QAM	1	0	22.72	22.66	22.61	1
		1	2	22.77	22.75	22.78	1
		1	5	22.32	22.17	22.22	1
		3	0	21.40	21.40	21.40	1
		3	1	21.38	21.31	21.28	1
		3	3	21.21	21.25	21.26	1
		6	0	21.42	21.29	21.37	2
1.4M	64QAM	1	0	21.71	21.61	21.69	2
		1	2	21.74	21.76	21.68	2
		1	5	21.25	21.28	21.09	2
		3	0	20.39	20.35	20.25	2
		3	1	20.33	20.29	20.29	2
		3	3	20.31	20.18	20.09	2
		6	0	20.40	20.41	20.42	3
1.4M	256QAM	1	0	18.41	18.28	18.30	5
		1	2	18.34	18.31	18.23	5
		1	5	18.35	18.20	18.26	5
		3	0	18.29	18.24	18.29	5
		3	1	18.19	18.21	18.20	5
		3	3	18.12	18.09	18.12	5
		6	0	18.27	18.17	18.13	5

LTE Conducted Power (Full)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.47	23.47	23.62	0
		1	50	23.36	23.50	23.52	0
		1	99	23.14	23.23	23.32	0
		50	0	22.66	22.74	22.80	1
		50	25	22.46	22.53	22.65	1
		50	50	22.41	22.56	22.56	1
		100	0	22.53	22.59	22.68	1
20M	16QAM	1	0	22.70	22.81	22.81	1
		1	50	22.65	22.66	22.72	1
		1	99	22.90	22.98	22.95	1
		50	0	21.50	21.63	21.68	2
		50	25	21.59	21.64	21.76	2
		50	50	21.46	21.64	21.65	2
		100	0	21.46	21.49	21.62	2
20M	64QAM	1	0	21.72	21.76	21.77	2
		1	50	21.54	21.65	21.67	2
		1	99	21.84	21.94	21.97	2
		50	0	20.47	20.61	20.60	3
		50	25	20.49	20.60	20.64	3
		50	50	20.46	20.53	20.62	3
		100	0	20.36	20.52	20.56	3
20M	256QAM	1	0	18.44	18.55	18.62	5
		1	50	18.40	18.51	18.54	5
		1	99	18.40	18.48	18.50	5
		50	0	18.28	18.42	18.51	5
		50	25	18.29	18.41	18.39	5
		50	50	18.21	18.31	18.41	5
		100	0	18.31	18.38	18.40	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
Frequency (MHz)		1717.5	1732.5	1747.5			
15M	QPSK	1	0	23.37	23.53	23.57	0
		1	37	23.41	23.48	23.58	0
		1	74	23.13	23.24	23.27	0
		36	0	22.59	22.68	22.83	1
		36	19	22.50	22.53	22.66	1
		36	39	22.40	22.49	22.56	1
		75	0	22.49	22.62	22.71	1
15M	16QAM	1	0	22.73	22.81	22.89	1
		1	37	22.57	22.73	22.72	1
		1	74	22.88	22.95	22.99	1
		36	0	21.48	21.63	21.71	2
		36	19	21.51	21.62	21.75	2
		36	39	21.47	21.58	21.62	2
		75	0	21.41	21.54	21.54	2
15M	64QAM	1	0	21.66	21.73	21.87	2
		1	37	21.54	21.65	21.71	2
		1	74	21.79	21.96	21.92	2
		36	0	20.45	20.63	20.68	3
		36	19	20.51	20.60	20.67	3
		36	39	20.43	20.60	20.62	3
		75	0	20.36	20.49	20.54	3
15M	256QAM	1	0	18.48	18.53	18.62	5
		1	37	18.44	18.52	18.53	5
		1	74	18.34	18.46	18.48	5
		36	0	18.34	18.43	18.42	5
		36	19	18.31	18.38	18.47	5
		36	39	18.24	18.35	18.41	5
		75	0	18.26	18.43	18.45	5

LTE Conducted Power (Full)									
LTE Band 4									
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR		
		Frequency (MHz)		1715	1732.5	1750			
10M	QPSK	1	0	23.29	23.42	23.59	0		
		1	24	23.30	23.49	23.41	0		
		1	49	23.09	23.15	23.28	0		
		25	0	22.52	22.67	22.65	1		
		25	12	22.38	22.48	22.52	1		
		25	25	22.34	22.43	22.57	1		
10M	16QAM	50	0	22.47	22.51	22.53	1		
		1	0	22.57	22.76	22.87	1		
		1	24	22.51	22.64	22.72	1		
		1	49	22.73	22.88	22.81	1		
		25	0	21.47	21.53	21.66	2		
		25	12	21.41	21.64	21.73	2		
10M	64QAM	25	25	21.33	21.49	21.52	2		
		50	0	21.35	21.55	21.48	2		
		1	0	21.67	21.73	21.80	2		
		1	24	21.48	21.65	21.69	2		
		1	49	21.80	21.85	21.83	2		
		25	0	20.37	20.43	20.63	3		
10M	256QAM	25	12	20.40	20.59	20.55	3		
		25	25	20.48	20.54	20.50	3		
		50	0	20.25	20.36	20.51	3		
		1	0	18.33	18.46	18.54	5		
		1	24	18.28	18.43	18.51	5		
		1	49	18.28	18.36	18.48	5		
10M	256QAM	25	0	18.25	18.30	18.43	5		
		25	12	18.19	18.21	18.33	5		
		25	25	18.16	18.23	18.23	5		
		50	0	18.15	18.36	18.43	5		
		BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
				Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	23.40	23.42	23.47	0		
		1	12	23.38	23.42	23.31	0		
		1	24	23.10	23.20	23.16	0		
		12	0	22.63	22.71	22.65	1		
		12	6	22.45	22.48	22.43	1		
		12	13	22.42	22.32	22.46	1		
5M	16QAM	25	0	22.37	22.53	22.51	1		
		1	0	22.63	22.69	22.74	1		
		1	12	22.46	22.64	22.62	1		
		1	24	22.81	22.80	22.91	1		
		12	0	21.48	21.46	21.62	2		
		12	6	21.49	21.63	21.67	2		
5M	64QAM	12	13	21.37	21.47	21.53	2		
		25	0	21.40	21.37	21.58	2		
		1	0	21.52	21.65	21.79	2		
		1	12	21.48	21.64	21.65	2		
		1	24	21.72	21.80	21.80	2		
		12	0	20.47	20.42	20.63	3		
5M	256QAM	12	6	20.50	20.53	20.51	3		
		12	13	20.32	20.54	20.55	3		
		25	0	20.37	20.53	20.43	3		
		1	0	18.55	18.62	18.70	5		
		1	12	18.31	18.49	18.55	5		
		1	24	18.53	18.81	18.69	5		
5M	256QAM	12	0	18.33	18.39	18.47	5		
		12	6	18.30	18.51	18.56	5		
		12	13	18.35	18.48	18.37	5		
		25	0	18.26	18.44	18.38	5		

LTE Conducted Power (Full)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	23.35	23.46	23.52	0
		1	7	23.28	23.45	23.49	0
		1	14	23.04	23.17	23.19	0
		8	0	22.52	22.59	22.75	1
		8	3	22.39	22.45	22.52	1
		8	7	22.38	22.46	22.50	1
		15	0	22.42	22.60	22.69	1
3M	16QAM	1	0	22.67	22.71	22.68	1
		1	7	22.47	22.64	22.64	1
		1	14	22.88	22.83	22.91	1
		8	0	21.41	21.49	21.64	2
		8	3	21.48	21.50	21.60	2
		8	7	21.51	21.60	21.57	2
		15	0	21.26	21.39	21.58	2
3M	64QAM	1	0	21.65	21.73	21.73	2
		1	7	21.51	21.53	21.67	2
		1	14	21.84	21.86	21.91	2
		8	0	20.55	20.52	20.66	3
		8	3	20.48	20.47	20.59	3
		8	7	20.49	20.54	20.62	3
		15	0	20.25	20.46	20.41	3
3M	256QAM	1	0	18.44	18.49	18.50	5
		1	7	18.36	18.42	18.48	5
		1	14	18.31	18.40	18.47	5
		8	0	18.15	18.43	18.40	5
		8	3	18.27	18.36	18.38	5
		8	7	18.14	18.33	18.27	5
		15	0	18.30	18.36	18.41	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	23.40	23.47	23.51	0
		1	2	23.41	23.39	23.51	0
		1	5	23.04	23.19	23.28	0
		3	0	22.47	22.54	22.64	0
		3	1	22.37	22.41	22.60	0
		3	3	22.41	22.44	22.50	0
		6	0	22.49	22.56	22.70	1
1.4M	16QAM	1	0	22.71	22.71	22.73	1
		1	2	22.55	22.60	22.76	1
		1	5	22.83	22.90	22.87	1
		3	0	21.39	21.45	21.53	1
		3	1	21.42	21.49	21.57	1
		3	3	21.37	21.47	21.62	1
		6	0	21.43	21.35	21.48	2
1.4M	64QAM	1	0	21.62	21.69	21.74	2
		1	2	21.57	21.59	21.59	2
		1	5	21.79	21.90	21.81	2
		3	0	20.41	20.47	20.64	2
		3	1	20.46	20.46	20.69	2
		3	3	20.42	20.53	20.52	2
		6	0	20.23	20.49	20.50	3
1.4M	256QAM	1	0	18.41	18.40	18.60	5
		1	2	18.24	18.32	18.47	5
		1	5	18.31	18.38	18.48	5
		3	0	18.29	18.27	18.42	5
		3	1	18.18	18.36	18.43	5
		3	3	18.12	18.24	18.30	5
		6	0	18.32	18.33	18.35	5

LTE Conducted Power (Full)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	23.79	23.83	23.89	0
		1	24	23.74	23.66	23.74	0
		1	49	23.53	23.47	23.60	0
		25	0	22.70	22.72	22.92	1
		25	12	22.85	22.78	22.81	1
		25	25	22.42	22.34	22.49	1
		50	0	22.91	22.81	22.96	1
10M	16QAM	1	0	22.78	22.76	22.82	1
		1	24	22.67	22.63	22.67	1
		1	49	22.48	22.47	22.57	1
		25	0	21.72	21.61	21.76	2
		25	12	21.83	21.73	21.82	2
		25	25	21.38	21.34	21.44	2
		50	0	21.84	21.73	21.87	2
10M	64QAM	1	0	21.73	21.69	21.74	2
		1	24	21.61	21.57	21.65	2
		1	49	21.49	21.44	21.54	2
		25	0	20.72	20.67	20.73	3
		25	12	20.72	20.67	20.79	3
		25	25	20.38	20.24	20.32	3
		50	0	20.76	20.72	20.88	3
10M	256QAM	1	0	18.88	18.80	18.98	5
		1	24	18.80	18.79	18.91	5
		1	49	18.80	18.80	18.88	5
		25	0	18.76	18.68	18.83	5
		25	12	18.73	18.67	18.71	5
		25	25	18.66	18.58	18.74	5
		50	0	18.73	18.73	18.74	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
Frequency (MHz)		826.5	836.5	846.5			
5M	QPSK	1	0	23.78	23.83	23.81	0
		1	12	23.71	23.66	23.67	0
		1	24	23.52	23.53	23.63	0
		12	0	22.71	22.67	22.83	1
		12	6	22.84	22.75	22.90	1
		12	13	22.46	22.35	22.48	1
		25	0	22.89	22.86	22.89	1
5M	16QAM	1	0	22.79	22.70	22.78	1
		1	12	22.62	22.57	22.67	1
		1	24	22.50	22.39	22.51	1
		12	0	21.68	21.67	21.70	2
		12	6	21.78	21.75	21.86	2
		12	13	21.35	21.31	21.36	2
		25	0	21.81	21.75	21.84	2
5M	64QAM	1	0	21.72	21.75	21.82	2
		1	12	21.60	21.57	21.59	2
		1	24	21.47	21.41	21.49	2
		12	0	20.63	20.65	20.67	3
		12	6	20.78	20.69	20.76	3
		12	13	20.31	20.25	20.39	3
		25	0	20.84	20.75	20.86	3
5M	256QAM	1	0	18.93	18.83	18.97	5
		1	12	18.80	18.77	18.91	5
		1	24	18.79	18.72	18.81	5
		12	0	18.75	18.66	18.82	5
		12	6	18.72	18.71	18.75	5
		12	13	18.63	18.58	18.70	5
		25	0	18.73	18.67	18.75	5

LTE Conducted Power (Full)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	23.72	23.66	23.78	0
		1	7	23.64	23.62	23.64	0
		1	14	23.54	23.48	23.42	0
		8	0	22.64	22.61	22.66	1
		8	3	22.83	22.77	22.79	1
		8	7	22.28	22.22	22.43	1
		15	0	22.84	22.88	22.93	1
3M	16QAM	1	0	22.62	22.72	22.70	1
		1	7	22.52	22.46	22.61	1
		1	14	22.47	22.31	22.47	1
		8	0	21.63	21.56	21.67	2
		8	3	21.70	21.57	21.84	2
		8	7	21.39	21.22	21.42	2
		15	0	21.80	21.59	21.73	2
3M	64QAM	1	0	21.59	21.64	21.74	2
		1	7	21.47	21.48	21.51	2
		1	14	21.39	21.35	21.40	2
		8	0	20.70	20.66	20.58	3
		8	3	20.63	20.66	20.83	3
		8	7	20.20	20.28	20.27	3
		15	0	20.68	20.63	20.81	3
3M	256QAM	1	0	18.79	18.83	18.78	5
		1	7	18.79	18.73	18.74	5
		1	14	18.72	18.61	18.85	5
		8	0	18.73	18.64	18.70	5
		8	3	18.57	18.54	18.68	5
		8	7	18.63	18.46	18.63	5
		15	0	18.70	18.64	18.68	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	23.87	23.74	23.66	0
		1	2	23.63	23.61	23.58	0
		1	5	23.43	23.37	23.34	0
		3	0	22.62	22.69	22.62	0
		3	1	22.78	22.73	22.66	0
		3	3	22.30	22.29	22.33	0
		6	0	22.88	22.66	22.91	1
1.4M	16QAM	1	0	22.62	22.59	22.73	1
		1	2	22.49	22.57	22.57	1
		1	5	22.43	22.44	22.37	1
		3	0	21.58	21.50	21.62	1
		3	1	21.72	21.62	21.76	1
		3	3	21.25	21.28	21.33	1
		6	0	21.79	21.65	21.85	2
1.4M	64QAM	1	0	21.68	21.69	21.78	2
		1	2	21.56	21.49	21.67	2
		1	5	21.28	21.31	21.42	2
		3	0	20.58	20.54	20.57	2
		3	1	20.64	20.70	20.78	2
		3	3	20.31	20.28	20.38	2
		6	0	20.65	20.79	20.82	3
1.4M	256QAM	1	0	18.65	18.49	18.66	5
		1	2	18.50	18.45	18.48	5
		1	5	18.34	18.33	18.20	5
		3	0	18.53	18.59	18.64	5
		3	1	18.61	18.58	18.61	5
		3	3	18.23	18.20	18.25	5
		6	0	18.64	18.66	18.70	5

LTE Conducted Power (Full)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	23.96	23.90	23.75	0
		1	50	23.77	23.82	23.61	0
		1	99	23.78	23.77	23.60	0
		50	0	22.93	22.88	22.75	1
		50	25	22.92	22.81	22.74	1
		50	50	22.82	22.78	22.60	1
		100	0	22.91	22.80	22.62	1
20M	16QAM	1	0	22.94	22.88	22.78	1
		1	50	22.89	22.82	22.66	1
		1	99	22.90	22.85	22.68	1
		50	0	21.79	21.76	21.56	2
		50	25	21.71	21.66	21.57	2
		50	50	21.75	21.65	21.57	2
		100	0	21.83	21.81	21.70	2
20M	64QAM	1	0	21.99	21.94	21.77	2
		1	50	21.86	21.75	21.64	2
		1	99	21.80	21.82	21.62	2
		50	0	20.95	20.93	20.78	3
		50	25	20.95	20.86	20.72	3
		50	50	20.83	20.83	20.71	3
		100	0	20.90	20.90	20.74	3
20M	256QAM	1	0	18.41	18.32	18.15	5
		1	50	18.35	18.31	18.14	5
		1	99	18.31	18.26	18.11	5
		50	0	18.30	18.21	18.01	5
		50	25	18.21	18.20	18.07	5
		50	50	18.15	18.10	17.97	5
		100	0	18.22	18.22	18.02	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
Frequency (MHz)		2507.5	2535	2562.5			
15M	QPSK	1	0	23.87	23.77	23.66	0
		1	37	23.67	23.66	23.55	0
		1	74	23.78	23.70	23.58	0
		36	0	22.92	22.76	22.76	1
		36	19	22.94	22.79	22.71	1
		36	39	22.79	22.85	22.67	1
		75	0	22.77	22.66	22.52	1
15M	16QAM	1	0	22.91	22.74	22.62	1
		1	37	22.70	22.76	22.61	1
		1	74	22.79	22.78	22.55	1
		36	0	21.80	21.80	21.50	2
		36	19	21.71	21.71	21.48	2
		36	39	21.67	21.55	21.46	2
		75	0	21.78	21.69	21.51	2
15M	64QAM	1	0	21.83	21.77	21.65	2
		1	37	21.74	21.76	21.46	2
		1	74	21.77	21.66	21.58	2
		36	0	20.75	20.87	20.67	3
		36	19	20.86	20.73	20.66	3
		36	39	20.76	20.72	20.63	3
		75	0	20.87	20.73	20.52	3
15M	256QAM	1	0	18.32	18.37	18.09	5
		1	37	18.21	18.24	18.08	5
		1	74	18.20	18.12	17.92	5
		36	0	18.22	18.10	17.95	5
		36	19	18.12	18.17	17.95	5
		36	39	18.07	18.11	17.93	5
		75	0	18.11	18.09	17.85	5

LTE Conducted Power (Full)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	23.86	23.81	23.58	0
		1	24	23.77	23.62	23.55	0
		1	49	23.72	23.64	23.57	0
		25	0	22.86	22.83	22.67	1
		25	12	22.91	22.81	22.62	1
		25	25	22.81	22.67	22.65	1
		50	0	22.82	22.77	22.55	1
10M	16QAM	1	0	22.78	22.91	22.67	1
		1	24	22.84	22.77	22.55	1
		1	49	22.74	22.84	22.46	1
		25	0	21.74	21.79	21.55	2
		25	12	21.70	21.67	21.42	2
		25	25	21.54	21.59	21.41	2
		50	0	21.79	21.63	21.67	2
10M	64QAM	1	0	21.86	21.80	21.72	2
		1	24	21.78	21.85	21.57	2
		1	49	21.81	21.68	21.59	2
		25	0	20.93	20.79	20.66	3
		25	12	20.79	20.70	20.64	3
		25	25	20.71	20.66	20.64	3
		50	0	20.88	20.69	20.58	3
10M	256QAM	1	0	18.28	18.21	18.14	5
		1	24	18.34	18.18	18.15	5
		1	49	18.18	18.21	18.03	5
		25	0	18.16	18.19	18.04	5
		25	12	18.16	18.17	18.02	5
		25	25	18.15	18.06	17.90	5
		50	0	18.11	18.12	17.92	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	23.95	23.74	23.61	0
		1	12	23.69	23.69	23.48	0
		1	24	23.83	23.79	23.41	0
		12	0	22.90	22.72	22.62	1
		12	6	22.80	22.72	22.58	1
		12	13	22.67	22.72	22.62	1
		25	0	22.80	22.77	22.60	1
5M	16QAM	1	0	22.93	22.80	22.65	1
		1	12	22.73	22.73	22.67	1
		1	24	22.82	22.77	22.56	1
		12	0	21.79	21.65	21.54	2
		12	6	21.66	21.70	21.51	2
		12	13	21.65	21.66	21.52	2
		25	0	21.81	21.63	21.56	2
5M	64QAM	1	0	21.80	21.85	21.63	2
		1	12	21.77	21.67	21.58	2
		1	24	21.79	21.73	21.58	2
		12	0	20.86	20.79	20.61	3
		12	6	20.80	20.83	20.63	3
		12	13	20.84	20.74	20.70	3
		25	0	20.88	20.77	20.72	3
5M	256QAM	1	0	18.78	18.76	18.54	5
		1	12	18.70	18.54	18.56	5
		1	24	18.64	18.54	18.47	5
		12	0	18.86	18.65	18.44	5
		12	6	18.81	18.83	18.57	5
		12	13	18.73	18.64	18.54	5
		25	0	18.78	18.76	18.59	5

LTE Conducted Power (Full)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	24.12	24.06	24.05	0
		1	24	23.95	23.78	23.89	0
		1	49	23.68	23.66	23.66	0
		25	0	23.19	23.08	23.13	1
		25	12	23.15	22.97	23.06	1
		25	25	23.09	22.96	23.00	1
		50	0	23.07	22.96	23.03	1
10M	16QAM	1	0	23.32	23.23	23.32	1
		1	24	23.15	22.99	23.10	1
		1	49	22.96	22.89	22.91	1
		25	0	22.09	22.00	22.07	2
		25	12	22.11	21.93	22.00	2
		25	25	22.17	22.09	22.19	2
		50	0	22.09	21.96	22.06	2
10M	64QAM	1	0	22.35	22.19	22.30	2
		1	24	22.03	21.97	22.03	2
		1	49	21.92	21.87	21.89	2
		25	0	21.09	20.91	21.02	3
		25	12	21.08	20.92	20.94	3
		25	25	21.12	21.06	21.11	3
		50	0	21.08	20.94	20.95	3
10M	256QAM	1	0	19.00	18.93	18.92	5
		1	24	18.87	18.76	18.83	5
		1	49	18.73	18.64	18.65	5
		25	0	18.65	18.60	18.60	5
		25	12	18.57	18.48	18.59	5
		25	25	18.57	18.46	18.58	5
		50	0	18.51	18.45	18.49	5
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
Frequency (MHz)		701.5	707.5	713.5			
5M	QPSK	1	0	24.03	24.02	23.94	0
		1	12	23.77	23.74	23.90	0
		1	24	23.70	23.51	23.57	0
		12	0	23.02	22.96	22.98	1
		12	6	23.02	22.93	22.94	1
		12	13	22.87	22.84	23.05	1
		25	0	22.94	22.97	23.00	1
5M	16QAM	1	0	23.22	23.23	23.26	1
		1	12	23.05	22.98	23.10	1
		1	24	22.86	22.84	22.89	1
		12	0	22.07	21.95	22.03	2
		12	6	22.10	21.95	22.08	2
		12	13	22.23	21.98	22.16	2
		25	0	21.99	21.91	21.97	2
5M	64QAM	1	0	22.31	22.17	22.21	2
		1	12	21.92	21.88	22.04	2
		1	24	21.73	21.78	21.75	2
		12	0	20.92	20.83	20.84	3
		12	6	20.94	20.80	20.98	3
		12	13	21.01	20.96	21.12	3
		25	0	20.89	20.82	20.91	3
5M	256QAM	1	0	18.98	18.88	18.77	5
		1	12	18.69	18.64	18.71	5
		1	24	18.52	18.49	18.58	5
		12	0	18.62	18.51	18.52	5
		12	6	18.43	18.47	18.50	5
		12	13	18.51	18.39	18.50	5
		25	0	18.49	18.32	18.54	5

LTE Conducted Power (Full)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	24.08	24.04	24.01	0
		1	7	23.90	23.78	23.83	0
		1	14	23.58	23.54	23.63	0
		8	0	23.12	22.97	23.00	1
		8	3	23.09	22.93	22.97	1
		8	7	22.97	22.89	23.03	1
		15	0	22.99	22.93	22.94	1
3M	16QAM	1	0	23.29	23.20	23.24	1
		1	7	23.05	22.94	22.94	1
		1	14	22.82	22.72	22.92	1
		8	0	21.94	21.99	21.99	2
		8	3	22.00	21.86	22.03	2
		8	7	22.13	22.07	22.16	2
		15	0	22.07	21.99	21.92	2
3M	64QAM	1	0	22.21	22.12	22.24	2
		1	7	21.93	21.75	21.91	2
		1	14	21.94	21.76	21.83	2
		8	0	20.87	20.86	20.96	3
		8	3	20.92	20.91	20.95	3
		8	7	21.09	21.03	21.08	3
		15	0	20.99	20.74	20.93	3
3M	256QAM	1	0	18.82	18.88	18.93	5
		1	7	18.64	18.70	18.66	5
		1	14	18.53	18.49	18.57	5
		8	0	18.54	18.45	18.61	5
		8	3	18.62	18.53	18.49	5
		8	7	18.53	18.37	18.41	5
		15	0	18.40	18.46	18.40	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	24.10	23.98	23.88	0
		1	2	23.96	23.77	23.66	0
		1	5	23.56	23.58	23.68	0
		3	0	23.06	22.84	23.00	0
		3	1	23.03	23.02	22.78	0
		3	3	22.94	22.81	22.96	0
		6	0	22.95	22.83	22.88	1
1.4M	16QAM	1	0	23.28	23.15	23.31	1
		1	2	23.01	22.91	23.04	1
		1	5	22.88	22.76	22.78	1
		3	0	21.95	21.98	21.94	1
		3	1	22.02	21.84	21.92	1
		3	3	22.18	22.04	22.13	1
		6	0	21.91	21.91	21.95	2
1.4M	64QAM	1	0	22.25	22.02	22.13	2
		1	2	21.97	21.91	21.83	2
		1	5	21.86	21.72	21.71	2
		3	0	20.94	20.84	20.91	2
		3	1	21.07	20.91	20.97	2
		3	3	21.04	21.06	21.09	2
		6	0	21.01	20.88	20.91	3
1.4M	256QAM	1	0	19.12	19.03	19.14	5
		1	2	18.97	18.81	18.92	5
		1	5	18.72	18.66	18.66	5
		3	0	18.92	18.91	18.90	5
		3	1	19.02	18.84	18.94	5
		3	3	19.07	19.04	18.91	5
		6	0	18.84	18.79	18.93	5

LTE Conducted Power (Full)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset	Mid		3GPP MPR (dB)	
		Channel		23230			
		Frequency (MHz)		782			
10M	QPSK	1	0		23.64		0
		1	24		23.56		0
		1	49		23.46		0
		25	0		22.9		1
		25	12		22.72		1
		25	25		22.73		1
		50	0		22.75		1
10M	16QAM	1	0		23.41		1
		1	24		23.10		1
		1	49		23.30		1
		25	0		21.77		2
		25	12		21.58		2
		25	25		21.72		2
		50	0		21.74		2
10M	64QAM	1	0		22.43		2
		1	24		22.02		2
		1	49		22.29		2
		25	0		20.83		3
		25	12		20.50		3
		25	25		20.66		3
		50	0		20.66		3
10M	256QAM	1	0		18.97		5
		1	24		18.85		5
		1	49		18.69		5
		25	0		18.64		5
		25	12		18.53		5
		25	25		18.51		5
		50	0		18.46		5
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
Frequency (MHz)		779.5	782	784.5			
5M	QPSK	1	0	23.61	23.64	23.59	0
		1	12	23.47	23.55	23.49	0
		1	24	23.37	23.44	23.46	0
		12	0	22.85	22.89	22.82	1
		12	6	22.67	22.72	22.63	1
		12	13	22.65	22.63	22.65	1
		25	0	22.69	22.75	22.73	1
5M	16QAM	1	0	23.35	23.41	23.34	1
		1	12	23.10	23.09	23.08	1
		1	24	23.29	23.25	23.20	1
		12	0	21.73	21.76	21.69	2
		12	6	21.56	21.48	21.50	2
		12	13	21.68	21.67	21.62	2
		25	0	21.64	21.64	21.69	2
5M	64QAM	1	0	22.33	22.34	22.33	2
		1	12	22.01	22.02	21.94	2
		1	24	22.23	22.19	22.22	2
		12	0	20.73	20.82	20.79	3
		12	6	20.48	20.48	20.42	3
		12	13	20.66	20.57	20.56	3
		25	0	20.60	20.56	20.56	3
5M	256QAM	1	0	18.92	18.90	18.88	5
		1	12	18.77	18.84	18.78	5
		1	24	18.60	18.64	18.60	5
		12	0	18.62	18.64	18.64	5
		12	6	18.44	18.48	18.51	5
		12	13	18.43	18.41	18.50	5
		25	0	18.39	18.46	18.40	5

LTE Conducted Power (Full)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset	Channel		Mid	3GPP MPR (dB)
		Channel		23330			
		Frequency (MHz)		793			
10M	QPSK	1	0		23.78		0
		1	24		23.47		0
		1	49		23.39		0
		25	0		22.83		1
		25	12		22.81		1
		25	25		22.78		1
		50	0		22.75		1
10M	16QAM	1	0		22.95		1
		1	24		22.83		1
		1	49		22.78		1
		25	0		21.70		2
		25	12		21.87		2
		25	25		21.71		2
		50	0		21.67		2
10M	64QAM	1	0		21.88		2
		1	24		21.88		2
		1	49		21.78		2
		25	0		20.70		3
		25	12		20.84		3
		25	25		20.73		3
		50	0		20.56		3
10M	256QAM	1	0		19.05		5
		1	24		18.79		5
		1	49		18.69		5
		25	0		18.61		5
		25	12		18.62		5
		25	25		18.62		5
		50	0		18.58		5
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
Frequency (MHz)		790.5	793	795.5			
5M	QPSK	1	0	23.68	23.75	23.71	0
		1	12	23.47	23.39	23.44	0
		1	24	23.31	23.29	23.39	0
		12	0	22.73	22.79	22.74	1
		12	6	22.73	22.79	22.71	1
		12	13	22.71	22.71	22.78	1
		25	0	22.74	22.66	22.65	1
5M	16QAM	1	0	22.90	22.89	22.93	1
		1	12	22.73	22.81	22.73	1
		1	24	22.73	22.76	22.76	1
		12	0	21.65	21.67	21.66	2
		12	6	21.78	21.85	21.84	2
		12	13	21.65	21.71	21.67	2
		25	0	21.65	21.57	21.65	2
5M	64QAM	1	0	21.81	21.81	21.79	2
		1	12	21.88	21.79	21.80	2
		1	24	21.73	21.72	21.76	2
		12	0	20.68	20.61	20.67	3
		12	6	20.83	20.77	20.74	3
		12	13	20.73	20.66	20.73	3
		25	0	20.55	20.51	20.55	3
5M	256QAM	1	0	19.02	19.01	19.05	5
		1	12	18.78	18.78	18.76	5
		1	24	18.60	18.62	18.68	5
		12	0	18.56	18.53	18.55	5
		12	6	18.61	18.61	18.57	5
		12	13	18.56	18.53	18.56	5
		25	0	18.58	18.52	18.51	5

LTE Conducted Power (Full)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	23.96	23.81	23.90	0
		1	24	23.73	23.59	23.71	0
		1	49	23.50	23.38	23.56	0
		25	0	22.93	22.81	22.92	1
		25	12	22.89	22.72	22.83	1
		25	25	22.76	22.68	22.71	1
		50	0	22.86	22.65	22.83	1
10M	16QAM	1	0	23.30	23.17	23.27	1
		1	24	23.42	23.29	23.35	1
		1	49	23.40	23.26	23.32	1
		25	0	21.82	21.67	21.89	2
		25	12	21.84	21.66	21.84	2
		25	25	21.81	21.65	21.75	2
		50	0	21.78	21.65	21.81	2
10M	64QAM	1	0	22.31	22.15	22.28	2
		1	24	22.40	22.27	22.29	2
		1	49	22.33	22.26	22.32	2
		25	0	20.80	20.73	20.84	3
		25	12	20.78	20.62	20.77	3
		25	25	20.74	20.61	20.73	3
		50	0	20.76	20.62	20.73	3
10M	256QAM	1	0	18.96	18.90	18.94	5
		1	24	18.88	18.79	18.77	5
		1	49	18.65	18.65	18.68	5
		25	0	18.67	18.52	18.62	5
		25	12	18.65	18.53	18.63	5
		25	25	18.56	18.51	18.50	5
		50	0	18.55	18.48	18.49	5
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
Frequency (MHz)		706.5	710	713.5			
5M	QPSK	1	0	23.92	23.72	23.80	0
		1	12	23.66	23.52	23.67	0
		1	24	23.49	23.30	23.56	0
		12	0	22.88	22.79	22.88	1
		12	6	22.88	22.71	22.78	1
		12	13	22.75	22.63	22.61	1
		25	0	22.81	22.56	22.79	1
5M	16QAM	1	0	23.20	23.07	23.21	1
		1	12	23.32	23.26	23.25	1
		1	24	23.31	23.24	23.27	1
		12	0	21.76	21.57	21.82	2
		12	6	21.84	21.57	21.79	2
		12	13	21.81	21.65	21.68	2
		25	0	21.75	21.62	21.81	2
5M	64QAM	1	0	22.30	22.12	22.22	2
		1	12	22.32	22.27	22.23	2
		1	24	22.31	22.21	22.30	2
		12	0	20.73	20.72	20.75	3
		12	6	20.69	20.56	20.76	3
		12	13	20.66	20.54	20.69	3
		25	0	20.67	20.52	20.69	3
5M	256QAM	1	0	18.91	18.85	18.86	5
		1	12	18.88	18.72	18.73	5
		1	24	18.62	18.58	18.60	5
		12	0	18.61	18.47	18.52	5
		12	6	18.59	18.48	18.54	5
		12	13	18.52	18.47	18.45	5
		25	0	18.53	18.42	18.40	5

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	23.40	23.29	23.28	0
		1	50	23.35	23.32	23.29	0
		1	99	23.19	23.21	23.14	0
		50	0	22.56	22.49	22.50	1
		50	25	22.41	22.45	22.29	1
		50	50	22.36	22.39	22.25	1
		100	0	22.58	22.57	22.48	1
20M	16QAM	1	0	22.58	22.62	22.53	1
		1	50	22.39	22.38	22.31	1
		1	99	22.30	22.25	22.12	1
		50	0	21.41	21.44	21.37	2
		50	25	21.52	21.53	21.44	2
		50	50	21.32	21.35	21.28	2
		100	0	21.41	21.35	21.30	2
20M	64QAM	1	0	21.64	21.58	21.51	2
		1	50	21.42	21.39	21.26	2
		1	99	21.24	21.18	21.16	2
		50	0	20.45	20.39	20.34	3
		50	25	20.54	20.49	20.46	3
		50	50	20.38	20.29	20.26	3
		100	0	20.41	20.31	20.30	3
20M	256QAM	1	0	18.47	18.40	18.39	5
		1	50	18.31	18.30	18.19	5
		1	99	18.20	18.17	18.04	5
		50	0	18.14	18.07	18.00	5
		50	25	18.05	18.02	17.97	5
		50	50	18.01	17.96	17.93	5
		100	0	17.95	18.02	17.90	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
Frequency (MHz)		1857.5	1882.5	1907.5			
15M	QPSK	1	0	23.38	23.23	23.21	0
		1	37	23.28	23.29	23.22	0
		1	74	23.12	23.21	23.05	0
		36	0	22.51	22.47	22.41	1
		36	19	22.39	22.42	22.27	1
		36	39	22.31	22.34	22.24	1
		75	0	22.55	22.51	22.38	1
15M	16QAM	1	0	22.53	22.53	22.43	1
		1	37	22.39	22.38	22.22	1
		1	74	22.23	22.25	22.10	1
		36	0	21.33	21.34	21.37	2
		36	19	21.49	21.44	21.37	2
		36	39	21.27	21.29	21.19	2
		75	0	21.41	21.33	21.30	2
15M	64QAM	1	0	21.54	21.49	21.47	2
		1	37	21.42	21.34	21.24	2
		1	74	21.14	21.08	21.16	2
		36	0	20.43	20.35	20.25	3
		36	19	20.44	20.48	20.37	3
		36	39	20.37	20.28	20.26	3
		75	0	20.38	20.24	20.26	3
15M	256QAM	1	0	18.46	18.30	18.29	5
		1	37	18.30	18.24	18.11	5
		1	74	18.12	18.16	17.96	5
		36	0	18.09	18.01	17.91	5
		36	19	18.00	17.99	17.92	5
		36	39	17.96	17.96	17.90	5
		75	0	17.95	17.95	17.81	5

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	23.35	23.10	23.11	0
		1	24	23.20	23.16	23.15	0
		1	49	23.06	23.21	22.98	0
		25	0	22.42	22.33	22.26	1
		25	12	22.38	22.35	22.14	1
		25	25	22.24	22.24	22.10	1
		50	0	22.44	22.49	22.30	1
10M	16QAM	1	0	22.49	22.43	22.38	1
		1	24	22.28	22.21	22.26	1
		1	49	22.14	22.09	22.04	1
		25	0	21.21	21.29	21.19	2
		25	12	21.38	21.32	21.37	2
		25	25	21.22	21.17	21.20	2
		50	0	21.26	21.21	21.22	2
10M	64QAM	1	0	21.47	21.49	21.41	2
		1	24	21.25	21.21	21.07	2
		1	49	21.20	21.09	20.92	2
		25	0	20.25	20.21	20.16	3
		25	12	20.38	20.40	20.29	3
		25	25	20.21	20.21	20.23	3
		50	0	20.26	20.25	20.20	3
10M	256QAM	1	0	18.33	18.27	18.34	5
		1	24	18.25	18.23	17.97	5
		1	49	18.07	17.98	17.89	5
		25	0	18.00	18.02	17.91	5
		25	12	17.96	17.81	17.89	5
		25	25	17.86	17.80	17.83	5
		50	0	17.93	17.88	17.79	5
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	23.34	23.16	23.09	0
		1	12	23.16	23.15	23.03	0
		1	24	23.10	23.04	22.98	0
		12	0	22.46	22.38	22.39	1
		12	6	22.37	22.32	22.18	1
		12	13	22.26	22.24	22.07	1
		25	0	22.46	22.50	22.28	1
5M	16QAM	1	0	22.43	22.41	22.44	1
		1	12	22.30	22.16	22.20	1
		1	24	22.18	22.14	22.02	1
		12	0	21.18	21.32	21.22	2
		12	6	21.40	21.42	21.36	2
		12	13	21.25	21.25	21.11	2
		25	0	21.33	21.31	21.13	2
5M	64QAM	1	0	21.53	21.48	21.40	2
		1	12	21.26	21.16	21.19	2
		1	24	21.08	21.02	20.97	2
		12	0	20.36	20.27	20.21	3
		12	6	20.41	20.28	20.34	3
		12	13	20.21	20.04	20.18	3
		25	0	20.25	20.14	20.10	3
5M	256QAM	1	0	18.30	18.49	18.28	5
		1	12	18.24	18.03	18.15	5
		1	24	18.05	17.91	17.95	5
		12	0	18.20	18.25	18.09	5
		12	6	18.25	18.38	18.23	5
		12	13	18.24	17.96	17.99	5
		25	0	18.24	18.14	18.03	5

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	23.21	23.12	23.06	0
		1	7	23.18	23.25	23.18	0
		1	14	23.07	23.04	22.99	0
		8	0	22.39	22.33	22.40	1
		8	3	22.16	22.37	22.17	1
		8	7	22.30	22.23	22.04	1
		15	0	22.48	22.39	22.29	1
3M	16QAM	1	0	22.46	22.62	22.38	1
		1	7	22.24	22.31	22.15	1
		1	14	22.18	22.03	22.02	1
		8	0	21.28	21.33	21.23	2
		8	3	21.30	21.37	21.34	2
		8	7	21.28	21.19	21.08	2
		15	0	21.35	21.31	21.17	2
3M	64QAM	1	0	21.46	21.42	21.39	2
		1	7	21.40	21.19	21.18	2
		1	14	21.17	20.98	21.04	2
		8	0	20.29	20.22	20.18	3
		8	3	20.32	20.27	20.34	3
		8	7	20.23	20.24	20.17	3
		15	0	20.20	20.18	20.15	3
3M	256QAM	1	0	18.45	18.34	18.28	5
		1	7	18.19	18.13	17.99	5
		1	14	18.02	18.05	17.85	5
		8	0	17.98	18.07	17.88	5
		8	3	17.99	17.96	17.80	5
		8	7	17.91	17.76	17.82	5
		15	0	17.89	17.87	17.67	5
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	23.28	23.08	23.13	0
		1	2	23.18	23.13	23.26	0
		1	5	23.08	23.13	23.06	0
		3	0	22.39	22.34	22.29	0
		3	1	22.28	22.39	22.14	0
		3	3	22.20	22.21	22.11	0
		6	0	22.54	22.46	22.29	1
1.4M	16QAM	1	0	22.46	22.52	22.44	1
		1	2	22.21	22.25	22.13	1
		1	5	22.15	22.21	21.95	1
		3	0	21.31	21.31	21.14	1
		3	1	21.38	21.37	21.35	1
		3	3	21.21	21.18	21.19	1
		6	0	21.24	21.18	21.17	2
1.4M	64QAM	1	0	21.54	21.48	21.37	2
		1	2	21.33	21.24	21.20	2
		1	5	21.14	21.05	21.04	2
		3	0	20.27	20.30	20.26	2
		3	1	20.41	20.41	20.43	2
		3	3	20.28	20.12	20.10	2
		6	0	20.16	20.22	20.19	3
1.4M	256QAM	1	0	18.38	18.26	18.34	5
		1	2	18.23	18.23	18.14	5
		1	5	17.99	18.03	17.96	5
		3	0	18.06	17.84	17.83	5
		3	1	18.04	17.91	17.86	5
		3	3	17.93	17.94	17.79	5
		6	0	17.74	17.89	17.65	5

LTE Conducted Power (Full)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	23.55	23.45	22.95	0
		1	37	23.52	23.41	22.93	0
		1	74	23.48	23.36	22.84	0
		36	0	22.65	22.57	22.07	1
		36	19	22.63	22.47	22.05	1
		36	39	22.59	22.47	21.96	1
		75	0	22.63	22.58	22.09	1
15M	16QAM	1	0	22.72	22.58	22.15	1
		1	37	22.81	22.79	22.29	1
		1	74	22.88	22.80	22.25	1
		36	0	21.60	21.48	21.02	2
		36	19	21.58	21.50	20.99	2
		36	39	21.58	21.57	21.02	2
		75	0	21.71	21.63	21.10	2
15M	64QAM	1	0	21.71	21.67	21.13	2
		1	37	21.84	21.76	21.28	2
		1	74	21.89	21.83	21.34	2
		36	0	20.57	20.55	19.98	3
		36	19	20.51	20.51	19.98	3
		36	39	20.62	20.52	20.00	3
		75	0	20.75	20.58	20.10	3
15M	256QAM	1	0	19.03	18.94	18.45	5
		1	37	18.90	18.83	18.29	5
		1	74	18.75	18.63	18.18	5
		36	0	18.76	18.68	18.18	5
		36	19	18.65	18.59	18.06	5
		36	39	18.60	18.55	18.03	5
		75	0	18.55	18.52	18.00	5
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
Frequency (MHz)		819	831.5	844			
10M	QPSK	1	0	23.52	23.45	22.88	0
		1	24	23.43	23.34	22.92	0
		1	49	23.41	23.32	22.82	0
		25	0	22.58	22.50	21.97	1
		25	12	22.54	22.40	21.98	1
		25	25	22.53	22.45	21.92	1
		50	0	22.54	22.54	22.08	1
10M	16QAM	1	0	22.63	22.53	22.15	1
		1	24	22.72	22.73	22.22	1
		1	49	22.86	22.77	22.24	1
		25	0	21.59	21.47	21.02	2
		25	12	21.48	21.44	20.93	2
		25	25	21.51	21.48	20.94	2
		50	0	21.66	21.57	21.00	2
10M	64QAM	1	0	21.61	21.57	21.08	2
		1	24	21.76	21.67	21.20	2
		1	49	21.87	21.73	21.30	2
		25	0	20.50	20.45	19.94	3
		25	12	20.45	20.51	19.98	3
		25	25	20.52	20.50	19.96	3
		50	0	20.69	20.49	20.00	3
10M	256QAM	1	0	19.02	18.92	18.35	5
		1	24	18.82	18.75	18.28	5
		1	49	18.71	18.57	18.14	5
		25	0	18.76	18.66	18.11	5
		25	12	18.62	18.55	18.01	5
		25	25	18.54	18.51	18.02	5
		50	0	18.47	18.49	17.90	5

LTE Conducted Power (Full)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	23.49	23.37	22.77	0
		1	12	23.37	23.25	22.71	0
		1	24	23.32	23.28	22.62	0
		12	0	22.48	22.47	21.94	1
		12	6	22.54	22.35	21.93	1
		12	13	22.45	22.42	21.77	1
		25	0	22.58	22.51	21.92	1
5M	16QAM	1	0	22.61	22.49	22.09	1
		1	12	22.79	22.71	22.09	1
		1	24	22.73	22.69	22.13	1
		12	0	21.43	21.39	20.92	2
		12	6	21.53	21.39	20.93	2
		12	13	21.48	21.48	20.79	2
		25	0	21.66	21.59	20.90	2
5M	64QAM	1	0	21.54	21.57	21.03	2
		1	12	21.75	21.56	21.23	2
		1	24	21.64	21.74	21.16	2
		12	0	20.54	20.42	19.87	3
		12	6	20.30	20.31	19.95	3
		12	13	20.52	20.31	19.87	3
		25	0	20.62	20.50	19.96	3
5M	256QAM	1	0	18.92	18.76	18.34	5
		1	12	18.73	18.71	18.22	5
		1	24	18.57	18.46	18.10	5
		12	0	18.73	18.56	17.96	5
		12	6	18.52	18.52	17.92	5
		12	13	18.53	18.44	17.96	5
		25	0	18.39	18.33	17.79	5
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	23.32	23.38	22.72	0
		1	7	23.40	23.29	22.66	0
		1	14	23.43	23.19	22.63	0
		8	0	22.61	22.47	21.93	1
		8	3	22.53	22.32	21.80	1
		8	7	22.46	22.36	21.81	1
		15	0	22.47	22.50	21.75	1
3M	16QAM	1	0	22.72	22.36	22.09	1
		1	7	22.72	22.63	22.14	1
		1	14	22.70	22.74	22.08	1
		8	0	21.38	21.38	20.90	2
		8	3	21.37	21.33	20.86	2
		8	7	21.42	21.43	20.86	2
		15	0	21.61	21.52	20.88	2
3M	64QAM	1	0	21.67	21.55	20.90	2
		1	7	21.74	21.63	21.15	2
		1	14	21.74	21.71	21.17	2
		8	0	20.47	20.37	19.94	3
		8	3	20.39	20.39	19.90	3
		8	7	20.56	20.42	19.90	3
		15	0	20.61	20.44	20.00	3
3M	256QAM	1	0	18.49	18.58	17.87	5
		1	7	18.62	18.68	18.07	5
		1	14	18.80	18.48	18.06	5
		8	0	18.43	18.36	17.92	5
		8	3	18.25	18.32	17.84	5
		8	7	18.43	18.27	17.69	5
		15	0	18.52	18.28	17.97	5

LTE Conducted Power (Full)							
LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	23.38	23.27	22.84	0
		1	2	23.44	23.21	22.83	0
		1	5	23.44	23.14	22.63	0
		3	0	22.60	22.46	21.90	0
		3	1	22.52	22.30	21.96	0
		3	3	22.47	22.40	21.83	0
		6	0	22.49	22.57	22.02	1
1.4M	16QAM	1	0	22.60	22.40	22.01	1
		1	2	22.70	22.67	22.24	1
		1	5	22.73	22.64	22.20	1
		3	0	21.41	21.36	20.91	1
		3	1	21.56	21.26	20.79	1
		3	3	21.45	21.41	20.88	1
		6	0	21.57	21.54	20.91	2
1.4M	64QAM	1	0	21.62	21.50	20.98	2
		1	2	21.69	21.55	21.15	2
		1	5	21.67	21.68	21.27	2
		3	0	20.41	20.43	19.78	2
		3	1	20.46	20.40	19.74	2
		3	3	20.57	20.39	19.81	2
		6	0	20.64	20.45	20.06	3
1.4M	256QAM	1	0	18.90	18.90	18.34	5
		1	2	18.68	18.72	18.19	5
		1	5	18.60	18.53	18.00	5
		3	0	18.59	18.55	18.03	5
		3	1	18.51	18.49	17.83	5
		3	3	18.44	18.46	17.88	5
		6	0	18.39	18.35	17.90	5

LTE Conducted Power (Full)							
LTE Band 30							
BW	MCS Index	RB Size	RB Offset	Channel		Mid	3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		22.15		0
		1	24		22.08		0
		1	49		22.07		0
		25	0		21.28		1
		25	12		21.25		1
		25	25		21.23		1
		50	0		21.24		1
10M	16QAM	1	0		21.47		1
		1	24		21.69		1
		1	49		21.83		1
		25	0		20.03		2
		25	12		20.24		2
		25	25		20.18		2
		50	0		20.18		2
10M	64QAM	1	0		20.46		2
		1	24		20.65		2
		1	49		20.78		2
		25	0		19.02		3
		25	12		19.24		3
		25	25		19.15		3
		50	0		19.21		3
10M	256QAM	1	0		16.47		5
		1	24		16.28		5
		1	49		16.20		5
		25	0		16.07		5
		25	12		16.04		5
		25	25		16.07		5
		50	0		15.98		5
BW	MCS Index	Channel		27685	27710	27735	3GPP MPR
Frequency (MHz)			2307.5	2310	2312.5		
5M	QPSK	1	0	22.06	22.14	22.09	0
		1	12	22.03	21.98	21.99	0
		1	24	22.04	21.98	22.04	0
		12	0	21.20	21.28	21.26	1
		12	6	21.25	21.23	21.19	1
		12	13	21.13	21.17	21.14	1
		25	0	21.24	21.17	21.20	1
5M	16QAM	1	0	21.42	21.47	21.39	1
		1	12	21.69	21.65	21.60	1
		1	24	21.82	21.77	21.79	1
		12	0	20.00	20.01	19.96	2
		12	6	20.19	20.21	20.15	2
		12	13	20.13	20.08	20.18	2
		25	0	20.18	20.11	20.17	2
5M	64QAM	1	0	20.38	20.40	20.38	2
		1	12	20.60	20.59	20.65	2
		1	24	20.72	20.77	20.74	2
		12	0	18.96	18.96	18.99	3
		12	6	19.22	19.15	19.18	3
		12	13	19.07	19.13	19.15	3
		25	0	19.12	19.15	19.20	3
5M	256QAM	1	0	16.42	16.40	16.38	5
		1	12	16.24	16.21	16.28	5
		1	24	16.11	16.14	16.10	5
		12	0	15.97	16.07	15.98	5
		12	6	15.96	16.01	16.02	5
		12	13	16.07	16.02	16.02	5
		25	0	15.90	15.92	15.97	5

LTE Conducted Power (Full)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	23.84	23.93	23.77	0
		1	50	23.79	23.86	23.72	0
		1	99	23.74	23.83	23.60	0
		50	0	22.88	22.92	22.75	1
		50	25	22.78	22.89	22.74	1
		50	50	22.80	22.80	22.65	1
		100	0	22.78	22.89	22.70	1
20M	16QAM	1	0	22.89	22.96	22.74	1
		1	50	22.82	22.84	22.79	1
		1	99	22.86	22.89	22.76	1
		50	0	21.78	21.89	21.70	2
		50	25	21.79	21.81	21.73	2
		50	50	21.74	21.79	21.65	2
		100	0	21.84	21.84	21.77	2
20M	64QAM	1	0	21.85	21.93	21.79	2
		1	50	21.86	21.87	21.75	2
		1	99	21.78	21.92	21.77	2
		50	0	20.80	20.93	20.69	3
		50	25	20.78	20.87	20.70	3
		50	50	20.76	20.83	20.61	3
		100	0	20.77	20.90	20.67	3
20M	256QAM	1	0	18.66	18.71	18.55	5
		1	50	18.51	18.62	18.39	5
		1	99	18.32	18.43	18.23	5
		50	0	18.35	18.43	18.28	5
		50	25	18.33	18.35	18.25	5
		50	50	18.27	18.27	18.16	5
		100	0	18.18	18.31	18.10	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
Frequency (MHz)		2577.5	2595	2612.5			
15M	QPSK	1	0	23.76	23.88	23.70	0
		1	37	23.72	23.80	23.69	0
		1	74	23.67	23.79	23.53	0
		36	0	22.83	22.89	22.72	1
		36	19	22.76	22.80	22.67	1
		36	39	22.76	22.74	22.64	1
		75	0	22.75	22.81	22.61	1
15M	16QAM	1	0	22.79	22.86	22.74	1
		1	37	22.75	22.78	22.78	1
		1	74	22.80	22.84	22.69	1
		36	0	21.74	21.85	21.62	2
		36	19	21.74	21.76	21.70	2
		36	39	21.65	21.76	21.56	2
		75	0	21.81	21.83	21.77	2
15M	64QAM	1	0	21.75	21.92	21.76	2
		1	37	21.77	21.79	21.66	2
		1	74	21.78	21.89	21.75	2
		36	0	20.74	20.92	20.60	3
		36	19	20.73	20.83	20.60	3
		36	39	20.76	20.75	20.58	3
		75	0	20.74	20.84	20.62	3
15M	256QAM	1	0	18.61	18.65	18.50	5
		1	37	18.46	18.53	18.29	5
		1	74	18.23	18.35	18.22	5
		36	0	18.25	18.43	18.22	5
		36	19	18.25	18.34	18.16	5
		36	39	18.21	18.22	18.10	5
		75	0	18.10	18.28	18.00	5

LTE Conducted Power (Full)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	23.74	23.86	23.74	0
		1	24	23.77	23.77	23.71	0
		1	49	23.67	23.73	23.50	0
		25	0	22.84	22.92	22.71	1
		25	12	22.74	22.82	22.72	1
		25	25	22.71	22.76	22.58	1
		50	0	22.72	22.85	22.62	1
10M	16QAM	1	0	22.89	22.86	22.73	1
		1	24	22.76	22.75	22.69	1
		1	49	22.85	22.81	22.68	1
		25	0	21.73	21.81	21.70	2
		25	12	21.70	21.78	21.69	2
		25	25	21.67	21.72	21.61	2
		50	0	21.84	21.83	21.76	2
10M	64QAM	1	0	21.81	21.85	21.77	2
		1	24	21.78	21.81	21.65	2
		1	49	21.70	21.86	21.76	2
		25	0	20.77	20.85	20.61	3
		25	12	20.76	20.81	20.65	3
		25	25	20.71	20.82	20.58	3
		50	0	20.77	20.90	20.59	3
10M	256QAM	1	0	18.60	18.68	18.51	5
		1	24	18.45	18.52	18.36	5
		1	49	18.23	18.34	18.21	5
		25	0	18.27	18.35	18.28	5
		25	12	18.25	18.33	18.18	5
		25	25	18.20	18.22	18.08	5
		50	0	18.09	18.27	18.03	5
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	23.72	23.71	23.66	0
		1	12	23.63	23.68	23.58	0
		1	24	23.59	23.70	23.55	0
		12	0	22.67	22.83	22.69	1
		12	6	22.68	22.81	22.72	1
		12	13	22.70	22.72	22.58	1
		25	0	22.68	22.78	22.59	1
5M	16QAM	1	0	22.81	22.72	22.63	1
		1	12	22.81	22.64	22.68	1
		1	24	22.63	22.69	22.59	1
		12	0	21.73	21.81	21.64	2
		12	6	21.63	21.66	21.61	2
		12	13	21.58	21.76	21.49	2
		25	0	21.71	21.71	21.57	2
5M	64QAM	1	0	21.73	21.84	21.70	2
		1	12	21.62	21.79	21.57	2
		1	24	21.63	21.73	21.64	2
		12	0	20.62	20.73	20.57	3
		12	6	20.76	20.78	20.58	3
		12	13	20.62	20.75	20.45	3
		25	0	20.65	20.80	20.63	3
5M	256QAM	1	0	18.56	18.55	18.43	5
		1	12	18.33	18.51	18.30	5
		1	24	18.24	18.27	18.05	5
		12	0	18.26	18.32	18.23	5
		12	6	18.17	18.15	18.22	5
		12	13	18.23	18.09	18.09	5
		25	0	18.04	18.17	17.97	5

LTE Conducted Power (Full)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	23.57	23.73	23.60	23.70	23.59	0
		1	50	23.67	23.56	23.64	23.65	23.59	0
		1	99	23.56	23.40	23.46	23.55	23.44	0
		50	0	22.71	23.00	22.92	22.96	22.82	1
		50	25	22.90	22.79	22.87	22.91	22.81	1
		50	50	22.83	22.72	22.76	22.90	22.72	1
		100	0	22.78	22.93	22.83	22.91	22.79	1
20M	16QAM	1	0	22.64	22.51	22.68	22.67	22.61	1
		1	50	22.70	22.49	22.63	22.67	22.54	1
		1	99	22.57	22.44	22.52	22.51	22.42	1
		50	0	21.99	21.79	21.94	22.01	21.86	2
		50	25	21.92	21.79	21.81	21.96	21.81	2
		50	50	21.82	21.68	21.77	21.84	21.75	2
		100	0	21.87	21.79	21.89	21.97	21.79	2
20M	64QAM	1	0	21.66	21.59	21.64	21.71	21.55	2
		1	50	21.72	21.59	21.62	21.68	21.55	2
		1	99	21.53	21.40	21.49	21.56	21.41	2
		50	0	20.91	20.78	20.89	21.02	20.86	3
		50	25	20.85	20.72	20.84	20.91	20.76	3
		50	50	20.82	20.73	20.73	20.81	20.69	3
		100	0	20.90	20.81	20.82	20.92	20.82	3
20M	256QAM	1	0	18.73	18.57	18.60	18.72	18.55	5
		1	50	18.62	18.57	18.66	18.66	18.51	5
		1	99	18.57	18.46	18.52	18.51	18.44	5
		50	0	18.91	18.81	18.84	18.92	18.84	5
		50	25	18.84	18.75	18.84	18.90	18.75	5
		50	50	18.83	18.73	18.74	18.89	18.75	5
		100	0	18.89	18.77	18.88	18.97	18.77	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	23.66	23.50	23.50	23.60	23.56	0
		1	37	23.57	23.50	23.61	23.61	23.56	0
		1	74	23.48	23.32	23.46	23.51	23.39	0
		36	0	22.95	22.80	22.92	22.89	22.74	1
		36	19	22.80	22.71	22.79	22.89	22.78	1
		36	39	22.78	22.71	22.71	22.84	22.71	1
		75	0	22.88	22.76	22.78	22.85	22.78	1
15M	16QAM	1	0	22.64	22.52	22.60	22.69	22.49	1
		1	37	22.65	22.47	22.54	22.57	22.57	1
		1	74	22.53	22.36	22.42	22.49	22.40	1
		36	0	21.96	21.74	21.86	21.92	21.74	2
		36	19	21.83	21.75	21.79	21.91	21.72	2
		36	39	21.81	21.69	21.74	21.89	21.68	2
		75	0	21.86	21.78	21.77	21.90	21.76	2
15M	64QAM	1	0	21.63	21.51	21.57	21.64	21.50	2
		1	37	21.60	21.48	21.59	21.59	21.53	2
		1	74	21.55	21.32	21.37	21.45	21.44	2
		36	0	20.99	20.74	20.88	20.94	20.73	3
		36	19	20.87	20.73	20.79	20.86	20.73	3
		36	39	20.83	20.65	20.76	20.89	20.69	3
		75	0	20.84	20.78	20.83	20.85	20.70	3
15M	256QAM	1	0	18.61	18.41	18.68	18.64	18.53	5
		1	37	18.68	18.49	18.55	18.59	18.48	5
		1	74	18.55	18.42	18.46	18.46	18.33	5
		36	0	18.95	18.79	18.94	19.01	18.80	5
		36	19	18.92	18.72	18.71	18.93	18.76	5
		36	39	18.82	18.68	18.77	18.81	18.71	5
		75	0	18.82	18.76	18.88	18.91	18.74	5

LTE Conducted Power (Full)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	23.59	23.50	23.41	23.56	23.48	0
		1	24	23.61	23.50	23.55	23.55	23.40	0
		1	49	23.42	23.38	23.32	23.45	23.35	0
		25	0	22.91	22.77	22.81	22.86	22.73	1
		25	12	22.82	22.67	22.81	22.90	22.67	1
		25	25	22.70	22.58	22.60	22.85	22.65	1
10M	16QAM	50	0	22.79	22.73	22.79	22.73	22.70	1
		1	0	22.67	22.45	22.45	22.63	22.45	1
		1	24	22.56	22.51	22.51	22.45	22.39	1
		1	49	22.47	22.38	22.35	22.36	22.29	1
		25	0	22.00	21.73	21.74	21.85	21.73	2
		25	12	21.81	21.70	21.77	21.85	21.65	2
10M	64QAM	25	25	21.69	21.59	21.64	21.83	21.61	2
		50	0	21.86	21.76	21.73	21.76	21.67	2
		1	0	21.64	21.51	21.40	21.64	21.47	2
		1	24	21.61	21.52	21.50	21.47	21.43	2
		1	49	21.46	21.34	21.35	21.37	21.29	2
		25	0	20.95	20.79	20.72	20.80	20.72	3
10M	256QAM	25	12	20.82	20.72	20.76	20.90	20.62	3
		25	25	20.73	20.57	20.59	20.86	20.59	3
		50	0	20.87	20.69	20.80	20.72	20.69	3
		1	0	18.61	18.42	18.46	18.56	18.51	5
		1	24	18.65	18.42	18.46	18.58	18.45	5
		1	49	18.44	18.35	18.38	18.45	18.42	5
5M	QPSK	25	0	18.93	18.78	18.77	18.81	18.62	5
		25	12	18.72	18.66	18.77	18.84	18.63	5
		25	25	18.70	18.68	18.66	18.81	18.62	5
		50	0	18.76	18.74	18.71	18.77	18.73	5
		1	0	23.64	23.44	23.43	23.66	23.53	0
		1	12	23.59	23.41	23.52	23.62	23.46	0
		1	24	23.55	23.37	23.32	23.38	23.29	0
		12	0	22.98	22.76	22.86	22.93	22.78	1
		12	6	22.82	22.61	22.86	22.88	22.77	1
		12	13	22.77	22.66	22.62	22.80	22.63	1
5M	16QAM	25	0	22.88	22.73	22.77	22.82	22.72	1
		1	0	22.56	22.49	22.45	22.57	22.47	1
		1	12	22.60	22.37	22.52	22.58	22.51	1
		1	24	22.53	22.31	22.39	22.40	22.24	1
		12	0	21.92	21.68	21.91	21.94	21.78	2
		12	6	21.80	21.68	21.84	21.88	21.74	2
		12	13	21.77	21.68	21.67	21.75	21.63	2
5M	64QAM	25	0	21.81	21.74	21.75	21.82	21.75	2
		1	0	21.65	21.47	21.44	21.66	21.56	2
		1	12	21.59	21.38	21.48	21.53	21.49	2
		1	24	21.56	21.32	21.39	21.35	21.30	2
		12	0	20.89	20.74	20.87	20.90	20.75	3
		12	6	20.83	20.60	20.86	20.82	20.81	3
5M	256QAM	12	13	20.75	20.68	20.63	20.80	20.59	3
		25	0	20.89	20.68	20.75	20.80	20.78	3
		1	0	18.58	18.51	18.40	18.51	18.46	5
		1	12	18.53	18.35	18.38	18.50	18.37	5
		1	24	18.39	18.21	18.27	18.32	18.22	5
		12	0	18.85	18.57	18.78	18.83	18.77	5
5M	256QAM	12	6	18.75	18.62	18.78	18.77	18.67	5
		12	13	18.70	18.56	18.57	18.70	18.63	5
		25	0	18.84	18.66	18.63	18.84	18.71	5
		25	0	18.84	18.66	18.63	18.84	18.71	5

LTE Conducted Power (Full)									
LTE Band 41 Power Class 2 (HPUE)									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	26.88	26.95	26.70	26.73	26.23	0
		1	50	26.89	26.78	26.72	26.69	26.19	0
		1	99	26.85	26.75	26.61	26.68	26.16	0
		50	0	25.89	25.95	25.76	25.90	25.32	1
		50	25	25.92	25.85	25.72	25.87	25.21	1
		50	50	25.90	25.73	25.70	25.63	25.22	1
		100	0	25.78	25.88	25.63	25.85	25.26	1
20M	16QAM	1	0	25.92	25.84	25.75	25.77	25.27	1
		1	50	25.84	25.86	25.68	25.70	25.23	1
		1	99	25.80	25.74	25.67	25.73	25.18	1
		50	0	24.94	24.81	24.77	24.81	24.26	2
		50	25	24.86	24.87	24.76	24.74	24.25	2
		50	50	24.78	24.79	24.66	24.73	24.14	2
		100	0	24.82	24.80	24.69	24.70	24.25	2
20M	64QAM	1	0	24.89	24.90	24.74	24.81	24.29	2
		1	50	24.82	24.80	24.65	24.73	24.24	2
		1	99	24.85	24.81	24.62	24.70	24.22	2
		50	0	23.94	23.85	23.78	23.74	23.26	3
		50	25	23.88	23.85	23.75	23.71	23.30	3
		50	50	23.88	23.79	23.63	23.63	23.16	3
		100	0	23.90	23.83	23.67	23.76	23.17	3
20M	256QAM	1	0	21.97	21.90	21.79	21.82	21.32	5
		1	50	21.88	21.81	21.68	21.69	21.22	5
		1	99	21.85	21.78	21.64	21.67	21.16	5
		50	0	21.96	21.87	21.72	21.72	21.31	5
		50	25	21.86	21.81	21.59	21.63	21.13	5
		50	50	21.83	21.77	21.57	21.58	21.07	5
		100	0	21.77	21.72	21.66	21.64	21.10	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	26.85	26.82	26.67	26.67	26.14	0
		1	37	26.83	26.77	26.69	26.59	26.14	0
		1	74	26.81	26.66	26.59	26.63	26.06	0
		36	0	25.87	25.89	25.70	25.81	25.25	1
		36	19	25.92	25.83	25.63	25.73	25.20	1
		36	39	25.87	25.71	25.63	25.61	25.20	1
		75	0	25.81	25.70	25.55	25.69	25.18	1
15M	16QAM	1	0	25.86	25.83	25.68	25.67	25.16	1
		1	37	25.82	25.75	25.70	25.60	25.17	1
		1	74	25.85	25.66	25.59	25.62	25.11	1
		36	0	24.92	24.82	24.74	24.81	24.22	2
		36	19	24.83	24.83	24.72	24.73	24.20	2
		36	39	24.82	24.68	24.66	24.63	24.15	2
		75	0	24.82	24.73	24.63	24.70	24.20	2
15M	64QAM	1	0	24.90	24.83	24.67	24.72	24.21	2
		1	37	24.85	24.78	24.67	24.65	24.13	2
		1	74	24.81	24.73	24.58	24.60	24.07	2
		36	0	23.90	23.89	23.73	23.80	23.30	3
		36	19	23.92	23.78	23.66	23.73	23.13	3
		36	39	23.89	23.67	23.62	23.53	23.13	3
		75	0	23.83	23.71	23.60	23.69	23.17	3
15M	256QAM	1	0	21.91	21.78	21.67	21.74	21.25	5
		1	37	21.79	21.86	21.59	21.70	21.13	5
		1	74	21.76	21.67	21.67	21.63	21.08	5
		36	0	21.88	21.77	21.68	21.81	21.26	5
		36	19	21.80	21.83	21.73	21.70	21.19	5
		36	39	21.77	21.72	21.66	21.64	21.10	5
		75	0	21.79	21.80	21.69	21.70	21.19	5

LTE Conducted Power (Full)									
LTE Band 41 Power Class 2 (HPUE)									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	26.91	26.86	26.56	26.60	26.04	0
		1	24	26.78	26.64	26.61	26.55	26.12	0
		1	49	26.71	26.63	26.51	26.62	26.10	0
		25	0	25.94	25.77	25.65	25.66	25.21	1
		25	12	25.80	25.75	25.70	25.63	25.19	1
		25	25	25.80	25.58	25.65	25.57	25.11	1
10M	16QAM	50	0	25.81	25.71	25.56	25.62	25.15	1
		1	0	25.94	25.79	25.62	25.69	25.13	1
		1	24	25.81	25.71	25.62	25.55	25.06	1
		1	49	25.71	25.73	25.51	25.59	25.04	1
		25	0	24.89	24.74	24.67	24.69	24.25	2
		25	12	24.81	24.75	24.69	24.55	24.15	2
10M	64QAM	25	25	24.74	24.63	24.62	24.58	24.07	2
		50	0	24.78	24.69	24.48	24.59	24.11	2
		1	0	24.89	24.78	24.55	24.69	24.12	2
		1	24	24.73	24.64	24.61	24.64	24.06	2
		1	49	24.74	24.70	24.49	24.56	24.09	2
		25	0	23.89	23.71	23.72	23.72	23.23	3
10M	256QAM	25	12	23.72	23.76	23.67	23.55	23.19	3
		25	25	23.78	23.67	23.62	23.60	23.06	3
		50	0	23.82	23.69	23.47	23.60	23.12	3
		1	0	21.76	21.79	21.63	21.62	21.08	5
		1	24	21.79	21.74	21.70	21.59	21.08	5
		1	49	21.70	21.65	21.49	21.59	21.02	5
5M	QPSK	25	0	21.83	21.79	21.68	21.65	21.26	5
		25	12	21.78	21.74	21.62	21.69	21.13	5
		25	25	21.85	21.72	21.57	21.47	21.08	5
		50	0	21.80	21.68	21.54	21.57	21.22	5
		1	0	26.83	26.78	26.65	26.61	26.12	0
		1	12	26.75	26.68	26.67	26.59	26.05	0
5M	16QAM	1	24	26.75	26.66	26.46	26.49	25.98	0
		12	0	25.90	25.82	25.65	25.72	25.15	1
		12	6	25.84	25.77	25.64	25.64	25.10	1
		12	13	25.82	25.61	25.68	25.59	25.15	1
		25	0	25.75	25.66	25.48	25.65	25.16	1
		1	0	25.81	25.77	25.58	25.60	25.09	1
5M	64QAM	1	12	25.74	25.64	25.72	25.60	25.02	1
		1	24	25.74	25.64	25.44	25.55	25.00	1
		12	0	24.93	24.77	24.67	24.67	24.18	2
		12	6	24.79	24.78	24.60	24.64	24.01	2
		12	13	24.81	24.56	24.59	24.58	24.11	2
		25	0	24.79	24.61	24.49	24.61	24.15	2
5M	256QAM	1	0	24.82	24.78	24.58	24.56	24.05	2
		1	12	24.72	24.58	24.66	24.57	24.11	2
		1	24	24.72	24.61	24.51	24.56	24.02	2
		12	0	23.86	23.83	23.66	23.68	23.21	3
		12	6	23.84	23.74	23.66	23.61	23.05	3
		12	13	23.77	23.61	23.67	23.52	23.18	3
5M	QPSK	25	0	23.78	23.61	23.49	23.60	23.15	3
		1	0	21.80	21.78	21.59	21.64	21.10	5
		1	12	21.72	21.58	21.55	21.54	21.02	5
		1	24	21.66	21.57	21.39	21.51	20.96	5
		12	0	21.78	21.74	21.67	21.66	21.20	5
		12	6	21.76	21.73	21.57	21.62	21.00	5
5M	16QAM	12	13	21.73	21.50	21.54	21.48	21.20	5
		25	0	21.78	21.50	21.38	21.58	21.12	5

LTE Conducted Power (Full)							
LTE Band 42							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		43190	43340	43490	
		Frequency (MHz)		3560	3575	3590	
20M	QPSK	1	0	23.50	23.70	23.78	0
		1	50	23.38	23.55	23.63	0
		1	99	23.33	23.50	23.57	0
		50	0	22.77	22.97	22.99	1
		50	25	22.72	22.96	22.98	1
		50	50	22.66	22.82	22.82	1
		100	0	22.60	22.88	22.91	1
20M	16QAM	1	0	22.80	22.97	22.97	1
		1	50	22.83	22.99	22.96	1
		1	99	22.79	22.95	22.96	1
		50	0	21.73	21.91	21.97	2
		50	25	21.69	21.90	21.95	2
		50	50	21.72	21.95	21.99	2
		100	0	21.74	21.96	21.97	2
20M	64QAM	1	0	21.83	21.99	21.97	2
		1	50	21.76	21.97	21.97	2
		1	99	21.77	21.99	21.97	2
		50	0	20.84	20.96	20.96	3
		50	25	20.75	21.00	20.99	3
		50	50	20.68	20.92	20.95	3
		100	0	20.81	20.97	20.97	3
20M	256QAM	1	0	17.50	17.68	17.67	5
		1	50	17.33	17.45	17.54	5
		1	99	17.21	17.34	17.42	5
		50	0	17.14	17.34	17.40	5
		50	25	17.13	17.27	17.35	5
		50	50	17.08	17.20	17.32	5
		100	0	17.00	17.18	17.21	5
BW	MCS Index	Channel		43165	43340	43515	3GPP MPR
Frequency (MHz)		3557.5	3575	3592.5			
15M	QPSK	1	0	23.40	23.64	23.68	0
		1	37	23.36	23.55	23.56	0
		1	74	23.33	23.40	23.56	0
		36	0	22.69	22.89	22.96	1
		36	19	22.63	22.87	22.98	1
		36	39	22.60	22.73	22.78	1
		75	0	22.60	22.86	22.84	1
15M	16QAM	1	0	22.72	22.95	22.96	1
		1	37	22.77	22.95	22.97	1
		1	74	22.71	22.88	22.97	1
		36	0	21.73	21.89	21.91	2
		36	19	21.61	21.84	21.95	2
		36	39	21.70	21.88	21.89	2
		75	0	21.66	21.95	21.96	2
15M	64QAM	1	0	21.78	21.97	21.97	2
		1	37	21.67	21.96	21.96	2
		1	74	21.72	21.90	21.99	2
		36	0	20.82	20.89	20.96	3
		36	19	20.74	20.94	20.91	3
		36	39	20.58	20.84	20.98	3
		75	0	20.76	20.93	20.98	3
15M	256QAM	1	0	17.49	17.59	17.67	5
		1	37	17.31	17.38	17.49	5
		1	74	17.12	17.28	17.37	5
		36	0	17.09	17.29	17.40	5
		36	19	17.13	17.25	17.26	5
		36	39	17.07	17.17	17.31	5
		75	0	17.00	17.18	17.11	5

LTE Conducted Power (Full)							
LTE Band 42							
BW	MCS Index	Channel		43140	43340	43540	3GPP MPR
		Frequency (MHz)		3555	3575	3595	
10M	QPSK	1	0	23.35	23.49	23.68	0
		1	24	23.16	23.45	23.47	0
		1	49	23.26	23.41	23.42	0
		25	0	22.73	22.79	22.85	1
		25	12	22.62	22.84	22.83	1
		25	25	22.50	22.67	22.71	1
		50	0	22.54	22.75	22.87	1
10M	16QAM	1	0	22.67	22.91	22.99	1
		1	24	22.62	22.89	22.87	1
		1	49	22.63	22.93	22.89	1
		25	0	21.59	21.75	21.77	2
		25	12	21.62	21.75	21.78	2
		25	25	21.71	21.86	21.80	2
		50	0	21.57	21.80	21.91	2
10M	64QAM	1	0	21.76	21.93	21.95	2
		1	24	21.68	21.90	21.96	2
		1	49	21.70	21.84	21.91	2
		25	0	20.73	20.80	20.97	3
		25	12	20.64	20.96	20.93	3
		25	25	20.53	20.82	20.93	3
		50	0	20.71	20.83	20.99	3
10M	256QAM	1	0	17.36	17.52	17.42	5
		1	24	17.27	17.38	17.51	5
		1	49	17.03	17.31	17.31	5
		25	0	16.98	17.34	17.34	5
		25	12	16.94	17.14	17.17	5
		25	25	17.07	17.12	17.22	5
		50	0	16.82	17.07	17.07	5
BW	MCS Index	Channel		43115	43340	43565	3GPP MPR
		Frequency (MHz)		3552.5	3575	3597.5	
5M	QPSK	1	0	23.43	23.51	23.60	0
		1	12	23.17	23.41	23.42	0
		1	24	23.21	23.39	23.41	0
		12	0	22.59	22.85	22.83	1
		12	6	22.67	22.92	22.74	1
		12	13	22.63	22.67	22.72	1
		25	0	22.39	22.81	22.72	1
5M	16QAM	1	0	22.74	22.86	22.96	1
		1	12	22.68	22.93	22.96	1
		1	24	22.69	22.80	22.97	1
		12	0	21.62	21.72	21.82	2
		12	6	21.61	21.79	21.89	2
		12	13	21.68	21.75	21.81	2
		25	0	21.54	21.80	21.87	2
5M	64QAM	1	0	21.74	21.80	21.98	2
		1	12	21.62	21.90	21.96	2
		1	24	21.69	21.83	21.93	2
		12	0	20.71	20.83	20.90	3
		12	6	20.66	20.88	20.83	3
		12	13	20.55	20.80	20.99	3
		25	0	20.69	20.84	20.87	3
5M	256QAM	1	0	18.59	18.68	18.87	5
		1	12	18.55	18.89	18.93	5
		1	24	18.61	18.84	18.83	5
		12	0	18.51	18.74	18.91	5
		12	6	18.58	18.78	18.75	5
		12	13	18.46	18.65	18.91	5
		25	0	18.54	18.80	18.91	5

LTE Conducted Power (Full)								
LTE Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	20.75	20.63	20.37	20.27	0
		1	50	20.60	20.51	20.28	20.13	0
		1	99	20.62	20.51	20.26	20.14	0
		50	0	20.09	19.92	19.77	19.58	1
		50	25	20.05	19.89	19.67	19.58	1
		50	50	20.04	19.90	19.72	19.50	1
		100	0	19.98	19.89	19.65	19.56	1
20M	16QAM	1	0	19.68	19.61	19.33	19.20	1
		1	50	19.68	19.49	19.28	19.20	1
		1	99	19.62	19.53	19.24	19.20	1
		50	0	19.02	18.90	18.74	18.57	2
		50	25	18.96	18.89	18.65	18.54	2
		50	50	19.04	18.92	18.70	18.59	2
		100	0	18.98	18.91	18.64	18.56	2
20M	64QAM	1	0	18.70	18.64	18.34	18.28	2
		1	50	18.68	18.52	18.33	18.14	2
		1	99	18.63	18.49	18.31	18.19	2
		50	0	18.08	17.94	17.70	17.56	3
		50	25	18.01	17.89	17.69	17.52	3
		50	50	17.99	17.84	17.72	17.53	3
		100	0	17.97	17.92	17.72	17.61	3
20M	256QAM	1	0	15.99	15.98	15.76	15.61	5
		1	50	15.91	15.79	15.59	15.38	5
		1	99	16.02	15.92	15.65	15.56	5
		50	0	15.94	15.77	15.55	15.48	5
		50	25	15.79	15.73	15.51	15.34	5
		50	50	15.88	15.75	15.61	15.45	5
		100	0	15.89	15.72	15.57	15.38	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	20.73	20.57	20.29	20.22	0
		1	37	20.51	20.44	20.22	20.11	0
		1	74	20.57	20.44	20.25	20.14	0
		36	0	20.06	19.85	19.75	19.53	1
		36	19	20.00	19.82	19.58	19.48	1
		36	39	19.96	19.89	19.66	19.40	1
		75	0	19.93	19.81	19.58	19.46	1
15M	16QAM	1	0	19.71	19.60	19.33	19.19	1
		1	37	19.55	19.48	19.22	19.06	1
		1	74	19.62	19.47	19.17	19.04	1
		36	0	19.06	18.88	18.73	18.55	2
		36	19	18.96	18.88	18.59	18.52	2
		36	39	18.96	18.90	18.66	18.48	2
		75	0	18.97	18.83	18.61	18.55	2
15M	64QAM	1	0	18.69	18.62	18.31	18.20	2
		1	37	18.54	18.50	18.24	18.09	2
		1	74	18.61	18.43	18.24	18.12	2
		36	0	18.05	17.86	17.73	17.50	3
		36	19	18.02	17.80	17.65	17.56	3
		36	39	18.04	17.84	17.67	17.47	3
		75	0	17.94	17.87	17.61	17.50	3
15M	256QAM	1	0	15.58	15.56	15.25	15.13	5
		1	37	15.62	15.40	15.21	15.12	5
		1	74	15.58	15.45	15.18	15.14	5
		36	0	15.97	15.85	15.68	15.52	5
		36	19	15.91	15.88	15.64	15.48	5
		36	39	16.00	15.86	15.67	15.50	5
		75	0	15.95	15.89	15.59	15.46	5

LTE Conducted Power (Full)								
LTE Band 48								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	20.65	20.53	20.27	20.13	0
		1	24	20.44	20.44	20.25	20.03	0
		1	49	20.48	20.47	20.12	20.02	0
		25	0	19.97	19.81	19.60	19.44	1
		25	12	19.95	19.82	19.65	19.47	1
		25	25	19.93	19.86	19.61	19.45	1
		50	0	19.93	19.78	19.62	19.46	1
10M	16QAM	1	0	19.70	19.47	19.25	19.14	1
		1	24	19.51	19.42	19.19	18.99	1
		1	49	19.51	19.48	19.15	19.03	1
		25	0	19.00	18.89	18.61	18.44	2
		25	12	18.90	18.83	18.63	18.43	2
		25	25	18.91	18.81	18.55	18.46	2
		50	0	18.87	18.83	18.57	18.43	2
10M	64QAM	1	0	18.71	18.55	18.30	18.18	2
		1	24	18.51	18.43	18.22	18.04	2
		1	49	18.51	18.48	18.12	18.02	2
		25	0	17.96	17.83	17.62	17.46	3
		25	12	17.96	17.81	17.60	17.48	3
		25	25	17.94	17.83	17.55	17.42	3
		50	0	17.93	17.76	17.61	17.43	3
10M	256QAM	1	0	15.64	15.49	15.26	15.23	5
		1	24	15.47	15.37	15.17	15.06	5
		1	49	15.59	15.42	15.18	15.00	5
		25	0	15.90	15.84	15.65	15.52	5
		25	12	16.02	15.79	15.49	15.54	5
		25	25	15.88	15.79	15.65	15.42	5
		50	0	15.91	15.75	15.61	15.46	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	20.62	20.44	20.26	20.24	0
		1	12	20.54	20.35	20.18	20.06	0
		1	24	20.59	20.43	20.17	20.12	0
		12	0	19.93	19.80	19.68	19.53	1
		12	6	19.93	19.81	19.54	19.43	1
		12	13	19.89	19.82	19.71	19.32	1
		25	0	19.89	19.75	19.51	19.43	1
5M	16QAM	1	0	19.65	19.45	19.35	19.15	1
		1	12	19.48	19.36	19.13	19.05	1
		1	24	19.56	19.43	19.14	19.13	1
		12	0	18.99	18.85	18.68	18.54	2
		12	6	19.02	18.85	18.52	18.43	2
		12	13	18.89	18.75	18.71	18.39	2
		25	0	18.86	18.80	18.54	18.43	2
5M	64QAM	1	0	18.70	18.49	18.30	18.16	2
		1	12	18.50	18.35	18.18	17.97	2
		1	24	18.60	18.42	18.16	18.11	2
		12	0	17.92	17.77	17.74	17.50	3
		12	6	17.94	17.82	17.54	17.48	3
		12	13	17.90	17.75	17.71	17.40	3
		25	0	17.85	17.77	17.51	17.50	3
5M	256QAM	1	0	15.64	15.53	15.25	15.23	5
		1	12	15.43	15.33	15.15	14.99	5
		1	24	15.55	15.41	15.16	15.03	5
		12	0	15.88	15.73	15.69	15.46	5
		12	6	16.00	15.76	15.49	15.38	5
		12	13	15.83	15.74	15.62	15.35	5
		25	0	15.88	15.70	15.46	15.44	5

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	23.32	23.58	23.37	0
		1	50	23.40	23.54	23.44	0
		1	99	23.31	23.56	23.37	0
		50	0	22.54	22.78	22.54	1
		50	25	22.45	22.71	22.47	1
		50	50	22.39	22.70	22.47	1
		100	0	22.46	22.67	22.43	1
20M	16QAM	1	0	22.74	22.99	22.78	1
		1	50	22.49	22.75	22.60	1
		1	99	22.72	22.93	22.66	1
		50	0	21.36	21.61	21.34	2
		50	25	21.54	21.74	21.52	2
		50	50	21.45	21.66	21.42	2
		100	0	21.47	21.74	21.51	2
20M	64QAM	1	0	21.83	22.03	21.84	2
		1	50	21.49	21.73	21.51	2
		1	99	21.66	21.93	21.66	2
		50	0	20.38	20.56	20.42	3
		50	25	20.50	20.71	20.57	3
		50	50	20.45	20.64	20.40	3
		100	0	20.45	20.71	20.52	3
20M	256QAM	1	0	18.26	18.51	18.24	5
		1	50	18.08	18.32	18.15	5
		1	99	18.00	18.21	17.98	5
		50	0	17.91	18.16	17.95	5
		50	25	17.92	18.14	17.88	5
		50	50	17.83	18.04	17.89	5
		100	0	17.84	18.08	17.88	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	23.27	23.48	23.29	0
		1	37	23.40	23.44	23.34	0
		1	74	23.24	23.47	23.31	0
		36	0	22.52	22.70	22.46	1
		36	19	22.43	22.65	22.42	1
		36	39	22.31	22.69	22.46	1
		75	0	22.44	22.59	22.37	1
15M	16QAM	1	0	22.65	22.95	22.75	1
		1	37	22.40	22.69	22.51	1
		1	74	22.70	22.88	22.57	1
		36	0	21.29	21.59	21.25	2
		36	19	21.53	21.66	21.48	2
		36	39	21.40	21.66	21.40	2
		75	0	21.47	21.65	21.48	2
15M	64QAM	1	0	21.74	22.01	21.81	2
		1	37	21.46	21.73	21.42	2
		1	74	21.64	21.86	21.64	2
		36	0	20.37	20.54	20.35	3
		36	19	20.47	20.66	20.50	3
		36	39	20.45	20.62	20.36	3
		75	0	20.35	20.67	20.43	3
15M	256QAM	1	0	18.26	18.41	18.20	5
		1	37	18.00	18.32	18.13	5
		1	74	17.90	18.21	17.95	5
		36	0	17.87	18.14	17.87	5
		36	19	17.91	18.10	17.82	5
		36	39	17.76	17.96	17.86	5
		75	0	17.79	18.02	17.85	5

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	23.19	23.49	23.16	0
		1	24	23.26	23.36	23.36	0
		1	49	23.21	23.45	23.24	0
		25	0	22.42	22.67	22.53	1
		25	12	22.23	22.56	22.37	1
		25	25	22.26	22.45	22.45	1
		50	0	22.42	22.57	22.27	1
10M	16QAM	1	0	22.64	22.86	22.72	1
		1	24	22.41	22.69	22.53	1
		1	49	22.58	22.78	22.60	1
		25	0	21.28	21.43	21.24	2
		25	12	21.53	21.53	21.42	2
		25	25	21.26	21.65	21.32	2
		50	0	21.40	21.65	21.36	2
10M	64QAM	1	0	21.79	22.00	21.67	2
		1	24	21.38	21.60	21.32	2
		1	49	21.50	21.91	21.49	2
		25	0	20.18	20.35	20.36	3
		25	12	20.26	20.63	20.47	3
		25	25	20.32	20.54	20.24	3
		50	0	20.23	20.62	20.39	3
10M	256QAM	1	0	18.08	18.33	18.11	5
		1	24	17.91	18.12	18.09	5
		1	49	17.82	17.97	17.86	5
		25	0	17.71	18.02	17.90	5
		25	12	17.84	17.99	17.77	5
		25	25	17.69	17.94	17.86	5
		50	0	17.70	17.96	17.73	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	23.20	23.48	23.18	0
		1	12	23.27	23.43	23.27	0
		1	24	23.21	23.46	23.10	0
		12	0	22.43	22.64	22.38	1
		12	6	22.21	22.61	22.32	1
		12	13	22.23	22.61	22.15	1
		25	0	22.27	22.50	22.25	1
5M	16QAM	1	0	22.68	22.86	22.68	1
		1	12	22.40	22.63	22.38	1
		1	24	22.52	22.72	22.53	1
		12	0	21.32	21.44	21.26	2
		12	6	21.42	21.57	21.49	2
		12	13	21.31	21.54	21.26	2
		25	0	21.33	21.61	21.44	2
5M	64QAM	1	0	21.72	21.94	21.71	2
		1	12	21.36	21.63	21.44	2
		1	24	21.46	21.86	21.56	2
		12	0	20.19	20.37	20.35	3
		12	6	20.29	20.53	20.40	3
		12	13	20.29	20.51	20.20	3
		25	0	20.29	20.68	20.34	3
5M	256QAM	1	0	18.73	18.81	18.61	5
		1	12	18.25	18.60	18.26	5
		1	24	18.41	18.78	18.48	5
		12	0	18.16	18.40	18.20	5
		12	6	18.31	18.50	18.41	5
		12	13	18.32	18.58	18.27	5
		25	0	18.34	18.61	18.29	5

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	23.23	23.38	23.21	0
		1	7	23.28	23.46	23.29	0
		1	14	23.26	23.46	23.18	0
		8	0	22.40	22.61	22.39	1
		8	3	22.31	22.55	22.43	1
		8	7	22.26	22.52	22.37	1
		15	0	22.44	22.49	22.33	1
3M	16QAM	1	0	22.69	22.84	22.60	1
		1	7	22.42	22.64	22.36	1
		1	14	22.62	22.76	22.65	1
		8	0	21.34	21.46	21.17	2
		8	3	21.40	21.50	21.43	2
		8	7	21.22	21.59	21.29	2
		15	0	21.37	21.61	21.33	2
3M	64QAM	1	0	21.68	21.90	21.76	2
		1	7	21.41	21.55	21.33	2
		1	14	21.60	21.80	21.46	2
		8	0	20.28	20.49	20.23	3
		8	3	20.33	20.62	20.43	3
		8	7	20.36	20.52	20.36	3
		15	0	20.23	20.59	20.41	3
3M	256QAM	1	0	18.18	18.46	18.11	5
		1	7	17.89	18.26	17.98	5
		1	14	17.84	18.08	17.81	5
		8	0	17.86	18.01	17.80	5
		8	3	17.76	18.05	17.76	5
		8	7	17.64	17.85	17.74	5
		15	0	17.75	18.04	17.64	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	23.16	23.35	23.23	0
		1	2	23.29	23.35	23.27	0
		1	5	23.22	23.37	23.23	0
		3	0	22.52	22.59	22.36	0
		3	1	22.33	22.59	22.38	0
		3	3	22.25	22.57	22.46	0
		6	0	22.27	22.46	22.36	1
1.4M	16QAM	1	0	22.61	22.93	22.60	1
		1	2	22.26	22.61	22.56	1
		1	5	22.49	22.82	22.45	1
		3	0	21.19	21.41	21.25	1
		3	1	21.51	21.52	21.38	1
		3	3	21.30	21.64	21.24	1
		6	0	21.34	21.65	21.34	2
1.4M	64QAM	1	0	21.75	21.84	21.66	2
		1	2	21.27	21.65	21.49	2
		1	5	21.49	21.84	21.58	2
		3	0	20.36	20.48	20.33	2
		3	1	20.40	20.63	20.36	2
		3	3	20.32	20.56	20.24	2
		6	0	20.32	20.54	20.41	3
1.4M	256QAM	1	0	18.08	18.40	18.06	5
		1	2	17.97	18.15	18.07	5
		1	5	17.80	18.07	17.91	5
		3	0	17.68	17.97	17.83	5
		3	1	17.87	18.03	17.74	5
		3	3	17.78	17.95	17.67	5
		6	0	17.74	17.98	17.78	5

NR Conducted Power (Full)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	22.56	22.50	22.43	0
		1	53	22.79	22.73	22.66	0
		1	104	22.61	22.55	22.48	0
		50	0	22.25	22.19	22.12	0.5
		50	25	22.89	22.83	22.76	0
		50	53	22.42	22.36	22.29	0.5
		100	0	22.33	22.27	22.20	0.5
20M	DFT-S QPSK	1	1	22.89	22.81	22.65	0
		1	53	22.74	22.80	22.61	0
		1	104	22.31	22.42	22.32	0
		50	0	21.53	21.80	21.75	1
		50	25	22.31	22.46	22.22	0
		50	53	21.45	21.79	21.66	1
		100	0	22.13	21.90	21.74	1
20M	DFT-S 16QAM	1	1	22.12	22.00	22.23	1
20M	DFT-S 64QAM	1	1	20.45	20.62	20.61	2.5
20M	DFT-S 256QAM	1	1	18.66	18.67	18.54	4.5
20M	CP QPSK	1	1	20.93	20.95	20.94	1.5
20M	CP 16QAM	1	1	20.14	20.12	20.19	2
20M	CP 64QAM	1	1	19.50	19.32	19.47	3.5
20M	CP 256QAM	1	1	16.35	16.27	16.48	6.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	22.53	22.47	22.40	0
		1	40	22.76	22.70	22.63	0
		1	77	22.58	22.52	22.45	0
		36	0	22.22	22.16	22.09	0.5
		36	18	22.86	22.80	22.73	0
		36	40	22.39	22.33	22.26	0.5
		75	0	22.30	22.24	22.17	0.5
15M	DFT-S QPSK	1	1	22.85	22.78	22.62	0
		1	40	22.71	22.77	22.58	0
		1	77	22.28	22.39	22.29	0
		36	0	22.50	21.77	21.72	1
		36	18	22.28	22.43	22.19	0
		36	40	21.42	21.76	21.63	1
		75	0	22.10	21.87	21.71	1
15M	DFT-S 16QAM	1	1	22.09	21.97	22.20	1
15M	DFT-S 64QAM	1	1	20.42	20.59	20.58	2.5
15M	DFT-S 256QAM	1	1	18.63	18.64	18.51	4.5
15M	CP QPSK	1	1	20.90	20.92	20.91	1.5
15M	CP 16QAM	1	1	20.11	20.09	20.16	2
15M	CP 64QAM	1	1	19.47	19.29	19.44	3.5
15M	CP 256QAM	1	1	16.32	16.24	16.45	6.5

NR Conducted Power (Full)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	22.49	22.43	22.36	0
		1	26	22.72	22.66	22.59	0
		1	50	22.54	22.48	22.41	0
		25	0	22.18	22.12	22.05	0.5
		25	12	22.82	22.76	22.69	0
		25	26	22.35	22.29	22.22	0.5
		50	0	22.26	22.20	22.13	0.5
10M	DFT-S QPSK	1	1	22.81	22.74	22.58	0
		1	26	22.67	22.73	22.54	0
		1	50	22.24	22.35	22.25	0
		25	0	22.46	21.73	21.68	1
		25	12	22.24	22.39	22.15	0
		25	26	21.38	21.72	21.59	1
		50	0	22.06	21.83	21.67	1
10M	DFT-S 16QAM	1	1	22.05	21.93	22.16	1
10M	DFT-S 64QAM	1	1	20.38	20.55	20.54	2.5
10M	DFT-S 256QAM	1	1	18.59	18.60	18.47	4.5
10M	CP QPSK	1	1	20.86	20.88	20.87	1.5
10M	CP 16QAM	1	1	20.07	20.05	20.12	2
10M	CP 64QAM	1	1	19.43	19.25	19.40	3.5
10M	CP 256QAM	1	1	16.28	16.20	16.41	6.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	22.45	22.39	22.32	0
		1	13	22.68	22.62	22.55	0
		1	23	22.50	22.44	22.37	0
		12	0	22.14	22.08	22.01	0.5
		12	6	22.78	22.72	22.65	0
		12	13	22.31	22.25	22.18	0.5
		25	0	22.22	22.16	22.09	0.5
5M	DFT-S QPSK	1	1	22.77	22.70	22.54	0
		1	13	22.63	22.69	22.50	0
		1	23	22.20	22.31	22.21	0
		12	0	22.42	21.69	21.64	1
		12	6	22.20	22.35	22.11	0
		12	13	21.34	21.68	21.55	1
		25	0	22.02	21.79	21.63	1
5M	DFT-S 16QAM	1	1	22.01	21.89	22.12	1
5M	DFT-S 64QAM	1	1	20.34	20.51	20.50	2.5
5M	DFT-S 256QAM	1	1	18.55	18.56	18.43	4.5
5M	CP QPSK	1	1	20.82	20.84	20.83	1.5
5M	CP 16QAM	1	1	20.03	20.01	20.08	2
5M	CP 64QAM	1	1	19.39	19.21	19.36	3.5
5M	CP 256QAM	1	1	16.24	16.16	16.37	6.5

NR Conducted Power (Full)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	22.55	22.70	22.44	0
		1	53	22.29	22.44	22.18	0
		1	104	22.05	22.11	22.14	0
		50	0	22.39	22.54	22.28	0.5
		50	25	22.47	22.62	22.36	0
		50	53	22.09	22.24	21.98	0.5
		100	0	22.16	22.31	22.05	0.5
20M	DFT-S QPSK	1	1	22.22	22.73	22.65	0
		1	53	22.15	22.21	22.11	0
		1	104	22.30	22.10	22.23	0
		50	0	21.76	21.78	21.70	1
		50	25	22.41	22.32	22.19	0
		50	53	21.33	21.50	21.44	1
		100	0	21.55	21.60	21.52	1
20M	DFT-S 16QAM	1	1	21.70	21.75	21.67	1
20M	DFT-S 64QAM	1	1	20.51	20.56	20.41	2.5
20M	DFT-S 256QAM	1	1	18.54	18.61	18.66	4.5
20M	CP QPSK	1	1	20.92	20.82	20.91	1.5
20M	CP 16QAM	1	1	20.45	20.44	20.32	2
20M	CP 64QAM	1	1	19.35	19.48	19.44	3.5
20M	CP 256QAM	1	1	16.21	16.22	16.11	6.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	22.51	22.66	22.40	0
		1	40	22.25	22.40	22.14	0
		1	77	22.15	22.07	22.13	0
		36	0	22.35	22.50	22.24	0.5
		36	18	22.43	22.58	22.32	0
		36	40	22.05	22.20	21.94	0.5
		75	0	22.12	22.27	22.01	0.5
15M	DFT-S QPSK	1	1	22.18	22.69	22.61	0
		1	40	22.11	22.17	22.07	0
		1	77	22.26	22.06	22.19	0
		36	0	21.72	21.74	21.66	1
		36	18	22.37	22.28	22.15	0
		36	40	21.29	21.46	21.40	1
		75	0	21.51	21.56	21.48	1
15M	DFT-S 16QAM	1	1	21.66	21.71	21.63	1
15M	DFT-S 64QAM	1	1	20.47	20.52	20.37	2.5
15M	DFT-S 256QAM	1	1	18.50	18.57	18.62	4.5
15M	CP QPSK	1	1	20.88	20.78	20.87	1.5
15M	CP 16QAM	1	1	20.41	20.40	20.28	2
15M	CP 64QAM	1	1	19.31	19.44	19.40	3.5
15M	CP 256QAM	1	1	16.17	16.18	16.07	6.5

NR Conducted Power (Full)							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	22.48	22.63	22.37	0
		1	26	22.22	22.37	22.11	0
		1	50	22.10	22.04	22.09	0
		25	0	22.32	22.47	22.21	0.5
		25	12	22.40	22.55	22.29	0
		25	26	22.02	22.17	21.91	0.5
		50	0	22.09	22.24	21.98	0.5
10M	DFT-S QPSK	1	1	22.15	22.66	22.58	0
		1	26	22.08	22.14	22.04	0
		1	50	22.23	22.03	22.16	0
		25	0	21.69	21.71	21.63	1
		25	12	22.34	22.25	22.12	0
		25	26	21.26	21.43	21.37	1
		50	0	21.48	21.53	21.45	1
10M	DFT-S 16QAM	1	1	21.63	21.68	21.60	1
10M	DFT-S 64QAM	1	1	20.44	20.49	20.34	2.5
10M	DFT-S 256QAM	1	1	18.47	18.54	18.59	4.5
10M	CP QPSK	1	1	20.85	20.75	20.84	1.5
10M	CP 16QAM	1	1	20.38	20.37	20.25	2
10M	CP 64QAM	1	1	19.28	19.41	19.37	3.5
10M	CP 256QAM	1	1	16.14	16.15	16.04	6.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	22.44	22.59	22.33	0
		1	13	22.18	22.33	22.07	0
		1	23	22.09	22.08	22.22	0
		12	0	22.28	22.43	22.17	0.5
		12	6	22.36	22.51	22.25	0
		12	13	21.98	22.13	21.87	0.5
		25	0	22.05	22.20	21.94	0.5
5M	DFT-S QPSK	1	1	22.11	22.62	22.54	0
		1	13	22.04	22.10	22.14	0
		1	23	22.19	22.20	22.12	0
		12	0	21.65	21.67	21.59	1
		12	6	22.30	22.21	22.08	0
		12	13	21.22	21.39	21.33	1
		25	0	21.44	21.49	21.41	1
5M	DFT-S 16QAM	1	1	21.59	21.64	21.56	1
5M	DFT-S 64QAM	1	1	20.40	20.45	20.30	2.5
5M	DFT-S 256QAM	1	1	18.43	18.50	18.55	4.5
5M	CP QPSK	1	1	20.81	20.71	20.80	1.5
5M	CP 16QAM	1	1	20.34	20.33	20.21	2
5M	CP 64QAM	1	1	19.24	19.37	19.33	3.5
5M	CP 256QAM	1	1	16.10	16.11	16.00	6.5

NR Conducted Power (Full)							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	23.11	23.08	23.04	0
		1	53	23.17	23.14	23.10	0
		1	104	23.26	23.23	23.19	0
		50	0	22.98	22.95	22.91	0.5
		50	25	23.22	23.29	23.25	0
		50	53	23.25	23.22	23.18	0.5
		100	0	23.10	23.07	23.03	0.5
20M	DFT-S QPSK	1	1	23.12	23.22	23.32	0
		1	53	22.98	22.88	22.78	0
		1	104	22.45	22.55	22.51	0
		50	0	22.85	22.25	22.27	1
		50	25	23.11	23.12	23.22	0
		50	53	22.54	22.62	22.74	1
		100	0	22.90	22.48	21.37	1
20M	DFT-S 16QAM	1	1	21.24	21.26	21.30	1
20M	DFT-S 64QAM	1	1	21.10	21.19	21.14	2.5
20M	DFT-S 256QAM	1	1	19.33	19.36	19.25	4.5
20M	CP QPSK	1	1	21.10	21.14	21.11	1.5
20M	CP 16QAM	1	1	20.54	20.66	20.56	2
20M	CP 64QAM	1	1	19.55	19.67	19.44	3.5
20M	CP 256QAM	1	1	16.66	16.49	16.55	6.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	23.07	23.04	23.00	0
		1	40	23.13	23.10	23.06	0
		1	77	23.22	23.19	23.15	0
		36	0	22.94	22.91	22.87	0.5
		36	18	23.28	23.25	23.21	0
		36	40	23.21	23.18	23.14	0.5
		75	0	23.06	23.03	22.99	0.5
15M	DFT-S QPSK	1	1	23.08	23.18	23.28	0
		1	40	22.94	22.84	22.74	0
		1	77	22.41	22.51	22.47	0
		36	0	22.81	22.21	22.23	1
		36	18	23.07	23.08	23.18	0
		36	40	22.50	22.58	22.70	1
		75	0	22.86	22.44	21.33	1
15M	DFT-S 16QAM	1	1	21.20	21.22	21.26	1
15M	DFT-S 64QAM	1	1	21.06	21.15	21.10	2.5
15M	DFT-S 256QAM	1	1	19.29	19.32	19.21	4.5
15M	CP QPSK	1	1	21.06	21.10	21.07	1.5
15M	CP 16QAM	1	1	20.50	20.62	20.52	2
15M	CP 64QAM	1	1	19.51	19.63	19.40	3.5
15M	CP 256QAM	1	1	16.62	16.45	16.51	6.5

NR Conducted Power (Full)							
NR Band 7							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	23.03	23.00	22.96	0
		1	26	23.09	23.06	23.02	0
		1	50	23.18	23.15	23.11	0
		25	0	22.90	22.87	22.83	0.5
		25	12	23.24	23.21	23.17	0
		25	26	23.17	23.14	23.10	0.5
		50	0	23.02	22.99	22.95	0.5
10M	DFT-S QPSK	1	1	23.04	23.14	23.24	0
		1	26	22.90	22.80	22.70	0
		1	50	22.37	22.47	22.43	0
		25	0	22.77	22.17	22.19	1
		25	12	23.03	23.04	23.14	0
		25	26	22.46	22.54	22.66	1
		50	0	22.82	22.40	21.29	1
10M	DFT-S 16QAM	1	1	21.16	21.18	21.22	1
10M	DFT-S 64QAM	1	1	21.02	21.11	21.06	2.5
10M	DFT-S 256QAM	1	1	19.25	19.28	19.17	4.5
10M	CP QPSK	1	1	21.02	21.06	21.03	1.5
10M	CP 16QAM	1	1	20.46	20.58	20.48	2
10M	CP 64QAM	1	1	19.47	19.59	19.36	3.5
10M	CP 256QAM	1	1	16.58	16.41	16.47	6.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	22.99	22.96	22.92	0
		1	13	23.05	23.02	22.98	0
		1	23	23.14	23.11	23.07	0
		12	0	22.86	22.83	22.79	0.5
		12	6	23.20	23.17	23.13	0
		12	13	23.13	23.10	23.06	0.5
		25	0	22.98	22.95	22.91	0.5
5M	DFT-S QPSK	1	1	23.00	23.10	23.20	0
		1	13	22.86	22.76	22.66	0
		1	23	22.33	22.43	22.39	0
		12	0	22.73	22.13	22.15	1
		12	6	22.99	23.00	23.10	0
		12	13	22.42	22.50	22.62	1
		25	0	22.78	22.36	21.25	1
5M	DFT-S 16QAM	1	1	21.12	21.14	21.18	1
5M	DFT-S 64QAM	1	1	20.98	21.07	21.02	2.5
5M	DFT-S 256QAM	1	1	19.21	19.24	19.13	4.5
5M	CP QPSK	1	1	20.98	21.02	20.99	1.5
5M	CP 16QAM	1	1	20.42	20.54	20.44	2
5M	CP 64QAM	1	1	19.43	19.55	19.32	3.5
5M	CP 256QAM	1	1	16.54	16.37	16.43	6.5

NR Conducted Power (Full)							
NR Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		141300	141500	141700	
		Frequency (MHz)		706.5	707.5	708.5	
15M	DFT-S PI/2 BPSK	1	1	22.51	22.69	22.31	0
		1	40	22.56	22.74	22.36	0
		1	77	22.23	22.41	22.03	0
		36	0	22.25	22.43	22.05	0.5
		36	18	22.47	22.65	22.27	0
		36	40	22.37	22.55	22.17	0.5
		75	0	22.17	22.35	21.97	0.5
15M	DFT-S QPSK	1	1	22.63	22.85	22.56	0
		1	40	22.45	22.60	22.35	0
		1	77	22.32	22.45	22.56	0
		36	0	21.70	21.75	21.66	1
		36	18	22.44	22.54	22.64	0
		36	40	22.34	22.18	22.23	1
		75	0	21.88	21.90	21.82	1
15M	DFT-S 16QAM	1	1	21.69	21.75	21.61	1
15M	DFT-S 64QAM	1	1	20.69	20.71	20.78	2.5
15M	DFT-S 256QAM	1	1	18.88	18.95	18.96	4.5
15M	CP QPSK	1	1	21.22	21.36	21.44	1.5
15M	CP 16QAM	1	1	20.12	20.41	20.36	2
15M	CP 64QAM	1	1	19.22	19.32	19.39	3.5
15M	CP 256QAM	1	1	17.19	17.11	17.05	6.5
BW	MCS Index	Channel		140800	141500	142200	3GPP MPR
		Frequency (MHz)		704	707.5	711	
10M	DFT-S PI/2 BPSK	1	1	22.47	22.65	22.27	0
		1	26	22.52	22.70	22.32	0
		1	50	22.19	22.37	22.25	0
		25	0	22.21	22.39	22.01	0.5
		25	12	22.43	22.61	22.23	0
		25	26	22.33	22.51	22.13	0.5
		50	0	22.13	22.31	21.93	0.5
10M	DFT-S QPSK	1	1	22.59	22.81	22.52	0
		1	26	22.41	22.56	22.31	0
		1	50	22.28	22.41	22.52	0
		25	0	21.66	21.71	21.62	1
		25	12	22.40	22.50	22.60	0
		25	26	22.30	22.14	22.19	1
		50	0	21.84	21.86	21.78	1
10M	DFT-S 16QAM	1	1	21.65	21.71	21.57	1
10M	DFT-S 64QAM	1	1	20.65	20.67	20.74	2.5
10M	DFT-S 256QAM	1	1	18.84	18.91	18.92	4.5
10M	CP QPSK	1	1	21.18	21.32	21.40	1.5
10M	CP 16QAM	1	1	20.08	20.37	20.32	2
10M	CP 64QAM	1	1	19.18	19.28	19.35	3.5
10M	CP 256QAM	1	1	17.15	17.07	17.01	6.5

NR Conducted Power (Full)							
NR Band 12							
BW	MCS Index	Channel		140300	141500	142700	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	DFT-S PI/2 BPSK	1	1	22.44	22.62	22.24	0
		1	13	22.49	22.67	22.29	0
		1	23	22.16	22.34	22.29	0
		12	0	22.18	22.36	21.98	0.5
		12	6	22.40	22.58	22.20	0
		12	13	22.30	22.48	22.10	0.5
		25	0	22.10	22.28	21.90	0.5
5M	DFT-S QPSK	1	1	22.56	22.78	22.49	0
		1	13	22.38	22.53	22.28	0
		1	23	22.25	22.38	22.49	0
		12	0	21.63	21.68	21.59	1
		12	6	22.37	22.47	22.57	0
		12	13	22.27	22.11	22.16	1
		25	0	21.81	21.83	21.75	1
5M	DFT-S 16QAM	1	1	21.62	21.68	21.54	1
5M	DFT-S 64QAM	1	1	20.62	20.64	20.71	2.5
5M	DFT-S 256QAM	1	1	18.81	18.88	18.89	4.5
5M	CP QPSK	1	1	21.15	21.29	21.37	1.5
5M	CP 16QAM	1	1	20.05	20.34	20.29	2
5M	CP 64QAM	1	1	19.15	19.25	19.32	3.5
5M	CP 256QAM	1	1	17.12	17.04	16.98	6.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523299	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.495	2640	
100M	DFT-S PI/2 BPSK	1	1	23.77	23.87	23.74	23.68	23.60	0
		1	137	23.78	23.89	23.88	23.00	22.86	0
		1	271	23.87	23.76	23.66	23.60	22.52	0
		135	0	23.33	23.44	23.50	23.44	22.36	0.5
		135	67	23.88	23.78	23.57	23.89	22.81	0
		135	136	23.40	23.44	23.50	23.44	22.36	0.5
		270	0	23.33	23.36	23.48	23.42	22.34	0.5
100M	DFT-S QPSK	1	1	23.61	23.53	23.91	23.15	23.03	0
		1	137	23.85	23.83	23.70	23.64	23.56	0
		1	271	23.60	23.52	23.39	23.33	23.25	0
		135	0	23.00	22.98	22.96	22.87	22.79	1
		135	67	23.69	23.77	23.84	23.78	23.70	0
		135	136	22.88	22.93	22.95	22.89	22.81	1
		270	0	23.00	23.00	22.98	22.90	22.81	1
100M	DFT-S 16QAM	1	1	22.88	22.84	22.95	22.90	22.82	1
100M	DFT-S 64QAM	1	1	21.32	21.22	21.44	21.35	21.40	2.5
100M	DFT-S 256QAM	1	1	19.22	19.30	19.48	19.32	19.44	4.5
100M	CP QPSK	1	1	22.11	22.13	22.00	21.95	21.93	1.5
100M	CP 16QAM	1	1	21.90	21.88	21.82	21.92	21.96	2
100M	CP 64QAM	1	1	20.41	20.44	20.48	20.42	20.33	3.5
100M	CP 256QAM	1	1	17.44	17.32	17.44	17.41	17.32	6.5
BW	MCS Index	Channel		508200	513399	518598	523797	528996	3GPP MPR
		Frequency (MHz)		2541	2566.995	2592.99	2618.985	2644.98	
90M	DFT-S PI/2 BPSK	1	1	23.77	23.85	23.72	23.66	23.58	0
		1	123	23.78	23.87	23.77	23.65	22.84	0
		1	243	23.85	23.74	23.64	23.58	22.50	0
		120	0	23.31	23.42	23.48	23.42	22.34	0.5
		120	60	23.86	23.76	23.69	23.87	22.79	0
		120	122	23.38	23.42	23.48	23.42	22.34	0.5
		240	0	23.31	23.34	23.46	23.40	22.32	0.5
90M	DFT-S QPSK	1	1	23.59	23.51	23.28	23.13	23.01	0
		1	123	23.89	23.81	23.68	23.62	23.54	0
		1	243	23.58	23.50	23.37	23.31	23.23	0
		120	0	22.98	22.96	22.94	22.85	22.77	1
		120	60	23.67	23.88	23.82	23.76	23.68	0
		120	122	22.86	22.91	22.93	22.87	22.79	1
		240	0	22.98	22.98	22.96	22.88	22.79	1
90M	DFT-S 16QAM	1	1	22.86	22.82	22.93	22.88	22.80	1
90M	DFT-S 64QAM	1	1	21.30	21.20	21.42	21.33	21.38	2.5
90M	DFT-S 256QAM	1	1	19.20	19.28	19.46	19.30	19.42	4.5
90M	CP QPSK	1	1	22.09	22.11	21.98	21.93	21.91	1.5
90M	CP 16QAM	1	1	21.88	21.86	21.80	21.90	21.94	2
90M	CP 64QAM	1	1	20.39	20.42	20.46	20.40	20.31	3.5
90M	CP 256QAM	1	1	17.42	17.30	17.42	17.39	17.30	6.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		507204	512901	518598	524295	529998	3GPP MPR
		Frequency (MHz)		2536.02	2564.505	2592.99	2621.475	2649.99	
80M	DFT-S PI/2 BPSK	1	1	23.89	23.81	23.68	23.62	23.54	0
		1	109	23.87	23.83	23.87	23.88	22.80	0
		1	215	23.81	23.70	23.60	23.54	22.46	0
		108	0	23.27	23.38	23.44	23.38	22.30	0.5
		108	54	23.82	23.72	23.89	23.83	22.75	0
		108	108	23.34	23.38	23.44	23.38	22.30	0.5
		216	0	23.27	23.30	23.42	23.36	22.28	0.5
80M	DFT-S QPSK	1	1	23.55	23.47	23.24	23.09	22.97	0
		1	109	23.85	23.77	23.64	23.58	23.50	0
		1	215	23.54	23.46	23.33	23.27	23.19	0
		108	0	22.94	22.92	22.90	22.81	22.73	1
		108	54	23.63	23.69	23.78	23.72	23.64	0
		108	108	22.82	22.77	22.89	22.83	22.75	1
		216	0	22.94	22.94	22.92	22.84	22.75	1
80M	DFT-S 16QAM	1	1	22.82	22.78	22.89	22.84	22.76	1
80M	DFT-S 64QAM	1	1	21.26	21.16	21.38	21.29	21.34	2.5
80M	DFT-S 256QAM	1	1	19.16	19.24	19.42	19.26	19.38	4.5
80M	CP QPSK	1	1	22.05	22.07	21.94	21.89	21.87	1.5
80M	CP 16QAM	1	1	21.84	21.82	21.76	21.86	21.90	2
80M	CP 64QAM	1	1	20.35	20.38	20.42	20.36	20.27	3.5
80M	CP 256QAM	1	1	17.38	17.26	17.38	17.35	17.26	6.5
BW	MCS Index	Channel		505200	511899	518598	525297	531996	3GPP MPR
		Frequency (MHz)		2526	2559.495	2592.99	2626.485	2659.98	
60M	DFT-S PI/2 BPSK	1	1	23.87	23.79	23.66	23.60	23.52	0
		1	81	23.85	23.81	23.74	23.86	22.78	0
		1	160	23.79	23.68	23.58	23.52	22.44	0
		81	0	23.25	23.36	23.42	23.36	22.28	0.5
		81	40	23.80	23.70	23.87	23.81	22.73	0
		81	81	23.32	23.36	23.42	23.36	22.28	0.5
		162	0	23.25	23.28	23.40	23.34	22.26	0.5
60M	DFT-S QPSK	1	1	23.53	23.45	23.22	23.07	22.95	0
		1	81	23.83	23.75	23.62	23.56	23.48	0
		1	160	23.52	23.44	23.31	23.25	23.17	0
		81	0	22.92	22.90	22.88	22.79	22.71	1
		81	40	23.61	23.89	23.76	23.70	23.62	0
		81	81	22.80	22.85	22.87	22.81	22.73	1
		162	0	22.92	22.92	22.90	22.82	22.73	1
60M	DFT-S 16QAM	1	1	22.80	22.76	22.87	22.82	22.74	1
60M	DFT-S 64QAM	1	1	21.24	21.14	21.36	21.27	21.32	2.5
60M	DFT-S 256QAM	1	1	19.14	19.22	19.40	19.24	19.36	4.5
60M	CP QPSK	1	1	22.03	22.05	21.92	21.87	21.85	1.5
60M	CP 16QAM	1	1	21.82	21.80	21.74	21.84	21.88	2
60M	CP 64QAM	1	1	20.33	20.36	20.40	20.34	20.25	3.5
60M	CP 256QAM	1	1	17.36	17.24	17.36	17.33	17.24	6.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		504204	511401	518598	525795	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.005	2592.99	2628.975	2664.99	
50M	DFT-S PI/2 BPSK	1	1	23.84	23.76	23.63	23.57	23.49	0
		1	67	23.82	23.78	23.89	23.83	22.75	0
		1	131	23.76	23.65	23.55	23.49	22.41	0
		64	0	23.22	23.33	23.39	23.33	22.25	0.5
		64	32	23.77	23.67	23.84	23.78	22.70	0
		64	66	23.29	23.33	23.39	23.33	22.25	0.5
		128	0	23.22	23.25	23.37	23.31	22.23	0.5
50M	DFT-S QPSK	1	1	23.50	23.42	23.19	23.04	22.92	0
		1	67	23.80	23.72	23.59	23.53	23.45	0
		1	131	23.49	23.41	23.28	23.22	23.14	0
		64	0	22.89	22.87	22.85	22.76	22.68	1
		64	32	23.58	23.86	23.73	23.67	23.59	0
		64	66	22.77	22.82	22.84	22.78	22.70	1
		128	0	22.89	22.89	22.87	22.79	22.70	1
50M	DFT-S 16QAM	1	1	22.77	22.73	22.84	22.79	22.71	1
50M	DFT-S 64QAM	1	1	21.21	21.11	21.33	21.24	21.29	2.5
50M	DFT-S 256QAM	1	1	19.11	19.19	19.37	19.21	19.33	4.5
50M	CP QPSK	1	1	22.00	22.02	21.89	21.84	21.82	1.5
50M	CP 16QAM	1	1	21.79	21.77	21.71	21.81	21.85	2
50M	CP 64QAM	1	1	20.30	20.33	20.37	20.31	20.22	3.5
50M	CP 256QAM	1	1	17.33	17.21	17.33	17.30	17.21	6.5
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	23.82	23.74	23.61	23.55	23.47	0
		1	53	23.80	23.76	23.87	23.81	22.73	0
		1	104	23.74	23.63	23.53	23.47	22.39	0
		50	0	23.20	23.31	23.37	23.31	22.23	0.5
		50	25	23.75	23.65	23.82	23.76	22.68	0
		50	53	23.27	23.31	23.37	23.31	22.23	0.5
		100	0	23.20	23.23	23.35	23.29	22.21	0.5
40M	DFT-S QPSK	1	1	23.48	23.40	23.17	23.02	22.90	0
		1	53	23.78	23.70	23.57	23.51	23.43	0
		1	104	23.47	23.39	23.26	23.20	23.12	0
		50	0	22.87	22.85	22.83	22.74	22.66	1
		50	25	23.56	23.84	23.71	23.65	23.57	0
		50	53	22.75	22.80	22.82	22.76	22.68	1
		100	0	22.87	22.87	22.85	22.77	22.68	1
40M	DFT-S 16QAM	1	1	22.75	22.71	22.82	22.77	22.69	1
40M	DFT-S 64QAM	1	1	21.19	21.09	21.31	21.22	21.27	2.5
40M	DFT-S 256QAM	1	1	19.09	19.17	19.35	19.19	19.31	4.5
40M	CP QPSK	1	1	21.98	22.00	21.87	21.82	21.80	1.5
40M	CP 16QAM	1	1	21.77	21.75	21.69	21.79	21.83	2
40M	CP 64QAM	1	1	20.28	20.31	20.35	20.29	20.20	3.5
40M	CP 256QAM	1	1	17.31	17.19	17.31	17.28	17.19	6.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		502200	510399	518598	526797	534996	3GPP MPR
		Frequency (MHz)		2511	2551.995	2592.99	2633.985	2674.98	
30M	DFT-S PI/2 BPSK	1	1	23.79	23.71	23.58	23.52	23.44	0
		1	39	23.77	23.73	23.84	23.78	22.70	0
		1	76	23.71	23.60	23.50	23.44	22.36	0
		36	0	23.17	23.28	23.34	23.28	22.20	0.5
		36	18	23.72	23.62	23.79	23.73	22.65	0
		36	39	23.24	23.28	23.34	23.28	22.20	0.5
		75	0	23.17	23.20	23.32	23.26	22.18	0.5
30M	DFT-S QPSK	1	1	23.45	23.37	23.14	22.99	22.87	0
		1	39	23.75	23.67	23.54	23.48	23.40	0
		1	76	23.44	23.36	23.23	23.17	23.09	0
		36	0	22.84	22.82	22.80	22.71	22.63	1
		36	18	23.53	23.81	23.68	23.62	23.54	0
		36	39	22.72	22.77	22.79	22.73	22.65	1
		75	0	22.84	22.84	22.82	22.74	22.65	1
30M	DFT-S 16QAM	1	1	22.72	22.68	22.79	22.74	22.66	1
30M	DFT-S 64QAM	1	1	21.16	21.06	21.28	21.19	21.24	2.5
30M	DFT-S 256QAM	1	1	19.06	19.14	19.32	19.16	19.28	4.5
30M	CP QPSK	1	1	21.95	21.97	21.84	21.79	21.77	1.5
30M	CP 16QAM	1	1	21.74	21.72	21.66	21.76	21.80	2
30M	CP 64QAM	1	1	20.25	20.28	20.32	20.26	20.17	3.5
30M	CP 256QAM	1	1	17.28	17.16	17.28	17.25	17.16	6.5
BW	MCS Index	Channel		501204	509901	518598	527295	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.505	2592.99	2636.475	2679.99	
20M	DFT-S PI/2 BPSK	1	1	23.77	23.69	23.56	23.50	23.42	0
		1	26	23.75	23.71	23.82	23.76	22.68	0
		1	49	23.69	23.58	23.48	23.42	22.34	0
		25	0	23.15	23.26	23.32	23.26	22.18	0.5
		25	12	23.70	23.60	23.77	23.71	22.63	0
		25	26	23.22	23.26	23.32	23.26	22.18	0.5
		50	0	23.15	23.18	23.30	23.24	22.16	0.5
20M	DFT-S QPSK	1	1	23.43	23.35	23.12	22.97	22.85	0
		1	26	23.73	23.65	23.52	23.46	23.38	0
		1	49	23.42	23.34	23.21	23.15	23.07	0
		25	0	22.82	22.80	22.78	22.69	22.61	1
		25	12	23.51	23.79	23.66	23.60	23.52	0
		25	26	22.70	22.75	22.77	22.71	22.63	1
		50	0	22.82	22.82	22.80	22.72	22.63	1
20M	DFT-S 16QAM	1	1	22.70	22.66	22.77	22.72	22.64	1
20M	DFT-S 64QAM	1	1	21.14	21.04	21.26	21.17	21.22	2.5
20M	DFT-S 256QAM	1	1	19.04	19.12	19.30	19.14	19.26	4.5
20M	CP QPSK	1	1	21.93	21.95	21.82	21.77	21.75	1.5
20M	CP 16QAM	1	1	21.72	21.70	21.64	21.74	21.78	2
20M	CP 64QAM	1	1	20.23	20.26	20.30	20.24	20.15	3.5
20M	CP 256QAM	1	1	17.26	17.14	17.26	17.23	17.14	6.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		500700	509649	518598	527547	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.245	2592.99	2637.735	2682.48	
15M	DFT-S PI/2 BPSK	1	1	23.71	23.63	23.50	23.44	23.36	0
		1	19	23.69	23.65	23.76	23.70	22.62	0
		1	36	23.63	23.52	23.42	23.36	22.28	0
		18	0	23.09	23.20	23.26	23.20	22.12	0.5
		18	9	23.64	23.54	23.71	23.65	22.57	0
		18	19	23.16	23.20	23.26	23.20	22.12	0.5
15M	DFT-S QPSK	36	0	23.09	23.12	23.24	23.18	22.10	0.5
		1	1	23.37	23.29	23.06	22.91	22.79	0
		1	19	23.67	23.59	23.46	23.40	23.32	0
		1	36	23.36	23.28	23.15	23.09	23.01	0
		18	0	22.76	22.74	22.72	22.63	22.55	1
		18	9	23.45	23.73	23.60	23.54	23.46	0
15M	DFT-S 16QAM	18	19	22.64	22.69	22.71	22.65	22.57	1
		36	0	22.76	22.76	22.74	22.66	22.57	1
		1	1	22.64	22.60	22.71	22.66	22.58	1
		1	1	21.08	20.98	21.20	21.11	21.16	2.5
		1	1	18.98	19.06	19.24	19.08	19.20	4.5
		1	1	21.87	21.89	21.76	21.71	21.69	1.5
15M	CP QPSK	1	1	21.66	21.64	21.58	21.68	21.72	2
15M	CP 16QAM	1	1	20.17	20.20	20.24	20.18	20.09	3.5
15M	CP 64QAM	1	1	17.20	17.08	17.20	17.17	17.08	6.5
15M	CP 256QAM	1	1	17.20	17.08	17.20	17.17	17.08	6.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	23.68	23.60	23.47	23.41	23.33	0
		1	12	23.66	23.62	23.73	23.67	22.59	0
		1	22	23.60	23.49	23.39	23.33	22.25	0
		12	0	23.06	23.17	23.23	23.17	22.09	0.5
		12	6	23.61	23.51	23.68	23.62	22.54	0
		12	12	23.13	23.17	23.23	23.17	22.09	0.5
		24	0	23.06	23.09	23.21	23.15	22.07	0.5
10M	DFT-S QPSK	1	1	23.34	23.26	23.03	22.88	22.76	0
		1	12	23.64	23.56	23.43	23.37	23.29	0
		1	22	23.33	23.25	23.12	23.06	22.98	0
		12	0	22.73	22.71	22.69	22.60	22.52	1
		12	6	23.42	23.70	23.57	23.51	23.43	0
		12	12	22.61	22.66	22.68	22.62	22.54	1
10M	DFT-S 16QAM	24	0	22.73	22.73	22.71	22.63	22.54	1
		1	1	22.61	22.57	22.68	22.63	22.55	1
		1	1	21.05	20.95	21.17	21.08	21.13	2.5
		1	1	18.95	19.03	19.21	19.05	19.17	4.5
		1	1	21.84	21.86	21.73	21.68	21.66	1.5
		1	1	21.63	21.61	21.55	21.65	21.69	2
10M	CP QPSK	1	1	20.14	20.17	20.21	20.15	20.06	3.5
10M	CP 16QAM	1	1	17.17	17.05	17.17	17.14	17.05	6.5
10M	CP 64QAM	1	1	17.17	17.05	17.17	17.14	17.05	6.5
10M	CP 256QAM	1	1	17.17	17.05	17.17	17.14	17.05	6.5

NR Conducted Power (Full)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	22.65	22.74	22.71	0
		1	53	22.78	22.84	22.82	0
		1	104	22.21	22.11	22.25	0
		50	0	22.32	22.63	22.57	0.5
		50	25	22.82	22.74	22.65	0
		50	53	22.79	22.74	22.69	0.5
		100	0	22.59	22.45	22.84	0.5
20M	DFT-S QPSK	1	1	22.74	22.91	22.85	0
		1	53	22.78	22.80	22.69	0
		1	104	22.44	22.35	22.25	0
		50	0	21.88	21.95	21.90	1
		50	25	22.63	22.73	22.69	0
		50	53	22.34	22.38	22.32	1
		100	0	21.90	22.28	21.95	1
20M	DFT-S 16QAM	1	1	21.80	21.85	21.77	1
20M	DFT-S 64QAM	1	1	20.44	20.56	20.45	2.5
20M	DFT-S 256QAM	1	1	18.69	18.77	18.66	4.5
20M	CP QPSK	1	1	21.12	21.28	21.22	1.5
20M	CP 16QAM	1	1	21.14	21.10	21.13	2
20M	CP 64QAM	1	1	19.52	19.40	19.46	3.5
20M	CP 256QAM	1	1	16.88	16.85	16.99	6.5
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	22.61	22.70	22.86	0
		1	40	22.74	22.81	22.78	0
		1	77	22.17	22.07	22.21	0
		36	0	22.28	22.59	22.53	0.5
		36	18	22.78	22.70	22.61	0
		36	40	22.75	22.70	22.65	0.5
		75	0	22.55	22.41	22.80	0.5
15M	DFT-S QPSK	1	1	22.70	22.81	22.87	0
		1	40	22.74	22.76	22.65	0
		1	77	22.40	22.31	22.21	0
		36	0	21.84	21.91	21.86	1
		36	18	22.59	22.69	22.65	0
		36	40	22.30	22.34	22.28	1
		75	0	21.86	22.24	21.91	1
15M	DFT-S 16QAM	1	1	21.76	21.81	21.73	1
15M	DFT-S 64QAM	1	1	20.40	20.52	20.41	2.5
15M	DFT-S 256QAM	1	1	18.65	18.73	18.62	4.5
15M	CP QPSK	1	1	21.08	21.24	21.18	1.5
15M	CP 16QAM	1	1	21.10	21.06	21.09	2
15M	CP 64QAM	1	1	19.48	19.36	19.42	3.5
15M	CP 256QAM	1	1	16.84	16.81	16.95	6.5

NR Conducted Power (Full)							
NR Band 66							
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	22.57	22.66	22.82	0
		1	26	22.70	22.77	22.74	0
		1	50	22.13	22.03	22.17	0
		25	0	22.24	22.55	22.49	0.5
		25	12	22.74	22.66	22.57	0
		25	26	22.71	22.66	22.61	0.5
		50	0	22.51	22.37	22.76	0.5
10M	DFT-S QPSK	1	1	22.66	22.77	22.83	0
		1	26	22.70	22.72	22.61	0
		1	50	22.36	22.27	22.17	0
		25	0	21.80	21.87	21.82	1
		25	12	22.55	22.65	22.61	0
		25	26	22.26	22.30	22.24	1
		50	0	21.82	22.20	21.87	1
10M	DFT-S 16QAM	1	1	21.72	21.77	21.69	1
10M	DFT-S 64QAM	1	1	20.36	20.48	20.37	2.5
10M	DFT-S 256QAM	1	1	18.61	18.69	18.58	4.5
10M	CP QPSK	1	1	21.04	21.20	21.14	1.5
10M	CP 16QAM	1	1	21.06	21.02	21.05	2
10M	CP 64QAM	1	1	19.44	19.32	19.38	3.5
10M	CP 256QAM	1	1	16.80	16.77	16.91	6.5
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	22.52	22.61	22.77	0
		1	13	22.65	22.72	22.69	0
		1	23	22.08	22.08	22.12	0
		12	0	22.19	22.50	22.44	0.5
		12	6	22.69	22.61	22.52	0
		12	13	22.66	22.61	22.56	0.5
		25	0	22.46	22.32	22.71	0.5
5M	DFT-S QPSK	1	1	22.61	22.72	22.78	0
		1	13	22.65	22.67	22.56	0
		1	23	22.31	22.22	22.12	0
		12	0	21.75	21.82	21.77	1
		12	6	22.50	22.60	22.56	0
		12	13	22.21	22.25	22.19	1
		25	0	21.77	22.15	21.82	1
5M	DFT-S 16QAM	1	1	21.67	21.72	21.64	1
5M	DFT-S 64QAM	1	1	20.31	20.43	20.32	2.5
5M	DFT-S 256QAM	1	1	18.56	18.64	18.53	4.5
5M	CP QPSK	1	1	20.99	21.15	21.09	1.5
5M	CP 16QAM	1	1	21.01	20.97	21.00	2
5M	CP 64QAM	1	1	19.39	19.27	19.33	3.5
5M	CP 256QAM	1	1	16.75	16.72	16.86	6.5

Tablet WCDMA Conducted Power (Reduction)

Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	14.49	14.80	13.89	16.96	16.97	16.85	16.78	16.76	16.72
HSDPA Subtest-1	11.01	11.22	11.12	15.96	15.99	15.98	16.64	16.71	16.73
HSDPA Subtest-2	11.43	11.26	10.40	15.94	15.97	15.93	16.63	16.77	16.72
HSDPA Subtest-3	10.33	10.32	10.16	15.41	15.46	15.48	16.18	16.28	16.22
HSDPA Subtest-4	9.32	9.44	9.81	15.40	15.45	15.47	16.15	16.25	16.21
DC-HSDPA Subtest-1	10.97	11.18	11.08	15.94	15.97	16.00	16.61	16.77	16.70
DC-HSDPA Subtest-2	11.39	11.22	10.36	15.92	15.95	15.99	16.60	16.74	16.69
DC-HSDPA Subtest-3	10.29	10.28	10.12	15.39	15.44	15.46	16.15	16.25	16.19
DC-HSDPA Subtest-4	9.28	9.40	9.77	15.38	15.43	15.45	16.12	16.22	16.18
HSUPA Subtest-1	10.33	10.22	10.16	14.84	14.93	15.01	15.13	15.12	15.01
HSUPA Subtest-2	9.28	9.33	9.40	13.90	13.86	13.93	13.90	13.86	13.93
HSUPA Subtest-3	10.12	10.11	10.09	14.95	14.94	14.95	14.95	14.94	15.95
HSUPA Subtest-4	9.32	9.41	9.28	13.90	13.92	13.98	13.90	13.92	14.01
HSUPA Subtest-5	11.14	11.40	11.32	15.90	16.00	15.99	15.90	16.00	16.00

Laptop WCDMA Conducted Power (Reduction)

Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	17.83	17.78	17.77	19.42	19.46	19.40	20.74	20.73	20.78
HSDPA Subtest-1	16.81	16.79	16.76	18.42	18.46	18.49	19.73	19.82	19.75
HSDPA Subtest-2	16.79	16.78	16.74	18.38	18.45	18.45	19.72	19.80	19.74
HSDPA Subtest-3	16.32	16.30	16.31	17.92	17.94	17.97	19.23	19.31	19.22
HSDPA Subtest-4	16.30	16.28	16.25	17.89	17.93	17.88	18.87	19.29	19.21
DC-HSDPA Subtest-1	16.77	16.75	16.72	18.38	18.42	18.45	19.69	19.78	19.71
DC-HSDPA Subtest-2	16.75	16.74	16.70	18.34	18.41	18.41	19.68	19.76	19.70
DC-HSDPA Subtest-3	16.28	16.26	16.27	17.88	17.90	17.93	19.19	19.27	19.18
DC-HSDPA Subtest-4	16.26	16.24	16.21	17.85	17.89	17.84	18.83	19.25	19.17
HSUPA Subtest-1	16.81	16.82	16.72	18.39	18.41	18.46	19.71	19.79	19.68
HSUPA Subtest-2	14.77	14.76	14.80	16.38	16.47	16.46	17.68	17.75	17.65
HSUPA Subtest-3	15.77	15.77	15.75	17.41	17.43	17.43	18.68	18.73	18.71
HSUPA Subtest-4	14.80	14.78	14.72	16.41	16.48	16.45	17.70	17.77	17.75
HSUPA Subtest-5	16.80	16.77	16.75	18.40	18.50	18.50	19.70	19.70	19.70

Tablet LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	14.03	14.08	14.05	0
		1	50	14.03	14.07	14.04	0
		1	99	13.99	14.00	14.04	0
		50	0	14.06	14.13	14.04	0
		50	25	14.00	13.99	14.07	0
		50	50	13.91	13.98	14.06	0
		100	0	14.05	14.08	14.03	0
20M	16QAM	1	0	14.05	14.07	14.03	0
		1	50	14.01	14.07	14.01	0
		1	99	13.95	13.99	14.03	0
		50	0	13.96	14.09	14.06	0
		50	25	13.87	13.96	14.04	0
		50	50	13.88	13.91	14.03	0
		100	0	13.97	14.01	14.03	0
20M	64QAM	1	0	13.97	14.01	14.05	0
		1	50	13.89	14.03	14.04	0
		1	99	13.85	14.04	14.06	0
		50	0	13.94	14.04	14.06	0
		50	25	13.89	13.94	14.06	0
		50	50	13.86	13.93	14.02	0
		100	0	13.98	14.06	14.06	0
20M	256QAM	1	0	14.00	13.99	14.06	0
		1	50	13.85	13.95	14.02	0
		1	99	13.89	13.98	14.00	0
		50	0	13.98	14.03	14.01	0
		50	25	13.94	13.88	14.01	0
		50	50	13.85	13.94	14.06	0
		100	0	13.93	14.03	14.03	0
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	14.01	14.01	14.02	0
		1	37	13.94	14.10	14.01	0
		1	74	13.94	13.99	14.04	0
		36	0	14.06	14.08	14.02	0
		36	19	13.96	13.95	14.06	0
		36	39	13.81	13.88	13.97	0
		75	0	14.04	14.02	14.03	0
15M	16QAM	1	0	14.01	14.05	14.07	0
		1	37	13.93	13.99	14.05	0
		1	74	13.93	13.90	13.95	0
		36	0	13.89	14.05	14.03	0
		36	19	13.80	13.94	13.97	0
		36	39	13.83	13.84	13.94	0
		75	0	13.88	13.91	14.06	0
15M	64QAM	1	0	13.93	13.91	14.02	0
		1	37	13.85	13.99	14.01	0
		1	74	13.79	14.03	14.05	0
		36	0	13.94	13.99	14.04	0
		36	19	13.80	13.84	14.04	0
		36	39	13.86	13.92	13.96	0
		75	0	13.90	13.99	14.03	0
15M	256QAM	1	0	13.92	13.94	14.02	0
		1	37	13.77	13.90	14.03	0
		1	74	13.89	13.94	13.91	0
		36	0	13.96	13.95	13.91	0
		36	19	13.90	13.79	14.00	0
		36	39	13.76	13.88	14.06	0
		75	0	13.88	13.97	14.01	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	13.84	13.98	14.07	0
		1	24	13.88	14.10	14.04	0
		1	49	13.96	13.75	14.02	0
		25	0	13.90	14.02	14.05	0
		25	12	13.90	13.82	14.01	0
		25	25	13.78	13.82	13.88	0
		50	0	13.96	14.05	14.05	0
10M	16QAM	1	0	14.01	14.08	14.07	0
		1	24	13.88	13.92	13.99	0
		1	49	13.79	13.79	13.95	0
		25	0	13.80	14.04	13.93	0
		25	12	13.87	13.74	13.95	0
		25	25	13.83	13.88	13.91	0
		50	0	13.85	13.81	14.04	0
10M	64QAM	1	0	13.77	13.93	14.03	0
		1	24	13.66	14.00	13.94	0
		1	49	13.64	13.94	14.01	0
		25	0	13.80	13.89	14.06	0
		25	12	13.77	13.79	14.01	0
		25	25	13.72	13.79	13.83	0
		50	0	13.87	13.99	13.96	0
10M	256QAM	1	0	13.91	13.86	14.01	0
		1	24	13.80	13.94	13.85	0
		1	49	13.78	13.88	13.98	0
		25	0	13.80	13.91	13.86	0
		25	12	13.78	13.65	13.89	0
		25	25	13.68	13.85	13.88	0
		50	0	13.70	13.99	13.87	0
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	13.90	13.93	14.01	0
		1	12	13.94	14.03	14.03	0
		1	24	13.87	13.82	13.84	0
		12	0	13.92	13.93	14.01	0
		12	6	13.93	13.91	14.06	0
		12	13	13.69	13.78	13.84	0
		25	0	13.94	13.97	13.90	0
5M	16QAM	1	0	13.90	13.90	14.01	0
		1	12	13.97	14.01	14.04	0
		1	24	13.89	13.96	13.96	0
		12	0	13.85	14.01	13.98	0
		12	6	13.73	13.82	14.00	0
		12	13	13.79	13.84	13.87	0
		25	0	13.85	13.87	13.98	0
5M	64QAM	1	0	13.87	13.91	13.97	0
		1	12	13.71	13.92	14.04	0
		1	24	13.79	13.90	14.02	0
		12	0	13.79	13.92	14.05	0
		12	6	13.82	13.76	13.93	0
		12	13	13.74	13.88	13.83	0
		25	0	13.88	13.96	14.01	0
5M	256QAM	1	0	13.84	13.68	13.88	0
		1	12	13.62	13.79	13.85	0
		1	24	13.62	13.91	13.96	0
		12	0	13.72	13.95	13.88	0
		12	6	13.71	13.59	13.86	0
		12	13	13.65	13.76	13.74	0
		25	0	13.80	13.86	13.99	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	13.83	13.87	13.93	0
		1	7	13.90	13.94	13.86	0
		1	14	13.93	13.82	13.91	0
		8	0	13.97	14.07	13.83	0
		8	3	13.84	13.80	13.92	0
		8	7	13.72	13.93	13.95	0
		15	0	13.84	14.07	14.06	0
3M	16QAM	1	0	14.00	14.03	14.01	0
		1	7	13.86	13.96	14.01	0
		1	14	13.90	13.86	13.96	0
		8	0	13.95	13.92	13.89	0
		8	3	13.76	13.95	14.03	0
		8	7	13.73	13.87	13.90	0
		15	0	13.94	13.96	14.07	0
3M	64QAM	1	0	13.84	13.79	14.00	0
		1	7	13.72	13.86	14.04	0
		1	14	13.73	13.93	13.95	0
		8	0	13.78	14.00	14.05	0
		8	3	13.66	13.83	13.97	0
		8	7	13.81	13.76	13.80	0
		15	0	13.91	13.94	14.01	0
3M	256QAM	1	0	13.82	13.77	14.01	0
		1	7	13.63	13.82	14.05	0
		1	14	13.77	13.91	13.81	0
		8	0	13.65	13.89	13.97	0
		8	3	13.65	13.66	13.83	0
		8	7	13.73	13.81	13.77	0
		15	0	13.86	13.89	14.02	0
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	13.85	14.02	14.03	0
		1	2	13.94	13.90	13.96	0
		1	5	13.80	13.85	13.94	0
		3	0	14.04	13.94	14.05	0
		3	1	13.79	13.91	14.05	0
		3	3	13.76	13.84	13.98	0
		6	0	13.93	13.98	14.02	0
1.4M	16QAM	1	0	13.91	14.08	14.01	0
		1	2	13.80	13.98	14.07	0
		1	5	13.80	13.93	13.97	0
		3	0	13.85	13.94	14.04	0
		3	1	13.74	13.76	13.95	0
		3	3	13.82	13.82	13.93	0
		6	0	13.79	13.91	14.03	0
1.4M	64QAM	1	0	13.86	13.81	14.00	0
		1	2	13.76	13.90	13.95	0
		1	5	13.72	13.91	14.03	0
		3	0	13.73	14.00	14.03	0
		3	1	13.72	13.82	14.02	0
		3	3	13.68	13.79	13.95	0
		6	0	13.93	13.94	14.04	0
1.4M	256QAM	1	0	13.80	13.91	13.96	0
		1	2	13.72	13.75	13.93	0
		1	5	13.71	13.91	13.87	0
		3	0	13.94	13.93	13.89	0
		3	1	13.80	13.85	13.96	0
		3	3	13.72	13.73	13.87	0
		6	0	13.80	13.92	13.93	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	13.65	13.46	13.56	0
		1	50	13.29	13.08	13.22	0
		1	99	13.35	13.19	13.30	0
		50	0	13.11	12.82	12.90	0
		50	25	13.09	12.86	13.00	0
		50	50	13.01	12.74	12.93	0
		100	0	13.16	12.92	13.12	0
20M	16QAM	1	0	13.56	13.33	13.47	0
		1	50	13.29	13.11	13.25	0
		1	99	13.30	13.09	13.26	0
		50	0	12.95	12.82	12.90	0
		50	25	13.00	12.78	12.95	0
		50	50	12.97	12.69	12.85	0
		100	0	13.11	12.92	13.07	0
20M	64QAM	1	0	13.57	13.33	13.51	0
		1	50	13.23	13.00	13.13	0
		1	99	13.26	13.12	13.21	0
		50	0	12.91	12.72	12.92	0
		50	25	13.00	12.76	12.90	0
		50	50	12.86	12.68	12.88	0
		100	0	13.04	12.84	12.97	0
20M	256QAM	1	0	13.51	13.36	13.51	0
		1	50	13.22	12.96	13.11	0
		1	99	13.33	13.06	13.27	0
		50	0	12.96	12.69	12.85	0
		50	25	12.94	12.78	12.84	0
		50	50	12.92	12.65	12.77	0
		100	0	13.10	12.83	12.96	0
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	13.61	13.37	13.55	0
		1	37	13.28	13.08	13.14	0
		1	74	13.31	13.10	13.30	0
		36	0	13.08	12.81	12.82	0
		36	19	13.03	12.80	12.98	0
		36	39	13.01	12.73	12.90	0
		75	0	13.16	12.85	13.04	0
15M	16QAM	1	0	13.53	13.25	13.38	0
		1	37	13.28	13.02	13.22	0
		1	74	13.21	13.05	13.18	0
		36	0	12.91	12.82	12.86	0
		36	19	12.97	12.77	12.95	0
		36	39	12.95	12.61	12.81	0
		75	0	13.10	12.88	12.97	0
15M	64QAM	1	0	13.49	13.28	13.50	0
		1	37	13.21	12.92	13.05	0
		1	74	13.24	13.05	13.13	0
		36	0	12.84	12.72	12.82	0
		36	19	12.91	12.74	12.84	0
		36	39	12.78	12.66	12.80	0
		75	0	12.98	12.82	12.96	0
15M	256QAM	1	0	13.41	13.30	13.41	0
		1	37	13.16	12.92	13.07	0
		1	74	13.32	12.98	13.27	0
		36	0	12.87	12.66	12.82	0
		36	19	12.84	12.69	12.76	0
		36	39	12.88	12.64	12.76	0
		75	0	13.04	12.81	12.96	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	13.48	13.37	13.41	0
		1	24	13.22	12.96	13.16	0
		1	49	13.24	13.15	13.21	0
		25	0	13.02	12.74	12.84	0
		25	12	12.86	12.79	12.94	0
		25	25	12.92	12.56	12.84	0
		50	0	12.98	12.89	12.95	0
10M	16QAM	1	0	13.38	13.23	13.31	0
		1	24	13.15	12.92	13.10	0
		1	49	13.29	12.97	13.10	0
		25	0	12.79	12.62	12.82	0
		25	12	12.83	12.60	12.89	0
		25	25	12.81	12.52	12.68	0
		50	0	12.97	12.83	13.00	0
10M	64QAM	1	0	13.45	13.14	13.44	0
		1	24	13.12	12.93	13.13	0
		1	49	13.17	13.02	13.06	0
		25	0	12.80	12.64	12.85	0
		25	12	12.79	12.55	12.78	0
		25	25	12.68	12.51	12.77	0
		50	0	12.96	12.75	12.81	0
10M	256QAM	1	0	13.36	13.25	13.46	0
		1	24	13.10	12.80	12.96	0
		1	49	13.20	12.89	13.19	0
		25	0	12.86	12.55	12.78	0
		25	12	12.79	12.62	12.66	0
		25	25	12.68	12.60	12.68	0
		50	0	12.92	12.71	12.85	0
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	13.56	13.29	13.39	0
		1	12	13.09	13.00	13.10	0
		1	24	13.30	13.00	13.08	0
		12	0	13.06	12.69	12.62	0
		12	6	12.96	12.82	12.81	0
		12	13	12.88	12.69	12.72	0
		25	0	13.05	12.78	12.91	0
5M	16QAM	1	0	13.36	13.19	13.39	0
		1	12	13.11	13.03	13.14	0
		1	24	13.08	13.03	13.19	0
		12	0	12.84	12.68	12.73	0
		12	6	12.82	12.60	12.90	0
		12	13	12.76	12.58	12.66	0
		25	0	13.05	12.86	13.01	0
5M	64QAM	1	0	13.33	13.30	13.48	0
		1	12	13.07	12.93	13.10	0
		1	24	13.05	12.98	13.08	0
		12	0	12.74	12.62	12.78	0
		12	6	12.78	12.64	12.83	0
		12	13	12.75	12.52	12.77	0
		25	0	12.87	12.78	12.83	0
5M	256QAM	1	0	13.46	13.25	13.36	0
		1	12	13.00	12.77	13.01	0
		1	24	12.99	12.93	13.00	0
		12	0	12.57	12.63	12.81	0
		12	6	12.85	12.66	12.74	0
		12	13	12.61	12.63	12.68	0
		25	0	12.88	12.64	12.69	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	13.58	13.23	13.47	0
		1	7	13.22	12.99	13.03	0
		1	14	13.18	12.99	13.25	0
		8	0	12.97	12.73	12.85	0
		8	3	12.84	12.78	12.90	0
		8	7	12.97	12.56	12.71	0
		15	0	13.12	12.70	12.96	0
3M	16QAM	1	0	13.37	13.25	13.40	0
		1	7	13.11	12.98	13.20	0
		1	14	13.13	12.97	13.14	0
		8	0	12.76	12.65	12.75	0
		8	3	12.83	12.65	12.82	0
		8	7	12.94	12.57	12.69	0
		15	0	13.04	12.80	12.90	0
3M	64QAM	1	0	13.50	13.32	13.38	0
		1	7	12.99	12.88	12.99	0
		1	14	13.14	13.00	13.11	0
		8	0	12.78	12.69	12.72	0
		8	3	12.88	12.64	12.68	0
		8	7	12.80	12.65	12.81	0
		15	0	12.96	12.74	12.89	0
3M	256QAM	1	0	13.38	13.26	13.42	0
		1	7	13.15	12.85	12.99	0
		1	14	13.24	12.90	13.25	0
		8	0	12.82	12.51	12.74	0
		8	3	12.93	12.64	12.69	0
		8	7	12.92	12.55	12.67	0
		15	0	12.93	12.76	12.92	0
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	13.46	13.31	13.34	0
		1	2	13.21	12.95	13.16	0
		1	5	13.26	13.00	13.18	0
		3	0	12.92	12.70	12.74	0
		3	1	12.98	12.65	12.89	0
		3	3	12.83	12.61	12.76	0
		6	0	12.99	12.76	13.07	0
1.4M	16QAM	1	0	13.43	13.33	13.40	0
		1	2	13.12	13.02	13.14	0
		1	5	13.24	12.93	13.18	0
		3	0	12.90	12.73	12.77	0
		3	1	12.87	12.71	12.88	0
		3	3	12.92	12.70	12.75	0
		6	0	13.06	12.74	12.92	0
1.4M	64QAM	1	0	13.43	13.28	13.40	0
		1	2	13.13	12.93	12.89	0
		1	5	13.11	13.01	13.01	0
		3	0	12.85	12.61	12.78	0
		3	1	12.82	12.65	12.77	0
		3	3	12.78	12.54	12.74	0
		6	0	12.96	12.72	12.91	0
1.4M	256QAM	1	0	13.42	13.26	13.41	0
		1	2	13.02	12.76	13.07	0
		1	5	13.17	12.82	13.22	0
		3	0	12.80	12.64	12.74	0
		3	1	12.88	12.68	12.69	0
		3	3	12.81	12.56	12.55	0
		6	0	12.91	12.67	12.84	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	18.31	18.40	18.47	0
		1	24	18.19	18.26	18.32	0
		1	49	18.21	18.23	18.33	0
		25	0	18.17	18.29	18.38	0
		25	12	18.11	18.26	18.25	0
		25	25	18.09	18.13	18.18	0
		50	0	18.22	18.26	18.32	0
10M	16QAM	1	0	18.26	18.33	18.35	0
		1	24	18.09	18.15	18.26	0
		1	49	18.06	18.18	18.26	0
		25	0	18.15	18.15	18.21	0
		25	12	18.10	18.16	18.13	0
		25	25	18.04	18.09	18.13	0
		50	0	18.08	18.24	18.21	0
10M	64QAM	1	0	18.28	18.25	18.42	0
		1	24	18.16	18.19	18.30	0
		1	49	18.06	18.15	18.35	0
		25	0	18.16	18.26	18.28	0
		25	12	18.10	18.20	18.19	0
		25	25	18.01	18.19	18.24	0
		50	0	18.16	18.25	18.33	0
10M	256QAM	1	0	18.15	18.25	18.29	0
		1	24	18.05	18.14	18.16	0
		1	49	18.03	18.15	18.13	0
		25	0	18.09	18.10	18.16	0
		25	12	17.99	18.11	18.15	0
		25	25	18.02	18.07	18.12	0
		50	0	18.03	18.24	18.25	0
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
Frequency (MHz)		826.5	836.5	846.5			
5M	QPSK	1	0	18.27	18.36	18.45	0
		1	12	18.10	18.22	18.27	0
		1	24	18.17	18.17	18.29	0
		12	0	18.09	18.29	18.28	0
		12	6	18.09	18.16	18.22	0
		12	13	18.05	18.03	18.11	0
		25	0	18.12	18.21	18.22	0
5M	16QAM	1	0	18.19	18.30	18.28	0
		1	12	18.01	18.13	18.23	0
		1	24	17.98	18.13	18.24	0
		12	0	18.06	18.09	18.18	0
		12	6	18.04	18.09	18.10	0
		12	13	18.03	17.99	18.08	0
		25	0	18.07	18.19	18.16	0
5M	64QAM	1	0	18.20	18.19	18.34	0
		1	12	18.14	18.17	18.30	0
		1	24	18.04	18.07	18.29	0
		12	0	18.11	18.18	18.25	0
		12	6	18.08	18.14	18.12	0
		12	13	17.99	18.10	18.14	0
		25	0	18.14	18.20	18.31	0
5M	256QAM	1	0	18.12	18.15	18.25	0
		1	12	17.97	18.07	18.13	0
		1	24	17.95	18.10	18.03	0
		12	0	18.02	18.08	18.07	0
		12	6	17.95	18.07	18.10	0
		12	13	17.92	18.03	18.08	0
		25	0	17.98	18.15	18.25	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	18.18	18.29	18.36	0
		1	7	18.02	18.16	18.26	0
		1	14	18.16	18.00	18.22	0
		8	0	18.00	18.22	18.30	0
		8	3	17.96	18.06	18.07	0
		8	7	18.05	17.96	18.08	0
		15	0	18.07	18.15	18.18	0
3M	16QAM	1	0	18.10	18.14	18.26	0
		1	7	17.95	18.01	18.13	0
		1	14	17.93	18.04	18.15	0
		8	0	18.01	17.99	18.05	0
		8	3	17.94	17.99	18.04	0
		8	7	17.98	18.06	18.03	0
		15	0	17.99	18.18	18.09	0
3M	64QAM	1	0	18.21	18.00	18.28	0
		1	7	18.06	18.01	18.15	0
		1	14	17.85	18.06	18.23	0
		8	0	18.03	18.01	18.26	0
		8	3	18.00	18.04	18.09	0
		8	7	17.86	18.12	18.21	0
		15	0	18.01	18.05	18.18	0
3M	256QAM	1	0	18.03	18.04	18.08	0
		1	7	18.00	17.96	18.07	0
		1	14	17.79	18.01	17.95	0
		8	0	17.97	18.00	18.01	0
		8	3	17.96	18.07	17.91	0
		8	7	17.85	17.88	17.94	0
		15	0	17.90	18.13	18.18	0
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	18.20	18.32	18.29	0
		1	2	18.13	18.04	18.04	0
		1	5	18.07	18.05	18.25	0
		3	0	18.09	18.14	18.02	0
		3	1	17.98	18.09	18.05	0
		3	3	17.90	17.94	18.05	0
		6	0	18.10	18.20	18.06	0
1.4M	16QAM	1	0	18.16	18.24	18.23	0
		1	2	17.95	18.01	18.20	0
		1	5	17.94	18.06	18.13	0
		3	0	18.02	17.97	18.20	0
		3	1	18.07	18.01	17.91	0
		3	3	17.86	17.94	18.06	0
		6	0	18.02	18.06	18.18	0
1.4M	64QAM	1	0	18.13	18.16	18.27	0
		1	2	18.12	18.09	18.26	0
		1	5	18.02	18.11	18.25	0
		3	0	18.06	18.12	18.09	0
		3	1	17.99	18.13	17.98	0
		3	3	17.77	18.01	18.16	0
		6	0	17.92	18.09	18.22	0
1.4M	256QAM	1	0	17.98	17.99	18.23	0
		1	2	18.08	18.09	18.06	0
		1	5	17.82	17.86	18.13	0
		3	0	18.02	18.01	18.04	0
		3	1	17.97	17.96	17.92	0
		3	3	17.82	18.03	18.05	0
		6	0	17.83	18.12	18.02	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	10.95	10.76	10.90	0
		1	50	10.84	10.72	10.74	0
		1	99	10.80	10.70	10.69	0
		50	0	10.78	10.56	10.69	0
		50	25	10.64	10.55	10.56	0
		50	50	10.66	10.53	10.55	0
		100	0	10.70	10.51	10.60	0
20M	16QAM	1	0	10.91	10.69	10.72	0
		1	50	10.73	10.59	10.72	0
		1	99	10.71	10.59	10.64	0
		50	0	10.65	10.51	10.53	0
		50	25	10.53	10.37	10.50	0
		50	50	10.60	10.44	10.48	0
		100	0	10.58	10.50	10.46	0
20M	64QAM	1	0	10.92	10.75	10.82	0
		1	50	10.82	10.69	10.80	0
		1	99	10.72	10.67	10.70	0
		50	0	10.75	10.54	10.56	0
		50	25	10.68	10.43	10.49	0
		50	50	10.68	10.47	10.52	0
		100	0	10.69	10.52	10.61	0
20M	256QAM	1	0	10.87	10.67	10.75	0
		1	50	10.69	10.59	10.59	0
		1	99	10.64	10.49	10.53	0
		50	0	10.60	10.48	10.48	0
		50	25	10.57	10.32	10.44	0
		50	50	10.51	10.37	10.41	0
		100	0	10.63	10.43	10.50	0
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	10.91	10.71	10.84	0
		1	37	10.76	10.67	10.66	0
		1	74	10.73	10.68	10.59	0
		36	0	10.71	10.52	10.63	0
		36	19	10.57	10.54	10.46	0
		36	39	10.64	10.53	10.50	0
		75	0	10.66	10.48	10.51	0
15M	16QAM	1	0	10.82	10.63	10.67	0
		1	37	10.65	10.52	10.64	0
		1	74	10.69	10.56	10.59	0
		36	0	10.55	10.46	10.52	0
		36	19	10.45	10.28	10.46	0
		36	39	10.58	10.44	10.40	0
		75	0	10.55	10.47	10.37	0
15M	64QAM	1	0	10.92	10.72	10.73	0
		1	37	10.74	10.69	10.73	0
		1	74	10.66	10.63	10.69	0
		36	0	10.74	10.50	10.46	0
		36	19	10.58	10.38	10.39	0
		36	39	10.59	10.43	10.42	0
		75	0	10.65	10.45	10.54	0
15M	256QAM	1	0	10.78	10.66	10.69	0
		1	37	10.68	10.50	10.57	0
		1	74	10.54	10.47	10.47	0
		36	0	10.58	10.39	10.38	0
		36	19	10.55	10.31	10.35	0
		36	39	10.43	10.34	10.33	0
		75	0	10.55	10.36	10.49	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	10.91	10.63	10.74	0
		1	24	10.71	10.65	10.60	0
		1	49	10.62	10.67	10.62	0
		25	0	10.63	10.36	10.46	0
		25	12	10.58	10.38	10.46	0
		25	25	10.58	10.36	10.44	0
		50	0	10.51	10.38	10.50	0
10M	16QAM	1	0	10.83	10.57	10.52	0
		1	24	10.64	10.53	10.58	0
		1	49	10.63	10.48	10.44	0
		25	0	10.60	10.41	10.41	0
		25	12	10.35	10.33	10.37	0
		25	25	10.54	10.25	10.37	0
		50	0	10.41	10.38	10.39	0
10M	64QAM	1	0	10.89	10.57	10.79	0
		1	24	10.73	10.58	10.71	0
		1	49	10.56	10.59	10.63	0
		25	0	10.52	10.42	10.46	0
		25	12	10.49	10.26	10.40	0
		25	25	10.66	10.40	10.41	0
		50	0	10.59	10.31	10.56	0
10M	256QAM	1	0	10.83	10.59	10.61	0
		1	24	10.47	10.52	10.45	0
		1	49	10.45	10.36	10.42	0
		25	0	10.43	10.35	10.45	0
		25	12	10.57	10.16	10.42	0
		25	25	10.47	10.15	10.27	0
		50	0	10.45	10.37	10.44	0
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	10.84	10.67	10.65	0
		1	12	10.76	10.62	10.48	0
		1	24	10.71	10.58	10.46	0
		12	0	10.73	10.47	10.47	0
		12	6	10.58	10.51	10.35	0
		12	13	10.58	10.41	10.23	0
		25	0	10.63	10.43	10.52	0
5M	16QAM	1	0	10.78	10.59	10.64	0
		1	12	10.62	10.39	10.67	0
		1	24	10.56	10.46	10.50	0
		12	0	10.61	10.39	10.49	0
		12	6	10.31	10.22	10.44	0
		12	13	10.41	10.35	10.38	0
		25	0	10.46	10.42	10.37	0
5M	64QAM	1	0	10.77	10.61	10.68	0
		1	12	10.59	10.61	10.59	0
		1	24	10.66	10.61	10.54	0
		12	0	10.55	10.51	10.45	0
		12	6	10.56	10.39	10.32	0
		12	13	10.58	10.27	10.43	0
		25	0	10.59	10.44	10.58	0
5M	256QAM	1	0	10.77	10.60	10.56	0
		1	12	10.49	10.43	10.55	0
		1	24	10.64	10.49	10.54	0
		12	0	10.52	10.30	10.40	0
		12	6	10.58	10.34	10.40	0
		12	13	10.42	10.24	10.42	0
		25	0	10.48	10.39	10.38	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	18.29	18.43	18.39	0
		1	24	18.17	18.22	18.20	0
		1	49	18.20	18.28	18.18	0
		25	0	18.17	18.33	18.28	0
		25	12	18.15	18.14	18.17	0
		25	25	18.03	18.11	18.06	0
		50	0	18.15	18.30	18.25	0
10M	16QAM	1	0	18.18	18.28	18.30	0
		1	24	17.99	18.21	18.10	0
		1	49	17.95	18.21	18.07	0
		25	0	18.02	18.20	18.19	0
		25	12	17.98	18.14	18.03	0
		25	25	18.02	18.05	17.99	0
		50	0	18.02	18.24	18.06	0
10M	64QAM	1	0	18.29	18.40	18.28	0
		1	24	18.13	18.25	18.18	0
		1	49	18.17	18.24	18.22	0
		25	0	18.11	18.24	18.23	0
		25	12	18.10	18.16	18.13	0
		25	25	18.00	18.12	18.04	0
		50	0	18.09	18.27	18.27	0
10M	256QAM	1	0	18.14	18.23	18.21	0
		1	24	18.00	18.13	18.08	0
		1	49	17.93	18.22	17.97	0
		25	0	17.99	18.03	18.07	0
		25	12	17.92	18.11	18.06	0
		25	25	17.96	18.10	17.92	0
		50	0	17.95	18.11	18.10	0
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	18.27	18.36	18.34	0
		1	12	18.08	18.16	18.12	0
		1	24	18.13	18.20	18.12	0
		12	0	18.09	18.24	18.20	0
		12	6	18.12	18.08	18.15	0
		12	13	17.99	18.07	18.01	0
		25	0	18.11	18.28	18.18	0
5M	16QAM	1	0	18.08	18.27	18.21	0
		1	12	17.97	18.15	18.08	0
		1	24	17.86	18.20	18.01	0
		12	0	17.97	18.16	18.18	0
		12	6	17.98	18.06	17.97	0
		12	13	17.98	18.02	17.99	0
		25	0	17.99	18.23	17.98	0
5M	64QAM	1	0	18.27	18.37	18.21	0
		1	12	18.10	18.17	18.11	0
		1	24	18.14	18.17	18.15	0
		12	0	18.03	18.20	18.22	0
		12	6	18.04	18.12	18.11	0
		12	13	17.97	18.02	18.02	0
		25	0	17.99	18.20	18.19	0
5M	256QAM	1	0	18.12	18.15	18.15	0
		1	12	17.99	18.12	18.05	0
		1	24	17.90	18.15	17.89	0
		12	0	17.91	17.96	18.07	0
		12	6	17.87	18.10	18.02	0
		12	13	17.96	18.03	17.91	0
		25	0	17.91	18.01	18.03	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	18.25	18.28	18.29	0
		1	7	18.11	18.13	18.04	0
		1	14	18.01	18.22	18.10	0
		8	0	18.11	18.21	18.22	0
		8	3	18.05	18.02	17.98	0
		8	7	17.93	18.06	18.00	0
		15	0	18.01	18.06	18.03	0
3M	16QAM	1	0	18.01	18.10	18.20	0
		1	7	17.76	18.08	18.06	0
		1	14	17.76	18.03	18.05	0
		8	0	17.91	18.13	18.05	0
		8	3	17.81	18.12	17.90	0
		8	7	17.84	17.99	17.95	0
		15	0	17.88	18.12	17.97	0
3M	64QAM	1	0	18.07	18.24	18.25	0
		1	7	18.09	18.14	18.04	0
		1	14	18.12	18.04	18.05	0
		8	0	18.11	18.17	18.07	0
		8	3	17.95	17.99	18.02	0
		8	7	17.87	18.02	17.99	0
		15	0	18.07	18.18	18.16	0
3M	256QAM	1	0	17.99	18.08	18.06	0
		1	7	17.91	18.01	17.97	0
		1	14	17.80	17.99	17.88	0
		8	0	17.95	17.88	17.97	0
		8	3	17.85	18.11	18.02	0
		8	7	17.80	18.03	17.79	0
		15	0	17.89	17.96	17.93	0
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	18.20	18.38	18.24	0
		1	2	18.09	18.21	18.03	0
		1	5	18.15	18.16	18.13	0
		3	0	18.00	18.13	18.03	0
		3	1	18.03	17.99	17.94	0
		3	3	17.97	18.04	17.90	0
		6	0	18.07	18.18	18.10	0
1.4M	16QAM	1	0	18.01	18.12	18.11	0
		1	2	17.85	18.14	17.97	0
		1	5	17.83	18.02	18.03	0
		3	0	18.00	18.10	18.00	0
		3	1	17.97	17.98	17.89	0
		3	3	17.94	17.87	17.77	0
		6	0	17.89	18.07	17.98	0
1.4M	64QAM	1	0	18.17	18.25	18.25	0
		1	2	18.06	18.08	18.07	0
		1	5	18.06	18.12	18.10	0
		3	0	17.95	18.23	18.12	0
		3	1	17.88	17.98	18.04	0
		3	3	17.87	18.01	17.82	0
		6	0	17.97	18.22	18.15	0
1.4M	256QAM	1	0	18.06	18.18	18.03	0
		1	2	17.94	18.12	17.82	0
		1	5	17.84	18.02	17.87	0
		3	0	17.93	18.08	18.05	0
		3	1	17.85	17.88	17.88	0
		3	3	17.87	17.94	17.84	0
		6	0	17.77	18.10	18.12	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		17.32		0
		1	24		17.16		0
		1	49		17.23		0
		25	0		17.17		0
		25	12		17.15		0
		25	25		17.03		0
		50	0		17.10		0
10M	16QAM	1	0		17.17		0
		1	24		16.98		0
		1	49		16.97		0
		25	0		17.06		0
		25	12		17.01		0
		25	25		16.96		0
		50	0		17.04		0
10M	64QAM	1	0		17.29		0
		1	24		17.23		0
		1	49		17.15		0
		25	0		17.16		0
		25	12		17.13		0
		25	25		17.04		0
		50	0		17.07		0
10M	256QAM	1	0		17.04		0
		1	24		16.95		0
		1	49		16.89		0
		25	0		17.01		0
		25	12		16.96		0
		25	25		16.96		0
		50	0		16.97		0
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	17.22	17.30	17.27	0
		1	12	17.13	17.10	17.10	0
		1	24	17.14	17.13	17.21	0
		12	0	17.12	17.14	17.15	0
		12	6	17.12	17.07	17.15	0
		12	13	17.01	16.96	17.00	0
		25	0	17.06	17.05	17.00	0
5M	16QAM	1	0	17.13	17.09	17.07	0
		1	12	16.96	16.96	16.90	0
		1	24	16.88	16.88	16.95	0
		12	0	17.00	17.06	16.96	0
		12	6	16.93	17.00	16.98	0
		12	13	16.89	16.86	16.92	0
		25	0	17.01	17.03	17.00	0
5M	64QAM	1	0	17.26	17.26	17.29	0
		1	12	17.15	17.14	17.22	0
		1	24	17.14	17.06	17.06	0
		12	0	17.15	17.16	17.09	0
		12	6	17.08	17.09	17.05	0
		12	13	16.94	16.97	16.97	0
		25	0	17.06	16.99	17.02	0
5M	256QAM	1	0	16.95	17.01	17.00	0
		1	12	16.90	16.86	16.95	0
		1	24	16.88	16.82	16.89	0
		12	0	16.98	16.92	16.97	0
		12	6	16.88	16.95	16.93	0
		12	13	16.94	16.91	16.94	0
		25	0	16.96	16.97	16.92	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0		17.86		0
		1	24		17.73		0
		1	49		17.68		0
		25	0		17.72		0
		25	12		17.70		0
		25	25		17.56		0
		50	0		17.64		0
10M	16QAM	1	0		17.65		0
		1	24		17.55		0
		1	49		17.50		0
		25	0		17.50		0
		25	12		17.51		0
		25	25		17.54		0
		50	0		17.55		0
10M	64QAM	1	0		17.71		0
		1	24		17.67		0
		1	49		17.60		0
		25	0		17.70		0
		25	12		17.63		0
		25	25		17.49		0
		50	0		17.63		0
10M	256QAM	1	0		17.56		0
		1	24		17.48		0
		1	49		17.38		0
		25	0		17.47		0
		25	12		17.51		0
		25	25		17.39		0
		50	0		17.52		0
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	17.78	17.82	17.78	0
		1	12	17.66	17.72	17.68	0
		1	24	17.65	17.68	17.62	0
		12	0	17.63	17.62	17.69	0
		12	6	17.62	17.64	17.60	0
		12	13	17.48	17.56	17.53	0
		25	0	17.54	17.59	17.58	0
5M	16QAM	1	0	17.65	17.61	17.58	0
		1	12	17.51	17.52	17.45	0
		1	24	17.44	17.40	17.49	0
		12	0	17.47	17.40	17.49	0
		12	6	17.42	17.46	17.44	0
		12	13	17.44	17.45	17.49	0
		25	0	17.49	17.52	17.55	0
5M	64QAM	1	0	17.63	17.64	17.63	0
		1	12	17.64	17.58	17.58	0
		1	24	17.59	17.51	17.53	0
		12	0	17.60	17.69	17.63	0
		12	6	17.53	17.53	17.60	0
		12	13	17.44	17.43	17.44	0
		25	0	17.58	17.63	17.57	0
5M	256QAM	1	0	17.54	17.47	17.53	0
		1	12	17.44	17.38	17.43	0
		1	24	17.33	17.38	17.37	0
		12	0	17.41	17.37	17.45	0
		12	6	17.48	17.46	17.45	0
		12	13	17.34	17.37	17.37	0
		25	0	17.51	17.43	17.42	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	17.79	17.87	17.65	0
		1	24	17.67	17.70	17.52	0
		1	49	17.72	17.71	17.51	0
		25	0	17.69	17.77	17.52	0
		25	12	17.62	17.73	17.51	0
		25	25	17.64	17.62	17.46	0
		50	0	17.60	17.69	17.44	0
10M	16QAM	1	0	17.65	17.67	17.53	0
		1	24	17.51	17.53	17.35	0
		1	49	17.52	17.58	17.36	0
		25	0	17.50	17.55	17.34	0
		25	12	17.51	17.57	17.31	0
		25	25	17.51	17.52	17.35	0
		50	0	17.58	17.53	17.42	0
10M	64QAM	1	0	17.72	17.71	17.69	0
		1	24	17.62	17.71	17.50	0
		1	49	17.65	17.77	17.50	0
		25	0	17.69	17.70	17.51	0
		25	12	17.58	17.65	17.45	0
		25	25	17.57	17.50	17.30	0
		50	0	17.67	17.64	17.47	0
10M	256QAM	1	0	17.69	17.66	17.50	0
		1	24	17.55	17.51	17.28	0
		1	49	17.38	17.49	17.26	0
		25	0	17.48	17.51	17.29	0
		25	12	17.51	17.58	17.25	0
		25	25	17.47	17.40	17.28	0
		50	0	17.42	17.58	17.33	0
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	17.69	17.84	17.63	0
		1	12	17.62	17.70	17.52	0
		1	24	17.70	17.66	17.45	0
		12	0	17.60	17.69	17.46	0
		12	6	17.54	17.70	17.45	0
		12	13	17.63	17.62	17.39	0
		25	0	17.53	17.65	17.34	0
5M	16QAM	1	0	17.55	17.66	17.53	0
		1	12	17.45	17.52	17.32	0
		1	24	17.44	17.57	17.28	0
		12	0	17.48	17.49	17.31	0
		12	6	17.41	17.54	17.24	0
		12	13	17.50	17.47	17.29	0
		25	0	17.58	17.51	17.40	0
5M	64QAM	1	0	17.66	17.63	17.59	0
		1	12	17.53	17.66	17.48	0
		1	24	17.65	17.73	17.43	0
		12	0	17.65	17.66	17.45	0
		12	6	17.53	17.56	17.38	0
		12	13	17.55	17.41	17.23	0
		25	0	17.66	17.63	17.40	0
5M	256QAM	1	0	17.64	17.57	17.50	0
		1	12	17.52	17.41	17.18	0
		1	24	17.29	17.39	17.16	0
		12	0	17.39	17.49	17.19	0
		12	6	17.43	17.49	17.20	0
		12	13	17.46	17.31	17.28	0
		25	0	17.34	17.48	17.25	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	13.71	13.76	13.85	0
		1	50	13.57	13.53	13.69	0
		1	99	13.50	13.52	13.63	0
		50	0	13.39	13.42	13.50	0
		50	25	13.39	13.31	13.48	0
		50	50	13.29	13.26	13.36	0
		100	0	13.40	13.29	13.50	0
20M	16QAM	1	0	13.73	13.61	13.81	0
		1	50	13.49	13.48	13.61	0
		1	99	13.50	13.45	13.51	0
		50	0	13.42	13.28	13.40	0
		50	25	13.29	13.29	13.32	0
		50	50	13.19	13.17	13.33	0
		100	0	13.36	13.25	13.40	0
20M	64QAM	1	0	13.63	13.69	13.78	0
		1	50	13.48	13.53	13.57	0
		1	99	13.57	13.49	13.47	0
		50	0	13.44	13.41	13.46	0
		50	25	13.33	13.24	13.39	0
		50	50	13.28	13.27	13.35	0
		100	0	13.32	13.37	13.47	0
20M	256QAM	1	0	13.65	13.61	13.70	0
		1	50	13.39	13.46	13.56	0
		1	99	13.38	13.37	13.49	0
		50	0	13.27	13.31	13.45	0
		50	25	13.26	13.21	13.34	0
		50	50	13.24	13.21	13.27	0
		100	0	13.29	13.21	13.34	0
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	13.62	13.68	13.81	0
		1	37	13.55	13.45	13.67	0
		1	74	13.47	13.50	13.55	0
		36	0	13.30	13.35	13.43	0
		36	19	13.33	13.25	13.40	0
		36	39	13.26	13.26	13.30	0
		75	0	13.38	13.19	13.40	0
15M	16QAM	1	0	13.69	13.53	13.75	0
		1	37	13.42	13.40	13.61	0
		1	74	13.46	13.38	13.50	0
		36	0	13.35	13.27	13.39	0
		36	19	13.27	13.29	13.25	0
		36	39	13.09	13.13	13.32	0
		75	0	13.35	13.19	13.39	0
15M	64QAM	1	0	13.59	13.69	13.78	0
		1	37	13.42	13.47	13.56	0
		1	74	13.57	13.39	13.47	0
		36	0	13.40	13.33	13.43	0
		36	19	13.26	13.15	13.34	0
		36	39	13.22	13.24	13.34	0
		75	0	13.28	13.29	13.45	0
15M	256QAM	1	0	13.58	13.56	13.69	0
		1	37	13.35	13.45	13.56	0
		1	74	13.32	13.36	13.42	0
		36	0	13.18	13.29	13.36	0
		36	19	13.20	13.12	13.28	0
		36	39	13.23	13.13	13.18	0
		75	0	13.24	13.20	13.24	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	13.65	13.66	13.77	0
		1	24	13.45	13.44	13.51	0
		1	49	13.34	13.46	13.49	0
		25	0	13.34	13.30	13.39	0
		25	12	13.32	13.25	13.41	0
		25	25	13.12	13.14	13.25	0
		50	0	13.27	13.19	13.38	0
10M	16QAM	1	0	13.65	13.50	13.68	0
		1	24	13.34	13.31	13.42	0
		1	49	13.38	13.29	13.40	0
		25	0	13.36	13.10	13.34	0
		25	12	13.20	13.16	13.22	0
		25	25	13.12	13.00	13.18	0
		50	0	13.31	13.14	13.22	0
10M	64QAM	1	0	13.56	13.48	13.69	0
		1	24	13.36	13.47	13.37	0
		1	49	13.43	13.44	13.37	0
		25	0	13.31	13.20	13.30	0
		25	12	13.18	13.00	13.21	0
		25	25	13.07	13.15	13.32	0
		50	0	13.15	13.20	13.33	0
10M	256QAM	1	0	13.51	13.45	13.66	0
		1	24	13.27	13.37	13.33	0
		1	49	13.32	13.23	13.41	0
		25	0	13.10	13.29	13.24	0
		25	12	13.16	13.16	13.15	0
		25	25	13.09	13.12	13.17	0
		50	0	13.18	13.12	13.18	0
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	13.52	13.51	13.66	0
		1	12	13.37	13.49	13.61	0
		1	24	13.37	13.36	13.47	0
		12	0	13.25	13.29	13.33	0
		12	6	13.34	13.21	13.35	0
		12	13	13.12	13.21	13.06	0
		25	0	13.24	13.05	13.20	0
5M	16QAM	1	0	13.64	13.46	13.65	0
		1	12	13.38	13.41	13.50	0
		1	24	13.41	13.30	13.39	0
		12	0	13.30	13.19	13.24	0
		12	6	13.25	13.11	13.22	0
		12	13	13.09	13.11	13.23	0
		25	0	13.27	13.16	13.20	0
5M	64QAM	1	0	13.46	13.57	13.67	0
		1	12	13.40	13.43	13.48	0
		1	24	13.37	13.38	13.36	0
		12	0	13.40	13.37	13.32	0
		12	6	13.28	13.08	13.25	0
		12	13	13.10	13.19	13.18	0
		25	0	13.13	13.28	13.36	0
5M	256QAM	1	0	13.37	13.57	13.59	0
		1	12	13.38	13.33	13.31	0
		1	24	13.23	13.22	13.20	0
		12	0	13.31	13.24	13.28	0
		12	6	13.15	12.91	13.26	0
		12	13	13.09	13.06	13.21	0
		25	0	13.18	13.19	13.36	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	13.51	13.65	13.73	0
		1	7	13.53	13.45	13.43	0
		1	14	13.42	13.30	13.50	0
		8	0	13.37	13.33	13.21	0
		8	3	13.26	13.15	13.24	0
		8	7	13.12	13.07	13.22	0
		15	0	13.24	13.11	13.26	0
3M	16QAM	1	0	13.52	13.59	13.70	0
		1	7	13.35	13.35	13.38	0
		1	14	13.41	13.33	13.38	0
		8	0	13.34	13.14	13.25	0
		8	3	13.14	13.16	13.25	0
		8	7	12.96	13.03	13.28	0
		15	0	13.15	13.10	13.25	0
3M	64QAM	1	0	13.45	13.50	13.66	0
		1	7	13.31	13.30	13.37	0
		1	14	13.46	13.37	13.46	0
		8	0	13.29	13.29	13.23	0
		8	3	13.26	13.08	13.19	0
		8	7	13.26	13.18	13.28	0
		15	0	13.16	13.25	13.42	0
3M	256QAM	1	0	13.28	13.49	13.56	0
		1	7	13.19	13.24	13.46	0
		1	14	13.44	13.18	13.34	0
		8	0	13.31	13.23	13.17	0
		8	3	13.15	12.99	13.20	0
		8	7	13.12	13.20	13.08	0
		15	0	13.15	13.15	13.25	0
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	13.61	13.65	13.75	0
		1	2	13.41	13.31	13.55	0
		1	5	13.39	13.42	13.45	0
		3	0	13.30	13.29	13.41	0
		3	1	13.35	13.12	13.48	0
		3	3	13.18	13.18	13.27	0
		6	0	13.20	13.17	13.31	0
1.4M	16QAM	1	0	13.64	13.52	13.59	0
		1	2	13.45	13.37	13.42	0
		1	5	13.42	13.38	13.45	0
		3	0	13.32	13.18	13.22	0
		3	1	13.12	13.16	13.27	0
		3	3	13.07	13.12	13.15	0
		6	0	13.14	13.09	13.29	0
1.4M	64QAM	1	0	13.43	13.57	13.67	0
		1	2	13.26	13.39	13.48	0
		1	5	13.40	13.47	13.33	0
		3	0	13.28	13.30	13.39	0
		3	1	13.18	13.17	13.17	0
		3	3	13.12	13.18	13.23	0
		6	0	13.12	13.22	13.35	0
1.4M	256QAM	1	0	13.56	13.40	13.62	0
		1	2	13.17	13.37	13.53	0
		1	5	13.32	13.22	13.42	0
		3	0	13.13	13.30	13.33	0
		3	1	13.16	13.08	13.25	0
		3	3	13.15	13.10	13.22	0
		6	0	13.13	13.21	13.13	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	18.82	18.97	18.88	0
		1	37	18.70	18.86	18.75	0
		1	74	18.58	18.73	18.58	0
		36	0	18.68	18.89	18.76	0
		36	19	18.63	18.81	18.69	0
		36	39	18.49	18.65	18.58	0
		75	0	18.60	18.70	18.60	0
15M	16QAM	1	0	18.65	18.83	18.75	0
		1	37	18.57	18.70	18.65	0
		1	74	18.44	18.62	18.50	0
		36	0	18.57	18.71	18.69	0
		36	19	18.47	18.61	18.58	0
		36	39	18.45	18.61	18.47	0
		75	0	18.60	18.68	18.63	0
15M	64QAM	1	0	18.83	18.83	18.81	0
		1	37	18.65	18.74	18.76	0
		1	74	18.48	18.62	18.54	0
		36	0	18.66	18.85	18.62	0
		36	19	18.54	18.71	18.65	0
		36	39	18.46	18.57	18.53	0
		75	0	18.59	18.68	18.61	0
15M	256QAM	1	0	18.59	18.80	18.66	0
		1	37	18.56	18.62	18.52	0
		1	74	18.48	18.58	18.46	0
		36	0	18.54	18.71	18.52	0
		36	19	18.38	18.61	18.53	0
		36	39	18.36	18.55	18.41	0
		75	0	18.50	18.66	18.57	0
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	QPSK	1	0	18.77	18.97	18.88	0
		1	24	18.61	18.78	18.71	0
		1	49	18.51	18.67	18.54	0
		25	0	18.63	18.84	18.68	0
		25	12	18.56	18.76	18.66	0
		25	25	18.40	18.64	18.57	0
		50	0	18.62	18.69	18.63	0
10M	16QAM	1	0	18.55	18.76	18.69	0
		1	24	18.56	18.69	18.60	0
		1	49	18.36	18.62	18.50	0
		25	0	18.47	18.64	18.62	0
		25	12	18.42	18.58	18.58	0
		25	25	18.36	18.60	18.43	0
		50	0	18.52	18.60	18.59	0
10M	64QAM	1	0	18.74	18.73	18.71	0
		1	24	18.63	18.71	18.74	0
		1	49	18.42	18.57	18.46	0
		25	0	18.66	18.77	18.57	0
		25	12	18.53	18.71	18.63	0
		25	25	18.44	18.57	18.50	0
		50	0	18.59	18.67	18.63	0
10M	256QAM	1	0	18.56	18.80	18.60	0
		1	24	18.47	18.60	18.49	0
		1	49	18.47	18.49	18.40	0
		25	0	18.45	18.66	18.48	0
		25	12	18.28	18.59	18.44	0
		25	25	18.29	18.48	18.38	0
		50	0	18.40	18.50	18.50	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	18.75	18.85	18.77	0
		1	12	18.47	18.76	18.61	0
		1	24	18.35	18.62	18.41	0
		12	0	18.53	18.85	18.62	0
		12	6	18.45	18.73	18.51	0
		12	13	18.24	18.55	18.54	0
		25	0	18.50	18.56	18.52	0
5M	16QAM	1	0	18.56	18.66	18.68	0
		1	12	18.52	18.55	18.58	0
		1	24	18.39	18.46	18.34	0
		12	0	18.38	18.58	18.59	0
		12	6	18.35	18.43	18.37	0
		12	13	18.26	18.58	18.28	0
		25	0	18.45	18.59	18.57	0
5M	64QAM	1	0	18.76	18.66	18.69	0
		1	12	18.58	18.62	18.60	0
		1	24	18.40	18.49	18.39	0
		12	0	18.46	18.78	18.51	0
		12	6	18.34	18.61	18.55	0
		12	13	18.41	18.49	18.40	0
		25	0	18.42	18.69	18.52	0
5M	256QAM	1	0	18.48	18.70	18.50	0
		1	12	18.45	18.45	18.43	0
		1	24	18.39	18.45	18.33	0
		12	0	18.46	18.67	18.37	0
		12	6	18.23	18.37	18.40	0
		12	13	18.21	18.47	18.23	0
		25	0	18.36	18.48	18.40	0
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	18.66	18.89	18.58	0
		1	7	18.65	18.79	18.65	0
		1	14	18.43	18.59	18.44	0
		8	0	18.55	18.68	18.54	0
		8	3	18.43	18.60	18.50	0
		8	7	18.42	18.53	18.29	0
		15	0	18.63	18.65	18.40	0
3M	16QAM	1	0	18.56	18.66	18.66	0
		1	7	18.40	18.51	18.57	0
		1	14	18.23	18.39	18.30	0
		8	0	18.57	18.59	18.60	0
		8	3	18.42	18.48	18.44	0
		8	7	18.39	18.46	18.47	0
		15	0	18.50	18.68	18.45	0
3M	64QAM	1	0	18.66	18.58	18.76	0
		1	7	18.51	18.64	18.58	0
		1	14	18.46	18.42	18.34	0
		8	0	18.53	18.71	18.53	0
		8	3	18.43	18.55	18.52	0
		8	7	18.41	18.39	18.32	0
		15	0	18.55	18.62	18.48	0
3M	256QAM	1	0	18.56	18.53	18.66	0
		1	7	18.47	18.62	18.54	0
		1	14	18.43	18.50	18.26	0
		8	0	18.47	18.59	18.38	0
		8	3	18.18	18.47	18.52	0
		8	7	18.32	18.48	18.39	0
		15	0	18.44	18.58	18.51	0

Tablet LTE Conducted Power (Reduction)

LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	18.67	18.86	18.78	0
		1	2	18.57	18.81	18.65	0
		1	5	18.51	18.60	18.48	0
		3	0	18.45	18.83	18.69	0
		3	1	18.51	18.65	18.55	0
		3	3	18.41	18.63	18.47	0
		6	0	18.62	18.59	18.65	0
1.4M	16QAM	1	0	18.53	18.68	18.61	0
		1	2	18.41	18.55	18.50	0
		1	5	18.32	18.38	18.38	0
		3	0	18.39	18.60	18.52	0
		3	1	18.32	18.58	18.40	0
		3	3	18.33	18.55	18.47	0
		6	0	18.52	18.62	18.46	0
1.4M	64QAM	1	0	18.70	18.66	18.77	0
		1	2	18.45	18.59	18.63	0
		1	5	18.35	18.54	18.43	0
		3	0	18.56	18.65	18.54	0
		3	1	18.34	18.63	18.55	0
		3	3	18.28	18.54	18.39	0
		6	0	18.49	18.62	18.56	0
1.4M	256QAM	1	0	18.45	18.67	18.53	0
		1	2	18.43	18.50	18.35	0
		1	5	18.30	18.47	18.35	0
		3	0	18.39	18.49	18.38	0
		3	1	18.17	18.45	18.40	0
		3	3	18.29	18.40	18.27	0
		6	0	18.40	18.46	18.42	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 30							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		12.43		0
		1	24		12.39		0
		1	49		12.37		0
		25	0		12.27		0
		25	12		12.2		0
		25	25		12.12		0
		50	0		12.28		0
10M	16QAM	1	0		12.39		0
		1	24		12.32		0
		1	49		12.32		0
		25	0		12.21		0
		25	12		12.06		0
		25	25		12.04		0
		50	0		12.21		0
10M	64QAM	1	0		12.38		0
		1	24		12.35		0
		1	49		12.25		0
		25	0		12.17		0
		25	12		12.15		0
		25	25		12.06		0
		50	0		12.29		0
10M	256QAM	1	0		12.33		0
		1	24		12.25		0
		1	49		12.17		0
		25	0		12.13		0
		25	12		12.10		0
		25	25		12.14		0
		50	0		12.19		0
BW	MCS Index	Channel		27685	27710	27735	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	QPSK	1	0	12.43	12.38	12.42	0
		1	12	12.35	12.34	12.33	0
		1	24	12.27	12.28	12.27	0
		12	0	12.21	12.25	12.23	0
		12	6	12.10	12.15	12.10	0
		12	13	12.12	12.07	12.06	0
		25	0	12.23	12.27	12.24	0
5M	16QAM	1	0	12.29	12.32	12.30	0
		1	12	12.31	12.31	12.31	0
		1	24	12.32	12.30	12.27	0
		12	0	12.17	12.14	12.20	0
		12	6	12.02	12.02	11.96	0
		12	13	11.98	11.94	11.94	0
		25	0	12.16	12.20	12.13	0
5M	64QAM	1	0	12.36	12.36	12.32	0
		1	12	12.32	12.32	12.30	0
		1	24	12.21	12.24	12.15	0
		12	0	12.15	12.10	12.16	0
		12	6	12.06	12.09	12.08	0
		12	13	12.04	11.98	12.06	0
		25	0	12.27	12.22	12.25	0
5M	256QAM	1	0	12.24	12.27	12.25	0
		1	12	12.15	12.17	12.23	0
		1	24	12.16	12.12	12.12	0
		12	0	12.11	12.08	12.08	0
		12	6	12.09	12.02	12.00	0
		12	13	12.10	12.07	12.14	0
		25	0	12.19	12.15	12.18	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	14.30	14.39	14.49	0
		1	50	14.26	14.31	14.40	0
		1	99	14.12	14.19	14.27	0
		50	0	14.27	14.29	14.35	0
		50	25	14.20	14.18	14.31	0
		50	50	13.99	14.02	14.19	0
		100	0	14.21	14.27	14.35	0
20M	16QAM	1	0	14.14	14.26	14.32	0
		1	50	14.12	14.11	14.25	0
		1	99	13.99	14.08	14.16	0
		50	0	14.14	14.11	14.21	0
		50	25	14.11	14.08	14.23	0
		50	50	13.94	13.93	14.00	0
		100	0	14.04	14.11	14.15	0
20M	64QAM	1	0	14.21	14.37	14.32	0
		1	50	14.21	14.31	14.27	0
		1	99	14.11	14.21	14.31	0
		50	0	14.19	14.24	14.33	0
		50	25	14.19	14.15	14.31	0
		50	50	14.04	13.97	14.11	0
		100	0	14.16	14.17	14.34	0
20M	256QAM	1	0	14.10	14.20	14.26	0
		1	50	14.08	14.07	14.23	0
		1	99	14.04	14.01	14.08	0
		50	0	14.05	14.12	14.21	0
		50	25	14.08	13.97	14.15	0
		50	50	13.84	13.81	13.94	0
		100	0	14.07	14.04	14.10	0
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
Frequency (MHz)		2577.5	2595	2612.5			
15M	QPSK	1	0	14.21	14.34	14.45	0
		1	37	14.24	14.21	14.31	0
		1	74	14.03	14.12	14.18	0
		36	0	14.25	14.23	14.25	0
		36	19	14.19	14.13	14.30	0
		36	39	13.96	13.94	14.17	0
		75	0	14.17	14.26	14.31	0
15M	16QAM	1	0	14.12	14.23	14.22	0
		1	37	14.07	14.04	14.24	0
		1	74	13.94	14.01	14.06	0
		36	0	14.12	14.04	14.13	0
		36	19	14.11	14.02	14.17	0
		36	39	13.86	13.90	13.90	0
		75	0	13.94	14.01	14.13	0
15M	64QAM	1	0	14.13	14.29	14.28	0
		1	37	14.14	14.29	14.19	0
		1	74	14.08	14.17	14.31	0
		36	0	14.19	14.23	14.28	0
		36	19	14.13	14.06	14.21	0
		36	39	14.04	13.93	14.09	0
		75	0	14.14	14.10	14.25	0
15M	256QAM	1	0	14.04	14.11	14.23	0
		1	37	14.03	13.98	14.21	0
		1	74	14.00	13.92	14.00	0
		36	0	14.02	14.02	14.14	0
		36	19	13.99	13.94	14.08	0
		36	39	13.78	13.79	13.94	0
		75	0	14.07	14.04	14.00	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	14.19	14.29	14.42	0
		1	24	14.22	14.15	14.36	0
		1	49	13.94	14.03	14.13	0
		25	0	14.15	14.15	14.26	0
		25	12	14.07	14.03	14.22	0
		25	25	13.94	13.89	14.09	0
		50	0	14.09	14.16	14.33	0
10M	16QAM	1	0	14.11	14.08	14.16	0
		1	24	14.00	13.94	14.14	0
		1	49	13.82	13.98	14.04	0
		25	0	14.00	13.94	14.09	0
		25	12	13.95	13.87	14.12	0
		25	25	13.80	13.80	13.91	0
		50	0	13.99	13.96	14.10	0
10M	64QAM	1	0	14.05	14.13	14.16	0
		1	24	14.14	14.13	14.14	0
		1	49	13.97	14.01	14.09	0
		25	0	14.04	14.11	14.21	0
		25	12	14.08	13.97	14.25	0
		25	25	13.85	13.84	14.05	0
		50	0	14.06	14.13	14.32	0
10M	256QAM	1	0	14.02	14.03	14.20	0
		1	24	14.08	13.94	14.07	0
		1	49	13.90	13.85	13.83	0
		25	0	13.95	14.04	14.05	0
		25	12	13.98	13.77	13.97	0
		25	25	13.72	13.70	13.70	0
		50	0	13.95	13.86	13.88	0
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	14.22	14.23	14.44	0
		1	12	14.05	14.11	14.38	0
		1	24	14.08	14.08	14.20	0
		12	0	14.21	14.22	14.31	0
		12	6	14.14	14.11	14.17	0
		12	13	13.95	13.90	14.08	0
		25	0	13.98	14.07	14.30	0
5M	16QAM	1	0	14.01	14.17	14.20	0
		1	12	14.00	13.95	14.14	0
		1	24	13.96	13.87	14.07	0
		12	0	14.07	14.02	14.04	0
		12	6	13.90	13.93	14.02	0
		12	13	13.76	13.70	13.89	0
		25	0	14.01	14.00	14.02	0
5M	64QAM	1	0	14.09	14.33	14.24	0
		1	12	14.11	14.16	14.22	0
		1	24	13.92	14.12	14.25	0
		12	0	14.15	14.12	14.29	0
		12	6	14.00	13.98	14.23	0
		12	13	13.82	13.78	13.87	0
		25	0	14.09	14.10	14.16	0
5M	256QAM	1	0	14.17	14.07	14.19	0
		1	12	14.05	13.94	14.09	0
		1	24	13.83	13.91	13.96	0
		12	0	13.98	13.99	13.98	0
		12	6	14.07	13.75	13.93	0
		12	13	13.71	13.64	13.82	0
		25	0	13.87	14.00	14.00	0

Tablet LTE Conducted Power (Reduction)

LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	14.91	14.95	14.80	14.76	14.82	0
		1	50	14.88	14.84	14.73	14.69	14.75	0
		1	99	14.81	14.77	14.66	14.62	14.68	0
		50	0	14.91	14.95	14.80	14.76	14.82	0
		50	25	14.90	14.94	14.79	14.75	14.81	0
		50	50	14.90	14.86	14.75	14.71	14.77	0
		100	0	14.89	14.93	14.78	14.74	14.80	0
20M	16QAM	1	0	14.92	14.88	14.77	14.73	14.79	0
		1	50	14.85	14.81	14.70	14.66	14.72	0
		1	99	14.78	14.74	14.63	14.59	14.65	0
		50	0	14.92	14.88	14.77	14.73	14.79	0
		50	25	14.91	14.87	14.76	14.72	14.78	0
		50	50	14.87	14.83	14.72	14.68	14.74	0
		100	0	14.90	14.86	14.75	14.71	14.77	0
20M	64QAM	1	0	14.86	14.86	14.75	14.75	14.81	0
		1	50	14.82	14.78	14.64	14.69	14.66	0
		1	99	14.73	14.74	14.61	14.57	14.65	0
		50	0	14.87	14.89	14.76	14.68	14.81	0
		50	25	14.86	14.89	14.74	14.73	14.79	0
		50	50	14.81	14.84	14.68	14.70	14.68	0
		100	0	14.84	14.87	14.78	14.72	14.74	0
20M	256QAM	1	0	13.86	13.82	13.70	13.70	13.75	0
		1	50	13.78	13.80	13.66	13.60	13.71	0
		1	99	13.73	13.70	13.56	13.54	13.62	0
		50	0	13.88	13.86	13.77	13.76	13.76	0
		50	25	13.91	13.81	13.71	13.67	13.76	0
		50	50	13.83	13.85	13.74	13.66	13.72	0
		100	0	13.87	13.83	13.76	13.73	13.80	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	14.88	14.87	14.73	14.69	14.73	0
		1	37	14.86	14.82	14.68	14.66	14.69	0
		1	74	14.78	14.68	14.57	14.55	14.64	0
		36	0	14.86	14.86	14.77	14.70	14.78	0
		36	19	14.90	14.83	14.69	14.70	14.75	0
		36	39	14.90	14.85	14.71	14.68	14.72	0
		75	0	14.86	14.83	14.72	14.74	14.71	0
15M	16QAM	1	0	14.91	14.86	14.74	14.73	14.76	0
		1	37	14.77	14.71	14.69	14.64	14.65	0
		1	74	14.70	14.70	14.59	14.57	14.63	0
		36	0	14.83	14.85	14.69	14.68	14.71	0
		36	19	14.85	14.80	14.76	14.72	14.71	0
		36	39	14.84	14.82	14.66	14.63	14.72	0
		75	0	14.85	14.85	14.72	14.62	14.73	0
15M	64QAM	1	0	14.76	14.76	14.75	14.66	14.76	0
		1	37	14.78	14.77	14.61	14.61	14.60	0
		1	74	14.63	14.69	14.61	14.55	14.56	0
		36	0	14.79	14.88	14.67	14.61	14.72	0
		36	19	14.83	14.80	14.66	14.66	14.75	0
		36	39	14.75	14.84	14.67	14.68	14.67	0
		75	0	14.77	14.85	14.73	14.67	14.72	0
15M	256QAM	1	0	13.78	13.74	13.60	13.60	13.74	0
		1	37	13.73	13.71	13.58	13.56	13.64	0
		1	74	13.70	13.62	13.50	13.45	13.62	0
		36	0	13.85	13.84	13.72	13.68	13.70	0
		36	19	13.82	13.71	13.70	13.63	13.73	0
		36	39	13.73	13.85	13.70	13.65	13.66	0
		75	0	13.85	13.73	13.70	13.68	13.72	0

Tablet LTE Conducted Power (Reduction)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	14.95	14.73	14.73	14.70	14.78	0
		1	24	14.70	14.71	14.71	14.68	14.67	0
		1	49	14.62	14.62	14.66	14.60	14.58	0
		25	0	14.70	14.83	14.80	14.68	14.81	0
		25	12	14.79	14.73	14.75	14.74	14.73	0
		25	25	14.82	14.82	14.70	14.64	14.77	0
		50	0	14.81	14.77	14.73	14.66	14.73	0
10M	16QAM	1	0	14.89	14.75	14.71	14.65	14.71	0
		1	24	14.75	14.66	14.63	14.61	14.63	0
		1	49	14.57	14.68	14.63	14.55	14.61	0
		25	0	14.82	14.77	14.69	14.73	14.71	0
		25	12	14.85	14.83	14.73	14.65	14.70	0
		25	25	14.72	14.77	14.66	14.64	14.69	0
		50	0	14.76	14.69	14.65	14.66	14.68	0
10M	64QAM	1	0	14.75	14.78	14.71	14.72	14.74	0
		1	24	14.71	14.76	14.60	14.59	14.63	0
		1	49	14.55	14.60	14.59	14.55	14.57	0
		25	0	14.68	14.73	14.74	14.58	14.77	0
		25	12	14.72	14.69	14.71	14.67	14.76	0
		25	25	14.71	14.65	14.66	14.63	14.66	0
		50	0	14.78	14.76	14.69	14.62	14.68	0
10M	256QAM	1	0	13.73	13.65	13.70	13.69	13.75	0
		1	24	13.65	13.73	13.63	13.56	13.62	0
		1	49	13.61	13.58	13.54	13.52	13.60	0
		25	0	13.66	13.72	13.67	13.72	13.72	0
		25	12	13.78	13.73	13.68	13.61	13.76	0
		25	25	13.69	13.74	13.70	13.60	13.65	0
		50	0	13.65	13.79	13.75	13.67	13.74	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	14.76	14.71	14.59	14.59	14.68	0
		1	12	14.77	14.58	14.68	14.54	14.73	0
		1	24	14.64	14.73	14.53	14.42	14.63	0
		12	0	14.78	14.82	14.62	14.62	14.71	0
		12	6	14.83	14.66	14.60	14.67	14.56	0
		12	13	14.75	14.65	14.64	14.65	14.68	0
		25	0	14.75	14.59	14.67	14.54	14.59	0
5M	16QAM	1	0	14.79	14.84	14.61	14.67	14.76	0
		1	12	14.65	14.76	14.58	14.50	14.52	0
		1	24	14.63	14.59	14.52	14.46	14.53	0
		12	0	14.85	14.71	14.59	14.64	14.67	0
		12	6	14.76	14.76	14.73	14.54	14.76	0
		12	13	14.85	14.68	14.57	14.51	14.68	0
		25	0	14.79	14.64	14.68	14.62	14.55	0
5M	64QAM	1	0	14.73	14.75	14.54	14.61	14.74	0
		1	12	14.75	14.67	14.48	14.56	14.54	0
		1	24	14.60	14.59	14.54	14.50	14.43	0
		12	0	14.77	14.79	14.69	14.50	14.72	0
		12	6	14.85	14.80	14.62	14.60	14.64	0
		12	13	14.71	14.75	14.53	14.54	14.45	0
		25	0	14.65	14.80	14.74	14.62	14.61	0
5M	256QAM	1	0	11.69	11.84	13.61	13.68	13.59	0
		1	12	11.61	11.49	13.58	13.51	13.67	0
		1	24	11.49	11.64	13.42	13.43	13.48	0
		12	0	12.49	12.60	13.67	13.65	13.71	0
		12	6	12.77	12.62	13.51	13.57	13.61	0
		12	13	12.69	12.61	13.57	13.44	13.67	0
		25	0	12.57	12.72	13.71	13.58	13.63	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 42							
BW	MCS Index	RB Size	RB Offset	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		43190	43340	43490	
		Frequency (MHz)		3560	3575	3590	
20M	QPSK	1	0	11.38	11.37	11.36	0
		1	50	11.37	11.36	11.35	0
		1	99	11.26	11.18	11.31	0
		50	0	11.17	11.16	11.15	0
		50	25	11.15	11.04	11.13	0
		50	50	11.07	11.03	11.12	0
		100	0	11.15	11.14	11.14	0
20M	16QAM	1	0	11.36	11.35	11.36	0
		1	50	11.32	11.35	11.36	0
		1	99	11.20	11.12	11.22	0
		50	0	11.14	11.09	11.20	0
		50	25	11.08	11.10	11.14	0
		50	50	11.09	11.07	11.16	0
		100	0	11.12	11.09	11.25	0
20M	64QAM	1	0	11.37	11.34	11.36	0
		1	50	11.35	11.33	11.37	0
		1	99	11.15	11.21	11.32	0
		50	0	11.11	11.03	11.16	0
		50	25	11.09	11.10	11.16	0
		50	50	10.98	10.90	11.15	0
		100	0	11.16	11.09	11.12	0
20M	256QAM	1	0	11.34	11.32	11.34	0
		1	50	11.34	11.24	11.33	0
		1	99	11.19	11.17	11.15	0
		50	0	11.02	11.06	11.17	0
		50	25	11.06	11.09	11.12	0
		50	50	11.02	10.88	11.03	0
		100	0	11.09	11.01	11.11	0
BW	MCS Index	Channel		43165	43340	43515	3GPP MPR
		Frequency (MHz)		3557.5	3575	3592.5	
15M	QPSK	1	0	11.35	11.33	11.37	0
		1	37	11.31	11.35	11.35	0
		1	74	11.21	11.16	11.24	0
		36	0	11.07	11.17	11.24	0
		36	19	11.08	10.96	11.20	0
		36	39	11.02	10.95	11.14	0
		75	0	11.09	11.06	11.18	0
15M	16QAM	1	0	11.36	11.34	11.34	0
		1	37	11.31	11.29	11.35	0
		1	74	11.17	11.11	11.12	0
		36	0	11.14	11.01	11.10	0
		36	19	11.02	11.07	11.14	0
		36	39	11.04	11.02	11.12	0
		75	0	11.11	11.08	11.22	0
15M	64QAM	1	0	11.27	11.34	11.36	0
		1	37	11.25	11.32	11.29	0
		1	74	11.07	11.16	11.30	0
		36	0	11.05	11.01	11.16	0
		36	19	11.08	11.02	11.08	0
		36	39	10.98	10.85	11.09	0
		75	0	11.06	11.02	11.18	0
15M	256QAM	1	0	11.29	11.28	11.35	0
		1	37	11.30	11.17	11.28	0
		1	74	11.18	11.13	11.05	0
		36	0	10.96	10.98	11.16	0
		36	19	10.97	11.08	11.09	0
		36	39	10.99	10.79	10.93	0
		75	0	11.02	11.00	11.09	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 42							
BW	MCS Index	Channel		43140	43340	43540	3GPP MPR
		Frequency (MHz)		3555	3575	3595	
10M	QPSK	1	0	11.25	11.20	11.37	0
		1	24	11.25	11.26	11.33	0
		1	49	11.07	11.06	11.19	0
		25	0	11.05	11.12	11.17	0
		25	12	10.91	10.92	11.09	0
		25	25	11.03	10.97	10.98	0
		50	0	11.00	11.14	11.18	0
10M	16QAM	1	0	11.26	11.36	11.35	0
		1	24	11.24	11.20	11.34	0
		1	49	11.00	11.10	11.12	0
		25	0	11.06	10.91	11.11	0
		25	12	10.94	10.89	11.10	0
		25	25	10.89	10.98	11.07	0
		50	0	11.01	11.01	11.13	0
10M	64QAM	1	0	11.18	11.35	11.36	0
		1	24	11.21	11.24	11.21	0
		1	49	10.90	11.12	11.18	0
		25	0	10.98	10.84	11.08	0
		25	12	10.94	10.99	11.01	0
		25	25	10.93	10.86	10.96	0
		50	0	11.05	11.06	11.10	0
10M	256QAM	1	0	11.19	11.24	11.33	0
		1	24	11.24	11.18	11.19	0
		1	49	11.06	11.08	10.98	0
		25	0	10.93	10.84	11.11	0
		25	12	11.03	10.93	11.04	0
		25	25	10.95	10.66	10.91	0
		50	0	11.00	10.79	11.06	0
BW	MCS Index	Channel		43115	43340	43565	3GPP MPR
		Frequency (MHz)		3552.5	3575	3597.5	
5M	QPSK	1	0	11.20	11.26	11.37	0
		1	12	11.30	11.24	11.35	0
		1	24	11.13	10.98	11.11	0
		12	0	11.16	10.97	11.10	0
		12	6	11.05	10.91	11.08	0
		12	13	10.96	10.81	11.07	0
		25	0	10.95	11.10	11.15	0
5M	16QAM	1	0	11.21	11.35	11.29	0
		1	12	11.16	11.15	11.33	0
		1	24	11.00	11.04	11.12	0
		12	0	11.03	10.92	11.07	0
		12	6	10.93	10.97	11.01	0
		12	13	11.04	11.01	11.06	0
		25	0	11.08	10.85	11.13	0
5M	64QAM	1	0	11.25	11.27	11.32	0
		1	12	11.17	11.27	11.24	0
		1	24	11.07	11.10	11.14	0
		12	0	11.06	10.92	10.93	0
		12	6	11.03	11.01	11.02	0
		12	13	10.83	10.72	10.98	0
		25	0	11.05	10.96	11.10	0
5M	256QAM	1	0	11.13	11.24	11.30	0
		1	12	11.24	11.05	11.14	0
		1	24	11.11	11.02	11.13	0
		12	0	10.93	11.01	11.08	0
		12	6	10.89	11.01	11.02	0
		12	13	10.93	10.77	10.83	0
		25	0	11.03	10.94	11.00	0

Tablet LTE Conducted Power (Reduction)								
LTE Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	10.76	10.77	10.78	10.63	0
		1	50	10.71	10.76	10.75	10.61	0
		1	99	10.56	10.69	10.55	10.50	0
		50	0	10.67	10.68	10.69	10.55	0
		50	25	10.60	10.66	10.59	10.41	0
		50	50	10.55	10.58	10.51	10.31	0
		100	0	10.62	10.64	10.65	10.45	0
20M	16QAM	1	0	10.72	10.75	10.77	10.71	0
		1	50	10.72	10.76	10.64	10.57	0
		1	99	10.60	10.66	10.54	10.33	0
		50	0	10.71	10.71	10.68	10.47	0
		50	25	10.63	10.63	10.62	10.39	0
		50	50	10.51	10.58	10.46	10.40	0
		100	0	10.73	10.76	10.70	10.52	0
20M	64QAM	1	0	10.76	10.76	10.71	10.46	0
		1	50	10.71	10.68	10.67	10.41	0
		1	99	10.58	10.65	10.54	10.46	0
		50	0	10.63	10.67	10.64	10.31	0
		50	25	10.61	10.56	10.51	10.47	0
		50	50	10.50	10.49	10.50	10.41	0
		100	0	10.62	10.72	10.59	10.49	0
20M	256QAM	1	0	9.74	9.72	9.67	10.50	0
		1	50	9.68	9.77	9.73	10.44	0
		1	99	9.60	9.57	9.61	10.29	0
		50	0	9.63	9.64	9.59	10.47	0
		50	25	9.59	9.73	9.60	10.38	0
		50	50	9.58	9.58	9.44	10.25	0
		100	0	9.65	9.67	9.64	10.49	0
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	10.74	10.71	10.72	10.65	0
		1	37	10.70	10.74	10.71	10.62	0
		1	74	10.49	10.62	10.50	10.53	0
		36	0	10.66	10.75	10.67	10.60	0
		36	19	10.52	10.70	10.49	10.51	0
		36	39	10.50	10.57	10.49	10.45	0
		75	0	10.62	10.74	10.65	10.66	0
15M	16QAM	1	0	10.64	10.74	10.74	10.75	0
		1	37	10.66	10.69	10.59	10.64	0
		1	74	10.57	10.64	10.45	10.38	0
		36	0	10.69	10.67	10.64	10.51	0
		36	19	10.62	10.56	10.56	10.45	0
		36	39	10.43	10.57	10.46	10.44	0
		75	0	10.70	10.72	10.62	10.57	0
15M	64QAM	1	0	10.76	10.68	10.63	10.53	0
		1	37	10.71	10.68	10.62	10.56	0
		1	74	10.48	10.58	10.50	10.49	0
		36	0	10.60	10.62	10.64	10.42	0
		36	19	10.51	10.56	10.49	10.44	0
		36	39	10.50	10.49	10.46	10.35	0
		75	0	10.62	10.72	10.55	10.49	0
15M	256QAM	1	0	9.67	9.67	9.62	10.61	0
		1	37	9.67	9.72	9.69	10.59	0
		1	74	9.51	9.57	9.52	10.45	0
		36	0	9.55	9.57	9.54	10.54	0
		36	19	9.51	9.69	9.56	10.47	0
		36	39	9.49	9.58	9.35	10.22	0
		75	0	9.56	9.66	9.64	10.51	0

Tablet LTE Conducted Power (Reduction)

LTE Band 48								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	10.64	10.63	10.58	10.67	0
		1	24	10.70	10.75	10.68	10.50	0
		1	49	10.44	10.61	10.40	10.55	0
		25	0	10.53	10.71	10.61	10.49	0
		25	12	10.44	10.58	10.46	10.45	0
		25	25	10.45	10.34	10.47	10.28	0
		50	0	10.57	10.71	10.62	10.46	0
10M	16QAM	1	0	10.57	10.64	10.59	10.60	0
		1	24	10.55	10.57	10.45	10.59	0
		1	49	10.49	10.51	10.46	10.28	0
		25	0	10.60	10.60	10.50	10.44	0
		25	12	10.58	10.43	10.43	10.35	0
		25	25	10.40	10.51	10.28	10.31	0
		50	0	10.61	10.64	10.52	10.48	0
10M	64QAM	1	0	10.57	10.57	10.67	10.39	0
		1	24	10.50	10.72	10.62	10.40	0
		1	49	10.47	10.50	10.44	10.48	0
		25	0	10.42	10.63	10.59	10.42	0
		25	12	10.40	10.46	10.45	10.44	0
		25	25	10.41	10.46	10.43	10.32	0
		50	0	10.61	10.62	10.41	10.49	0
10M	256QAM	1	0	9.64	9.66	9.58	10.49	0
		1	24	9.59	9.64	9.61	10.43	0
		1	49	9.44	9.45	9.51	10.30	0
		25	0	9.48	9.50	9.53	10.52	0
		25	12	9.48	9.57	9.47	10.28	0
		25	25	9.43	9.43	9.36	10.31	0
		50	0	9.48	9.44	9.40	10.39	0
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	10.63	10.74	10.55	10.68	0
		1	12	10.48	10.71	10.63	10.46	0
		1	24	10.44	10.51	10.49	10.53	0
		12	0	10.60	10.59	10.59	10.50	0
		12	6	10.50	10.59	10.51	10.49	0
		12	13	10.48	10.53	10.48	10.34	0
		25	0	10.68	10.54	10.51	10.54	0
5M	16QAM	1	0	10.61	10.71	10.65	10.67	0
		1	12	10.60	10.56	10.53	10.43	0
		1	24	10.48	10.56	10.41	10.37	0
		12	0	10.51	10.67	10.45	10.41	0
		12	6	10.38	10.44	10.55	10.39	0
		12	13	10.34	10.42	10.36	10.25	0
		25	0	10.68	10.76	10.52	10.47	0
5M	64QAM	1	0	10.56	10.73	10.55	10.40	0
		1	12	10.60	10.74	10.66	10.48	0
		1	24	10.36	10.56	10.52	10.36	0
		12	0	10.40	10.53	10.41	10.36	0
		12	6	10.53	10.37	10.38	10.48	0
		12	13	10.29	10.31	10.46	10.27	0
		25	0	10.49	10.63	10.48	10.45	0
5M	256QAM	1	0	9.57	9.66	9.52	10.45	0
		1	12	9.57	9.74	9.64	10.52	0
		1	24	9.51	9.49	9.55	10.41	0
		12	0	9.46	9.51	9.38	10.49	0
		12	6	9.40	9.59	9.45	10.31	0
		12	13	9.47	9.47	9.36	10.18	0
		25	0	9.64	9.51	9.49	10.51	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	15.26	15.34	15.47	0
		1	50	15.25	15.28	15.32	0
		1	99	15.18	15.24	15.28	0
		50	0	15.25	15.23	15.33	0
		50	25	15.12	15.22	15.26	0
		50	50	15.02	15.03	15.15	0
		100	0	15.25	15.27	15.36	0
20M	16QAM	1	0	15.17	15.28	15.34	0
		1	50	15.09	15.13	15.29	0
		1	99	15.05	15.17	15.21	0
		50	0	15.11	15.14	15.28	0
		50	25	14.98	15.02	15.13	0
		50	50	14.88	14.97	15.06	0
		100	0	15.08	15.12	15.20	0
20M	64QAM	1	0	15.27	15.29	15.32	0
		1	50	15.15	15.33	15.32	0
		1	99	15.17	15.18	15.22	0
		50	0	15.14	15.25	15.32	0
		50	25	15.07	15.11	15.17	0
		50	50	15.04	15.02	15.15	0
		100	0	15.24	15.21	15.28	0
20M	256QAM	1	0	15.12	15.16	15.29	0
		1	50	14.99	15.11	15.18	0
		1	99	15.10	15.08	15.20	0
		50	0	15.09	15.15	15.14	0
		50	25	14.97	15.02	15.03	0
		50	50	14.80	14.90	15.00	0
		100	0	15.05	15.11	15.11	0
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	15.21	15.27	15.46	0
		1	37	15.20	15.24	15.27	0
		1	74	15.14	15.23	15.20	0
		36	0	15.21	15.15	15.29	0
		36	19	15.05	15.12	15.25	0
		36	39	14.93	14.96	15.10	0
		75	0	15.17	15.24	15.31	0
15M	16QAM	1	0	15.07	15.22	15.30	0
		1	37	15.05	15.11	15.23	0
		1	74	15.01	15.10	15.17	0
		36	0	15.07	15.06	15.22	0
		36	19	14.91	14.93	15.05	0
		36	39	14.78	14.93	15.06	0
		75	0	15.04	15.07	15.10	0
15M	64QAM	1	0	15.19	15.22	15.24	0
		1	37	15.11	15.29	15.31	0
		1	74	15.14	15.18	15.18	0
		36	0	15.12	15.16	15.26	0
		36	19	14.99	15.04	15.11	0
		36	39	15.02	14.93	15.08	0
		75	0	15.24	15.14	15.21	0
15M	256QAM	1	0	15.05	15.07	15.23	0
		1	37	14.98	15.10	15.13	0
		1	74	15.05	15.03	15.17	0
		36	0	15.03	15.15	15.06	0
		36	19	14.87	14.94	14.93	0
		36	39	14.76	14.84	14.92	0
		75	0	15.05	15.03	15.11	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	15.20	15.10	15.11	0
		1	24	15.06	15.06	15.21	0
		1	49	15.04	15.15	15.16	0
		25	0	14.95	15.18	15.10	0
		25	12	14.97	14.87	15.02	0
		25	25	15.10	15.21	15.19	0
		50	0	14.95	15.22	15.16	0
10M	16QAM	1	0	14.90	15.00	15.17	0
		1	24	14.89	15.01	15.07	0
		1	49	15.01	15.01	15.07	0
		25	0	14.87	14.92	15.00	0
		25	12	14.76	14.77	14.88	0
		25	25	15.00	14.91	15.12	0
		50	0	15.09	15.21	15.15	0
10M	64QAM	1	0	14.90	15.15	15.23	0
		1	24	15.01	15.13	15.07	0
		1	49	14.96	15.03	15.10	0
		25	0	15.01	15.02	14.98	0
		25	12	14.96	14.97	15.01	0
		25	25	15.12	15.06	15.11	0
		50	0	14.97	14.96	15.20	0
10M	256QAM	1	0	14.85	14.87	15.14	0
		1	24	14.92	14.92	15.14	0
		1	49	14.86	15.01	14.94	0
		25	0	14.89	14.83	14.98	0
		25	12	14.76	14.75	14.90	0
		25	25	14.85	14.96	14.87	0
		50	0	14.87	14.91	14.87	0
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	15.15	15.12	15.43	0
		1	12	15.08	15.18	15.18	0
		1	24	15.09	15.11	15.16	0
		12	0	15.21	15.12	15.20	0
		12	6	14.92	15.01	15.13	0
		12	13	14.82	14.93	14.93	0
		25	0	15.12	15.10	15.20	0
5M	16QAM	1	0	14.98	15.23	15.20	0
		1	12	14.96	15.01	15.07	0
		1	24	15.05	15.12	15.06	0
		12	0	14.86	15.05	15.24	0
		12	6	14.82	14.92	15.04	0
		12	13	14.86	14.91	14.81	0
		25	0	14.84	15.04	15.20	0
5M	64QAM	1	0	15.21	15.21	15.24	0
		1	12	15.09	15.24	15.14	0
		1	24	15.07	15.05	15.04	0
		12	0	15.11	15.07	15.18	0
		12	6	14.83	14.96	15.03	0
		12	13	14.89	14.81	14.97	0
		25	0	15.06	15.04	15.13	0
5M	256QAM	1	0	15.07	15.01	15.14	0
		1	12	14.88	14.99	15.15	0
		1	24	14.89	14.97	15.04	0
		12	0	14.91	15.08	15.01	0
		12	6	14.83	14.83	14.97	0
		12	13	14.71	14.84	14.88	0
		25	0	14.93	15.06	14.99	0

Tablet LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	15.05	15.15	15.37	0
		1	7	15.07	15.17	15.18	0
		1	14	14.99	15.11	15.20	0
		8	0	15.12	14.99	15.22	0
		8	3	15.01	15.18	15.09	0
		8	7	14.92	14.87	15.06	0
		15	0	15.22	15.14	15.20	0
3M	16QAM	1	0	15.02	15.19	15.18	0
		1	7	14.98	15.01	15.18	0
		1	14	14.97	15.14	15.05	0
		8	0	14.97	15.12	15.18	0
		8	3	14.79	15.01	14.93	0
		8	7	14.75	14.85	14.91	0
		15	0	15.03	14.92	15.05	0
3M	64QAM	1	0	15.20	15.24	15.23	0
		1	7	15.12	15.17	15.24	0
		1	14	15.08	15.01	15.08	0
		8	0	15.01	15.10	15.16	0
		8	3	14.92	15.03	15.00	0
		8	7	14.92	14.87	15.06	0
		15	0	15.21	15.08	15.13	0
3M	256QAM	1	0	14.97	15.08	15.12	0
		1	7	14.86	14.91	15.13	0
		1	14	15.01	14.92	15.07	0
		8	0	14.88	15.10	15.03	0
		8	3	14.80	15.01	14.91	0
		8	7	14.71	14.83	14.87	0
		15	0	14.85	14.93	14.96	0
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	15.07	15.29	15.19	0
		1	2	15.09	15.27	15.11	0
		1	5	15.18	15.14	15.08	0
		3	0	15.08	15.15	14.98	0
		3	1	14.99	15.06	14.99	0
		3	3	14.88	15.00	14.91	0
		6	0	15.16	15.08	15.11	0
1.4M	16QAM	1	0	15.08	15.25	15.25	0
		1	2	15.01	15.08	15.06	0
		1	5	14.90	15.15	15.10	0
		3	0	15.07	15.05	15.18	0
		3	1	14.95	14.99	15.11	0
		3	3	14.83	14.94	14.99	0
		6	0	14.95	14.99	15.01	0
1.4M	64QAM	1	0	15.19	15.22	15.28	0
		1	2	14.94	15.24	15.16	0
		1	5	15.02	15.01	15.06	0
		3	0	15.04	15.03	15.11	0
		3	1	14.97	14.96	15.01	0
		3	3	14.84	14.94	14.91	0
		6	0	15.16	15.15	15.09	0
1.4M	256QAM	1	0	12.25	12.15	12.24	0
		1	2	11.79	12.03	12.20	0
		1	5	11.96	12.03	12.07	0
		3	0	12.98	13.13	13.05	0
		3	1	12.91	12.84	12.99	0
		3	3	12.84	12.76	12.84	0
		6	0	12.93	13.07	13.01	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	16.40	16.45	16.33	0
		1	50	16.39	16.35	16.32	0
		1	99	16.24	16.37	16.29	0
		50	0	16.35	16.43	16.36	0
		50	25	16.29	16.40	16.37	0
		50	50	16.30	16.37	16.26	0
		100	0	16.38	16.40	16.34	0
20M	16QAM	1	0	16.30	16.35	16.39	0
		1	50	16.36	16.32	16.33	0
		1	99	16.24	16.28	16.34	0
		50	0	16.31	16.35	16.34	0
		50	25	16.35	16.40	16.32	0
		50	50	16.26	16.31	16.27	0
		100	0	16.32	16.38	16.30	0
20M	64QAM	1	0	16.36	16.35	16.33	0
		1	50	16.30	16.30	16.29	0
		1	99	16.29	16.28	16.29	0
		50	0	16.35	16.33	16.35	0
		50	25	16.31	16.29	16.30	0
		50	50	16.27	16.28	16.30	0
		100	0	16.28	16.31	16.33	0
20M	256QAM	1	0	16.31	16.33	16.33	0
		1	50	16.30	16.32	16.32	0
		1	99	16.23	16.28	16.27	0
		50	0	16.25	16.28	16.32	0
		50	25	16.29	16.29	16.33	0
		50	50	16.26	16.27	16.24	0
		100	0	16.33	16.37	16.26	0
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
Frequency (MHz)		1857.5	1880	1902.5			
15M	QPSK	1	0	16.39	16.41	16.27	0
		1	37	16.31	16.30	16.26	0
		1	74	16.24	16.33	16.25	0
		36	0	16.27	16.36	16.28	0
		36	19	16.20	16.37	16.29	0
		36	39	16.20	16.36	16.16	0
		75	0	16.32	16.30	16.33	0
15M	16QAM	1	0	16.30	16.25	16.36	0
		1	37	16.35	16.25	16.23	0
		1	74	16.16	16.24	16.29	0
		36	0	16.24	16.34	16.26	0
		36	19	16.26	16.30	16.31	0
		36	39	16.26	16.27	16.19	0
		75	0	16.29	16.36	16.30	0
15M	64QAM	1	0	16.36	16.27	16.23	0
		1	37	16.21	16.25	16.29	0
		1	74	16.22	16.25	16.22	0
		36	0	16.31	16.32	16.26	0
		36	19	16.31	16.26	16.26	0
		36	39	16.17	16.28	16.26	0
		75	0	16.28	16.31	16.26	0
15M	256QAM	1	0	16.25	16.28	16.32	0
		1	37	16.29	16.24	16.22	0
		1	74	16.17	16.25	16.18	0
		36	0	16.19	16.21	16.31	0
		36	19	16.29	16.23	16.24	0
		36	39	16.18	16.27	16.19	0
		75	0	16.32	16.27	16.17	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	16.31	16.26	16.23	0
		1	24	16.23	16.18	16.24	0
		1	49	16.16	16.19	16.07	0
		25	0	16.20	16.35	16.23	0
		25	12	16.17	16.23	16.22	0
		25	25	16.20	16.20	16.19	0
		50	0	16.27	16.22	16.23	0
10M	16QAM	1	0	16.12	16.23	16.21	0
		1	24	16.20	16.25	16.17	0
		1	49	16.11	16.15	16.28	0
		25	0	16.29	16.19	16.15	0
		25	12	16.30	16.22	16.21	0
		25	25	16.16	16.07	16.13	0
		50	0	16.11	16.30	16.07	0
10M	64QAM	1	0	16.22	16.31	16.19	0
		1	24	16.18	16.15	16.18	0
		1	49	16.13	16.07	16.13	0
		25	0	16.19	16.13	16.18	0
		25	12	16.17	16.14	16.11	0
		25	25	16.12	16.06	16.29	0
		50	0	16.27	16.29	16.18	0
10M	256QAM	1	0	16.19	16.16	16.20	0
		1	24	16.27	16.17	16.23	0
		1	49	16.20	16.18	16.08	0
		25	0	16.19	16.12	16.10	0
		25	12	16.09	16.11	16.18	0
		25	25	16.04	16.02	16.11	0
		50	0	16.16	16.32	16.14	0
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	16.28	16.29	16.14	0
		1	12	16.20	16.19	16.27	0
		1	24	16.11	16.20	16.15	0
		12	0	16.29	16.21	16.14	0
		12	6	16.13	16.17	16.21	0
		12	13	16.21	16.17	16.15	0
		25	0	16.19	16.29	16.29	0
5M	16QAM	1	0	16.20	16.22	16.19	0
		1	12	16.18	16.30	16.22	0
		1	24	16.04	16.18	16.20	0
		12	0	16.17	16.30	16.30	0
		12	6	16.31	16.30	16.16	0
		12	13	16.19	16.29	16.23	0
		25	0	16.11	16.28	16.19	0
5M	64QAM	1	0	16.28	16.18	16.20	0
		1	12	16.22	16.19	16.19	0
		1	24	16.14	16.19	16.13	0
		12	0	16.14	16.22	16.16	0
		12	6	16.18	16.25	16.16	0
		12	13	16.06	16.26	16.23	0
		25	0	16.19	16.18	16.26	0
5M	256QAM	1	0	16.22	16.20	16.21	0
		1	12	16.18	16.15	16.25	0
		1	24	16.15	16.07	16.06	0
		12	0	16.15	16.17	16.26	0
		12	6	16.15	16.14	16.27	0
		12	13	16.15	16.19	16.08	0
		25	0	16.21	16.22	16.16	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	16.21	16.39	16.21	0
		1	7	16.32	16.28	16.24	0
		1	14	16.01	16.28	16.21	0
		8	0	16.25	16.34	16.26	0
		8	3	16.16	16.25	16.21	0
		8	7	16.21	16.33	16.16	0
		15	0	16.28	16.24	16.31	0
3M	16QAM	1	0	16.06	16.35	16.28	0
		1	7	16.24	16.19	16.24	0
		1	14	16.10	16.03	16.29	0
		8	0	16.12	16.13	16.33	0
		8	3	16.17	16.23	16.18	0
		8	7	16.10	16.14	16.20	0
		15	0	16.15	16.22	16.26	0
3M	64QAM	1	0	16.18	16.27	16.22	0
		1	7	16.16	16.27	16.09	0
		1	14	16.18	16.10	16.11	0
		8	0	16.28	16.13	16.26	0
		8	3	16.24	16.18	16.20	0
		8	7	16.15	16.22	16.19	0
		15	0	16.13	16.22	16.24	0
3M	256QAM	1	0	16.21	16.19	16.13	0
		1	7	16.24	16.21	16.16	0
		1	14	16.11	16.14	16.21	0
		8	0	16.09	16.15	16.25	0
		8	3	16.18	16.21	16.12	0
		8	7	16.14	16.10	16.12	0
		15	0	16.24	16.20	16.04	0
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	16.28	16.35	16.27	0
		1	2	16.26	16.21	16.13	0
		1	5	16.15	16.15	16.19	0
		3	0	16.19	16.32	16.13	0
		3	1	16.15	16.22	16.24	0
		3	3	16.20	16.21	16.06	0
		6	0	16.22	16.25	16.26	0
1.4M	16QAM	1	0	16.18	16.19	16.27	0
		1	2	16.32	16.23	16.33	0
		1	5	16.19	16.21	16.18	0
		3	0	16.17	16.21	16.19	0
		3	1	16.21	16.28	16.17	0
		3	3	16.13	16.16	16.16	0
		6	0	16.24	16.34	16.22	0
1.4M	64QAM	1	0	16.19	16.20	16.23	0
		1	2	16.22	16.10	16.14	0
		1	5	16.11	16.19	16.23	0
		3	0	16.30	16.19	16.29	0
		3	1	16.26	16.07	16.16	0
		3	3	16.20	16.24	16.12	0
		6	0	16.16	16.19	16.16	0
1.4M	256QAM	1	0	16.19	16.14	16.19	0
		1	2	16.26	16.15	16.17	0
		1	5	16.10	16.20	16.22	0
		3	0	16.22	16.12	16.15	0
		3	1	16.18	16.09	16.15	0
		3	3	16.21	16.11	16.00	0
		6	0	16.24	16.15	16.12	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	16.92	16.68	16.79	0
		1	50	16.56	16.44	16.44	0
		1	99	16.71	16.44	16.53	0
		50	0	16.39	16.08	16.17	0
		50	25	16.31	16.12	16.20	0
		50	50	16.30	16.09	16.08	0
		100	0	16.43	16.22	16.33	0
20M	16QAM	1	0	16.83	16.66	16.70	0
		1	50	16.52	16.39	16.42	0
		1	99	16.67	16.45	16.51	0
		50	0	16.30	16.07	16.07	0
		50	25	16.33	16.15	16.19	0
		50	50	16.28	16.01	16.10	0
		100	0	16.42	16.16	16.21	0
20M	64QAM	1	0	16.89	16.60	16.66	0
		1	50	16.59	16.29	16.42	0
		1	99	16.61	16.38	16.40	0
		50	0	16.20	16.10	16.08	0
		50	25	16.23	16.03	16.17	0
		50	50	16.24	16.01	16.10	0
		100	0	16.34	16.14	16.23	0
20M	256QAM	1	0	16.77	16.65	16.69	0
		1	50	16.46	16.27	16.33	0
		1	99	16.56	16.33	16.44	0
		50	0	16.17	16.06	16.09	0
		50	25	16.22	16.08	16.06	0
		50	50	16.15	16.01	16.03	0
		100	0	16.36	16.12	16.23	0
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	16.90	16.62	16.71	0
		1	37	16.48	16.34	16.39	0
		1	74	16.70	16.42	16.43	0
		36	0	16.39	15.98	16.09	0
		36	19	16.27	16.07	16.14	0
		36	39	16.21	15.99	16.03	0
		75	0	16.35	16.13	16.26	0
15M	16QAM	1	0	16.80	16.56	16.62	0
		1	37	16.45	16.30	16.38	0
		1	74	16.57	16.36	16.49	0
		36	0	16.30	16.01	16.03	0
		36	19	16.24	16.12	16.10	0
		36	39	16.25	15.95	16.00	0
		75	0	16.40	16.13	16.12	0
15M	64QAM	1	0	16.79	16.58	16.57	0
		1	37	16.58	16.29	16.33	0
		1	74	16.59	16.38	16.33	0
		36	0	16.18	16.00	16.07	0
		36	19	16.13	15.95	16.16	0
		36	39	16.24	15.91	16.10	0
		75	0	16.31	16.08	16.14	0
15M	256QAM	1	0	16.75	16.59	16.69	0
		1	37	16.36	16.22	16.32	0
		1	74	16.46	16.31	16.36	0
		36	0	16.17	16.04	16.03	0
		36	19	16.19	16.00	16.05	0
		36	39	16.15	15.93	15.94	0
		75	0	16.29	16.03	16.23	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	16.86	16.60	16.63	0
		1	24	16.36	16.35	16.29	0
		1	49	16.62	16.36	16.43	0
		25	0	16.29	15.92	15.99	0
		25	12	16.07	15.95	16.01	0
		25	25	16.12	15.97	16.05	0
		50	0	16.37	16.18	16.27	0
10M	16QAM	1	0	16.73	16.61	16.48	0
		1	24	16.37	16.22	16.26	0
		1	49	16.51	16.36	16.37	0
		25	0	16.06	15.93	15.93	0
		25	12	16.23	16.03	16.03	0
		25	25	16.09	15.96	16.02	0
		50	0	16.23	16.06	16.17	0
10M	64QAM	1	0	16.71	16.40	16.52	0
		1	24	16.44	16.19	16.32	0
		1	49	16.48	16.17	16.20	0
		25	0	16.10	16.04	15.97	0
		25	12	16.14	15.99	16.11	0
		25	25	16.12	15.84	16.04	0
		50	0	16.17	16.07	16.04	0
10M	256QAM	1	0	16.63	16.53	16.63	0
		1	24	16.34	16.15	16.11	0
		1	49	16.46	16.26	16.32	0
		25	0	16.10	15.83	15.89	0
		25	12	16.06	15.89	15.88	0
		25	25	16.01	15.92	15.87	0
		50	0	16.29	16.08	16.09	0
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	16.77	16.48	16.63	0
		1	12	16.50	16.29	16.21	0
		1	24	16.53	16.27	16.43	0
		12	0	16.29	15.92	16.00	0
		12	6	16.08	15.96	16.11	0
		12	13	16.15	16.04	16.02	0
		25	0	16.27	16.01	16.17	0
5M	16QAM	1	0	16.75	16.55	16.66	0
		1	12	16.30	16.27	16.31	0
		1	24	16.57	16.38	16.44	0
		12	0	16.10	15.90	16.03	0
		12	6	16.14	15.99	16.06	0
		12	13	16.14	15.85	15.97	0
		25	0	16.31	16.06	16.07	0
5M	64QAM	1	0	16.76	16.45	16.49	0
		1	12	16.41	16.19	16.31	0
		1	24	16.53	16.34	16.29	0
		12	0	16.07	16.03	15.87	0
		12	6	16.02	15.85	16.11	0
		12	13	16.13	15.79	15.97	0
		25	0	16.20	16.12	16.00	0
5M	256QAM	1	0	16.64	16.54	16.50	0
		1	12	16.34	16.21	16.29	0
		1	24	16.51	16.14	16.30	0
		12	0	16.11	15.98	16.00	0
		12	6	16.04	16.00	15.93	0
		12	13	16.10	15.98	15.88	0
		25	0	16.25	15.96	16.06	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	16.70	16.50	16.77	0
		1	7	16.36	16.27	16.38	0
		1	14	16.51	16.35	16.44	0
		8	0	16.32	15.95	16.01	0
		8	3	16.19	16.01	16.12	0
		8	7	16.29	15.94	15.96	0
		15	0	16.25	16.06	16.20	0
3M	16QAM	1	0	16.77	16.44	16.51	0
		1	7	16.39	16.18	16.26	0
		1	14	16.57	16.32	16.48	0
		8	0	16.15	15.92	15.86	0
		8	3	16.25	15.97	16.03	0
		8	7	16.20	15.99	15.93	0
		15	0	16.24	15.97	16.14	0
3M	64QAM	1	0	16.75	16.36	16.47	0
		1	7	16.46	16.19	16.30	0
		1	14	16.56	16.33	16.31	0
		8	0	16.13	16.04	15.93	0
		8	3	16.08	15.93	16.08	0
		8	7	16.17	15.95	15.98	0
		15	0	16.17	15.99	16.04	0
3M	256QAM	1	0	16.58	16.55	16.60	0
		1	7	16.31	16.13	16.24	0
		1	14	16.42	16.14	16.24	0
		8	0	16.08	16.00	16.05	0
		8	3	16.09	15.98	15.99	0
		8	7	16.09	15.85	15.99	0
		15	0	16.18	15.92	16.00	0
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	16.78	16.66	16.64	0
		1	2	16.46	16.33	16.21	0
		1	5	16.71	16.36	16.37	0
		3	0	16.23	15.96	15.95	0
		3	1	16.28	15.94	16.06	0
		3	3	16.14	16.04	15.92	0
		6	0	16.32	16.14	16.32	0
1.4M	16QAM	1	0	16.74	16.56	16.53	0
		1	2	16.28	16.19	16.25	0
		1	5	16.50	16.44	16.29	0
		3	0	16.14	15.88	15.91	0
		3	1	16.15	15.95	15.94	0
		3	3	16.17	15.89	15.93	0
		6	0	16.31	16.07	16.11	0
1.4M	64QAM	1	0	16.76	16.44	16.53	0
		1	2	16.50	16.14	16.36	0
		1	5	16.50	16.16	16.21	0
		3	0	16.17	15.95	15.86	0
		3	1	16.06	15.87	15.96	0
		3	3	16.02	15.95	16.05	0
		6	0	16.27	15.99	16.11	0
1.4M	256QAM	1	0	16.62	16.55	16.53	0
		1	2	16.40	16.11	16.11	0
		1	5	16.37	16.20	16.32	0
		3	0	16.04	16.00	15.92	0
		3	1	16.05	15.98	15.97	0
		3	3	15.99	15.89	15.96	0
		6	0	16.31	15.95	16.17	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	20.46	20.16	20.08	0
		1	24	20.10	19.88	19.77	0
		1	49	20.01	19.79	19.68	0
		25	0	20.08	19.76	19.69	0
		25	12	19.72	19.39	19.34	0
		25	25	19.89	19.66	19.53	0
		50	0	19.94	19.60	19.59	0
10M	16QAM	1	0	19.60	19.27	19.16	0
		1	24	19.91	19.54	19.48	0
		1	49	19.82	19.46	19.42	0
		25	0	19.74	19.45	19.38	0
		25	12	19.88	19.60	19.50	0
		25	25	19.88	19.51	19.50	0
		50	0	19.85	19.64	19.48	0
10M	64QAM	1	0	20.36	20.05	20.05	0
		1	24	20.05	19.83	19.63	0
		1	49	19.99	19.65	19.61	0
		25	0	19.98	19.77	19.68	0
		25	12	19.64	19.36	19.31	0
		25	25	19.81	19.49	19.49	0
		50	0	19.83	19.53	19.44	0
10M	256QAM	1	0	19.59	19.33	19.22	0
		1	24	19.80	19.58	19.40	0
		1	49	19.75	19.44	19.34	0
		25	0	19.80	19.48	19.39	0
		25	12	19.90	19.53	19.50	0
		25	25	19.78	19.52	19.34	0
		50	0	19.91	19.50	19.42	0
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	20.44	20.10	20.06	0
		1	12	20.02	19.79	19.69	0
		1	24	19.96	19.75	19.59	0
		12	0	20.08	19.68	19.68	0
		12	6	19.68	19.34	19.32	0
		12	13	19.87	19.66	19.52	0
		25	0	19.86	19.57	19.56	0
5M	16QAM	1	0	19.56	19.20	19.09	0
		1	12	19.82	19.45	19.48	0
		1	24	19.81	19.45	19.32	0
		12	0	19.66	19.42	19.37	0
		12	6	19.87	19.51	19.50	0
		12	13	19.82	19.42	19.42	0
		25	0	19.79	19.63	19.38	0
5M	64QAM	1	0	20.29	19.95	19.95	0
		1	12	20.01	19.78	19.57	0
		1	24	19.99	19.57	19.56	0
		12	0	19.90	19.69	19.65	0
		12	6	19.64	19.26	19.30	0
		12	13	19.71	19.48	19.49	0
		25	0	19.78	19.51	19.43	0
5M	256QAM	1	0	19.53	19.30	19.20	0
		1	12	19.79	19.55	19.38	0
		1	24	19.73	19.42	19.34	0
		12	0	19.77	19.43	19.30	0
		12	6	19.81	19.52	19.45	0
		12	13	19.69	19.51	19.28	0
		25	0	19.81	19.40	19.32	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	20.37	20.06	19.99	0
		1	7	19.93	19.83	19.61	0
		1	14	19.93	19.72	19.59	0
		8	0	20.01	19.65	19.66	0
		8	3	19.64	19.32	19.10	0
		8	7	19.72	19.54	19.49	0
		15	0	19.81	19.47	19.52	0
3M	16QAM	1	0	19.39	19.19	19.05	0
		1	7	19.68	19.40	19.37	0
		1	14	19.61	19.36	19.34	0
		8	0	19.67	19.29	19.20	0
		8	3	19.69	19.37	19.35	0
		8	7	19.70	19.39	19.48	0
		15	0	19.79	19.46	19.47	0
3M	64QAM	1	0	20.16	20.00	19.97	0
		1	7	20.00	19.68	19.45	0
		1	14	19.87	19.62	19.52	0
		8	0	19.86	19.62	19.58	0
		8	3	19.61	19.28	19.11	0
		8	7	19.79	19.48	19.45	0
		15	0	19.76	19.43	19.25	0
3M	256QAM	1	0	19.46	19.23	19.16	0
		1	7	19.62	19.42	19.26	0
		1	14	19.73	19.34	19.23	0
		8	0	19.64	19.38	19.21	0
		8	3	19.90	19.35	19.34	0
		8	7	19.68	19.39	19.18	0
		15	0	19.74	19.33	19.29	0
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	20.33	20.03	19.85	0
		1	2	19.96	19.76	19.64	0
		1	5	19.92	19.65	19.54	0
		3	0	20.07	19.64	19.59	0
		3	1	19.60	19.32	19.21	0
		3	3	19.85	19.54	19.38	0
		6	0	19.72	19.48	19.44	0
1.4M	16QAM	1	0	19.48	19.10	19.05	0
		1	2	19.70	19.41	19.38	0
		1	5	19.76	19.36	19.39	0
		3	0	19.56	19.31	19.15	0
		3	1	19.67	19.49	19.40	0
		3	3	19.72	19.36	19.36	0
		6	0	19.77	19.45	19.39	0
1.4M	64QAM	1	0	20.28	19.94	20.03	0
		1	2	19.92	19.68	19.57	0
		1	5	19.82	19.45	19.44	0
		3	0	19.88	19.60	19.66	0
		3	1	19.53	19.27	19.24	0
		3	3	19.69	19.38	19.34	0
		6	0	19.59	19.45	19.31	0
1.4M	256QAM	1	0	19.48	19.28	19.08	0
		1	2	19.68	19.37	19.36	0
		1	5	19.69	19.27	19.20	0
		3	0	19.70	19.43	19.17	0
		3	1	19.68	19.44	19.33	0
		3	3	19.74	19.42	19.24	0
		6	0	19.68	19.43	19.28	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	14.51	14.27	14.12	0
		1	50	14.40	14.21	14.00	0
		1	99	14.36	14.15	13.96	0
		50	0	14.41	14.23	14.08	0
		50	25	14.39	14.15	13.93	0
		50	50	14.37	14.16	13.98	0
		100	0	14.44	14.27	13.98	0
20M	16QAM	1	0	14.41	14.27	14.09	0
		1	50	14.34	14.24	13.99	0
		1	99	14.35	14.17	13.90	0
		50	0	14.41	14.26	14.01	0
		50	25	14.30	14.13	13.96	0
		50	50	14.29	14.09	13.94	0
		100	0	14.37	14.18	13.98	0
20M	64QAM	1	0	14.45	14.24	13.99	0
		1	50	14.35	14.14	13.94	0
		1	99	14.33	14.10	13.91	0
		50	0	14.32	14.24	14.00	0
		50	25	14.37	14.10	13.90	0
		50	50	14.30	14.08	13.90	0
		100	0	14.33	14.22	13.99	0
20M	256QAM	1	0	14.35	14.27	14.01	0
		1	50	14.36	14.20	13.97	0
		1	99	14.30	14.09	13.89	0
		50	0	14.30	14.12	13.97	0
		50	25	14.29	14.09	13.96	0
		50	50	14.24	14.12	13.90	0
		100	0	14.38	14.17	14.00	0
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
Frequency (MHz)		2507.5	2535	2562.5			
15M	QPSK	1	0	14.43	14.23	14.12	0
		1	37	14.36	14.17	13.92	0
		1	74	14.30	14.12	13.90	0
		36	0	14.34	14.17	14.06	0
		36	19	14.32	14.11	13.84	0
		36	39	14.35	14.10	13.93	0
		75	0	14.43	14.24	13.96	0
15M	16QAM	1	0	14.41	14.19	14.05	0
		1	37	14.31	14.16	13.98	0
		1	74	14.35	14.16	13.85	0
		36	0	14.33	14.21	13.99	0
		36	19	14.21	14.04	13.90	0
		36	39	14.29	14.01	13.87	0
		75	0	14.34	14.18	13.96	0
15M	64QAM	1	0	14.43	14.17	13.92	0
		1	37	14.28	14.08	13.89	0
		1	74	14.23	14.06	13.89	0
		36	0	14.32	14.22	13.95	0
		36	19	14.32	14.06	13.86	0
		36	39	14.27	14.02	13.82	0
		75	0	14.29	14.16	13.95	0
15M	256QAM	1	0	14.27	14.26	13.91	0
		1	37	14.31	14.13	13.94	0
		1	74	14.22	14.06	13.87	0
		36	0	14.24	14.11	13.94	0
		36	19	14.22	14.07	13.91	0
		36	39	14.23	14.09	13.84	0
		75	0	14.38	14.12	14.00	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	14.40	14.16	14.04	0
		1	24	14.34	14.09	13.79	0
		1	49	14.20	13.95	13.80	0
		25	0	14.15	14.01	13.92	0
		25	12	14.29	13.99	13.89	0
		25	25	14.18	13.97	13.89	0
		50	0	14.41	14.13	13.88	0
10M	16QAM	1	0	14.29	14.22	13.92	0
		1	24	14.25	14.11	13.86	0
		1	49	14.29	14.06	13.76	0
		25	0	14.34	14.13	13.79	0
		25	12	14.17	13.94	13.83	0
		25	25	14.22	13.87	13.86	0
		50	0	14.20	14.08	13.87	0
10M	64QAM	1	0	14.21	14.06	13.84	0
		1	24	14.21	13.94	13.87	0
		1	49	14.16	14.01	13.81	0
		25	0	14.13	14.08	13.79	0
		25	12	14.22	13.93	13.89	0
		25	25	14.12	13.99	13.73	0
		50	0	14.20	14.04	13.85	0
10M	256QAM	1	0	14.17	14.14	13.88	0
		1	24	14.25	13.99	13.85	0
		1	49	14.20	13.88	13.73	0
		25	0	14.24	14.01	13.91	0
		25	12	14.04	14.06	13.82	0
		25	25	14.12	14.03	13.75	0
		50	0	14.21	14.04	13.84	0
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	14.34	13.96	13.93	0
		1	12	14.23	14.14	13.82	0
		1	24	14.09	13.94	13.88	0
		12	0	14.21	13.97	13.78	0
		12	6	14.21	13.83	13.77	0
		12	13	14.30	13.99	13.77	0
		25	0	14.18	13.95	13.78	0
5M	16QAM	1	0	14.14	13.97	13.92	0
		1	12	14.12	14.09	13.74	0
		1	24	14.17	14.02	13.75	0
		12	0	14.20	13.92	13.76	0
		12	6	14.08	13.90	13.64	0
		12	13	14.03	13.97	13.79	0
		25	0	14.09	13.97	13.80	0
5M	64QAM	1	0	14.18	14.15	13.74	0
		1	12	14.05	13.92	13.68	0
		1	24	14.31	13.83	13.73	0
		12	0	13.97	14.06	13.81	0
		12	6	14.13	13.93	13.63	0
		12	13	14.08	13.98	13.69	0
		25	0	14.08	14.17	13.82	0
5M	256QAM	1	0	14.19	14.13	13.83	0
		1	12	14.25	13.96	13.65	0
		1	24	14.18	13.95	13.66	0
		12	0	14.05	13.88	13.72	0
		12	6	14.01	14.02	13.76	0
		12	13	14.03	14.02	13.83	0
		25	0	14.13	14.01	13.78	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	19.00	18.75	18.56	0
		1	24	18.69	18.32	18.12	0
		1	49	18.64	18.31	18.07	0
		25	0	18.63	18.29	18.09	0
		25	12	18.61	18.22	18.03	0
		25	25	18.53	18.17	18.02	0
		50	0	18.56	18.26	18.09	0
10M	16QAM	1	0	18.91	18.70	18.49	0
		1	24	18.57	18.24	18.06	0
		1	49	18.59	18.24	18.09	0
		25	0	18.52	18.23	18.04	0
		25	12	18.50	18.20	18.06	0
		25	25	18.43	18.23	17.97	0
		50	0	18.49	18.28	18.02	0
10M	64QAM	1	0	18.97	18.68	18.49	0
		1	24	18.56	18.26	18.06	0
		1	49	18.52	18.20	17.91	0
		25	0	18.55	18.15	18.03	0
		25	12	18.53	18.20	17.97	0
		25	25	18.39	18.22	17.94	0
		50	0	18.49	18.22	18.02	0
10M	256QAM	1	0	18.95	18.71	18.51	0
		1	24	18.46	18.23	17.97	0
		1	49	18.48	18.20	17.98	0
		25	0	18.50	18.23	17.89	0
		25	12	18.47	18.24	18.04	0
		25	25	18.46	18.04	17.85	0
		50	0	18.52	18.17	17.90	0
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	18.91	18.71	18.53	0
		1	12	18.67	18.28	18.11	0
		1	24	18.60	18.31	18.01	0
		12	0	18.60	18.20	18.03	0
		12	6	18.55	18.17	17.99	0
		12	13	18.52	18.13	17.97	0
		25	0	18.47	18.21	18.05	0
5M	16QAM	1	0	18.84	18.64	18.41	0
		1	12	18.54	18.16	18.00	0
		1	24	18.59	18.23	18.08	0
		12	0	18.47	18.16	17.96	0
		12	6	18.41	18.18	18.04	0
		12	13	18.38	18.17	17.92	0
		25	0	18.44	18.18	17.94	0
5M	64QAM	1	0	18.95	18.61	18.45	0
		1	12	18.48	18.16	18.02	0
		1	24	18.44	18.20	17.81	0
		12	0	18.52	18.10	17.96	0
		12	6	18.47	18.19	17.87	0
		12	13	18.29	18.18	17.91	0
		25	0	18.39	18.19	17.96	0
5M	256QAM	1	0	18.85	18.71	18.48	0
		1	12	18.36	18.22	17.92	0
		1	24	18.43	18.20	17.98	0
		12	0	18.46	18.18	17.85	0
		12	6	18.42	18.24	18.00	0
		12	13	18.42	17.98	17.75	0
		25	0	18.49	18.17	17.82	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	18.82	18.52	18.36	0
		1	7	18.56	18.18	17.92	0
		1	14	18.61	18.29	17.96	0
		8	0	18.54	18.19	18.08	0
		8	3	18.44	18.16	17.99	0
		8	7	18.41	18.06	17.91	0
		15	0	18.41	18.13	18.06	0
3M	16QAM	1	0	18.67	18.62	18.42	0
		1	7	18.52	18.07	17.89	0
		1	14	18.45	18.16	17.86	0
		8	0	18.39	18.16	18.02	0
		8	3	18.43	18.15	17.94	0
		8	7	18.28	18.10	17.84	0
		15	0	18.47	18.07	17.98	0
3M	64QAM	1	0	18.84	18.52	18.30	0
		1	7	18.52	18.20	17.92	0
		1	14	18.47	18.05	17.82	0
		8	0	18.43	18.07	17.85	0
		8	3	18.48	18.06	17.89	0
		8	7	18.21	18.09	17.81	0
		15	0	18.39	18.11	17.95	0
3M	256QAM	1	0	18.84	18.68	18.44	0
		1	7	18.33	18.19	17.79	0
		1	14	18.35	18.10	17.93	0
		8	0	18.34	18.15	17.80	0
		8	3	18.37	18.19	17.89	0
		8	7	18.37	17.92	17.65	0
		15	0	18.37	18.01	17.80	0
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	18.79	18.39	18.39	0
		1	2	18.39	18.10	17.90	0
		1	5	18.51	18.13	17.79	0
		3	0	18.34	18.16	17.92	0
		3	1	18.39	17.88	17.80	0
		3	3	18.29	18.00	17.67	0
		6	0	18.39	18.16	17.88	0
1.4M	16QAM	1	0	18.69	18.51	18.28	0
		1	2	18.40	18.09	17.94	0
		1	5	18.40	18.05	17.83	0
		3	0	18.33	18.07	17.69	0
		3	1	18.25	18.00	17.77	0
		3	3	18.33	18.04	17.58	0
		6	0	18.22	18.10	17.78	0
1.4M	64QAM	1	0	18.81	18.34	18.36	0
		1	2	18.28	18.09	17.89	0
		1	5	18.25	18.06	17.83	0
		3	0	18.42	18.04	17.67	0
		3	1	18.35	17.94	17.74	0
		3	3	18.11	18.10	17.64	0
		6	0	18.41	17.96	17.76	0
1.4M	256QAM	1	0	18.80	18.39	18.42	0
		1	2	18.21	18.07	17.79	0
		1	5	18.27	17.98	17.86	0
		3	0	18.33	18.01	17.70	0
		3	1	18.22	18.00	17.87	0
		3	3	18.33	17.90	17.62	0
		6	0	18.37	18.05	17.71	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset	Mid		3GPP MPR (dB)	
		Channel		23230			
		Frequency (MHz)		782			
10M	QPSK	1	0		19.58		0
		1	24		19.50		0
		1	49		19.33		0
		25	0		19.39		0
		25	12		19.28		0
		25	25		19.33		0
		50	0		19.38		0
10M	16QAM	1	0		19.41		0
		1	24		19.50		0
		1	49		19.20		0
		25	0		19.27		0
		25	12		19.15		0
		25	25		19.14		0
		50	0		19.24		0
10M	64QAM	1	0		19.21		0
		1	24		19.29		0
		1	49		19.15		0
		25	0		19.07		0
		25	12		18.97		0
		25	25		19.03		0
		50	0		19.09		0
10M	256QAM	1	0		19.09		0
		1	24		19.25		0
		1	49		18.98		0
		25	0		19.04		0
		25	12		18.86		0
		25	25		18.91		0
		50	0		18.94		0
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	19.61	19.63	19.57	0
		1	12	19.54	19.49	19.46	0
		1	24	19.33	19.39	19.35	0
		12	0	19.43	19.38	19.41	0
		12	6	19.28	19.19	19.23	0
		12	13	19.24	19.30	19.25	0
		25	0	19.33	19.34	19.38	0
5M	16QAM	1	0	19.39	19.36	19.41	0
		1	12	19.47	19.47	19.47	0
		1	24	19.25	19.19	19.24	0
		12	0	19.25	19.25	19.22	0
		12	6	19.11	19.13	19.12	0
		12	13	19.16	19.19	19.18	0
		25	0	19.15	19.17	19.15	0
5M	64QAM	1	0	19.23	19.23	19.22	0
		1	12	19.29	19.36	19.29	0
		1	24	19.06	19.09	19.14	0
		12	0	19.12	19.08	19.16	0
		12	6	18.95	18.96	19.00	0
		12	13	19.06	19.06	19.02	0
		25	0	19.12	19.12	19.05	0
5M	256QAM	1	0	19.11	19.13	19.08	0
		1	12	19.23	19.17	19.16	0
		1	24	18.99	18.97	19.02	0
		12	0	19.01	18.95	18.99	0
		12	6	18.86	18.81	18.81	0
		12	13	18.92	18.88	18.87	0
		25	0	18.94	18.95	18.90	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset	Mid		3GPP MPR (dB)	
		Channel		23330			
		Frequency (MHz)		793			
10M	QPSK	1	0		20.22		0
		1	24		19.98		0
		1	49		19.91		0
		25	0		19.92		0
		25	12		19.78		0
		25	25		19.75		0
		50	0		19.86		0
10M	16QAM	1	0		20.06		0
		1	24		19.88		0
		1	49		19.84		0
		25	0		19.81		0
		25	12		19.69		0
		25	25		19.69		0
		50	0		19.75		0
10M	64QAM	1	0		19.92		0
		1	24		19.75		0
		1	49		19.68		0
		25	0		19.65		0
		25	12		19.57		0
		25	25		19.55		0
		50	0		19.64		0
10M	256QAM	1	0		19.82		0
		1	24		19.66		0
		1	49		19.53		0
		25	0		19.58		0
		25	12		19.49		0
		25	25		19.42		0
		50	0		19.52		0
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	20.15	20.21	20.17	0
		1	12	19.91	19.96	19.97	0
		1	24	19.89	19.91	19.87	0
		12	0	19.91	19.92	19.87	0
		12	6	19.81	19.81	19.84	0
		12	13	19.75	19.72	19.73	0
		25	0	19.88	19.83	19.84	0
5M	16QAM	1	0	20.10	20.01	20.08	0
		1	12	19.88	19.83	19.87	0
		1	24	19.78	19.85	19.83	0
		12	0	19.74	19.82	19.84	0
		12	6	19.71	19.70	19.69	0
		12	13	19.68	19.67	19.64	0
		25	0	19.72	19.78	19.74	0
5M	64QAM	1	0	20.00	19.90	19.91	0
		1	12	19.69	19.75	19.69	0
		1	24	19.74	19.68	19.68	0
		12	0	19.65	19.72	19.68	0
		12	6	19.60	19.64	19.61	0
		12	13	19.57	19.55	19.55	0
		25	0	19.62	19.69	19.61	0
5M	256QAM	1	0	19.83	19.88	19.85	0
		1	12	19.64	19.61	19.59	0
		1	24	19.55	19.63	19.54	0
		12	0	19.59	19.59	19.53	0
		12	6	19.49	19.54	19.52	0
		12	13	19.46	19.40	19.45	0
		25	0	19.58	19.53	19.50	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	18.63	18.94	18.80	0
		1	24	18.51	18.72	18.58	0
		1	49	18.34	18.50	18.42	0
		25	0	18.48	18.70	18.50	0
		25	12	18.49	18.68	18.53	0
		25	25	18.43	18.65	18.45	0
		50	0	18.48	18.64	18.52	0
10M	16QAM	1	0	18.58	18.74	18.61	0
		1	24	18.35	18.59	18.41	0
		1	49	18.21	18.37	18.26	0
		25	0	18.29	18.52	18.45	0
		25	12	18.29	18.57	18.43	0
		25	25	18.32	18.48	18.40	0
		50	0	18.32	18.53	18.43	0
10M	64QAM	1	0	18.63	18.83	18.74	0
		1	24	18.50	18.69	18.52	0
		1	49	18.25	18.46	18.35	0
		25	0	18.44	18.61	18.42	0
		25	12	18.38	18.66	18.39	0
		25	25	18.31	18.58	18.38	0
		50	0	18.47	18.62	18.49	0
10M	256QAM	1	0	18.50	18.75	18.53	0
		1	24	18.37	18.52	18.36	0
		1	49	18.16	18.35	18.25	0
		25	0	18.30	18.48	18.45	0
		25	12	18.26	18.49	18.28	0
		25	25	18.27	18.40	18.26	0
		50	0	18.26	18.39	18.36	0
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	18.60	18.87	18.70	0
		1	12	18.45	18.65	18.56	0
		1	24	18.33	18.41	18.42	0
		12	0	18.39	18.65	18.41	0
		12	6	18.48	18.68	18.45	0
		12	13	18.34	18.57	18.40	0
		25	0	18.47	18.58	18.47	0
5M	16QAM	1	0	18.58	18.65	18.60	0
		1	12	18.27	18.59	18.40	0
		1	24	18.18	18.27	18.19	0
		12	0	18.27	18.51	18.41	0
		12	6	18.22	18.50	18.41	0
		12	13	18.25	18.43	18.34	0
		25	0	18.28	18.52	18.42	0
5M	64QAM	1	0	18.55	18.75	18.72	0
		1	12	18.42	18.62	18.50	0
		1	24	18.20	18.42	18.26	0
		12	0	18.44	18.57	18.33	0
		12	6	18.37	18.66	18.31	0
		12	13	18.27	18.57	18.32	0
		25	0	18.38	18.61	18.45	0
5M	256QAM	1	0	18.50	18.66	18.50	0
		1	12	18.36	18.44	18.31	0
		1	24	18.11	18.34	18.17	0
		12	0	18.26	18.43	18.41	0
		12	6	18.25	18.48	18.22	0
		12	13	18.24	18.39	18.16	0
		25	0	18.18	18.38	18.28	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	16.13	16.19	16.16	0
		1	50	15.86	16.02	15.90	0
		1	99	15.77	15.98	15.90	0
		50	0	15.87	16.02	15.91	0
		50	25	15.79	15.87	15.80	0
		50	50	15.73	15.78	15.76	0
		100	0	15.74	15.85	15.84	0
20M	16QAM	1	0	16.02	16.10	16.07	0
		1	50	15.72	15.88	15.74	0
		1	99	15.72	15.86	15.79	0
		50	0	15.70	15.87	15.78	0
		50	25	15.68	15.81	15.72	0
		50	50	15.61	15.69	15.62	0
		100	0	15.69	15.81	15.71	0
20M	64QAM	1	0	15.83	16.03	15.91	0
		1	50	15.61	15.74	15.66	0
		1	99	15.58	15.76	15.68	0
		50	0	15.68	15.80	15.73	0
		50	25	15.55	15.66	15.59	0
		50	50	15.51	15.60	15.50	0
		100	0	15.53	15.66	15.59	0
20M	256QAM	1	0	15.80	15.89	15.77	0
		1	50	15.55	15.64	15.52	0
		1	99	15.47	15.60	15.48	0
		50	0	15.53	15.68	15.55	0
		50	25	15.40	15.54	15.51	0
		50	50	15.39	15.51	15.44	0
		100	0	15.41	15.52	15.51	0
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	16.13	16.15	16.15	0
		1	37	15.86	16.01	15.84	0
		1	74	15.68	15.97	15.85	0
		36	0	15.85	15.98	15.88	0
		36	19	15.75	15.85	15.77	0
		36	39	15.64	15.70	15.75	0
		75	0	15.68	15.84	15.75	0
15M	16QAM	1	0	15.98	16.02	16.04	0
		1	37	15.72	15.88	15.72	0
		1	74	15.71	15.79	15.74	0
		36	0	15.61	15.79	15.76	0
		36	19	15.67	15.75	15.69	0
		36	39	15.57	15.69	15.52	0
		75	0	15.67	15.75	15.61	0
15M	64QAM	1	0	15.77	16.01	15.82	0
		1	37	15.55	15.68	15.64	0
		1	74	15.57	15.66	15.65	0
		36	0	15.63	15.80	15.65	0
		36	19	15.45	15.56	15.49	0
		36	39	15.49	15.54	15.45	0
		75	0	15.48	15.66	15.57	0
15M	256QAM	1	0	15.79	15.83	15.77	0
		1	37	15.54	15.56	15.46	0
		1	74	15.41	15.54	15.45	0
		36	0	15.43	15.58	15.50	0
		36	19	15.34	15.50	15.50	0
		36	39	15.34	15.50	15.41	0
		75	0	15.39	15.51	15.43	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	15.98	16.04	16.07	0
		1	24	15.73	15.92	15.79	0
		1	49	15.60	15.93	15.79	0
		25	0	15.68	16.02	15.82	0
		25	12	15.63	15.74	15.79	0
		25	25	15.66	15.66	15.64	0
		50	0	15.73	15.83	15.72	0
10M	16QAM	1	0	15.99	15.98	15.98	0
		1	24	15.54	15.76	15.68	0
		1	49	15.61	15.66	15.67	0
		25	0	15.67	15.77	15.66	0
		25	12	15.56	15.62	15.59	0
		25	25	15.45	15.60	15.53	0
		50	0	15.53	15.74	15.61	0
10M	64QAM	1	0	15.61	16.00	15.79	0
		1	24	15.43	15.72	15.56	0
		1	49	15.51	15.71	15.67	0
		25	0	15.59	15.65	15.60	0
		25	12	15.50	15.49	15.47	0
		25	25	15.39	15.54	15.35	0
		50	0	15.35	15.46	15.46	0
10M	256QAM	1	0	15.68	15.73	15.74	0
		1	24	15.37	15.56	15.36	0
		1	49	15.39	15.56	15.34	0
		25	0	15.51	15.53	15.41	0
		25	12	15.32	15.42	15.43	0
		25	25	15.31	15.36	15.27	0
		50	0	15.32	15.38	15.34	0
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	16.04	15.98	15.96	0
		1	12	15.64	15.70	15.71	0
		1	24	15.56	15.84	15.64	0
		12	0	15.73	15.84	15.73	0
		12	6	15.49	15.61	15.62	0
		12	13	15.49	15.60	15.40	0
		25	0	15.62	15.80	15.53	0
5M	16QAM	1	0	15.84	15.83	15.99	0
		1	12	15.48	15.57	15.49	0
		1	24	15.54	15.77	15.65	0
		12	0	15.40	15.68	15.49	0
		12	6	15.48	15.71	15.49	0
		12	13	15.31	15.43	15.51	0
		25	0	15.58	15.70	15.54	0
5M	64QAM	1	0	15.57	15.79	15.69	0
		1	12	15.53	15.56	15.48	0
		1	24	15.49	15.60	15.35	0
		12	0	15.37	15.53	15.58	0
		12	6	15.31	15.52	15.24	0
		12	13	15.41	15.38	15.28	0
		25	0	15.23	15.49	15.37	0
5M	256QAM	1	0	15.51	15.77	15.59	0
		1	12	15.36	15.40	15.29	0
		1	24	15.33	15.46	15.19	0
		12	0	15.31	15.59	15.37	0
		12	6	15.22	15.24	15.22	0
		12	13	15.09	15.25	15.30	0
		25	0	15.26	15.35	15.39	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	16.00	16.00	16.10	0
		1	7	15.76	15.96	15.82	0
		1	14	15.52	15.91	15.83	0
		8	0	15.70	15.97	15.73	0
		8	3	15.66	15.80	15.76	0
		8	7	15.59	15.72	15.72	0
		15	0	15.67	15.79	15.73	0
3M	16QAM	1	0	15.82	15.90	15.98	0
		1	7	15.50	15.78	15.66	0
		1	14	15.58	15.70	15.67	0
		8	0	15.56	15.83	15.56	0
		8	3	15.51	15.75	15.65	0
		8	7	15.53	15.48	15.60	0
		15	0	15.57	15.64	15.56	0
3M	64QAM	1	0	15.78	15.99	15.73	0
		1	7	15.59	15.72	15.52	0
		1	14	15.45	15.59	15.56	0
		8	0	15.49	15.75	15.61	0
		8	3	15.44	15.54	15.48	0
		8	7	15.37	15.37	15.41	0
		15	0	15.34	15.50	15.46	0
3M	256QAM	1	0	15.75	15.76	15.65	0
		1	7	15.43	15.57	15.35	0
		1	14	15.33	15.36	15.38	0
		8	0	15.41	15.49	15.45	0
		8	3	15.26	15.33	15.32	0
		8	7	15.23	15.36	15.36	0
		15	0	15.31	15.31	15.36	0
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	16.08	16.02	16.00	0
		1	2	15.74	15.88	15.66	0
		1	5	15.66	15.86	15.80	0
		3	0	15.72	15.89	15.76	0
		3	1	15.70	15.68	15.61	0
		3	3	15.65	15.63	15.62	0
		6	0	15.67	15.66	15.65	0
1.4M	16QAM	1	0	15.85	16.09	16.00	0
		1	2	15.58	15.80	15.65	0
		1	5	15.67	15.77	15.56	0
		3	0	15.52	15.73	15.65	0
		3	1	15.57	15.63	15.62	0
		3	3	15.43	15.54	15.44	0
		6	0	15.68	15.67	15.58	0
1.4M	64QAM	1	0	15.61	15.88	15.71	0
		1	2	15.49	15.66	15.63	0
		1	5	15.36	15.60	15.65	0
		3	0	15.61	15.73	15.61	0
		3	1	15.37	15.56	15.51	0
		3	3	15.40	15.55	15.43	0
		6	0	15.45	15.48	15.43	0
1.4M	256QAM	1	0	15.70	15.65	15.70	0
		1	2	15.44	15.46	15.42	0
		1	5	15.35	15.46	15.36	0
		3	0	15.33	15.56	15.47	0
		3	1	15.22	15.44	15.39	0
		3	3	15.26	15.46	15.27	0
		6	0	15.40	15.49	15.47	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	20.38	20.43	20.15	0
		1	37	20.16	20.14	20.03	0
		1	74	19.92	20.03	19.75	0
		36	0	20.08	20.15	19.93	0
		36	19	20.09	20.1	19.93	0
		36	39	19.79	19.92	19.72	0
		75	0	20.03	20.12	19.94	0
15M	16QAM	1	0	19.93	19.9	19.73	0
		1	37	19.67	19.81	19.59	0
		1	74	19.47	19.55	19.31	0
		36	0	19.61	19.71	19.55	0
		36	19	19.58	19.74	19.47	0
		36	39	19.38	19.45	19.23	0
		75	0	19.58	19.6	19.48	0
15M	64QAM	1	0	20.34	20.37	20.15	0
		1	37	20.15	20.19	20.12	0
		1	74	19.88	19.96	19.66	0
		36	0	20.02	20.05	19.95	0
		36	19	19.98	20.13	19.84	0
		36	39	19.84	19.79	19.72	0
		75	0	20.04	20.00	19.96	0
15M	256QAM	1	0	19.81	19.91	19.84	0
		1	37	19.70	19.69	19.55	0
		1	74	19.39	19.52	19.25	0
		36	0	19.60	19.67	19.48	0
		36	19	19.61	19.55	19.48	0
		36	39	19.39	19.47	19.25	0
		75	0	19.59	19.66	19.30	0
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	QPSK	1	0	20.30	20.39	20.13	0
		1	24	20.07	20.05	19.96	0
		1	49	19.83	19.99	19.74	0
		25	0	19.98	20.06	19.93	0
		25	12	20.03	20.05	19.88	0
		25	25	19.72	19.82	19.70	0
		50	0	19.97	20.12	19.90	0
10M	16QAM	1	0	19.90	19.83	19.64	0
		1	24	19.65	19.78	19.51	0
		1	49	19.43	19.48	19.27	0
		25	0	19.57	19.69	19.52	0
		25	12	19.55	19.71	19.39	0
		25	25	19.38	19.42	19.20	0
		50	0	19.50	19.54	19.48	0
10M	64QAM	1	0	20.26	20.30	20.11	0
		1	24	20.12	20.10	20.12	0
		1	49	19.85	19.86	19.59	0
		25	0	20.01	19.98	19.85	0
		25	12	19.95	20.04	19.83	0
		25	25	19.74	19.76	19.68	0
		50	0	20.02	19.90	19.86	0
10M	256QAM	1	0	19.80	19.86	19.75	0
		1	24	19.64	19.64	19.45	0
		1	49	19.29	19.50	19.25	0
		25	0	19.58	19.64	19.44	0
		25	12	19.59	19.55	19.38	0
		25	25	19.30	19.44	19.17	0
		50	0	19.56	19.60	19.21	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	20.19	20.33	19.90	0
		1	12	20.07	19.92	19.85	0
		1	24	19.65	19.75	19.59	0
		12	0	19.94	19.95	19.68	0
		12	6	19.96	19.97	19.78	0
		12	13	19.61	19.69	19.66	0
		25	0	19.87	20.02	19.91	0
5M	16QAM	1	0	19.74	19.77	19.50	0
		1	12	19.45	19.60	19.44	0
		1	24	19.30	19.41	19.21	0
		12	0	19.38	19.54	19.41	0
		12	6	19.38	19.51	19.46	0
		12	13	19.15	19.34	18.93	0
		25	0	19.26	19.47	19.20	0
5M	64QAM	1	0	20.06	20.26	19.99	0
		1	12	20.02	20.00	19.86	0
		1	24	19.78	19.69	19.53	0
		12	0	19.77	19.97	19.87	0
		12	6	19.80	19.86	19.69	0
		12	13	19.71	19.48	19.51	0
		25	0	19.89	19.84	19.72	0
5M	256QAM	1	0	19.66	19.66	19.61	0
		1	12	19.50	19.59	19.35	0
		1	24	19.02	19.23	18.96	0
		12	0	19.47	19.50	19.31	0
		12	6	19.46	19.25	19.28	0
		12	13	19.25	19.27	19.02	0
		25	0	19.39	19.41	19.09	0
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	20.20	20.29	20.04	0
		1	7	20.04	19.96	19.89	0
		1	14	19.86	19.86	19.63	0
		8	0	19.94	20.00	19.85	0
		8	3	19.94	19.97	19.70	0
		8	7	19.65	19.74	19.55	0
		15	0	19.88	19.96	19.84	0
3M	16QAM	1	0	19.81	19.81	19.62	0
		1	7	19.63	19.73	19.44	0
		1	14	19.31	19.38	19.10	0
		8	0	19.42	19.63	19.42	0
		8	3	19.46	19.64	19.42	0
		8	7	19.21	19.23	19.04	0
		15	0	19.52	19.53	19.37	0
3M	64QAM	1	0	20.16	20.19	20.00	0
		1	7	20.11	20.01	19.94	0
		1	14	19.69	19.79	19.55	0
		8	0	19.93	19.90	19.75	0
		8	3	19.86	19.96	19.74	0
		8	7	19.80	19.70	19.59	0
		15	0	19.93	19.94	19.74	0
3M	256QAM	1	0	19.73	19.72	19.67	0
		1	7	19.54	19.62	19.45	0
		1	14	19.22	19.50	19.09	0
		8	0	19.47	19.50	19.29	0
		8	3	19.59	19.48	19.39	0
		8	7	19.21	19.37	19.16	0
		15	0	19.51	19.62	19.10	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	20.28	20.34	20.01	0
		1	2	20.00	19.98	19.85	0
		1	5	19.85	19.80	19.74	0
		3	0	19.93	20.00	19.89	0
		3	1	19.90	20.08	19.80	0
		3	3	19.65	19.82	19.51	0
		6	0	20.01	20.03	19.70	0
1.4M	16QAM	1	0	19.75	19.85	19.62	0
		1	2	19.52	19.62	19.46	0
		1	5	19.33	19.36	19.17	0
		3	0	19.50	19.57	19.38	0
		3	1	19.48	19.68	19.30	0
		3	3	19.24	19.30	19.10	0
		6	0	19.43	19.51	19.37	0
1.4M	64QAM	1	0	20.12	20.26	19.93	0
		1	2	20.07	20.10	20.02	0
		1	5	19.72	19.76	19.61	0
		3	0	19.86	19.93	19.84	0
		3	1	19.82	20.07	19.66	0
		3	3	19.73	19.65	19.58	0
		6	0	19.98	19.93	19.80	0
1.4M	256QAM	1	0	19.69	19.78	19.73	0
		1	2	19.59	19.58	19.42	0
		1	5	19.29	19.45	19.17	0
		3	0	19.55	19.50	19.33	0
		3	1	19.52	19.39	19.32	0
		3	3	19.23	19.38	19.17	0
		6	0	19.40	19.58	19.16	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 30							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		16.31		0
		1	24		16.14		0
		1	49		16.18		0
		25	0		16.14		0
		25	12		16.11		0
		25	25		16.08		0
		50	0		16.20		0
10M	16QAM	1	0		16.24		0
		1	24		16.17		0
		1	49		16.08		0
		25	0		16.20		0
		25	12		16.12		0
		25	25		16.08		0
		50	0		16.17		0
10M	64QAM	1	0		16.28		0
		1	24		16.09		0
		1	49		16.12		0
		25	0		16.14		0
		25	12		16.10		0
		25	25		16.08		0
		50	0		16.11		0
10M	256QAM	1	0		16.18		0
		1	24		16.14		0
		1	49		16.02		0
		25	0		16.09		0
		25	12		16.06		0
		25	25		16.08		0
		50	0		16.09		0
BW	MCS Index	Channel		27685	27710	27735	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	QPSK	1	0	16.22	16.27	16.26	0
		1	12	16.20	16.12	16.11	0
		1	24	16.09	16.16	16.15	0
		12	0	16.17	16.21	16.12	0
		12	6	16.07	16.13	16.05	0
		12	13	16.14	16.12	16.13	0
		25	0	16.17	16.20	16.14	0
5M	16QAM	1	0	16.24	16.27	16.30	0
		1	12	16.08	16.11	16.10	0
		1	24	16.09	16.13	16.16	0
		12	0	16.18	16.16	16.14	0
		12	6	16.09	16.07	16.12	0
		12	13	16.06	16.10	16.13	0
		25	0	16.13	16.15	16.11	0
5M	64QAM	1	0	16.24	16.25	16.20	0
		1	12	16.08	16.16	16.07	0
		1	24	16.13	16.13	16.10	0
		12	0	16.15	16.13	16.15	0
		12	6	16.11	16.07	16.01	0
		12	13	16.03	16.02	16.11	0
		25	0	16.08	16.08	16.06	0
5M	256QAM	1	0	16.16	16.20	16.21	0
		1	12	16.07	16.09	16.08	0
		1	24	16.03	16.10	16.10	0
		12	0	16.10	16.07	16.09	0
		12	6	16.09	16.02	16.00	0
		12	13	16.10	16.07	16.05	0
		25	0	16.08	16.06	16.08	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	16.66	16.32	16.19	0
		1	50	16.62	16.32	16.16	0
		1	99	16.50	16.19	16.12	0
		50	0	16.46	16.06	16.02	0
		50	25	16.40	16.03	16.01	0
		50	50	16.41	16.05	16.01	0
		100	0	16.38	16.08	15.95	0
20M	16QAM	1	0	16.11	15.82	15.79	0
		1	50	16.15	15.83	15.65	0
		1	99	16.06	15.76	15.72	0
		50	0	16.37	16.15	15.94	0
		50	25	16.38	16.12	15.92	0
		50	50	16.41	16.11	15.94	0
		100	0	16.43	16.18	15.98	0
20M	64QAM	1	0	16.12	15.81	15.66	0
		1	50	16.09	15.81	15.65	0
		1	99	16.06	15.77	15.66	0
		50	0	16.40	16.12	16.00	0
		50	25	16.37	16.00	15.98	0
		50	50	16.34	16.12	15.98	0
		100	0	16.38	16.05	15.98	0
20M	256QAM	1	0	16.13	15.82	15.63	0
		1	50	16.06	15.72	15.65	0
		1	99	16.05	15.78	15.66	0
		50	0	16.32	16.05	15.88	0
		50	25	16.28	16.02	15.86	0
		50	50	16.39	16.05	15.95	0
		100	0	16.32	16.08	15.95	0
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
Frequency (MHz)		2577.5	2595	2612.5			
15M	QPSK	1	0	16.61	16.22	16.14	0
		1	37	16.57	16.29	16.09	0
		1	74	16.44	16.16	16.12	0
		36	0	16.45	16.05	15.97	0
		36	19	16.40	16.05	15.94	0
		36	39	16.33	16.15	16.08	0
		75	0	16.36	16.05	15.87	0
15M	16QAM	1	0	16.07	15.79	15.75	0
		1	37	16.09	15.80	15.59	0
		1	74	15.97	15.72	15.68	0
		36	0	16.27	16.09	15.94	0
		36	19	16.30	16.06	15.90	0
		36	39	16.37	16.04	15.88	0
		75	0	16.40	16.12	15.94	0
15M	64QAM	1	0	16.04	15.71	15.65	0
		1	37	16.05	15.76	15.60	0
		1	74	15.97	15.69	15.64	0
		36	0	16.33	16.11	15.90	0
		36	19	16.35	15.92	15.96	0
		36	39	16.27	16.03	15.93	0
		75	0	16.28	15.98	15.91	0
15M	256QAM	1	0	16.06	15.82	15.62	0
		1	37	15.99	15.72	15.62	0
		1	74	16.01	15.75	15.60	0
		36	0	16.25	15.99	15.82	0
		36	19	16.28	15.96	15.85	0
		36	39	16.38	16.01	15.89	0
		75	0	16.27	16.07	15.89	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	16.65	16.22	16.08	0
		1	24	16.53	16.18	16.14	0
		1	49	16.44	16.01	16.08	0
		25	0	16.24	15.96	15.96	0
		25	12	16.32	16.03	16.03	0
		25	25	16.25	15.99	15.94	0
		50	0	16.22	15.92	15.85	0
10M	16QAM	1	0	16.02	15.71	15.68	0
		1	24	16.14	15.65	15.49	0
		1	49	15.86	15.52	15.52	0
		25	0	16.26	16.08	15.84	0
		25	12	16.26	15.89	15.79	0
		25	25	16.26	16.01	15.74	0
		50	0	16.35	16.02	15.85	0
10M	64QAM	1	0	16.03	15.73	15.44	0
		1	24	15.89	15.77	15.54	0
		1	49	15.89	15.75	15.51	0
		25	0	16.30	15.97	15.87	0
		25	12	16.30	15.98	15.83	0
		25	25	16.21	15.95	15.90	0
		50	0	16.22	15.87	15.88	0
10M	256QAM	1	0	16.02	15.67	15.53	0
		1	24	15.95	15.59	15.48	0
		1	49	15.99	15.68	15.48	0
		25	0	16.23	15.95	15.80	0
		25	12	16.11	15.85	15.78	0
		25	25	16.33	15.93	15.78	0
		50	0	16.23	15.96	15.74	0
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	16.47	16.10	16.06	0
		1	12	16.52	16.10	16.03	0
		1	24	16.28	15.99	16.08	0
		12	0	16.42	15.85	15.74	0
		12	6	16.17	15.81	15.86	0
		12	13	16.25	15.92	16.10	0
		25	0	16.19	15.99	15.74	0
5M	16QAM	1	0	15.84	15.67	15.58	0
		1	12	15.98	15.67	15.36	0
		1	24	15.92	15.58	15.42	0
		12	0	16.04	15.90	15.67	0
		12	6	16.17	16.00	15.80	0
		12	13	16.15	15.92	15.60	0
		25	0	16.18	15.92	15.83	0
5M	64QAM	1	0	15.78	15.59	15.46	0
		1	12	15.85	15.64	15.51	0
		1	24	15.94	15.51	15.44	0
		12	0	16.11	15.87	15.69	0
		12	6	16.18	15.79	15.82	0
		12	13	16.20	15.90	15.85	0
		25	0	16.21	15.69	15.83	0
5M	256QAM	1	0	15.92	15.53	15.34	0
		1	12	15.77	15.52	15.40	0
		1	24	15.93	15.57	15.47	0
		12	0	16.05	15.94	15.74	0
		12	6	15.92	15.79	15.57	0
		12	13	16.28	15.86	15.61	0
		25	0	16.02	15.94	15.75	0

Laptop LTE Conducted Power (Reduction)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	18.53	18.87	18.75	18.67	18.53	0
		1	50	18.79	18.46	18.74	18.63	18.56	0
		1	99	18.76	18.40	18.67	18.58	18.47	0
		50	0	18.52	18.81	18.63	18.60	18.55	0
		50	25	18.51	18.48	18.61	18.60	18.43	0
		50	50	18.49	18.39	18.58	18.51	18.41	0
		100	0	18.53	18.84	18.68	18.68	18.61	0
20M	16QAM	1	0	17.82	17.49	17.7	17.61	17.52	0
		1	50	17.79	17.56	17.72	17.69	17.54	0
		1	99	17.77	17.40	17.65	17.57	17.44	0
		50	0	17.79	17.53	17.65	17.65	17.55	0
		50	25	17.81	17.44	17.63	17.58	17.42	0
		50	50	17.69	17.40	17.55	17.46	17.38	0
		100	0	17.81	17.57	17.72	17.71	17.52	0
20M	64QAM	1	0	18.80	18.51	18.73	18.57	18.51	0
		1	50	18.78	18.39	18.66	18.56	18.55	0
		1	99	18.75	18.35	18.58	18.52	18.38	0
		50	0	18.73	18.45	18.56	18.60	18.49	0
		50	25	18.71	18.43	18.53	18.56	18.36	0
		50	50	18.65	18.35	18.49	18.48	18.40	0
		100	0	18.83	18.45	18.65	18.60	18.57	0
20M	256QAM	1	0	18.77	18.44	18.67	18.57	18.53	0
		1	50	18.79	18.40	18.70	18.59	18.53	0
		1	99	18.67	18.38	18.57	18.58	18.41	0
		50	0	18.76	18.50	18.63	18.55	18.46	0
		50	25	18.67	18.41	18.51	18.60	18.38	0
		50	50	18.67	18.29	18.57	18.42	18.39	0
		100	0	18.78	18.47	18.62	18.61	18.60	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	18.69	18.47	18.59	18.52	18.40	0
		1	37	18.75	18.37	18.64	18.49	18.54	0
		1	74	18.69	18.39	18.53	18.49	18.44	0
		36	0	18.72	18.44	18.44	18.50	18.52	0
		36	19	18.58	18.33	18.54	18.52	18.26	0
		36	39	18.57	18.27	18.50	18.42	18.26	0
		75	0	18.76	18.38	18.54	18.53	18.51	0
15M	16QAM	1	0	18.67	18.44	18.67	18.52	18.36	0
		1	37	18.74	18.39	18.72	18.54	18.49	0
		1	74	18.65	18.33	18.50	18.52	18.38	0
		36	0	18.72	18.43	18.54	18.48	18.52	0
		36	19	18.54	18.31	18.51	18.51	18.32	0
		36	39	18.52	18.30	18.41	18.41	18.32	0
		75	0	18.77	18.38	18.56	18.58	18.53	0
15M	64QAM	1	0	18.74	18.43	18.68	18.56	18.41	0
		1	37	18.73	18.33	18.69	18.59	18.45	0
		1	74	18.64	18.31	18.58	18.53	18.41	0
		36	0	18.76	18.46	18.48	18.55	18.46	0
		36	19	18.61	18.39	18.51	18.55	18.29	0
		36	39	18.60	18.30	18.48	18.40	18.32	0
		75	0	18.78	18.46	18.51	18.57	18.49	0
15M	256QAM	1	0	18.79	18.40	18.56	18.60	18.36	0
		1	37	18.74	18.38	18.73	18.60	18.42	0
		1	74	18.64	18.32	18.64	18.44	18.33	0
		36	0	18.67	18.33	18.52	18.53	18.49	0
		36	19	18.65	18.42	18.54	18.51	18.28	0
		36	39	18.68	18.31	18.45	18.46	18.21	0
		75	0	18.74	18.41	18.55	18.55	18.43	0

Laptop LTE Conducted Power (Reduction)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	18.83	18.37	18.66	18.55	18.48	0
		1	24	18.64	18.33	18.58	18.61	18.46	0
		1	49	18.67	18.33	18.58	18.47	18.38	0
		25	0	18.76	18.36	18.58	18.59	18.46	0
		25	12	18.62	18.39	18.60	18.53	18.31	0
		25	25	18.68	18.28	18.48	18.41	18.29	0
		50	0	18.70	18.49	18.54	18.63	18.49	0
10M	16QAM	1	0	18.79	18.46	18.66	18.57	18.39	0
		1	24	18.60	18.36	18.58	18.58	18.53	0
		1	49	18.72	18.35	18.61	18.50	18.40	0
		25	0	18.73	18.41	18.50	18.53	18.39	0
		25	12	18.63	18.30	18.50	18.54	18.31	0
		25	25	18.65	18.34	18.48	18.45	18.33	0
		50	0	18.69	18.40	18.56	18.56	18.50	0
10M	64QAM	1	0	18.77	18.41	18.62	18.53	18.40	0
		1	24	18.65	18.35	18.60	18.56	18.50	0
		1	49	18.72	18.30	18.55	18.47	18.43	0
		25	0	18.70	18.35	18.51	18.56	18.42	0
		25	12	18.59	18.37	18.52	18.57	18.30	0
		25	25	18.60	18.27	18.51	18.45	18.31	0
		50	0	18.76	18.44	18.62	18.54	18.49	0
10M	256QAM	1	0	18.79	18.42	18.71	18.60	18.39	0
		1	24	18.60	18.39	18.66	18.59	18.40	0
		1	49	18.73	18.24	18.57	18.49	18.35	0
		25	0	18.71	18.42	18.53	18.50	18.36	0
		25	12	18.63	18.31	18.47	18.45	18.31	0
		25	25	18.60	18.28	18.49	18.45	18.29	0
		50	0	18.67	18.42	18.55	18.63	18.57	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	18.78	18.44	18.62	18.53	18.39	0
		1	12	18.74	18.40	18.57	18.56	18.44	0
		1	24	18.71	18.31	18.51	18.47	18.35	0
		12	0	18.74	18.41	18.49	18.51	18.40	0
		12	6	18.52	18.40	18.57	18.49	18.36	0
		12	13	18.57	18.30	18.47	18.42	18.28	0
		25	0	18.75	18.49	18.61	18.63	18.46	0
5M	16QAM	1	0	18.82	18.43	18.56	18.61	18.44	0
		1	12	18.73	18.43	18.57	18.60	18.52	0
		1	24	18.65	18.37	18.59	18.47	18.38	0
		12	0	18.73	18.42	18.52	18.44	18.48	0
		12	6	18.52	18.41	18.52	18.49	18.31	0
		12	13	18.53	18.35	18.47	18.38	18.23	0
		25	0	18.72	18.43	18.57	18.62	18.45	0
5M	64QAM	1	0	18.78	18.42	18.64	18.53	18.43	0
		1	12	18.74	18.41	18.58	18.61	18.45	0
		1	24	18.73	18.39	18.55	18.46	18.34	0
		12	0	18.71	18.41	18.48	18.43	18.47	0
		12	6	18.54	18.39	18.52	18.55	18.33	0
		12	13	18.53	18.39	18.47	18.40	18.23	0
		25	0	18.75	18.41	18.58	18.66	18.51	0
5M	256QAM	1	0	18.69	18.42	18.55	18.52	18.38	0
		1	12	18.68	18.25	18.62	18.51	18.42	0
		1	24	18.63	18.29	18.55	18.44	18.33	0
		12	0	18.62	18.48	18.45	18.48	18.45	0
		12	6	18.53	18.36	18.55	18.41	18.25	0
		12	13	18.51	18.34	18.34	18.32	18.24	0
		25	0	18.65	18.45	18.56	18.55	18.41	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 42							
BW	MCS Index	RB Size	RB Offset	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		43190	43340	43490	
		Frequency (MHz)		3560	3575	3590	
20M	QPSK	1	0	15.70	15.37	15.11	0
		1	50	15.65	15.33	15.10	0
		1	99	15.58	15.31	15.01	0
		50	0	15.49	15.11	14.94	0
		50	25	15.46	15.11	14.85	0
		50	50	15.35	15.08	14.78	0
		100	0	15.50	15.16	14.90	0
20M	16QAM	1	0	15.28	14.92	14.73	0
		1	50	15.20	14.93	14.63	0
		1	99	15.34	15.03	14.79	0
		50	0	15.44	15.13	14.89	0
		50	25	15.45	15.04	14.85	0
		50	50	15.40	14.99	14.83	0
		100	0	15.40	15.03	14.88	0
20M	64QAM	1	0	15.25	15.16	15.10	0
		1	50	15.26	15.14	15.02	0
		1	99	15.38	15.26	15.11	0
		50	0	15.40	15.28	15.25	0
		50	25	15.35	15.32	15.19	0
		50	50	15.30	15.26	15.19	0
		100	0	15.42	15.25	15.22	0
20M	256QAM	1	0	15.19	15.15	14.96	0
		1	50	15.19	15.05	14.92	0
		1	99	15.29	15.21	15.11	0
		50	0	15.30	15.22	15.20	0
		50	25	15.35	15.20	15.09	0
		50	50	15.32	15.23	15.07	0
		100	0	15.33	15.26	15.15	0
BW	MCS Index	Channel		43165	43340	43515	3GPP MPR
		Frequency (MHz)		3557.5	3575	3592.5	
15M	QPSK	1	0	15.64	15.28	15.02	0
		1	37	15.60	15.35	15.07	0
		1	74	15.53	15.23	14.92	0
		36	0	15.49	15.04	14.87	0
		36	19	15.46	15.11	14.84	0
		36	39	15.27	15.07	14.72	0
		75	0	15.50	15.07	14.81	0
15M	16QAM	1	0	15.27	14.86	14.68	0
		1	37	15.16	14.84	14.53	0
		1	74	15.24	14.94	14.71	0
		36	0	15.43	15.06	14.88	0
		36	19	15.37	15.03	14.79	0
		36	39	15.34	14.93	14.83	0
		75	0	15.40	15.03	14.81	0
15M	64QAM	1	0	15.21	15.13	15.09	0
		1	37	15.16	15.05	14.92	0
		1	74	15.32	15.18	15.10	0
		36	0	15.31	15.26	15.23	0
		36	19	15.29	15.32	15.15	0
		36	39	15.30	15.20	15.18	0
		75	0	15.32	15.25	15.16	0
15M	256QAM	1	0	15.15	15.09	14.95	0
		1	37	15.14	15.01	14.90	0
		1	74	15.21	15.20	15.08	0
		36	0	15.26	15.12	15.17	0
		36	19	15.30	15.17	15.00	0
		36	39	15.30	15.22	14.97	0
		75	0	15.26	15.26	15.14	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 42							
BW	MCS Index	Channel		43140	43340	43540	3GPP MPR
		Frequency (MHz)		3555	3575	3595	
10M	QPSK	1	0	15.56	15.23	15.02	0
		1	24	15.53	15.35	14.96	0
		1	49	15.49	15.18	14.88	0
		25	0	15.37	14.97	14.85	0
		25	12	15.24	14.99	14.79	0
		25	25	15.26	15.04	14.61	0
		50	0	15.45	15.01	14.73	0
10M	16QAM	1	0	15.17	14.73	14.51	0
		1	24	15.00	14.78	14.57	0
		1	49	15.21	14.84	14.71	0
		25	0	15.27	15.00	14.66	0
		25	12	15.35	14.93	14.74	0
		25	25	15.34	14.81	14.60	0
		50	0	15.33	14.91	14.72	0
10M	64QAM	1	0	15.11	15.05	14.95	0
		1	24	15.10	14.91	14.81	0
		1	49	15.25	15.09	14.95	0
		25	0	15.25	15.26	15.21	0
		25	12	15.13	15.17	15.02	0
		25	25	15.28	15.19	15.04	0
		50	0	15.33	15.16	15.11	0
10M	256QAM	1	0	15.01	15.03	14.79	0
		1	24	15.16	14.88	14.85	0
		1	49	15.07	15.10	15.02	0
		25	0	15.19	15.09	14.97	0
		25	12	15.32	15.09	14.94	0
		25	25	15.26	15.15	14.87	0
		50	0	15.28	15.08	15.13	0
BW	MCS Index	Channel		43115	43340	43565	3GPP MPR
		Frequency (MHz)		3552.5	3575	3597.5	
5M	QPSK	1	0	15.59	15.23	14.87	0
		1	12	15.57	15.28	14.99	0
		1	24	15.56	15.17	14.87	0
		12	0	15.42	15.02	14.72	0
		12	6	15.30	15.01	14.63	0
		12	13	15.26	14.98	14.59	0
		25	0	15.29	15.04	14.74	0
5M	16QAM	1	0	15.23	14.75	14.63	0
		1	12	15.13	14.83	14.45	0
		1	24	15.28	14.87	14.68	0
		12	0	15.36	15.05	14.78	0
		12	6	15.33	15.00	14.71	0
		12	13	15.28	14.81	14.69	0
		25	0	15.20	14.87	14.69	0
5M	64QAM	1	0	15.06	14.94	14.99	0
		1	12	15.03	14.99	14.95	0
		1	24	15.20	15.13	14.94	0
		12	0	15.24	15.16	15.20	0
		12	6	15.28	15.13	15.01	0
		12	13	15.19	15.07	15.07	0
		25	0	15.27	15.17	15.09	0
5M	256QAM	1	0	14.96	14.94	15.02	0
		1	12	15.05	14.84	14.84	0
		1	24	15.17	15.07	14.91	0
		12	0	15.18	15.09	15.06	0
		12	6	15.27	15.13	14.94	0
		12	13	15.07	15.15	14.92	0
		25	0	15.12	15.08	15.05	0

Laptop LTE Conducted Power (Reduction)								
LTE Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	15.75	15.96	16.19	16.01	0
		1	50	15.72	15.93	16.15	15.98	0
		1	99	15.69	15.90	16.11	15.95	0
		50	0	15.72	15.93	16.08	15.98	0
		50	25	15.69	15.90	16.05	15.95	0
		50	50	15.61	15.82	15.97	15.87	0
		100	0	15.69	15.90	16.10	15.95	0
20M	16QAM	1	0	15.72	15.93	16.08	15.98	0
		1	50	15.69	15.90	16.05	15.95	0
		1	99	15.66	15.87	16.02	15.92	0
		50	0	15.69	15.90	16.05	15.95	0
		50	25	15.66	15.87	16.02	15.92	0
		50	50	15.58	15.79	15.94	15.84	0
		100	0	15.66	15.87	16.02	15.92	0
20M	64QAM	1	0	15.65	15.89	16.07	15.93	0
		1	50	15.67	15.89	16.01	15.94	0
		1	99	15.67	15.90	15.96	15.89	0
		50	0	15.64	15.85	15.99	15.90	0
		50	25	15.69	15.82	15.96	15.89	0
		50	50	15.55	15.72	15.94	15.81	0
		100	0	15.59	15.87	16.04	15.88	0
20M	256QAM	1	0	15.75	15.90	16.10	15.91	0
		1	50	15.71	15.92	16.03	15.90	0
		1	99	15.59	15.86	16.00	15.86	0
		50	0	15.72	15.89	16.01	15.93	0
		50	25	15.69	15.82	15.95	15.87	0
		50	50	15.57	15.74	15.94	15.81	0
		100	0	15.64	15.90	16.01	15.94	0
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	15.66	15.92	16.16	15.98	0
		1	37	15.67	15.88	16.11	15.96	0
		1	74	15.69	15.87	16.11	15.95	0
		36	0	15.70	15.92	16.05	15.90	0
		36	19	15.66	15.86	15.98	15.87	0
		36	39	15.53	15.77	15.89	15.82	0
		75	0	15.62	15.83	16.01	15.86	0
15M	16QAM	1	0	15.67	15.96	16.11	15.97	0
		1	37	15.72	15.84	16.14	15.93	0
		1	74	15.68	15.85	16.05	15.94	0
		36	0	15.62	15.85	16.08	15.94	0
		36	19	15.67	15.85	15.99	15.90	0
		36	39	15.60	15.72	15.90	15.80	0
		75	0	15.59	15.80	16.05	15.90	0
15M	64QAM	1	0	15.70	15.96	16.18	15.91	0
		1	37	15.62	15.89	16.11	15.94	0
		1	74	15.69	15.80	16.03	15.91	0
		36	0	15.67	15.93	16.07	15.96	0
		36	19	15.67	15.85	15.96	15.93	0
		36	39	15.54	15.80	15.92	15.77	0
		75	0	15.65	15.88	16.10	15.92	0
15M	256QAM	1	0	15.71	15.83	16.00	15.92	0
		1	37	15.65	15.90	15.96	15.88	0
		1	74	15.65	15.86	16.01	15.91	0
		36	0	15.66	15.81	16.01	15.85	0
		36	19	15.62	15.83	16.02	15.88	0
		36	39	15.48	15.79	15.85	15.76	0
		75	0	15.62	15.86	15.99	15.83	0

Laptop LTE Conducted Power (Reduction)								
LTE Band 48								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	15.71	15.80	16.10	15.94	0
		1	24	15.63	15.83	16.02	15.88	0
		1	49	15.56	15.81	16.00	15.91	0
		25	0	15.57	15.84	15.89	15.79	0
		25	12	15.60	15.83	15.96	15.93	0
		25	25	15.60	15.69	15.96	15.69	0
		50	0	15.51	15.82	16.01	15.77	0
10M	16QAM	1	0	15.73	15.89	16.11	15.93	0
		1	24	15.53	15.78	15.99	15.92	0
		1	49	15.57	15.77	15.96	15.83	0
		25	0	15.65	15.85	15.92	15.84	0
		25	12	15.64	15.77	15.96	15.94	0
		25	25	15.56	15.62	15.93	15.73	0
		50	0	15.57	15.74	15.91	15.81	0
10M	64QAM	1	0	15.75	15.83	16.17	15.92	0
		1	24	15.55	15.82	15.99	15.94	0
		1	49	15.55	15.77	16.01	15.89	0
		25	0	15.63	15.83	15.96	15.80	0
		25	12	15.63	15.82	15.94	15.93	0
		25	25	15.58	15.70	15.94	15.72	0
		50	0	15.57	15.78	15.99	15.80	0
10M	256QAM	1	0	15.60	15.81	16.09	15.88	0
		1	24	15.53	15.90	15.98	15.90	0
		1	49	15.64	15.86	16.02	15.89	0
		25	0	15.67	15.84	15.96	15.93	0
		25	12	15.68	15.88	15.98	15.87	0
		25	25	15.55	15.78	15.84	15.76	0
		50	0	15.55	15.75	16.00	15.84	0
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	15.68	15.84	16.09	15.86	0
		1	12	15.58	15.84	15.95	15.83	0
		1	24	15.65	15.89	15.94	15.87	0
		12	0	15.57	15.89	15.95	15.89	0
		12	6	15.59	15.79	16.03	15.88	0
		12	13	15.44	15.67	15.87	15.71	0
		25	0	15.60	15.82	16.08	15.84	0
5M	16QAM	1	0	15.64	15.86	16.08	15.91	0
		1	12	15.59	15.88	15.98	15.84	0
		1	24	15.65	15.90	16.00	15.90	0
		12	0	15.63	15.84	15.98	15.88	0
		12	6	15.62	15.82	16.01	15.92	0
		12	13	15.41	15.69	15.87	15.70	0
		25	0	15.62	15.74	16.09	15.82	0
5M	64QAM	1	0	15.67	15.79	16.09	15.94	0
		1	12	15.58	15.80	16.02	15.85	0
		1	24	15.58	15.82	15.95	15.85	0
		12	0	15.62	15.88	15.95	15.92	0
		12	6	15.66	15.76	15.94	15.87	0
		12	13	15.45	15.66	15.88	15.69	0
		25	0	15.59	15.74	16.03	15.85	0
5M	256QAM	1	0	15.62	15.74	16.09	15.79	0
		1	12	15.63	15.71	16.00	15.72	0
		1	24	15.56	15.77	15.90	15.79	0
		12	0	15.66	15.76	15.86	15.91	0
		12	6	15.52	15.76	15.95	15.76	0
		12	13	15.43	15.69	15.83	15.69	0
		25	0	15.52	15.79	15.93	15.80	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	16.32	16.23	16.33	0
		1	50	16.13	16.08	16.21	0
		1	99	16.12	16.13	16.19	0
		50	0	16.19	16.19	16.27	0
		50	25	16.07	16.04	16.09	0
		50	50	16.10	16.11	16.22	0
		100	0	16.15	16.10	16.25	0
20M	16QAM	1	0	16.22	16.24	16.28	0
		1	50	16.11	16.10	16.19	0
		1	99	16.07	16.09	16.11	0
		50	0	16.16	16.14	16.21	0
		50	25	16.10	16.04	16.14	0
		50	50	16.09	16.03	16.19	0
		100	0	16.15	16.16	16.18	0
20M	64QAM	1	0	16.22	16.23	16.29	0
		1	50	16.09	16.09	16.09	0
		1	99	16.06	16.04	16.07	0
		50	0	16.21	16.12	16.22	0
		50	25	16.08	15.97	16.14	0
		50	50	16.07	16.10	16.18	0
		100	0	16.12	16.09	16.22	0
20M	256QAM	1	0	16.17	16.17	16.23	0
		1	50	16.08	16.07	16.10	0
		1	99	16.10	16.02	16.07	0
		50	0	16.12	16.08	16.17	0
		50	25	16.02	15.94	16.09	0
		50	50	16.12	16.01	16.13	0
		100	0	16.12	16.08	16.19	0
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	16.22	16.17	16.27	0
		1	37	16.05	16.08	16.12	0
		1	74	16.07	16.05	16.18	0
		36	0	16.18	16.11	16.23	0
		36	19	15.99	15.98	16.02	0
		36	39	16.04	16.11	16.13	0
		75	0	16.13	16.01	16.16	0
15M	16QAM	1	0	16.12	16.18	16.22	0
		1	37	16.04	16.00	16.15	0
		1	74	16.04	16.00	16.03	0
		36	0	16.15	16.14	16.14	0
		36	19	16.08	16.03	16.08	0
		36	39	16.08	15.97	16.19	0
		75	0	16.09	16.07	16.18	0
15M	64QAM	1	0	16.13	16.16	16.19	0
		1	37	16.00	15.99	16.01	0
		1	74	15.98	16.00	16.01	0
		36	0	16.21	16.03	16.18	0
		36	19	16.01	15.93	16.14	0
		36	39	15.99	16.10	16.13	0
		75	0	16.05	16.09	16.14	0
15M	256QAM	1	0	16.12	16.07	16.17	0
		1	37	16.03	15.99	16.01	0
		1	74	16.08	15.93	16.04	0
		36	0	16.04	16.08	16.15	0
		36	19	16.01	15.89	16.02	0
		36	39	16.06	16.00	16.10	0
		75	0	16.08	15.99	16.12	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	16.22	16.10	16.14	0
		1	24	15.91	16.08	16.08	0
		1	49	16.01	16.01	16.13	0
		25	0	16.14	16.14	16.18	0
		25	12	15.96	15.96	15.89	0
		25	25	15.95	16.00	16.02	0
		50	0	16.02	15.89	16.12	0
10M	16QAM	1	0	16.10	16.03	16.18	0
		1	24	15.92	16.04	16.13	0
		1	49	15.95	15.89	16.02	0
		25	0	16.07	15.96	16.16	0
		25	12	15.90	15.91	16.04	0
		25	25	15.97	15.94	16.05	0
		50	0	16.07	16.06	16.16	0
10M	64QAM	1	0	16.14	16.08	16.16	0
		1	24	16.05	16.02	16.07	0
		1	49	15.98	15.89	15.93	0
		25	0	16.04	15.94	16.15	0
		25	12	15.94	15.82	16.12	0
		25	25	15.97	15.94	16.03	0
		50	0	16.08	15.86	16.09	0
10M	256QAM	1	0	15.98	16.00	16.02	0
		1	24	15.96	15.92	15.99	0
		1	49	15.96	15.93	15.98	0
		25	0	15.98	16.02	16.13	0
		25	12	15.98	15.84	16.03	0
		25	25	15.95	15.91	16.05	0
		50	0	15.95	15.94	16.15	0
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	16.13	16.20	15.98	0
		1	12	15.88	15.91	15.99	0
		1	24	16.01	16.01	16.11	0
		12	0	16.11	16.06	16.14	0
		12	6	16.02	15.86	15.96	0
		12	13	15.89	15.98	16.05	0
		25	0	16.00	15.90	16.08	0
5M	16QAM	1	0	16.08	16.14	16.22	0
		1	12	16.03	16.05	16.13	0
		1	24	15.87	15.87	16.06	0
		12	0	16.08	16.05	16.01	0
		12	6	15.98	15.96	15.90	0
		12	13	15.88	15.90	16.04	0
		25	0	16.07	15.93	16.07	0
5M	64QAM	1	0	16.12	16.22	16.21	0
		1	12	15.94	15.99	15.93	0
		1	24	15.95	15.83	16.00	0
		12	0	16.10	15.97	16.19	0
		12	6	16.04	15.76	16.03	0
		12	13	15.98	16.03	16.00	0
		25	0	16.03	15.98	15.99	0
5M	256QAM	1	0	16.14	16.20	16.05	0
		1	12	15.84	15.73	15.88	0
		1	24	15.97	15.79	15.88	0
		12	0	16.06	16.00	15.94	0
		12	6	15.92	15.71	16.01	0
		12	13	15.91	15.97	15.91	0
		25	0	15.93	15.79	15.90	0

Laptop LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	16.17	16.07	16.19	0
		1	7	16.06	16.03	16.16	0
		1	14	16.05	16.06	15.97	0
		8	0	16.10	16.12	16.23	0
		8	3	15.87	15.80	15.98	0
		8	7	15.98	15.97	16.09	0
		15	0	16.06	15.98	16.21	0
3M	16QAM	1	0	16.04	16.11	16.14	0
		1	7	16.02	16.08	16.00	0
		1	14	15.94	16.04	15.97	0
		8	0	16.03	16.05	16.11	0
		8	3	15.87	15.97	15.97	0
		8	7	16.03	15.86	16.03	0
		15	0	16.00	16.05	15.99	0
3M	64QAM	1	0	16.10	16.10	16.21	0
		1	7	16.05	16.01	15.96	0
		1	14	15.99	16.02	15.97	0
		8	0	16.13	15.97	16.12	0
		8	3	16.01	15.82	15.95	0
		8	7	15.86	16.03	16.11	0
		15	0	15.97	15.98	16.03	0
3M	256QAM	1	0	15.98	16.00	16.11	0
		1	7	15.90	15.99	16.06	0
		1	14	15.95	15.87	16.05	0
		8	0	15.91	15.91	16.10	0
		8	3	15.81	15.82	16.06	0
		8	7	16.06	15.99	15.99	0
		15	0	15.91	15.96	16.08	0
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	16.21	16.14	16.29	0
		1	2	15.97	15.91	16.12	0
		1	5	16.08	15.97	16.13	0
		3	0	16.08	16.12	16.10	0
		3	1	15.92	15.87	16.01	0
		3	3	15.97	15.92	16.16	0
		6	0	16.05	16.00	16.15	0
1.4M	16QAM	1	0	16.08	16.19	16.10	0
		1	2	15.86	15.98	16.00	0
		1	5	15.91	15.86	16.01	0
		3	0	16.00	15.98	16.06	0
		3	1	15.98	15.91	16.08	0
		3	3	15.99	15.84	16.03	0
		6	0	16.10	16.00	16.07	0
1.4M	64QAM	1	0	16.19	16.00	16.16	0
		1	2	15.91	15.95	16.02	0
		1	5	16.05	15.86	15.93	0
		3	0	16.06	16.06	16.16	0
		3	1	15.96	15.81	16.01	0
		3	3	15.86	15.94	16.05	0
		6	0	15.99	16.06	16.00	0
1.4M	256QAM	1	0	16.08	16.10	16.07	0
		1	2	16.03	15.91	15.92	0
		1	5	15.91	15.91	16.02	0
		3	0	15.93	15.98	16.02	0
		3	1	15.88	15.91	15.90	0
		3	3	16.04	15.95	15.95	0
		6	0	15.96	15.92	15.99	0

Tablet NR Conducted Power (Reduction)

NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	13.30	13.35	13.38	0
		1	53	13.23	13.28	13.31	0
		1	104	13.20	13.25	13.28	0
		50	0	12.83	12.88	12.91	0.5
		50	25	13.20	13.25	13.28	0
		50	53	12.73	12.78	12.81	0.5
		100	0	12.64	12.69	12.72	0.5
20M	DFT-S QPSK	1	1	13.38	13.43	13.46	0
		1	53	13.30	13.35	13.38	0
		1	104	13.27	13.32	13.35	0
		50	0	12.27	12.32	12.35	1
		50	25	13.17	13.22	13.25	0
		50	53	12.35	12.40	12.43	1
		100	0	12.28	12.33	12.36	1
20M	DFT-S 16QAM	1	1	12.20	12.25	12.28	1
20M	DFT-S 64QAM	1	1	10.54	10.59	10.62	2.5
20M	DFT-S 256QAM	1	1	8.47	8.52	8.55	4.5
20M	CP QPSK	1	1	11.53	11.58	11.61	1.5
20M	CP 16QAM	1	1	11.30	11.35	11.38	2
20M	CP 64QAM	1	1	9.69	9.74	9.77	3.5
20M	CP 256QAM	1	1	6.83	6.88	6.91	6.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	13.24	13.29	13.32	0
		1	40	13.17	13.22	13.25	0
		1	77	13.14	13.19	13.22	0
		36	0	12.77	12.82	12.85	0.5
		36	18	13.14	13.19	13.22	0
		36	40	12.67	12.72	12.75	0.5
		75	0	12.58	12.63	12.66	0.5
15M	DFT-S QPSK	1	1	13.32	13.37	13.40	0
		1	40	13.24	13.29	13.32	0
		1	77	13.21	13.26	13.29	0
		36	0	12.21	12.26	12.29	1
		36	18	13.11	13.16	13.19	0
		36	40	12.29	12.34	12.37	1
		75	0	12.22	12.27	12.30	1
15M	DFT-S 16QAM	1	1	12.14	12.19	12.22	1
15M	DFT-S 64QAM	1	1	10.48	10.53	10.56	2.5
15M	DFT-S 256QAM	1	1	8.41	8.46	8.49	4.5
15M	CP QPSK	1	1	11.47	11.52	11.55	1.5
15M	CP 16QAM	1	1	11.24	11.29	11.32	2
15M	CP 64QAM	1	1	9.63	9.68	9.71	3.5
15M	CP 256QAM	1	1	6.77	6.82	6.85	6.5

Tablet NR Conducted Power (Reduction)

NR Band 2

BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	13.18	13.23	13.26	0
		1	26	13.11	13.16	13.19	0
		1	50	13.08	13.13	13.16	0
		25	0	12.71	12.76	12.79	0.5
		25	12	13.08	13.13	13.16	0
		25	26	12.61	12.66	12.69	0.5
		50	0	12.52	12.57	12.60	0.5
10M	DFT-S QPSK	1	1	13.26	13.31	13.34	0
		1	26	13.18	13.23	13.26	0
		1	50	13.15	13.20	13.23	0
		25	0	12.15	12.20	12.23	1
		25	12	13.05	13.10	13.13	0
		25	26	12.23	12.28	12.31	1
		50	0	12.16	12.21	12.24	1
10M	DFT-S 16QAM	1	1	12.08	12.13	12.16	1
10M	DFT-S 64QAM	1	1	10.42	10.47	10.50	2.5
10M	DFT-S 256QAM	1	1	8.35	8.40	8.43	4.5
10M	CP QPSK	1	1	11.41	11.46	11.49	1.5
10M	CP 16QAM	1	1	11.18	11.23	11.26	2
10M	CP 64QAM	1	1	9.57	9.62	9.65	3.5
10M	CP 256QAM	1	1	6.71	6.76	6.79	6.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	13.14	13.19	13.22	0
		1	13	13.07	13.12	13.15	0
		1	23	13.04	13.09	13.12	0
		12	0	12.67	12.72	12.75	0.5
		12	6	13.04	13.09	13.12	0
		12	13	12.57	12.62	12.65	0.5
		25	0	12.48	12.53	12.56	0.5
5M	DFT-S QPSK	1	1	13.22	13.27	13.30	0
		1	13	13.14	13.19	13.22	0
		1	23	13.11	13.16	13.19	0
		12	0	12.11	12.16	12.19	1
		12	6	13.01	13.06	13.09	0
		12	13	12.19	12.24	12.27	1
		25	0	12.12	12.17	12.20	1
5M	DFT-S 16QAM	1	1	12.04	12.09	12.12	1
5M	DFT-S 64QAM	1	1	10.38	10.43	10.46	2.5
5M	DFT-S 256QAM	1	1	8.31	8.36	8.39	4.5
5M	CP QPSK	1	1	11.37	11.42	11.45	1.5
5M	CP 16QAM	1	1	11.14	11.19	11.22	2
5M	CP 64QAM	1	1	9.53	9.58	9.61	3.5
5M	CP 256QAM	1	1	6.67	6.72	6.75	6.5

Tablet NR Conducted Power (Reduction)

NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	16.78	16.89	16.76	0
		1	53	16.70	16.81	16.68	0
		1	104	16.60	16.71	16.58	0
		50	0	16.32	16.43	16.30	0.5
		50	25	16.66	16.77	16.64	0
		50	53	16.31	16.42	16.29	0.5
		100	0	16.29	16.40	16.27	0.5
20M	DFT-S QPSK	1	1	16.85	16.96	16.83	0
		1	53	16.81	16.92	16.79	0
		1	104	16.74	16.85	16.72	0
		50	0	15.76	15.87	15.74	1
		50	25	16.77	16.88	16.75	0
		50	53	15.56	15.67	15.54	1
		100	0	15.51	15.62	15.49	1
20M	DFT-S 16QAM	1	1	15.44	15.55	15.42	1
20M	DFT-S 64QAM	1	1	14.26	14.37	14.24	2.5
20M	DFT-S 256QAM	1	1	12.28	12.39	12.26	4.5
20M	CP QPSK	1	1	15.30	15.41	15.28	1.5
20M	CP 16QAM	1	1	14.34	14.45	14.32	2
20M	CP 64QAM	1	1	13.22	13.33	13.20	3.5
20M	CP 256QAM	1	1	10.31	10.42	10.29	6.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	16.73	16.84	16.71	0
		1	40	16.65	16.76	16.63	0
		1	77	16.55	16.66	16.53	0
		36	0	16.27	16.38	16.25	0.5
		36	18	16.61	16.72	16.59	0
		36	40	16.26	16.37	16.24	0.5
		75	0	16.24	16.35	16.22	0.5
15M	DFT-S QPSK	1	1	16.80	16.91	16.78	0
		1	40	16.76	16.87	16.74	0
		1	77	16.69	16.80	16.67	0
		36	0	15.71	15.82	15.69	1
		36	18	16.72	16.83	16.70	0
		36	40	15.51	15.62	15.49	1
		75	0	15.46	15.57	15.44	1
15M	DFT-S 16QAM	1	1	15.39	15.50	15.37	1
15M	DFT-S 64QAM	1	1	14.21	14.32	14.19	2.5
15M	DFT-S 256QAM	1	1	12.23	12.34	12.21	4.5
15M	CP QPSK	1	1	15.25	15.36	15.23	1.5
15M	CP 16QAM	1	1	14.29	14.40	14.27	2
15M	CP 64QAM	1	1	13.17	13.28	13.15	3.5
15M	CP 256QAM	1	1	10.26	10.37	10.24	6.5

Tablet NR Conducted Power (Reduction)

NR Band 5

BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	16.69	16.80	16.67	0
		1	26	16.61	16.72	16.59	0
		1	50	16.51	16.62	16.49	0
		25	0	16.23	16.34	16.21	0.5
		25	12	16.57	16.68	16.55	0
		25	26	16.22	16.33	16.20	0.5
		50	0	16.20	16.31	16.18	0.5
10M	DFT-S QPSK	1	1	16.76	16.87	16.74	0
		1	26	16.72	16.83	16.70	0
		1	50	16.65	16.76	16.63	0
		25	0	15.67	15.78	15.65	1
		25	12	16.68	16.79	16.66	0
		25	26	15.47	15.58	15.45	1
		50	0	15.42	15.53	15.40	1
10M	DFT-S 16QAM	1	1	15.35	15.46	15.33	1
10M	DFT-S 64QAM	1	1	14.17	14.28	14.15	2.5
10M	DFT-S 256QAM	1	1	12.19	12.30	12.17	4.5
10M	CP QPSK	1	1	15.21	15.32	15.19	1.5
10M	CP 16QAM	1	1	14.25	14.36	14.23	2
10M	CP 64QAM	1	1	13.13	13.24	13.11	3.5
10M	CP 256QAM	1	1	10.22	10.33	10.20	6.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	16.66	16.77	16.64	0
		1	13	16.58	16.69	16.56	0
		1	23	16.48	16.59	16.46	0
		12	0	16.20	16.31	16.18	0.5
		12	6	16.54	16.65	16.52	0
		12	13	16.19	16.30	16.17	0.5
		25	0	16.17	16.28	16.15	0.5
5M	DFT-S QPSK	1	1	16.73	16.84	16.71	0
		1	13	16.69	16.80	16.67	0
		1	23	16.62	16.73	16.60	0
		12	0	15.64	15.75	15.62	1
		12	6	16.65	16.76	16.63	0
		12	13	15.44	15.55	15.42	1
		25	0	15.39	15.50	15.37	1
5M	DFT-S 16QAM	1	1	15.32	15.43	15.30	1
5M	DFT-S 64QAM	1	1	14.14	14.25	14.12	2.5
5M	DFT-S 256QAM	1	1	12.16	12.27	12.14	4.5
5M	CP QPSK	1	1	15.18	15.29	15.16	1.5
5M	CP 16QAM	1	1	14.22	14.33	14.20	2
5M	CP 64QAM	1	1	13.10	13.21	13.08	3.5
5M	CP 256QAM	1	1	10.19	10.30	10.17	6.5

Tablet NR Conducted Power (Reduction)

NR Band 7

BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	12.15	12.33	12.36	0
		1	53	12.10	12.28	12.31	0
		1	104	11.94	12.12	12.15	0
		50	0	11.66	11.84	11.87	0.5
		50	25	12.22	12.33	12.33	0
		50	53	11.70	11.88	11.91	0.5
		100	0	11.56	11.74	11.77	0.5
20M	DFT-S QPSK	1	1	12.22	12.40	12.23	0
		1	53	12.15	12.33	12.12	0
		1	104	12.07	12.25	12.11	0
		50	0	11.24	11.42	11.45	1
		50	25	12.25	12.35	12.31	0
		50	53	11.17	11.35	11.38	1
		100	0	11.06	11.24	11.27	1
20M	DFT-S 16QAM	1	1	11.03	11.21	11.24	1
20M	DFT-S 64QAM	1	1	9.70	9.88	9.91	2.5
20M	DFT-S 256QAM	1	1	7.67	7.85	7.88	4.5
20M	CP QPSK	1	1	10.56	10.74	10.77	1.5
20M	CP 16QAM	1	1	10.20	10.38	10.41	2
20M	CP 64QAM	1	1	8.41	8.59	8.62	3.5
20M	CP 256QAM	1	1	5.70	5.88	5.91	6.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	12.09	12.27	12.30	0
		1	40	12.04	12.22	12.25	0
		1	77	11.88	12.06	12.09	0
		36	0	11.60	11.78	11.81	0.5
		36	18	12.16	12.34	12.37	0
		36	40	11.64	11.82	11.85	0.5
		75	0	11.50	11.68	11.71	0.5
15M	DFT-S QPSK	1	1	12.16	12.34	12.37	0
		1	40	12.09	12.27	12.30	0
		1	77	12.01	12.19	12.22	0
		36	0	11.18	11.36	11.39	1
		36	18	12.19	12.37	12.40	0
		36	40	11.11	11.29	11.32	1
		75	0	11.00	11.18	11.21	1
15M	DFT-S 16QAM	1	1	10.97	11.15	11.18	1
15M	DFT-S 64QAM	1	1	9.64	9.82	9.85	2.5
15M	DFT-S 256QAM	1	1	7.61	7.79	7.82	4.5
15M	CP QPSK	1	1	10.50	10.68	10.71	1.5
15M	CP 16QAM	1	1	10.14	10.32	10.35	2
15M	CP 64QAM	1	1	8.35	8.53	8.56	3.5
15M	CP 256QAM	1	1	5.64	5.82	5.85	6.5

Tablet NR Conducted Power (Reduction)

NR Band 7

BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	12.05	12.23	12.26	0
		1	26	12.00	12.18	12.21	0
		1	50	11.84	12.02	12.05	0
		25	0	11.56	11.74	11.77	0.5
		25	12	12.12	12.30	12.33	0
		25	26	11.60	11.78	11.81	0.5
		50	0	11.46	11.64	11.67	0.5
10M	DFT-S QPSK	1	1	12.12	12.30	12.33	0
		1	26	12.05	12.23	12.26	0
		1	50	11.97	12.15	12.18	0
		25	0	11.14	11.32	11.35	1
		25	12	12.15	12.33	12.36	0
		25	26	11.07	11.25	11.28	1
		50	0	10.96	11.14	11.17	1
10M	DFT-S 16QAM	1	1	10.93	11.11	11.14	1
10M	DFT-S 64QAM	1	1	9.60	9.78	9.81	2.5
10M	DFT-S 256QAM	1	1	7.57	7.75	7.78	4.5
10M	CP QPSK	1	1	10.46	10.64	10.67	1.5
10M	CP 16QAM	1	1	10.10	10.28	10.31	2
10M	CP 64QAM	1	1	8.31	8.49	8.52	3.5
10M	CP 256QAM	1	1	5.60	5.78	5.81	6.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	12.01	12.19	12.22	0
		1	13	11.96	12.14	12.17	0
		1	23	11.80	11.98	12.01	0
		12	0	11.52	11.70	11.73	0.5
		12	6	12.08	12.26	12.29	0
		12	13	11.56	11.74	11.77	0.5
		25	0	11.42	11.60	11.63	0.5
5M	DFT-S QPSK	1	1	12.08	12.26	12.29	0
		1	13	12.01	12.19	12.22	0
		1	23	11.93	12.11	12.14	0
		12	0	11.10	11.28	11.31	1
		12	6	12.11	12.29	12.32	0
		12	13	11.03	11.21	11.24	1
		25	0	10.92	11.10	11.13	1
5M	DFT-S 16QAM	1	1	10.89	11.07	11.10	1
5M	DFT-S 64QAM	1	1	9.56	9.74	9.77	2.5
5M	DFT-S 256QAM	1	1	7.53	7.71	7.74	4.5
5M	CP QPSK	1	1	10.42	10.60	10.63	1.5
5M	CP 16QAM	1	1	10.06	10.24	10.27	2
5M	CP 64QAM	1	1	8.27	8.45	8.48	3.5
5M	CP 256QAM	1	1	5.56	5.74	5.77	6.5

Tablet NR Conducted Power (Reduction)

NR Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		141300	141500	141700	
		Frequency (MHz)		706.5	707.5	708.5	
15M	DFT-S PI/2 BPSK	1	1	18.22	18.25	18.13	0
		1	40	18.12	18.15	18.03	0
		1	77	18.07	18.10	17.98	0
		36	0	17.85	17.88	17.76	0.5
		36	18	18.21	17.32	18.22	0
		36	40	17.66	17.69	17.57	0.5
		75	0	17.52	17.55	17.43	0.5
15M	DFT-S QPSK	1	1	18.26	18.29	18.17	0
		1	40	18.19	18.22	18.10	0
		1	77	18.15	18.18	18.06	0
		36	0	17.32	17.35	17.23	1
		36	18	18.18	18.21	18.09	0
		36	40	17.32	17.35	17.23	1
		75	0	17.39	17.42	17.30	1
15M	DFT-S 16QAM	1	1	17.22	17.25	17.13	1
15M	DFT-S 64QAM	1	1	15.71	15.74	15.62	2.5
15M	DFT-S 256QAM	1	1	13.84	13.87	13.75	4.5
15M	CP QPSK	1	1	16.85	16.88	16.76	1.5
15M	CP 16QAM	1	1	16.39	16.42	16.30	2
15M	CP 64QAM	1	1	14.35	14.38	14.26	3.5
15M	CP 256QAM	1	1	11.55	11.58	11.46	6.5
BW	MCS Index	Channel		140800	141500	142200	3GPP MPR
		Frequency (MHz)		704	707.5	711	
10M	DFT-S PI/2 BPSK	1	1	18.16	18.19	18.07	0
		1	26	18.06	18.09	17.97	0
		1	50	18.01	18.04	17.92	0
		25	0	17.79	17.82	17.70	0.5
		25	12	18.35	18.38	18.26	0
		25	26	17.60	17.63	17.51	0.5
		50	0	17.46	17.49	17.37	0.5
10M	DFT-S QPSK	1	1	18.20	18.23	18.11	0
		1	26	18.13	18.16	18.04	0
		1	50	18.09	18.12	18.00	0
		25	0	17.26	17.29	17.17	1
		25	12	18.12	18.15	18.03	0
		25	26	17.26	17.29	17.17	1
		50	0	17.33	17.36	17.24	1
10M	DFT-S 16QAM	1	1	17.16	17.19	17.07	1
10M	DFT-S 64QAM	1	1	15.65	15.68	15.56	2.5
10M	DFT-S 256QAM	1	1	13.78	13.81	13.69	4.5
10M	CP QPSK	1	1	16.79	16.82	16.70	1.5
10M	CP 16QAM	1	1	16.33	16.36	16.24	2
10M	CP 64QAM	1	1	14.29	14.32	14.20	3.5
10M	CP 256QAM	1	1	11.49	11.52	11.40	6.5

Tablet NR Conducted Power (Reduction)

NR Band 12

BW	MCS Index	Channel		140300	141500	142700	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	DFT-S PI/2 BPSK	1	1	18.12	18.15	18.03	0
		1	13	18.02	18.05	17.93	0
		1	23	17.97	18.00	17.88	0
		12	0	17.75	17.78	17.66	0.5
		12	6	18.31	18.34	18.22	0
		12	13	17.56	17.59	17.47	0.5
		25	0	17.42	17.45	17.33	0.5
5M	DFT-S QPSK	1	1	18.16	18.19	18.07	0
		1	13	18.09	18.12	18.00	0
		1	23	18.05	18.08	17.96	0
		12	0	17.22	17.25	17.13	1
		12	6	18.08	18.11	17.99	0
		12	13	17.22	17.25	17.13	1
		25	0	17.29	17.32	17.20	1
5M	DFT-S 16QAM	1	1	17.12	17.15	17.03	1
5M	DFT-S 64QAM	1	1	15.61	15.64	15.52	2.5
5M	DFT-S 256QAM	1	1	13.74	13.77	13.65	4.5
5M	CP QPSK	1	1	16.75	16.78	16.66	1.5
5M	CP 16QAM	1	1	16.29	16.32	16.20	2
5M	CP 64QAM	1	1	14.25	14.28	14.16	3.5
5M	CP 256QAM	1	1	11.45	11.48	11.36	6.5

Tablet NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523299	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.495	2640	
100M	DFT-S PI/2 BPSK	1	1	9.36	9.43	9.32	9.16	9.37	0
		1	137	9.29	9.36	9.25	9.09	9.30	0
		1	271	9.23	9.30	9.19	9.03	9.24	0
		135	0	8.81	8.88	8.77	8.61	8.82	0.5
		135	67	9.38	9.45	9.34	9.18	9.39	0
		135	136	8.71	8.78	8.67	8.51	8.72	0.5
		270	0	8.92	8.99	8.88	8.72	8.93	0.5
100M	DFT-S QPSK	1	1	9.46	9.43	9.42	9.26	9.47	0
		1	137	9.35	9.42	9.31	9.15	9.36	0
		1	271	9.33	9.40	9.29	9.13	9.34	0
		135	0	8.42	8.49	8.48	8.32	8.43	1
		135	67	9.46	9.49	9.42	9.26	9.47	0
		135	136	8.48	8.45	8.44	8.28	8.49	1
		270	0	8.45	8.42	8.41	8.25	8.46	1
100M	DFT-S 16QAM	1	1	8.44	8.41	8.40	8.24	8.45	1
100M	DFT-S 64QAM	1	1	6.96	6.93	6.92	6.76	6.97	2.5
100M	DFT-S 256QAM	1	1	4.59	4.66	4.55	4.39	4.60	4.5
100M	CP QPSK	1	1	7.86	7.93	7.82	7.66	7.87	1.5
100M	CP 16QAM	1	1	7.45	7.42	7.41	7.25	7.46	2
100M	CP 64QAM	1	1	5.92	5.99	5.88	5.72	5.93	3.5
100M	CP 256QAM	1	1	2.91	2.98	2.87	2.71	2.92	6.5
BW	MCS Index	Channel		508200	513399	518598	523797	528996	3GPP MPR
		Frequency (MHz)		2541	2566.995	2592.99	2618.985	2644.98	
90M	DFT-S PI/2 BPSK	1	1	9.31	9.38	9.27	9.11	9.32	0
		1	123	9.24	9.31	9.20	9.04	9.25	0
		1	243	9.18	9.25	9.14	8.98	9.19	0
		120	0	8.76	8.83	8.72	8.56	8.77	0.5
		120	60	9.33	9.40	9.29	9.13	9.34	0
		120	122	8.66	8.73	8.62	8.46	8.67	0.5
		240	0	8.87	8.94	8.83	8.67	8.88	0.5
90M	DFT-S QPSK	1	1	9.41	9.38	9.37	9.21	9.42	0
		1	123	9.30	9.37	9.26	9.10	9.31	0
		1	243	9.28	9.35	9.24	9.08	9.29	0
		120	0	8.47	8.44	8.43	8.27	8.48	1
		120	60	9.41	9.48	9.37	9.21	9.42	0
		120	122	8.43	8.50	8.39	8.23	8.44	1
		240	0	8.40	8.47	8.36	8.20	8.41	1
90M	DFT-S 16QAM	1	1	8.39	8.46	8.35	8.19	8.40	1
90M	DFT-S 64QAM	1	1	6.91	6.98	6.87	6.71	6.92	2.5
90M	DFT-S 256QAM	1	1	4.54	4.61	4.50	4.34	4.55	4.5
90M	CP QPSK	1	1	7.81	7.88	7.77	7.61	7.82	1.5
90M	CP 16QAM	1	1	7.40	7.47	7.36	7.20	7.41	2
90M	CP 64QAM	1	1	5.87	5.94	5.83	5.67	5.88	3.5
90M	CP 256QAM	1	1	2.86	2.93	2.82	2.66	2.87	6.5

Tablet NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	Channel		507204	512901	518598	524295	529998	3GPP MPR
		Frequency (MHz)		2536.02	2564.505	2592.99	2621.475	2649.99	
80M	DFT-S PI/2 BPSK	1	1	9.26	9.33	9.22	9.06	9.27	0
		1	109	9.19	9.26	9.15	8.99	9.20	0
		1	215	9.13	9.20	9.09	8.93	9.14	0
		108	0	8.71	8.78	8.67	8.51	8.72	0.5
		108	54	9.28	9.35	9.24	9.08	9.29	0
		108	108	8.61	8.68	8.57	8.41	8.62	0.5
		216	0	8.82	8.89	8.78	8.62	8.83	0.5
80M	DFT-S QPSK	1	1	9.36	9.33	9.32	9.16	9.37	0
		1	109	9.25	9.32	9.21	9.05	9.26	0
		1	215	9.23	9.30	9.19	9.03	9.24	0
		108	0	8.42	8.49	8.38	8.22	8.43	1
		108	54	9.36	9.43	9.32	9.16	9.37	0
		108	108	8.38	8.45	8.34	8.18	8.39	1
		216	0	8.35	8.42	8.31	8.15	8.36	1
80M	DFT-S 16QAM	1	1	8.34	8.41	8.30	8.14	8.35	1
80M	DFT-S 64QAM	1	1	6.86	6.93	6.82	6.66	6.87	2.5
80M	DFT-S 256QAM	1	1	4.49	4.56	4.45	4.29	4.50	4.5
80M	CP QPSK	1	1	7.76	7.83	7.72	7.56	7.77	1.5
80M	CP 16QAM	1	1	7.35	7.42	7.31	7.15	7.36	2
80M	CP 64QAM	1	1	5.82	5.89	5.78	5.62	5.83	3.5
80M	CP 256QAM	1	1	2.81	2.88	2.77	2.61	2.82	6.5
BW	MCS Index	Channel		505200	511899	518598	525297	531996	3GPP MPR
		Frequency (MHz)		2526	2559.495	2592.99	2626.485	2659.98	
60M	DFT-S PI/2 BPSK	1	1	9.20	9.27	9.16	9.00	9.21	0
		1	81	9.13	9.20	9.09	8.93	9.14	0
		1	160	9.07	9.14	9.03	8.87	9.08	0
		81	0	8.65	8.72	8.61	8.45	8.66	0.5
		81	40	9.22	9.29	9.18	9.02	9.23	0
		81	81	8.55	8.62	8.51	8.35	8.56	0.5
		162	0	8.76	8.83	8.72	8.56	8.77	0.5
60M	DFT-S QPSK	1	1	9.30	9.27	9.26	9.10	9.31	0
		1	81	9.19	9.26	9.15	8.99	9.20	0
		1	160	9.17	9.24	9.13	8.97	9.18	0
		81	0	8.36	8.43	8.32	8.16	8.37	1
		81	40	9.30	9.37	9.26	9.10	9.31	0
		81	81	8.32	8.39	8.28	8.12	8.33	1
		162	0	8.29	8.36	8.25	8.09	8.30	1
60M	DFT-S 16QAM	1	1	8.28	8.35	8.24	8.08	8.29	1
60M	DFT-S 64QAM	1	1	6.80	6.87	6.76	6.60	6.81	2.5
60M	DFT-S 256QAM	1	1	4.43	4.50	4.39	4.23	4.44	4.5
60M	CP QPSK	1	1	7.70	7.77	7.66	7.50	7.71	1.5
60M	CP 16QAM	1	1	7.29	7.36	7.25	7.09	7.30	2
60M	CP 64QAM	1	1	5.76	5.83	5.72	5.56	5.77	3.5
60M	CP 256QAM	1	1	2.75	2.82	2.71	2.55	2.76	6.5

Tablet NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	Channel		504204	511401	518598	525795	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.005	2592.99	2628.975	2664.99	
50M	DFT-S PI/2 BPSK	1	1	9.17	9.24	9.13	8.97	9.18	0
		1	67	9.10	9.17	9.06	8.90	9.11	0
		1	131	9.04	9.11	9.00	8.84	9.05	0
		64	0	8.62	8.69	8.58	8.42	8.63	0.5
		64	32	9.19	9.26	9.15	8.99	9.20	0
		64	66	8.52	8.59	8.48	8.32	8.53	0.5
		128	0	8.73	8.80	8.69	8.53	8.74	0.5
50M	DFT-S QPSK	1	1	9.27	9.24	9.23	9.07	9.28	0
		1	67	9.16	9.23	9.12	8.96	9.17	0
		1	131	9.14	9.21	9.10	8.94	9.15	0
		64	0	8.33	8.40	8.29	8.13	8.34	1
		64	32	9.27	9.34	9.23	9.07	9.28	0
		64	66	8.29	8.36	8.25	8.09	8.30	1
		128	0	8.26	8.33	8.22	8.06	8.27	1
50M	DFT-S 16QAM	1	1	8.25	8.32	8.21	8.05	8.26	1
50M	DFT-S 64QAM	1	1	6.77	6.84	6.73	6.57	6.78	2.5
50M	DFT-S 256QAM	1	1	4.40	4.47	4.36	4.20	4.41	4.5
50M	CP QPSK	1	1	7.67	7.74	7.63	7.47	7.68	1.5
50M	CP 16QAM	1	1	7.26	7.33	7.22	7.06	7.27	2
50M	CP 64QAM	1	1	5.73	5.80	5.69	5.53	5.74	3.5
50M	CP 256QAM	1	1	2.72	2.79	2.68	2.52	2.73	6.5
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	9.15	9.22	9.11	8.95	9.16	0
		1	53	9.08	9.15	9.04	8.88	9.09	0
		1	104	9.02	9.09	8.98	8.82	9.03	0
		50	0	8.60	8.67	8.56	8.40	8.61	0.5
		50	25	9.17	9.24	9.13	8.97	9.18	0
		50	53	8.50	8.57	8.46	8.30	8.51	0.5
		100	0	8.71	8.78	8.67	8.51	8.72	0.5
40M	DFT-S QPSK	1	1	9.25	9.22	9.21	9.05	9.26	0
		1	53	9.14	9.21	9.10	8.94	9.15	0
		1	104	9.12	9.19	9.08	8.92	9.13	0
		50	0	8.31	8.38	8.27	8.11	8.32	1
		50	25	9.25	9.32	9.21	9.05	9.26	0
		50	53	8.27	8.34	8.23	8.07	8.28	1
		100	0	8.24	8.31	8.20	8.04	8.25	1
40M	DFT-S 16QAM	1	1	8.23	8.30	8.19	8.03	8.24	1
40M	DFT-S 64QAM	1	1	6.75	6.82	6.71	6.55	6.76	2.5
40M	DFT-S 256QAM	1	1	4.38	4.45	4.34	4.18	4.39	4.5
40M	CP QPSK	1	1	7.65	7.72	7.61	7.45	7.66	1.5
40M	CP 16QAM	1	1	7.24	7.31	7.20	7.04	7.25	2
40M	CP 64QAM	1	1	5.71	5.78	5.67	5.51	5.72	3.5
40M	CP 256QAM	1	1	2.70	2.77	2.66	2.50	2.71	6.5

Tablet NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	Channel		502200	510399	518598	526797	534996	3GPP MPR
		Frequency (MHz)		2511	2551.995	2592.99	2633.985	2674.98	
30M	DFT-S PI/2 BPSK	1	1	9.12	9.19	9.08	8.92	9.13	0
		1	39	9.05	9.12	9.01	8.85	9.06	0
		1	76	8.99	9.06	8.95	8.79	9.00	0
		36	0	8.57	8.64	8.53	8.37	8.58	0.5
		36	18	9.14	9.21	9.10	8.94	9.15	0
		36	39	8.47	8.54	8.43	8.27	8.48	0.5
		75	0	8.68	8.75	8.64	8.48	8.69	0.5
30M	DFT-S QPSK	1	1	9.22	9.19	9.18	9.02	9.23	0
		1	39	9.11	9.18	9.07	8.91	9.12	0
		1	76	9.09	9.16	9.05	8.89	9.10	0
		36	0	8.28	8.35	8.24	8.08	8.29	1
		36	18	9.22	9.29	9.18	9.02	9.23	0
		36	39	8.24	8.31	8.20	8.04	8.25	1
		75	0	8.21	8.28	8.17	8.01	8.22	1
30M	DFT-S 16QAM	1	1	8.20	8.27	8.16	8.00	8.21	1
30M	DFT-S 64QAM	1	1	6.72	6.79	6.68	6.52	6.73	2.5
30M	DFT-S 256QAM	1	1	4.35	4.42	4.31	4.15	4.36	4.5
30M	CP QPSK	1	1	7.62	7.69	7.58	7.42	7.63	1.5
30M	CP 16QAM	1	1	7.21	7.28	7.17	7.01	7.22	2
30M	CP 64QAM	1	1	5.68	5.75	5.64	5.48	5.69	3.5
30M	CP 256QAM	1	1	2.67	2.74	2.63	2.47	2.68	6.5
BW	MCS Index	Channel		501204	509901	518598	527295	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.505	2592.99	2636.475	2679.99	
20M	DFT-S PI/2 BPSK	1	1	9.08	9.15	9.04	8.88	9.09	0
		1	26	9.01	9.08	8.97	8.81	9.02	0
		1	49	8.95	9.02	8.91	8.75	8.96	0
		25	0	8.53	8.60	8.49	8.33	8.54	0.5
		25	12	9.10	9.17	9.06	8.90	9.11	0
		25	26	8.43	8.50	8.39	8.23	8.44	0.5
		50	0	8.64	8.71	8.60	8.44	8.65	0.5
20M	DFT-S QPSK	1	1	9.18	9.15	9.14	8.98	9.19	0
		1	26	9.07	9.14	9.03	8.87	9.08	0
		1	49	9.05	9.12	9.01	8.85	9.06	0
		25	0	8.24	8.31	8.20	8.04	8.25	1
		25	12	9.18	9.25	9.14	8.98	9.19	0
		25	26	8.20	8.27	8.16	8.00	8.21	1
		50	0	8.17	8.24	8.13	7.97	8.18	1
20M	DFT-S 16QAM	1	1	8.16	8.23	8.12	7.96	8.17	1
20M	DFT-S 64QAM	1	1	6.68	6.75	6.64	6.48	6.69	2.5
20M	DFT-S 256QAM	1	1	4.31	4.38	4.27	4.11	4.32	4.5
20M	CP QPSK	1	1	7.58	7.65	7.54	7.38	7.59	1.5
20M	CP 16QAM	1	1	7.17	7.24	7.13	6.97	7.18	2
20M	CP 64QAM	1	1	5.64	5.71	5.60	5.44	5.65	3.5
20M	CP 256QAM	1	1	2.63	2.70	2.59	2.43	2.64	6.5

Tablet NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	Channel		500700	509649	518598	527547	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.245	2592.99	2637.735	2682.48	
15M	DFT-S PI/2 BPSK	1	1	9.05	9.12	9.01	8.85	9.06	0
		1	19	8.98	9.05	8.94	8.78	8.99	0
		1	36	8.92	8.99	8.88	8.72	8.93	0
		18	0	8.50	8.57	8.46	8.30	8.51	0.5
		18	9	9.07	9.14	9.03	8.87	9.08	0
		18	19	8.40	8.47	8.36	8.20	8.41	0.5
		36	0	8.61	8.68	8.57	8.41	8.62	0.5
15M	DFT-S QPSK	1	1	9.15	9.12	9.11	8.95	9.16	0
		1	19	9.04	9.11	9.00	8.84	9.05	0
		1	36	9.02	9.09	8.98	8.82	9.03	0
		18	0	8.21	8.28	8.17	8.01	8.22	1
		18	9	9.15	9.22	9.11	8.95	9.16	0
		18	19	8.17	8.24	8.13	7.97	8.18	1
		36	0	8.14	8.21	8.10	7.94	8.15	1
15M	DFT-S 16QAM	1	1	8.13	8.20	8.09	7.93	8.14	1
15M	DFT-S 64QAM	1	1	6.65	6.72	6.61	6.45	6.66	2.5
15M	DFT-S 256QAM	1	1	4.28	4.35	4.24	4.08	4.29	4.5
15M	CP QPSK	1	1	7.55	7.62	7.51	7.35	7.56	1.5
15M	CP 16QAM	1	1	7.14	7.21	7.10	6.94	7.15	2
15M	CP 64QAM	1	1	5.61	5.68	5.57	5.41	5.62	3.5
15M	CP 256QAM	1	1	2.60	2.67	2.56	2.40	2.61	6.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	9.01	9.08	8.97	8.81	9.02	0
		1	12	8.94	9.01	8.90	8.74	8.95	0
		1	22	8.88	8.95	8.84	8.68	8.89	0
		12	0	8.46	8.53	8.42	8.26	8.47	0.5
		12	6	9.03	9.10	8.99	8.83	9.04	0
		12	12	8.36	8.43	8.32	8.16	8.37	0.5
		24	0	8.57	8.64	8.53	8.37	8.58	0.5
10M	DFT-S QPSK	1	1	9.11	9.08	9.07	8.91	9.12	0
		1	12	9.00	9.07	8.96	8.80	9.01	0
		1	22	8.98	9.05	8.94	8.78	8.99	0
		12	0	8.17	8.24	8.13	7.97	8.18	1
		12	6	9.11	9.18	9.07	8.91	9.12	0
		12	12	8.13	8.20	8.09	7.93	8.14	1
		24	0	8.10	8.17	8.06	7.90	8.11	1
10M	DFT-S 16QAM	1	1	8.09	8.16	8.05	7.89	8.10	1
10M	DFT-S 64QAM	1	1	6.61	6.68	6.57	6.41	6.62	2.5
10M	DFT-S 256QAM	1	1	4.24	4.31	4.20	4.04	4.25	4.5
10M	CP QPSK	1	1	7.51	7.58	7.47	7.31	7.52	1.5
10M	CP 16QAM	1	1	7.10	7.17	7.06	6.90	7.11	2
10M	CP 64QAM	1	1	5.57	5.64	5.53	5.37	5.58	3.5
10M	CP 256QAM	1	1	2.56	2.63	2.52	2.36	2.57	6.5

Tablet NR Conducted Power (Reduction)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	12.75	12.92	12.84	0
		1	53	12.61	12.78	12.70	0
		1	104	12.51	12.68	12.60	0
		50	0	12.24	12.41	12.33	0.5
		50	25	12.27	12.44	12.36	0
		50	53	12.16	12.33	12.25	0.5
		100	0	12.05	12.22	12.14	0.5
20M	DFT-S QPSK	1	1	12.80	12.97	12.89	0
		1	53	12.71	12.88	12.80	0
		1	104	12.60	12.77	12.69	0
		50	0	11.71	11.88	11.80	1
		50	25	12.54	12.71	12.63	0
		50	53	11.57	11.74	11.66	1
		100	0	11.54	11.71	11.63	1
20M	DFT-S 16QAM	1	1	11.52	11.69	11.61	1
20M	DFT-S 64QAM	1	1	10.25	10.42	10.34	2.5
20M	DFT-S 256QAM	1	1	8.24	8.41	8.33	4.5
20M	CP QPSK	1	1	11.26	11.43	11.35	1.5
20M	CP 16QAM	1	1	10.57	10.74	10.66	2
20M	CP 64QAM	1	1	9.18	9.35	9.27	3.5
20M	CP 256QAM	1	1	6.24	6.41	6.33	6.5
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	12.66	12.83	12.75	0
		1	40	12.52	12.69	12.61	0
		1	77	12.42	12.59	12.51	0
		36	0	12.15	12.32	12.24	0.5
		36	18	12.18	12.35	12.27	0
		36	40	12.07	12.24	12.16	0.5
		75	0	11.96	12.13	12.05	0.5
15M	DFT-S QPSK	1	1	12.71	12.88	12.80	0
		1	40	12.62	12.79	12.71	0
		1	77	12.51	12.68	12.60	0
		36	0	11.62	11.79	11.71	1
		36	18	12.45	12.62	12.54	0
		36	40	11.48	11.65	11.57	1
		75	0	11.45	11.62	11.54	1
15M	DFT-S 16QAM	1	1	11.43	11.60	11.52	1
15M	DFT-S 64QAM	1	1	10.16	10.33	10.25	2.5
15M	DFT-S 256QAM	1	1	8.15	8.32	8.24	4.5
15M	CP QPSK	1	1	11.17	11.34	11.26	1.5
15M	CP 16QAM	1	1	10.48	10.65	10.57	2
15M	CP 64QAM	1	1	9.09	9.26	9.18	3.5
15M	CP 256QAM	1	1	6.15	6.32	6.24	6.5

Tablet NR Conducted Power (Reduction)

NR Band 66

BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	12.62	12.79	12.71	0
		1	26	12.48	12.65	12.57	0
		1	50	12.38	12.55	12.47	0
		25	0	12.11	12.28	12.20	0.5
		25	12	12.14	12.31	12.23	0
		25	26	12.03	12.20	12.12	0.5
		50	0	11.92	12.09	12.01	0.5
10M	DFT-S QPSK	1	1	12.67	12.84	12.76	0
		1	26	12.58	12.75	12.67	0
		1	50	12.47	12.64	12.56	0
		25	0	11.58	11.75	11.67	1
		25	12	12.41	12.58	12.50	0
		25	26	11.44	11.61	11.53	1
		50	0	11.41	11.58	11.50	1
10M	DFT-S 16QAM	1	1	11.39	11.56	11.48	1
10M	DFT-S 64QAM	1	1	10.12	10.29	10.21	2.5
10M	DFT-S 256QAM	1	1	8.11	8.28	8.20	4.5
10M	CP QPSK	1	1	11.13	11.30	11.22	1.5
10M	CP 16QAM	1	1	10.44	10.61	10.53	2
10M	CP 64QAM	1	1	9.05	9.22	9.14	3.5
10M	CP 256QAM	1	1	6.11	6.28	6.20	6.5
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	12.56	12.73	12.65	0
		1	13	12.42	12.59	12.51	0
		1	23	12.32	12.49	12.41	0
		12	0	12.05	12.22	12.14	0.5
		12	6	12.08	12.25	12.17	0
		12	13	11.97	12.14	12.06	0.5
		25	0	11.86	12.03	11.95	0.5
5M	DFT-S QPSK	1	1	12.61	12.78	12.70	0
		1	13	12.52	12.69	12.61	0
		1	23	12.41	12.58	12.50	0
		12	0	11.52	11.69	11.61	1
		12	6	12.35	12.52	12.44	0
		12	13	11.38	11.55	11.47	1
		25	0	11.35	11.52	11.44	1
5M	DFT-S 16QAM	1	1	11.33	11.50	11.42	1
5M	DFT-S 64QAM	1	1	10.06	10.23	10.15	2.5
5M	DFT-S 256QAM	1	1	8.05	8.22	8.14	4.5
5M	CP QPSK	1	1	11.07	11.24	11.16	1.5
5M	CP 16QAM	1	1	10.38	10.55	10.47	2
5M	CP 64QAM	1	1	8.99	9.16	9.08	3.5
5M	CP 256QAM	1	1	6.05	6.22	6.14	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	16.67	16.66	16.58	0
		1	53	16.46	16.45	16.37	0
		1	104	16.42	16.41	16.33	0
		50	0	16.33	16.32	16.24	0.5
		50	25	16.23	16.22	16.14	0
		50	53	16.43	16.42	16.34	0.5
		100	0	16.45	16.44	16.36	0.5
20M	DFT-S QPSK	1	1	16.91	16.90	16.82	0
		1	53	16.89	16.88	16.80	0
		1	104	16.79	16.78	16.70	0
		50	0	15.90	15.89	15.81	1
		50	25	16.88	16.87	16.79	0
		50	53	15.76	15.75	15.67	1
		100	0	15.75	15.74	15.66	1
20M	DFT-S 16QAM	1	1	15.72	15.71	15.63	1
20M	DFT-S 64QAM	1	1	14.34	14.33	14.25	2.5
20M	DFT-S 256QAM	1	1	12.24	12.23	12.15	4.5
20M	CP QPSK	1	1	15.36	15.35	15.27	1.5
20M	CP 16QAM	1	1	14.88	14.87	14.79	2
20M	CP 64QAM	1	1	13.24	13.23	13.15	3.5
20M	CP 256QAM	1	1	10.26	10.25	10.17	6.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	16.63	16.62	16.54	0
		1	40	16.42	16.41	16.33	0
		1	77	16.38	16.37	16.29	0
		36	0	16.29	16.28	16.20	0.5
		36	18	16.19	16.18	16.10	0
		36	40	16.39	16.38	16.30	0.5
		75	0	16.41	16.40	16.32	0.5
15M	DFT-S QPSK	1	1	16.87	16.86	16.78	0
		1	40	16.85	16.84	16.76	0
		1	77	16.75	16.74	16.66	0
		36	0	15.86	15.85	15.77	1
		36	18	16.84	16.83	16.75	0
		36	40	15.72	15.71	15.63	1
		75	0	15.71	15.70	15.62	1
15M	DFT-S 16QAM	1	1	15.68	15.67	15.59	1
15M	DFT-S 64QAM	1	1	14.30	14.29	14.21	2.5
15M	DFT-S 256QAM	1	1	12.20	12.19	12.11	4.5
15M	CP QPSK	1	1	15.32	15.31	15.23	1.5
15M	CP 16QAM	1	1	14.84	14.83	14.75	2
15M	CP 64QAM	1	1	13.20	13.19	13.11	3.5
15M	CP 256QAM	1	1	10.22	10.21	10.13	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	16.60	16.59	16.51	0
		1	26	16.39	16.38	16.30	0
		1	50	16.35	16.34	16.26	0
		25	0	16.26	16.25	16.17	0.5
		25	12	16.16	16.15	16.07	0
		25	26	16.36	16.35	16.27	0.5
		50	0	16.38	16.37	16.29	0.5
10M	DFT-S QPSK	1	1	16.84	16.83	16.75	0
		1	26	16.82	16.81	16.73	0
		1	50	16.72	16.71	16.63	0
		25	0	15.83	15.82	15.74	1
		25	12	16.81	16.80	16.72	0
		25	26	15.69	15.68	15.60	1
		50	0	15.68	15.67	15.59	1
10M	DFT-S 16QAM	1	1	15.65	15.64	15.56	1
10M	DFT-S 64QAM	1	1	14.27	14.26	14.18	2.5
10M	DFT-S 256QAM	1	1	12.17	12.16	12.08	4.5
10M	CP QPSK	1	1	15.29	15.28	15.20	1.5
10M	CP 16QAM	1	1	14.81	14.80	14.72	2
10M	CP 64QAM	1	1	13.17	13.16	13.08	3.5
10M	CP 256QAM	1	1	10.19	10.18	10.10	6.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	16.56	16.55	16.47	0
		1	13	16.35	16.34	16.26	0
		1	23	16.31	16.30	16.22	0
		12	0	16.22	16.21	16.13	0.5
		12	6	16.12	16.11	16.03	0
		12	13	16.32	16.31	16.23	0.5
		25	0	16.34	16.33	16.25	0.5
5M	DFT-S QPSK	1	1	16.80	16.79	16.71	0
		1	13	16.78	16.77	16.69	0
		1	23	16.68	16.67	16.59	0
		12	0	15.79	15.78	15.70	1
		12	6	16.77	16.76	16.68	0
		12	13	15.65	15.64	15.56	1
		25	0	15.64	15.63	15.55	1
5M	DFT-S 16QAM	1	1	15.61	15.60	15.52	1
5M	DFT-S 64QAM	1	1	14.23	14.22	14.14	2.5
5M	DFT-S 256QAM	1	1	12.13	12.12	12.04	4.5
5M	CP QPSK	1	1	15.25	15.24	15.16	1.5
5M	CP 16QAM	1	1	14.77	14.76	14.68	2
5M	CP 64QAM	1	1	13.13	13.12	13.04	3.5
5M	CP 256QAM	1	1	10.15	10.14	10.06	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	18.74	18.72	18.62	0
		1	53	18.70	18.68	18.58	0
		1	104	18.57	18.55	18.45	0
		50	0	18.46	18.44	18.34	0.5
		50	25	18.87	18.85	18.75	0
		50	53	18.46	18.44	18.34	0.5
		100	0	18.45	18.43	18.33	0.5
20M	DFT-S QPSK	1	1	18.94	18.92	18.82	0
		1	53	18.92	18.90	18.80	0
		1	104	18.84	18.82	18.72	0
		50	0	17.84	17.82	17.72	1
		50	25	18.73	18.71	18.61	0
		50	53	17.79	17.77	17.67	1
		100	0	17.74	17.72	17.62	1
20M	DFT-S 16QAM	1	1	17.76	17.74	17.64	1
20M	DFT-S 64QAM	1	1	16.34	16.32	16.22	2.5
20M	DFT-S 256QAM	1	1	14.27	14.25	14.15	4.5
20M	CP QPSK	1	1	17.27	17.25	17.15	1.5
20M	CP 16QAM	1	1	16.90	16.88	16.78	2
20M	CP 64QAM	1	1	15.27	15.25	15.15	3.5
20M	CP 256QAM	1	1	12.34	12.32	12.22	6.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	18.72	18.70	18.60	0
		1	40	18.68	18.66	18.56	0
		1	77	18.55	18.53	18.43	0
		36	0	18.44	18.42	18.32	0.5
		36	18	18.85	18.83	18.73	0
		36	40	18.44	18.42	18.32	0.5
		75	0	18.43	18.41	18.31	0.5
15M	DFT-S QPSK	1	1	18.92	18.90	18.80	0
		1	40	18.90	18.88	18.78	0
		1	77	18.82	18.80	18.70	0
		36	0	17.82	17.80	17.70	1
		36	18	18.71	18.69	18.59	0
		36	40	17.77	17.75	17.65	1
		75	0	17.72	17.70	17.60	1
15M	DFT-S 16QAM	1	1	17.74	17.72	17.62	1
15M	DFT-S 64QAM	1	1	16.32	16.30	16.20	2.5
15M	DFT-S 256QAM	1	1	14.25	14.23	14.13	4.5
15M	CP QPSK	1	1	17.25	17.23	17.13	1.5
15M	CP 16QAM	1	1	16.88	16.86	16.76	2
15M	CP 64QAM	1	1	15.25	15.23	15.13	3.5
15M	CP 256QAM	1	1	12.32	12.30	12.20	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	18.69	18.67	18.57	0
		1	26	18.65	18.63	18.53	0
		1	50	18.52	18.50	18.40	0
		25	0	18.41	18.39	18.29	0.5
		25	12	18.82	18.80	18.70	0
		25	26	18.41	18.39	18.29	0.5
		50	0	18.40	18.38	18.28	0.5
10M	DFT-S QPSK	1	1	18.89	18.87	18.77	0
		1	26	18.87	18.85	18.75	0
		1	50	18.79	18.77	18.67	0
		25	0	17.79	17.77	17.67	1
		25	12	18.68	18.66	18.56	0
		25	26	17.74	17.72	17.62	1
		50	0	17.69	17.67	17.57	1
10M	DFT-S 16QAM	1	1	17.71	17.69	17.59	1
10M	DFT-S 64QAM	1	1	16.29	16.27	16.17	2.5
10M	DFT-S 256QAM	1	1	14.22	14.20	14.10	4.5
10M	CP QPSK	1	1	17.22	17.20	17.10	1.5
10M	CP 16QAM	1	1	16.85	16.83	16.73	2
10M	CP 64QAM	1	1	15.22	15.20	15.10	3.5
10M	CP 256QAM	1	1	12.29	12.27	12.17	6.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	18.66	18.64	18.54	0
		1	13	18.62	18.60	18.50	0
		1	23	18.49	18.47	18.37	0
		12	0	18.38	18.36	18.26	0.5
		12	6	18.79	18.77	18.67	0
		12	13	18.38	18.36	18.26	0.5
		25	0	18.37	18.35	18.25	0.5
5M	DFT-S QPSK	1	1	18.86	18.84	18.74	0
		1	13	18.84	18.82	18.72	0
		1	23	18.76	18.74	18.64	0
		12	0	17.76	17.74	17.64	1
		12	6	18.65	18.63	18.53	0
		12	13	17.71	17.69	17.59	1
		25	0	17.66	17.64	17.54	1
5M	DFT-S 16QAM	1	1	17.68	17.66	17.56	1
5M	DFT-S 64QAM	1	1	16.26	16.24	16.14	2.5
5M	DFT-S 256QAM	1	1	14.19	14.17	14.07	4.5
5M	CP QPSK	1	1	17.19	17.17	17.07	1.5
5M	CP 16QAM	1	1	16.82	16.80	16.70	2
5M	CP 64QAM	1	1	15.19	15.17	15.07	3.5
5M	CP 256QAM	1	1	12.26	12.24	12.14	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	14.23	14.06	14.19	0
		1	53	14.14	13.97	14.10	0
		1	104	14.08	13.91	14.04	0
		50	0	13.45	13.28	13.41	0.5
		50	25	14.23	14.06	14.19	0
		50	53	13.80	13.63	13.76	0.5
		100	0	13.58	13.41	13.54	0.5
20M	DFT-S QPSK	1	1	14.28	14.11	14.34	0
		1	53	14.23	14.06	14.24	0
		1	104	14.18	14.01	13.51	0
		50	0	13.45	13.28	13.41	1
		50	25	14.35	14.18	13.34	0
		50	53	13.28	13.11	13.31	1
		100	0	13.25	13.08	13.29	1
20M	DFT-S 16QAM	1	1	13.23	13.06	12.18	1
20M	DFT-S 64QAM	1	1	11.98	11.81	11.94	2.5
20M	DFT-S 256QAM	1	1	9.88	9.71	9.86	4.5
20M	CP QPSK	1	1	12.80	12.63	12.77	1.5
20M	CP 16QAM	1	1	12.35	12.18	12.30	2
20M	CP 64QAM	1	1	10.57	10.40	10.53	3.5
20M	CP 256QAM	1	1	7.85	7.68	7.82	6.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	14.21	14.04	14.17	0
		1	40	14.12	13.95	14.08	0
		1	77	14.06	13.89	14.02	0
		36	0	13.43	13.26	13.39	0.5
		36	18	14.21	14.04	14.17	0
		36	40	13.78	13.61	13.74	0.5
		75	0	13.56	13.39	13.52	0.5
15M	DFT-S QPSK	1	1	14.26	14.09	14.32	0
		1	40	14.21	14.04	14.22	0
		1	77	14.16	13.99	13.49	0
		36	0	13.43	13.26	13.39	1
		36	18	14.33	14.16	13.32	0
		36	40	13.26	13.09	13.29	1
		75	0	13.23	13.06	13.27	1
15M	DFT-S 16QAM	1	1	13.21	13.04	12.16	1
15M	DFT-S 64QAM	1	1	11.96	11.79	11.92	2.5
15M	DFT-S 256QAM	1	1	9.86	9.69	9.84	4.5
15M	CP QPSK	1	1	12.78	12.61	12.75	1.5
15M	CP 16QAM	1	1	12.33	12.16	12.28	2
15M	CP 64QAM	1	1	10.55	10.38	10.51	3.5
15M	CP 256QAM	1	1	7.83	7.66	7.80	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 7							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	14.18	14.01	14.14	0
		1	26	14.09	13.92	14.05	0
		1	50	14.03	13.86	13.99	0
		25	0	13.40	13.23	13.36	0.5
		25	12	14.18	14.01	14.14	0
		25	26	13.75	13.58	13.71	0.5
		50	0	13.53	13.36	13.49	0.5
10M	DFT-S QPSK	1	1	14.23	14.06	14.29	0
		1	26	14.18	14.01	14.19	0
		1	50	14.13	13.96	13.46	0
		25	0	13.40	13.23	13.36	1
		25	12	14.30	14.13	13.29	0
		25	26	13.23	13.06	13.26	1
		50	0	13.20	13.03	13.24	1
10M	DFT-S 16QAM	1	1	13.18	13.01	12.13	1
10M	DFT-S 64QAM	1	1	11.93	11.76	11.89	2.5
10M	DFT-S 256QAM	1	1	9.83	9.66	9.81	4.5
10M	CP QPSK	1	1	12.75	12.58	12.72	1.5
10M	CP 16QAM	1	1	12.30	12.13	12.25	2
10M	CP 64QAM	1	1	10.52	10.35	10.48	3.5
10M	CP 256QAM	1	1	7.80	7.63	7.77	6.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	14.14	13.97	14.10	0
		1	13	14.05	13.88	14.01	0
		1	23	13.99	13.82	13.95	0
		12	0	13.36	13.19	13.32	0.5
		12	6	14.14	13.97	14.10	0
		12	13	13.71	13.54	13.67	0.5
		25	0	13.49	13.32	13.45	0.5
5M	DFT-S QPSK	1	1	14.19	14.02	14.25	0
		1	13	14.14	13.97	14.15	0
		1	23	14.09	13.92	13.42	0
		12	0	13.36	13.19	13.32	1
		12	6	14.26	14.09	13.25	0
		12	13	13.19	13.02	13.22	1
		25	0	13.16	12.99	13.20	1
5M	DFT-S 16QAM	1	1	13.14	12.97	12.09	1
5M	DFT-S 64QAM	1	1	11.89	11.72	11.85	2.5
5M	DFT-S 256QAM	1	1	9.79	9.62	9.77	4.5
5M	CP QPSK	1	1	12.71	12.54	12.68	1.5
5M	CP 16QAM	1	1	12.26	12.09	12.21	2
5M	CP 64QAM	1	1	10.48	10.31	10.44	3.5
5M	CP 256QAM	1	1	7.76	7.59	7.73	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		141300	141500	141700	
		Frequency (MHz)		706.5	707.5	708.5	
15M	DFT-S PI/2 BPSK	1	1	18.59	18.65	18.52	0
		1	40	18.56	18.62	18.49	0
		1	77	18.48	18.54	18.41	0
		36	0	18.26	18.32	18.19	0.5
		36	18	18.76	18.62	18.52	0
		36	40	18.36	18.42	18.29	0.5
		75	0	18.34	18.40	18.27	0.5
15M	DFT-S QPSK	1	1	18.78	18.72	18.59	0
		1	40	18.73	18.69	18.56	0
		1	77	18.59	18.55	18.42	0
		36	0	17.63	17.59	17.46	1
		36	18	18.59	18.55	18.42	0
		36	40	17.85	17.81	17.68	1
		75	0	17.86	17.82	17.69	1
15M	DFT-S 16QAM	1	1	17.81	17.77	17.64	1
15M	DFT-S 64QAM	1	1	16.46	16.42	16.29	2.5
15M	DFT-S 256QAM	1	1	14.36	14.32	14.19	4.5
15M	CP QPSK	1	1	17.38	17.34	17.21	1.5
15M	CP 16QAM	1	1	16.92	16.88	16.75	2
15M	CP 64QAM	1	1	15.36	15.32	15.19	3.5
15M	CP 256QAM	1	1	12.46	12.42	12.29	6.5
BW	MCS Index	Channel		140800	141500	142200	3GPP MPR
		Frequency (MHz)		704	707.5	711	
10M	DFT-S PI/2 BPSK	1	1	18.51	18.57	18.44	0
		1	26	18.48	18.54	18.41	0
		1	50	18.40	18.46	18.33	0
		25	0	18.18	18.24	18.11	0.5
		25	12	18.78	18.84	18.71	0
		25	26	18.28	18.34	18.21	0.5
		50	0	18.26	18.32	18.19	0.5
10M	DFT-S QPSK	1	1	18.70	18.64	18.51	0
		1	26	18.65	18.61	18.48	0
		1	50	18.51	18.47	18.34	0
		25	0	17.55	17.51	17.38	1
		25	12	18.51	18.47	18.34	0
		25	26	17.77	17.73	17.60	1
		50	0	17.78	17.74	17.61	1
10M	DFT-S 16QAM	1	1	17.73	17.69	17.56	1
10M	DFT-S 64QAM	1	1	16.38	16.34	16.21	2.5
10M	DFT-S 256QAM	1	1	14.28	14.24	14.11	4.5
10M	CP QPSK	1	1	17.30	17.26	17.13	1.5
10M	CP 16QAM	1	1	16.84	16.80	16.67	2
10M	CP 64QAM	1	1	15.28	15.24	15.11	3.5
10M	CP 256QAM	1	1	12.38	12.34	12.21	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 12							
BW	MCS Index	Channel		140300	141500	142700	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	DFT-S PI/2 BPSK	1	1	18.47	18.53	18.40	0
		1	13	18.44	18.50	18.37	0
		1	23	18.36	18.42	18.29	0
		12	0	18.14	18.20	18.07	0.5
		12	6	18.74	18.80	18.67	0
		12	13	18.24	18.30	18.17	0.5
		25	0	18.22	18.28	18.15	0.5
5M	DFT-S QPSK	1	1	18.66	18.60	18.47	0
		1	13	18.61	18.57	18.44	0
		1	23	18.47	18.43	18.30	0
		12	0	17.51	17.47	17.34	1
		12	6	18.47	18.43	18.30	0
		12	13	17.73	17.69	17.56	1
		25	0	17.74	17.70	17.57	1
5M	DFT-S 16QAM	1	1	17.69	17.65	17.52	1
5M	DFT-S 64QAM	1	1	16.34	16.30	16.17	2.5
5M	DFT-S 256QAM	1	1	14.24	14.20	14.07	4.5
5M	CP QPSK	1	1	17.26	17.22	17.09	1.5
5M	CP 16QAM	1	1	16.80	16.76	16.63	2
5M	CP 64QAM	1	1	15.24	15.20	15.07	3.5
5M	CP 256QAM	1	1	12.34	12.30	12.17	6.5

Laptop NR Conducted Power (Reduction)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523299	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.495	2640	
100M	DFT-S PI/2 BPSK	1	1	13.77	13.62	13.65	13.90	13.56	0
		1	137	13.73	13.58	13.61	13.86	13.52	0
		1	271	13.67	13.52	13.55	13.80	13.46	0
		135	0	13.34	13.39	13.42	13.37	13.33	0.5
		135	67	13.70	13.55	13.58	13.83	13.49	0
		135	136	13.44	13.29	13.32	13.47	13.23	0.5
		270	0	13.40	13.25	13.28	13.33	13.19	0.5
100M	DFT-S QPSK	1	1	13.71	13.66	13.69	13.94	13.78	0
		1	137	13.64	13.65	13.62	13.83	13.70	0
		1	271	13.58	13.59	13.56	13.77	13.64	0
		135	0	12.77	12.78	12.75	12.96	12.83	1
		135	67	13.73	13.74	13.71	13.92	13.79	0
		135	136	12.27	12.28	12.25	12.46	12.33	1
		270	0	12.33	12.34	12.31	12.52	12.39	1
100M	DFT-S 16QAM	1	1	12.27	12.28	12.25	12.46	12.33	1
100M	DFT-S 64QAM	1	1	11.44	11.45	11.42	11.43	11.50	2.5
100M	DFT-S 256QAM	1	1	9.34	9.35	9.32	9.43	9.40	4.5
100M	CP QPSK	1	1	12.43	12.44	12.41	12.42	12.49	1.5
100M	CP 16QAM	1	1	11.77	11.78	11.75	11.96	11.83	2
100M	CP 64QAM	1	1	10.37	10.38	10.35	10.46	10.43	3.5
100M	CP 256QAM	1	1	7.34	7.35	7.32	7.43	7.40	6.5
BW	MCS Index	Channel		508200	513399	518598	523797	528996	3GPP MPR
		Frequency (MHz)		2541	2566.995	2592.99	2618.985	2644.98	
90M	DFT-S PI/2 BPSK	1	1	13.71	13.56	13.59	13.84	13.50	0
		1	123	13.67	13.52	13.55	13.80	13.46	0
		1	243	13.61	13.46	13.49	13.74	13.40	0
		120	0	13.48	13.33	13.36	13.41	13.27	0.5
		120	60	13.64	13.49	13.52	13.77	13.43	0
		120	122	13.38	13.23	13.26	13.41	13.17	0.5
		240	0	13.34	13.19	13.22	13.47	13.13	0.5
90M	DFT-S QPSK	1	1	13.65	13.60	13.63	13.88	13.72	0
		1	123	13.58	13.59	13.56	13.77	13.64	0
		1	243	13.52	13.53	13.50	13.71	13.58	0
		120	0	12.71	12.72	12.69	12.90	12.77	1
		120	60	13.67	13.68	13.65	13.86	13.73	0
		120	122	12.21	12.22	12.19	12.40	12.27	1
		240	0	12.27	12.28	12.25	12.46	12.33	1
90M	DFT-S 16QAM	1	1	12.21	12.22	12.19	12.40	12.27	1
90M	DFT-S 64QAM	1	1	11.38	11.39	11.36	11.47	11.44	2.5
90M	DFT-S 256QAM	1	1	9.28	9.29	9.26	9.47	9.34	4.5
90M	CP QPSK	1	1	12.37	12.38	12.35	12.46	12.43	1.5
90M	CP 16QAM	1	1	11.71	11.72	11.69	11.90	11.77	2
90M	CP 64QAM	1	1	10.31	10.32	10.29	10.50	10.37	3.5
90M	CP 256QAM	1	1	7.28	7.29	7.26	7.47	7.34	6.5

Laptop NR Conducted Power (Reduction)									
NR Band 41									
BW	MCS Index	Channel		507204	512901	518598	524295	529998	3GPP MPR
		Frequency (MHz)		2536.02	2564.505	2592.99	2621.475	2649.99	
80M	DFT-S PI/2 BPSK	1	1	13.65	13.50	13.53	13.78	13.44	0
		1	109	13.61	13.46	13.49	13.74	13.40	0
		1	215	13.55	13.40	13.43	13.68	13.34	0
		108	0	13.42	13.27	13.30	13.45	13.21	0.5
		108	54	13.58	13.43	13.46	13.71	13.37	0
		108	108	13.32	13.17	13.20	13.45	13.11	0.5
		216	0	13.28	13.13	13.16	13.41	13.07	0.5
80M	DFT-S QPSK	1	1	13.59	13.54	13.57	13.82	13.66	0
		1	109	13.52	13.53	13.50	13.71	13.58	0
		1	215	13.46	13.47	13.44	13.65	13.52	0
		108	0	12.65	12.66	12.63	12.84	12.71	1
		108	54	13.61	13.62	13.59	13.80	13.67	0
		108	108	12.15	12.16	12.13	12.34	12.21	1
		216	0	12.21	12.22	12.19	12.40	12.27	1
80M	DFT-S 16QAM	1	1	12.15	12.16	12.13	12.34	12.21	1
80M	DFT-S 64QAM	1	1	11.32	11.33	11.30	11.41	11.38	2.5
80M	DFT-S 256QAM	1	1	9.22	9.23	9.20	9.41	9.28	4.5
80M	CP QPSK	1	1	12.31	12.32	12.29	12.50	12.37	1.5
80M	CP 16QAM	1	1	11.65	11.66	11.63	11.84	11.71	2
80M	CP 64QAM	1	1	10.25	10.26	10.23	10.44	10.31	3.5
80M	CP 256QAM	1	1	7.22	7.23	7.20	7.41	7.28	6.5
BW	MCS Index	Channel		505200	511899	518598	525297	531996	3GPP MPR
		Frequency (MHz)		2526	2559.495	2592.99	2626.485	2659.98	
60M	DFT-S PI/2 BPSK	1	1	13.59	13.44	13.47	13.72	13.38	0
		1	81	13.55	13.40	13.43	13.68	13.34	0
		1	160	13.49	13.34	13.37	13.62	13.28	0
		81	0	13.36	13.21	13.24	13.49	13.15	0.5
		81	40	13.52	13.37	13.40	13.65	13.31	0
		81	81	13.26	13.11	13.14	13.39	13.05	0.5
		162	0	13.22	13.07	13.10	13.35	13.01	0.5
60M	DFT-S QPSK	1	1	13.53	13.48	13.51	13.76	13.60	0
		1	81	13.46	13.47	13.44	13.65	13.52	0
		1	160	13.40	13.41	13.38	13.59	13.46	0
		81	0	12.59	12.60	12.57	12.78	12.65	1
		81	40	13.55	13.56	13.53	13.74	13.61	0
		81	81	12.09	12.10	12.07	12.28	12.15	1
		162	0	12.15	12.16	12.13	12.34	12.21	1
60M	DFT-S 16QAM	1	1	12.09	12.10	12.07	12.28	12.15	1
60M	DFT-S 64QAM	1	1	11.26	11.27	11.24	11.45	11.32	2.5
60M	DFT-S 256QAM	1	1	9.16	9.17	9.14	9.35	9.22	4.5
60M	CP QPSK	1	1	12.25	12.26	12.23	12.44	12.31	1.5
60M	CP 16QAM	1	1	11.59	11.60	11.57	11.78	11.65	2
60M	CP 64QAM	1	1	10.19	10.20	10.17	10.38	10.25	3.5
60M	CP 256QAM	1	1	7.16	7.17	7.14	7.35	7.22	6.5

Laptop NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	Channel		504204	511401	518598	525795	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.005	2592.99	2628.975	2664.99	
50M	DFT-S PI/2 BPSK	1	1	13.55	13.40	13.43	13.68	13.34	0
		1	67	13.51	13.36	13.39	13.64	13.30	0
		1	131	13.45	13.30	13.33	13.58	13.24	0
		64	0	13.32	13.17	13.20	13.45	13.11	0.5
		64	32	13.48	13.33	13.36	13.61	13.27	0
		64	66	13.22	13.07	13.10	13.35	13.01	0.5
		128	0	13.18	13.03	13.06	13.31	12.97	0.5
50M	DFT-S QPSK	1	1	13.49	13.44	13.47	13.72	13.56	0
		1	67	13.42	13.43	13.40	13.61	13.48	0
		1	131	13.36	13.37	13.34	13.55	13.42	0
		64	0	12.55	12.56	12.53	12.74	12.61	1
		64	32	13.51	13.52	13.49	13.70	13.57	0
		64	66	12.05	12.06	12.03	12.24	12.11	1
		128	0	12.11	12.12	12.09	12.30	12.17	1
50M	DFT-S 16QAM	1	1	12.05	12.06	12.03	12.24	12.11	1
50M	DFT-S 64QAM	1	1	11.22	11.23	11.20	11.41	11.28	2.5
50M	DFT-S 256QAM	1	1	9.12	9.13	9.10	9.31	9.18	4.5
50M	CP QPSK	1	1	12.21	12.22	12.19	12.40	12.27	1.5
50M	CP 16QAM	1	1	11.55	11.56	11.53	11.74	11.61	2
50M	CP 64QAM	1	1	10.15	10.16	10.13	10.34	10.21	3.5
50M	CP 256QAM	1	1	7.12	7.13	7.10	7.31	7.18	6.5
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	13.53	13.38	13.41	13.66	13.32	0
		1	53	13.49	13.34	13.37	13.62	13.28	0
		1	104	13.43	13.28	13.31	13.56	13.22	0
		50	0	13.30	13.15	13.18	13.43	13.09	0.5
		50	25	13.46	13.31	13.34	13.59	13.25	0
		50	53	13.20	13.05	13.08	13.33	12.99	0.5
		100	0	13.16	13.01	13.04	13.29	12.95	0.5
40M	DFT-S QPSK	1	1	13.47	13.42	13.45	13.70	13.54	0
		1	53	13.40	13.41	13.38	13.59	13.46	0
		1	104	13.34	13.35	13.32	13.53	13.40	0
		50	0	12.53	12.54	12.51	12.72	12.59	1
		50	25	13.49	13.50	13.47	13.68	13.55	0
		50	53	12.03	12.04	12.01	12.22	12.09	1
		100	0	12.09	12.10	12.07	12.28	12.15	1
40M	DFT-S 16QAM	1	1	12.03	12.04	12.01	12.22	12.09	1
40M	DFT-S 64QAM	1	1	11.20	11.21	11.18	11.39	11.26	2.5
40M	DFT-S 256QAM	1	1	9.10	9.11	9.08	9.29	9.16	4.5
40M	CP QPSK	1	1	12.19	12.20	12.17	12.38	12.25	1.5
40M	CP 16QAM	1	1	11.53	11.54	11.51	11.72	11.59	2
40M	CP 64QAM	1	1	10.13	10.14	10.11	10.32	10.19	3.5
40M	CP 256QAM	1	1	7.10	7.11	7.08	7.29	7.16	6.5

Laptop NR Conducted Power (Reduction)

NR Band 41									
BW	MCS Index	Channel		502200	510399	518598	526797	534996	3GPP MPR
		Frequency (MHz)		2511	2551.995	2592.99	2633.985	2674.98	
30M	DFT-S PI/2 BPSK	1	1	13.48	13.33	13.36	13.61	13.27	0
		1	39	13.44	13.29	13.32	13.57	13.23	0
		1	76	13.38	13.23	13.26	13.51	13.17	0
		36	0	13.25	13.10	13.13	13.38	13.04	0.5
		36	18	13.41	13.26	13.29	13.54	13.20	0
		36	39	13.15	13.00	13.03	13.28	12.94	0.5
		75	0	13.11	12.96	12.99	13.24	12.90	0.5
30M	DFT-S QPSK	1	1	13.42	13.37	13.40	13.65	13.49	0
		1	39	13.35	13.36	13.33	13.54	13.41	0
		1	76	13.29	13.30	13.27	13.48	13.35	0
		36	0	12.48	12.49	12.46	12.67	12.54	1
		36	18	13.44	13.45	13.42	13.63	13.50	0
		36	39	11.98	11.99	11.96	12.17	12.04	1
		75	0	12.04	12.05	12.02	12.23	12.10	1
30M	DFT-S 16QAM	1	1	11.98	11.99	11.96	12.17	12.04	1
30M	DFT-S 64QAM	1	1	11.15	11.16	11.13	11.34	11.21	2.5
30M	DFT-S 256QAM	1	1	9.05	9.06	9.03	9.24	9.11	4.5
30M	CP QPSK	1	1	12.14	12.15	12.12	12.33	12.20	1.5
30M	CP 16QAM	1	1	11.48	11.49	11.46	11.67	11.54	2
30M	CP 64QAM	1	1	10.08	10.09	10.06	10.27	10.14	3.5
30M	CP 256QAM	1	1	7.05	7.06	7.03	7.24	7.11	6.5
BW	MCS Index	Channel		501204	509901	518598	527295	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.505	2592.99	2636.475	2679.99	
20M	DFT-S PI/2 BPSK	1	1	13.44	13.29	13.32	13.57	13.23	0
		1	26	13.40	13.25	13.28	13.53	13.19	0
		1	49	13.34	13.19	13.22	13.47	13.13	0
		25	0	13.21	13.06	13.09	13.34	13.00	0.5
		25	12	13.37	13.22	13.25	13.50	13.16	0
		25	26	13.11	12.96	12.99	13.24	12.90	0.5
		50	0	13.07	12.92	12.95	13.20	12.86	0.5
20M	DFT-S QPSK	1	1	13.38	13.33	13.36	13.61	13.45	0
		1	26	13.31	13.32	13.29	13.50	13.37	0
		1	49	13.25	13.26	13.23	13.44	13.31	0
		25	0	12.44	12.45	12.42	12.63	12.50	1
		25	12	13.40	13.41	13.38	13.59	13.46	0
		25	26	11.94	11.95	11.92	12.13	12.00	1
		50	0	12.00	12.01	11.98	12.19	12.06	1
20M	DFT-S 16QAM	1	1	11.94	11.95	11.92	12.13	12.00	1
20M	DFT-S 64QAM	1	1	11.11	11.12	11.09	11.30	11.17	2.5
20M	DFT-S 256QAM	1	1	9.01	9.02	8.99	9.20	9.07	4.5
20M	CP QPSK	1	1	12.10	12.11	12.08	12.29	12.16	1.5
20M	CP 16QAM	1	1	11.44	11.45	11.42	11.63	11.50	2
20M	CP 64QAM	1	1	10.04	10.05	10.02	10.23	10.10	3.5
20M	CP 256QAM	1	1	7.01	7.02	6.99	7.20	7.07	6.5

Laptop NR Conducted Power (Reduction)									
NR Band 41									
BW	MCS Index	Channel		500700	509649	518598	527547	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.245	2592.99	2637.735	2682.48	
15M	DFT-S PI/2 BPSK	1	1	13.39	13.24	13.27	13.52	13.18	0
		1	19	13.35	13.20	13.23	13.48	13.14	0
		1	36	13.29	13.14	13.17	13.42	13.08	0
		18	0	13.16	13.01	13.04	13.29	12.95	0.5
		18	9	13.32	13.17	13.20	13.45	13.11	0
		18	19	13.06	12.91	12.94	13.19	12.85	0.5
15M	DFT-S QPSK	36	0	13.02	12.87	12.90	13.15	12.81	0.5
		1	1	13.33	13.28	13.31	13.56	13.40	0
		1	19	13.26	13.27	13.24	13.45	13.32	0
		1	36	13.20	13.21	13.18	13.39	13.26	0
		18	0	12.39	12.40	12.37	12.58	12.45	1
		18	9	13.35	13.36	13.33	13.54	13.41	0
15M	DFT-S 16QAM	18	19	11.89	11.90	11.87	12.08	11.95	1
		36	0	11.95	11.96	11.93	12.14	12.01	1
		1	1	11.89	11.90	11.87	12.08	11.95	1
		1	1	11.06	11.07	11.04	11.25	11.12	2.5
		1	1	8.96	8.97	8.94	9.15	9.02	4.5
		1	1	12.05	12.06	12.03	12.24	12.11	1.5
15M	CP QPSK	1	1	11.39	11.40	11.37	11.58	11.45	2
15M	CP 16QAM	1	1	9.99	10.00	9.97	10.18	10.05	3.5
15M	CP 64QAM	1	1	6.96	6.97	6.94	7.15	7.02	6.5
15M	CP 256QAM	1	1	6.96	6.97	6.94	7.15	7.02	6.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	13.37	13.22	13.25	13.50	13.16	0
		1	12	13.33	13.18	13.21	13.46	13.12	0
		1	22	13.27	13.12	13.15	13.40	13.06	0
		12	0	13.14	12.99	13.02	13.27	12.93	0.5
		12	6	13.30	13.15	13.18	13.43	13.09	0
		12	12	13.04	12.89	12.92	13.17	12.83	0.5
		24	0	13.00	12.85	12.88	13.13	12.79	0.5
10M	DFT-S QPSK	1	1	13.31	13.26	13.29	13.54	13.38	0
		1	12	13.24	13.25	13.22	13.43	13.30	0
		1	22	13.18	13.19	13.16	13.37	13.24	0
		12	0	12.37	12.38	12.35	12.56	12.43	1
		12	6	13.33	13.34	13.31	13.52	13.39	0
		12	12	11.87	11.88	11.85	12.06	11.93	1
10M	DFT-S 16QAM	24	0	11.93	11.94	11.91	12.12	11.99	1
		1	1	11.87	11.88	11.85	12.06	11.93	1
		1	1	11.04	11.05	11.02	11.23	11.10	2.5
		1	1	8.94	8.95	8.92	9.13	9.00	4.5
		1	1	12.03	12.04	12.01	12.22	12.09	1.5
		1	1	11.37	11.38	11.35	11.56	11.43	2
10M	CP QPSK	1	1	9.97	9.98	9.95	10.16	10.03	3.5
10M	CP 16QAM	1	1	6.94	6.95	6.92	7.13	7.00	6.5
10M	CP 64QAM	1	1	6.94	6.95	6.92	7.13	7.00	6.5
10M	CP 256QAM	1	1	6.94	6.95	6.92	7.13	7.00	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	17.28	17.25	17.43	0
		1	53	17.21	17.18	17.36	0
		1	104	17.14	17.11	17.29	0
		50	0	16.91	16.88	16.76	0.5
		50	25	17.35	17.32	17.25	0
		50	53	16.92	16.89	16.87	0.5
		100	0	16.77	16.74	16.92	0.5
20M	DFT-S QPSK	1	1	17.31	17.27	17.45	0
		1	53	17.25	17.21	17.37	0
		1	104	17.19	17.15	17.31	0
		50	0	16.36	16.32	16.48	1
		50	25	17.28	17.24	17.40	0
		50	53	16.36	16.32	16.48	1
		100	0	16.34	16.30	16.46	1
20M	DFT-S 16QAM	1	1	16.25	16.21	16.37	1
20M	DFT-S 64QAM	1	1	14.91	14.87	14.83	2.5
20M	DFT-S 256QAM	1	1	12.78	12.74	12.90	4.5
20M	CP QPSK	1	1	15.72	15.68	15.84	1.5
20M	CP 16QAM	1	1	15.35	15.31	15.47	2
20M	CP 64QAM	1	1	13.92	13.88	13.84	3.5
20M	CP 256QAM	1	1	10.89	10.85	10.81	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	17.23	17.20	17.38	0
		1	40	17.16	17.13	17.31	0
		1	77	17.09	17.06	17.24	0
		36	0	16.86	16.83	16.81	0.5
		36	18	17.30	17.27	17.20	0
		36	40	16.87	16.84	16.82	0.5
		75	0	16.72	16.69	16.87	0.5
15M	DFT-S QPSK	1	1	17.26	17.22	17.40	0
		1	40	17.20	17.16	17.32	0
		1	77	17.14	17.10	17.26	0
		36	0	16.31	16.27	16.43	1
		36	18	17.23	17.19	17.35	0
		36	40	16.31	16.27	16.43	1
		75	0	16.29	16.25	16.41	1
15M	DFT-S 16QAM	1	1	16.20	16.16	16.32	1
15M	DFT-S 64QAM	1	1	14.86	14.82	14.98	2.5
15M	DFT-S 256QAM	1	1	12.73	12.69	12.85	4.5
15M	CP QPSK	1	1	15.67	15.63	15.79	1.5
15M	CP 16QAM	1	1	15.30	15.26	15.42	2
15M	CP 64QAM	1	1	13.87	13.83	13.99	3.5
15M	CP 256QAM	1	1	10.84	10.80	10.96	6.5
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	17.21	17.18	17.36	0
		1	26	17.14	17.11	17.29	0
		1	50	17.07	17.04	17.22	0
		25	0	16.84	16.81	16.99	0.5
		25	12	17.28	17.25	17.18	0
		25	26	16.85	16.82	17.00	0.5
		50	0	16.70	16.67	16.85	0.5
10M	DFT-S QPSK	1	1	17.24	17.20	17.38	0
		1	26	17.18	17.14	17.30	0
		1	50	17.12	17.08	17.24	0
		25	0	16.29	16.25	16.41	1
		25	12	17.21	17.17	17.33	0
		25	26	16.29	16.25	16.41	1
		50	0	16.27	16.23	16.39	1
10M	DFT-S 16QAM	1	1	16.18	16.14	16.30	1
10M	DFT-S 64QAM	1	1	14.84	14.80	14.96	2.5
10M	DFT-S 256QAM	1	1	12.71	12.67	12.83	4.5
10M	CP QPSK	1	1	15.65	15.61	15.77	1.5
10M	CP 16QAM	1	1	15.28	15.24	15.40	2
10M	CP 64QAM	1	1	13.85	13.81	13.97	3.5
10M	CP 256QAM	1	1	10.82	10.78	10.94	6.5

Laptop NR Conducted Power (Reduction)							
NR Band 66							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	17.17	17.14	17.32	0
		1	13	17.10	17.07	17.25	0
		1	23	17.03	17.00	17.18	0
		12	0	16.80	16.77	16.95	0.5
		12	6	17.24	17.21	17.14	0
		12	13	16.81	16.78	16.96	0.5
		25	0	16.66	16.63	16.81	0.5
5M	DFT-S QPSK	1	1	17.20	17.16	17.34	0
		1	13	17.14	17.10	17.26	0
		1	23	17.08	17.04	17.20	0
		12	0	16.25	16.21	16.37	1
		12	6	17.17	17.13	17.29	0
		12	13	16.25	16.21	16.37	1
		25	0	16.23	16.19	16.35	1
5M	DFT-S 16QAM	1	1	16.14	16.10	16.26	1
5M	DFT-S 64QAM	1	1	14.80	14.76	14.92	2.5
5M	DFT-S 256QAM	1	1	12.67	12.63	12.79	4.5
5M	CP QPSK	1	1	15.61	15.57	15.73	1.5
5M	CP 16QAM	1	1	15.24	15.20	15.36	2
5M	CP 64QAM	1	1	13.81	13.77	13.93	3.5
5M	CP 256QAM	1	1	10.78	10.74	10.90	6.5

Tablet WLAN Conducted Power (Full)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	16.47
	6	2437	16.48
	11	2462	16.45
	12	2467	16.46
	13	2472	16.44

WLAN 5.2GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	42	5210	13.93

WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	114	5570	12.9

WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	155	5775	11.84

Tablet WLAN Conducted Power (Full)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	17.89
	6	2437	17.93
	11	2462	17.97
	12	2467	17.94
	13	2472	17.95

Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	8.79
	39	2441	9.45
LE	0	2402	6.88
	19	2440	6.75
	39	2480	6.72

WLAN 5.2GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	42	5210	12.92

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	11.97

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	11.44

Tablet WLAN Conducted Power (Full)**WLAN2.4GHz Ant 0+1**

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11n HT40	3	2422	16.42	16.53	19.49
	6	2437	16.49	16.45	19.48
	9	2452	16.44	16.43	19.45
	10	2457	16.46	16.47	19.48
	11	2462	16.11	16.04	19.09

WLAN 5.2GHz Ant 0+1

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	42	5210	12.84	12.94	15.90

WLAN 5.6GHz Ant 0+1

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	114	5570	11.94	12.03	15.00

WLAN 5.8GHz Ant 0+1

Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	155	5775	11.44	11.42	14.44

Laptop WLAN Conducted Power (Full)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	15.92
	6	2437	15.9
	11	2462	15.93
	12	2467	15.91
	13	2472	15.87

WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	50	5250	12.88

WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	114	5570	12.9

WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	155	5775	11.91

Laptop WLAN Conducted Power (Full)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	15.94
	6	2437	15.99
	11	2462	15.91
	12	2467	15.95
	13	2472	15.97

Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	8.79
	39	2441	9.45
	78	2480	9.47
LE	0	2402	6.88
	19	2440	6.75
	39	2480	6.72

WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	50	5250	15.46

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	14.47

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	14.41

Laptop WLAN Conducted Power (Full)					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11n HT40	3	2422	15.94	15.67	18.82
	6	2437	15.92	15.84	18.89
	9	2452	15.65	15.53	18.60
	10	2457	15.74	15.76	18.76
	11	2462	15.84	15.74	18.80

WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	50	5250	12.61	12.92	15.78

WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	114	5570	12.9	13.05	15.99

WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	155	5775	11.88	11.98	14.94

Uplink Carrier Aggregation Scenarios Conducted Power (Full)

Configuure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	24.5	23.79	16.26
					1	49						24.5	23.53			23.51		
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	24.5	23.55	14.33
					1	49						24.5	23.77			23.60		
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	24.5	23.63	14.25
					1	49						24.5	23.68			23.56		
	7C	7	20	QPSK	1	0	20850	1	7	20	QPSK	1	99	21048	2529.8	24.0	23.96	18.71
					1	99						24.0	23.78			23.42		
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	24.0	23.29	16.38
					1	99						24.0	23.45			23.06		
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	24.0	23.75	16.30
					1	99						24.0	23.6			21.98		
	38C	38	20	QPSK	1	0	37850	2580	38	20	QPSK	1	99	38048	2599.8	24.0	23.84	16.42
					1	99						24.0	23.74			23.25		
		38	20	QPSK	1	0	37901	2585.1	38	20	QPSK	1	99	38099	2604.9	24.0	23.65	16.50
					1	99						24.0	23.52			23.26		
		38	20	QPSK	1	0	37952	2590.2	38	20	QPSK	1	99	38150	2610	24.0	23.25	16.19
					1	99						24.0	23.37			23.06		
	41C	41	20	QPSK	1	0	39750	2506	41	20	QPSK	1	99	39948	2525.8	27.0	26.88	17.48
					1	99						27.0	26.75			24.60		
		41	20	QPSK	1	0	40521	2583.1	41	20	QPSK	1	99	40719	2602.9	27.0	26.63	17.46
					1	99						27.0	26.43			24.34		
		41	20	QPSK	1	0	41292	2660.2	41	20	QPSK	1	99	41490	2680	27.0	26.38	19.23
					1	99						27.0	26.69			26.52		
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	22.0	20.75	20.49
					1	99						22.0	20.62			20.58		
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	22.0	20.98	20.64
					1	99						22.0	20.87			20.47		
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	22.0	20.79	20.43
					1	99						22.0	20.65			20.48		
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	24.5	23.19	16.74
					1	49						24.5	23.21			22.81		
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	24.5	24.35	16.55
					1	49						24.5	24.17			22.88		
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	24.5	24.26	16.11
					1	49						24.5	24.41			24.31		
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	24.5	23.32	19.21
					1	99						24.5	23.31			23.19		
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	24.5	24.29	17.63
					1	99						24.5	23.17			23.07		
66		20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	24.5	24.26	17.20	
				1	99						24.5	24.36			23.50			

Tablet Uplink Carrier Aggregation Scenarios Conducted Power (Reduction)

Configure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	18.5	18.31	11.99
					1	49						18.5	18.21			18.16		
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	18.5	18.4	12.04
					1	49						18.5	18.23			18.23		
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	18.5	18.47	12.08
					1	49						18.5	18.33			18.26		
	7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	11.0	10.95	10.69
					1	99						11.0	10.8			10.78		
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	11.0	10.76	10.61
					1	99						11.0	10.7			10.64		
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	11.0	10.9	10.54
					1	99						11.0	10.69			10.63		
	38C	38	20	QPSK	1	0	37850	2580	38	20	QPSK	1	99	38048	2599.8	15.0	14.3	14.01
					1	99						15.0	14.12			14.08		
		38	20	QPSK	1	0	37901	2585.1	38	20	QPSK	1	99	38099	2604.9	15.0	14.39	14.05
					1	99						15.0	14.19			14.11		
		38	20	QPSK	1	0	37952	2590.2	38	20	QPSK	1	99	38150	2610	15.0	14.49	14.09
					1	99						15.0	14.27			14.15		
	41C	41	20	QPSK	1	0	39750	2506	41	20	QPSK	1	99	39948	2525.8	15.0	14.95	14.65
					1	99						15.0	14.81			14.79		
		41	20	QPSK	1	0	40529	2583.9	41	20	QPSK	1	99	40727	2603.7	15.0	14.79	14.60
					1	99						15.0	14.65			14.63		
		41	20	QPSK	1	0	41292	2660.2	41	20	QPSK	1	99	41490	2680	15.0	14.81	14.56
					1	99						15.0	14.66			14.63		
	42C	42	20	QPSK	1	0	43190	3560	42	20	QPSK	1	99	43388	3579.8	12.0	11.38	10.99
					1	99						12.0	11.26			11.10		
		42	20	QPSK	1	0	43340	3575	42	20	QPSK	1	99	43538	3594.8	12.0	11.38	10.91
					1	99						12.0	11.18			11.00		
		42	20	QPSK	1	0	43490	3590	42	20	QPSK	1	99	43292	3570.2	12.0	11.6	10.84
					1	99						12.0	11.31			10.95		
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	11.5	10.78	10.51
					1	99						11.5	10.56			10.49		
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	11.5	10.79	10.45
					1	99						11.5	10.67			10.48		
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	11.5	10.65	10.40
					1	99						11.5	10.51			10.43		
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	15.5	15.2	14.98
					1	49						15.5	15.04			15.02		
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	15.5	15.32	15.00
					1	49						15.5	15.21			15.12		
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	15.5	15.45	15.05
					1	49						15.5	15.29			15.19		
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	15.5	15.26	15.01
					1	99						15.5	15.18			15.11		
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	15.5	15.36	15.02
					1	99						15.5	15.23			15.16		
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	15.5	15.44	15.06
					1	99						15.5	15.31			15.12		

Laptop Uplink Carrier Aggregation Scenarios Conducted Power (Reduction)

Configuure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	20.5	20.46	13.04
					1	49						20.5	20.01			19.93		
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	20.5	20.16	12.86
					1	49						20.5	19.79			19.75		
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	20.5	20.08	12.83
					1	49						20.5	19.68			19.61		
	7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	15.0	14.51	14.21
					1	99						15.0	14.36			14.29		
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	15.0	14.27	14.02
					1	99						15.0	14.15			14.14		
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	15.0	14.12	13.81
					1	99						15.0	13.96			13.91		
	38C	38	20	QPSK	1	0	37850	2580	38	20	QPSK	1	99	38048	2599.8	17.5	16.66	15.29
					1	99						17.5	16.5			16.45		
		38	20	QPSK	1	0	37901	2585.1	38	20	QPSK	1	99	38099	2604.9	17.5	16.32	15.19
					1	99						17.5	16.19			16.17		
		38	20	QPSK	1	0	37952	2590.2	38	20	QPSK	1	99	38150	2610	17.5	16.19	15.15
					1	99						17.5	16.12			16.09		
	41C	41	20	QPSK	1	0	39750	2506	41	20	QPSK	1	99	39948	2525.8	19.0	18.53	16.72
					1	99						19.0	18.76			18.69		
		41	20	QPSK	1	0	40529	2583.9	41	20	QPSK	1	99	40727	2603.7	19.0	18.85	16.61
					1	99						19.0	18.38			18.33		
		41	20	QPSK	1	0	41292	2660.2	41	20	QPSK	1	99	41490	2680	19.0	18.51	16.50
					1	99						19.0	18.43			18.41		
	42C	42	20	QPSK	1	0	43190	3560	42	20	QPSK	1	99	43388	3579.8	16.0	15.7	15.31
					1	99						16.0	15.58			15.38		
		42	20	QPSK	1	0	43340	3575	42	20	QPSK	1	99	43538	3594.8	16.0	15.37	14.99
					1	99						16.0	15.31			15.22		
		42	20	QPSK	1	0	43490	3590	42	20	QPSK	1	99	43292	3570.2	16.0	15.11	14.77
					1	99						16.0	15.01			14.92		
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	16.5	15.75	15.64
					1	99						16.5	15.69			15.66		
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	16.5	15.93	15.63
					1	99						16.5	15.89			15.66		
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	16.5	15.98	15.75
					1	99						16.5	15.94			15.77		
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	17.0	16.22	15.91
					1	49						17.0	16.01			16.01		
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	17.0	16.31	15.96
					1	49						17.0	16.08			16.07		
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	17.0	16.31	15.91
					1	49						17.0	16.16			16.01		
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	17.0	16.32	15.99
					1	99						17.0	16.12			16.08		
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	17.0	16.29	15.98
					1	99						17.0	16.05			16.01		
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	17.0	16.29	16.04
					1	99						17.0	16.14			16.06		

Appendix G. Analysis of Simultaneous Transmission SAR.

The analysis of simultaneous transmission SAR are shown as below.

Simultaneous Transmission SAR Evaluation (Tablet Mode)																							
Band	Position	A	B	D	E	F	L	O	V	A+Q	B+Q	A+D+V	B+D+V	A+L+V	B+L+V	A+F	B+F	A+V+V	B+V+V				
		WWAN Ant 0	WWAN Ant 1	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 5GHz Ant 0	WLAN 5GHz Ant 1	WLAN 5GHz Ant 0	WLAN 5GHz Ant 1	WLAN 5GHz Ant 0	WLAN 5GHz Ant 1	BT Ant 1	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg			
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg			
WCDMA II	Rear Face	0.75		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.28		1.15		1.30		1.15		1.43		1.09	
	Left Side	0.24		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.24		0.24		0.24		0.24		0.24		0.24	
	Right Side	0.32		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.32		0.32		0.32		0.32		0.32		0.32	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.25		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.25		0.25		0.25		0.25		0.25		0.25	
WCDMA IV	Rear Face	0.88		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.41		1.28		1.43		1.28		1.56		1.22	
	Left Side	0.55		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.55		0.55		0.55		0.55		0.55		0.55	
	Right Side	0.12		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.12		0.12		0.12		0.12		0.12		0.12	
	Top Side	0.18		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.70		1.10		0.74		0.94		0.38		1.26	
	Bottom Side	0.21		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.21		0.21		0.21		0.21		0.21		0.21	
WCDMA V	Rear Face	0.83		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.36		1.23		1.38		1.23		1.51		1.17	
	Left Side	0.06		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.06		0.06		0.06		0.06		0.06		0.06	
	Right Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.32		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.32		0.32		0.32		0.32		0.32		0.32	
LTE 2	Rear Face	0.54	0.55	0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.07	1.08	0.94	0.95	1.09	1.10	0.94	0.95	1.22	1.23	0.88	0.89
	Left Side	0.04	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.04	0.07	0.04	0.07	0.04	0.07	0.04	0.07	0.04	0.07	0.04	0.07
	Right Side	0.09	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
	Top Side	0.00	0.00	0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52	0.52	0.92	0.92	0.56	0.56	0.76	0.76	0.20	0.20	1.08	1.08
	Bottom Side	0.20	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
LTE 4	Rear Face	0.79		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.32		1.19		1.34		1.19		1.47		1.13	
	Left Side	0.58		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.58		0.58		0.58		0.58		0.58		0.58	
	Right Side	0.11		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.11		0.11		0.11		0.11		0.11		0.11	
	Top Side	0.09		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.61		1.01		0.65		0.85		0.29		1.17	
	Bottom Side	0.19		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.19		0.19		0.19		0.19		0.19		0.19	
LTE 5	Rear Face	0.61		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.14		1.01		1.16		1.01		1.29		0.95	
	Left Side	0.03		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.03		0.03		0.03		0.03		0.03		0.03	
	Right Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.23		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.23		0.23		0.23		0.23		0.23		0.23	
LTE 7	Rear Face	0.47	0.40	0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.00	0.93	0.87	0.80	1.02	0.95	0.87	0.80	1.15	1.08	0.81	0.74
	Left Side	0.41	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.41	0.38	0.41	0.38	0.41	0.38	0.41	0.38	0.41	0.38	0.41	0.38
	Right Side	0.16	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.16	0.15	0.16	0.15	0.16	0.15	0.16	0.15	0.16	0.15	0.16	0.15
	Top Side	0.12	0.15	0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.64	0.67	1.04	1.07	0.68	0.71	0.88	0.91	0.32	0.35	1.20	1.23
	Bottom Side	0.16	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.16	0.13	0.16	0.13	0.16	0.13	0.16	0.13	0.16	0.13	0.16	0.13
LTE 12	Rear Face	0.52		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.05		0.92		1.07		0.92		1.20		0.86	
	Left Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Right Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.24		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.24		0.24		0.24		0.24		0.24		0.24	
LTE 13	Rear Face	0.44		0.50	0.53	0.68	0.35	0.40	0.29	0.05		0.97		0.84		0.99		0.84		1.12		0.78	
	Left Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Right Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.21		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.21		0.21		0.21		0.21		0.21		0.21	
LTE 14	Rear Face	0.66		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.19		1.06		1.21		1.06		1.34		1.00	
	Left Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Right Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.33		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.33		0.33		0.33		0.33		0.33		0.33	
LTE 17	Rear Face	0.81		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.34		1.21		1.36		1.21		1.49		1.15	
	Left Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Right Side	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95	0.13		0.52		0.92		0.56		0.76		0.20		1.08	
	Bottom Side	0.44		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.44		0.44		0.44		0.44		0.44		0.44	
LTE 25	Rear Face	0.65		0.50	0.53	0.68	0.35	0.40	0.29	0.05		1.18		1.05		1.20		1.05		1.33		0.99	
	Left Side	0.07		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.07		0.07		0.07		0.07		0.07		0.07	
	Right Side	0.16		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.16		0.16		0.16		0.16		0.16		0.16	
	Top Side	0.00		0.43	0.52	0.20	0.63	0.92	0.95														

Simultaneous Transmission SAR Evaluation (Laptop Mode)


Band	Position	A	B	D	E	F	L	Q	V	Y	A+E	B+E	A+Q	B+Q	A+D+Y	B+D+Y	A+L+Y	B+L+Y	A+F	B+F	A+V+Y	B+V+Y	
		WWAN Ant 0	WWAN Ant 1	WLAN 2.4GHz Ant 0	WLAN 2.4GHz Ant 1	WLAN 2.4GHz Ant 0+1	WLAN 5GHz Ant 0	WLAN 5GHz Ant 1	WLAN 5GHz Ant 0+1	BT Ant 1	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
WCDMA II	Bottom	0.96		0.76	1.11	1.05	0.86	0.93	0.83	0.26	2.07		1.89		1.98		2.08		2.01		2.05		
WCDMA IV	Bottom	0.76		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.87		1.69		1.78		1.88		1.81		1.85		
WCDMA V	Bottom	0.48		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.59		1.41		1.50		1.60		1.53		1.57		
LTE 2	Bottom	0.45	0.32	0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.56	1.43	1.38	1.25	1.47	1.34	1.57	1.44	1.50	1.37	1.54	1.41	
LTE 4	Bottom	0.38		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.49		1.31		1.40		1.50		1.43		1.47		
LTE 5	Bottom	0.40		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.51		1.33		1.42		1.52		1.45		1.49		
LTE 7	Bottom	0.44	0.40	0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.55	1.51	1.37	1.33	1.46	1.42	1.56	1.52	1.49	1.45	1.53	1.49	
LTE 12	Bottom	0.47		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.58		1.40		1.49		1.59		1.52		1.56		
LTE 13	Bottom	0.40		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.51		1.33		1.42		1.52		1.45		1.49		
LTE 14	Bottom	0.37		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.48		1.30		1.39		1.49		1.42		1.46		
LTE 17	Bottom	0.69		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.80		1.62		1.71		1.81		1.74		1.78		
LTE 25	Bottom	0.41		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.52		1.34		1.43		1.53		1.46		1.50		
LTE 26	Bottom	0.71		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.82		1.64		1.73		1.83		1.76		1.80		
LTE 30	Bottom	0.78		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.89		1.71		1.80		1.90		1.83		1.87		
LTE 38	Bottom	1.19		0.76	1.11	1.05	0.86	0.93	0.83	0.26	2.30		2.12		2.21		2.31		2.24		2.28		
LTE 41	Bottom	0.71		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.82		1.64		1.73		1.83		1.76		1.80		
LTE 42	Bottom		0.43	0.76	1.11	1.05	0.86	0.93	0.83	0.26		1.54		1.36		1.45		1.55		1.48		1.52	
LTE 48	Bottom		0.79	0.76	1.11	1.05	0.86	0.93	0.83	0.26		1.90		1.72		1.81		1.91		1.84		1.88	
LTE 66	Bottom	0.43	0.31	0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.54	1.42	1.36	1.24	1.45	1.33	1.55	1.43	1.48	1.36	1.52	1.40	
5G NR-n2	Bottom	0.45	0.41	0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.56	1.52	1.38	1.34	1.47	1.43	1.57	1.53	1.50	1.46	1.54	1.50	
5G NR-n5	Bottom	0.58		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.69		1.51		1.60		1.70		1.63		1.67		
5G NR-n7	Bottom		0.72	0.76	1.11	1.05	0.86	0.93	0.83	0.26		1.83		1.65		1.74		1.84		1.77		1.81	
5G NR-n12	Bottom	0.79		0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.90		1.72		1.81		1.91		1.84		1.88		
5G NR-n41	Bottom		0.73	0.76	1.11	1.05	0.86	0.93	0.83	0.26		1.84		1.66		1.75		1.85		1.78		1.82	
5G NR-n66	Bottom	0.54	0.78	0.76	1.11	1.05	0.86	0.93	0.83	0.26	1.65	1.89	1.47	1.71	1.56	1.80	1.66	1.90	1.59	1.83	1.63	1.87	



Appendix H. SAR to Peak Location Separation Ratio Analysis


The results are shown as below.

WWAN Ant 0+WLAN2.4G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	205.2	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	221.7	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	223.3	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	227.0	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	224.8	0.02
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	226.0	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	224.6	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	227.7	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-69.2	6.8	226.8	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		

WWAN Ant 1+WLAN2.4G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	201.5	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.7	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	197.9	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G 802.11b Ch6_Ant 1			1.11	-96	40	8.15		

WWAN Ant 0+WLAN5.3G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	200.0	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	214.3	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	215.9	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	216.8	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	219.5	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	217.3	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	218.5	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	220.4	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant 1+WLAN5.3G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	197.7	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	193.2	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	194.3	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.3G 802.11ac VHT160 Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant 0+WLAN2.4G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	197.4	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	205.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	193.3	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	195.2	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	223.3	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	196.0	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 0+WLAN2.4G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	197.0	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	227.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	194.8	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	224.8	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	196.6	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	226.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	195.7	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	224.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 0+WLAN2.4G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	199.3	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	227.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 1+WLAN2.4G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	204.6	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	201.5	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	202.6	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	203.3	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	197.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	201.2	0.01
WLAN2.4G 802.11b Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G 802.11b Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 0+WLAN5.6G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	200.8	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	205.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	198.1	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WCDMA V RNC12.2K Ch4182_Ant 0	NB	Bottom	0.48	100.8	-68.4	6.16	201.4	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
WCDMA V RNC12.2K Ch4182_Ant 0	NB	Bottom	0.48	100.8	-68.4	6.16	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	200.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	223.3	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 0+WLAN5.6G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	200.9	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	201.9	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	227.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	199.8	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	224.8	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	201.5	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	226.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 0+WLAN5.6G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	200.6	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	224.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	204.2	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	227.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-69.2	6.8	203.5	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-69.2	6.8	226.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 1+WLAN5.6G Ant0+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	207.1	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	201.5	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	204.9	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	205.6	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	197.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	203.6	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0			0.86	-97	-30.8	8.08		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0	NB	Bottom	0.86	-97	-30.8	8.08	70.8	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant 0+WLAN2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	205.2	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	221.7	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	223.3	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	227.0	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	224.8	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	226.0	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	224.6	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	227.7	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		

WWAN Ant 1+WLAN2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	201.5	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.7	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	197.9	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G 802.11n HT40 Ch6_Ant 0+1			1.05	-96	40	8.12		

WWAN Ant 0+WLAN5.6G Ant0+1+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RNC12.2K Ch9538_Ant 0	NB	Bottom	0.96	102.8	-10.8	5.84	199.9	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
WCDMA IV RNC12.2K Ch1513_Ant 0	NB	Bottom	0.76	97.6	-68	6.09	214.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
LTE17 QPSK10M Ch23800_Ant 0	NB	Bottom	0.69	99.6	-67.6	6.23	215.6	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
LTE26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	216.5	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
LTE 30 QPSK10M Ch27710_Ant 0	NB	Bottom	0.78	100	-74	-2.24	219.1	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
LTE 38 QPSK20M Ch38000_Ant 0	NB	Bottom	1.19	98	-73	-2.28	216.9	0.02
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
LTE 41 QPSK20M Ch40185_Ant 0	NB	Bottom	0.71	100	-72	-2.42	218.2	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	99.6	-70.4	6.57	216.8	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-70	-0.3	220.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-69.2	6.8	219.1	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		

WWAN Ant 1+WLAN5.6G Ant0+1+BT




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	104	18	-2.49	197.6	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
5G NR-n7 QPSK20M Ch807000_Ant 1	NB	Bottom	0.72	100	25	-0.15	193.2	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	24	-0.92	194.3	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.6G 802.11ac VHT160 Ch114_Ant 0+1+BT			1.09	-93	29.2	8.03		

WWAN Ant 0+5G NR Ant 1+WLAN2.4G Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	41.4	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	212.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	196.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	43.2	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	201.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	196.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	37.9	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	208.0	0.00
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	196.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	81.1	0.02
5G NR-n7 QPSK20M Ch502000_Ant 1			0.54	-104	23	6.54		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	212.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	197.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		

WWAN Ant 0+5G NR Ant 1+WLAN2.4G Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	75.5	0.02
5G NR-n66 QPSK20M Ch349000_Ant 1			0.53	-101.2	17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	212.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	194.4	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		

WWAN Ant 1+5GNR Ant 0+WLAN2.4G Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	49.7	0.03
5G NR-n2 QPSK20M Ch380000_Ant 0			0.79	-104.4	-17.4	6.67		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	193.3	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n2 QPSK20M Ch380000_Ant 0	TB	Rear Face	0.79	-104.4	-17.4	6.67	199.4	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	81.8	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	191.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	206.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	86.1	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	193.3	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	206.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	76.0	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	191.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	206.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		

WWAN Ant 1+5GNR Ant 0+WLAN2.4G Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	72.9	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	189.6	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	206.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	56.7	0.02
5G NR-n66 QPSK20M Ch344000_Ant 0			0.62	-104.4	-24.4	6.68		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	193.3	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		
5G NR-n66 QPSK20M Ch344000_Ant 0	TB	Rear Face	0.62	-104.4	-24.4	6.68	200.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 1			0.53	93	10	0.73		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	41.4	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	220.2	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	200.4	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		

WWAN Ant 1+5G NR Ant 0+WLAN5G Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	49.7	0.03
5G NR-n2 QPSK20M Ch380000_Ant 0			0.79	-104.4	-17.4	6.67		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	192.6	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		
5G NR-n2 QPSK20M Ch380000_Ant 0	TB	Rear Face	0.79	-104.4	-17.4	6.67	203.6	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	76.0	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	190.8	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	213.2	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	72.9	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	189.7	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	213.2	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant 1			0.4	93.6	30	6.19		

WWAN Ant 0+5G NR Ant 1+WLAN2.4G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	41.4	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	195.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	222.3	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	188.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	203.6	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	43.2	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	183.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	211.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	188.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	203.6	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 0+5G NR Ant 1+WLAN2.4G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	37.9	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	191.4	0.00
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	217.7	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	188.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	203.6	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	81.1	0.02
5G NR-n7 QPSK20M Ch502000_Ant 1			0.54	-104	23	6.54		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	195.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	222.3	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	199.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	202.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 0+5G NR Ant 1+WLAN2.4G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	83.4	0.01
5G NR-n7 QPSK20M Ch502000_Ant 1			0.54	-104	23	6.54		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	183.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	211.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	199.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	202.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	75.5	0.02
5G NR-n66 QPSK20M Ch349000_Ant 1			0.53	-101.2	17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	195.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	222.3	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	195.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	199.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 0+5G NR Ant 1+WLAN2.4G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	77.4	0.01
5G NR-n66 QPSK20M Ch349000_Ant 1			0.53	-101.2	17.2	5.76		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	183.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	211.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	195.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	199.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 1+5G NR Ant 0+WLAN2.4G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	49.3	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.5	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.1	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	188.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	203.6	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	81.8	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	194.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	195.2	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	190.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	216.2	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 1+5GNR Ant 0+WLAN2.4G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	86.1	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.5	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.1	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	190.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	216.2	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	87.6	0.01
LTE 12 QPSK10M Ch23060_Ant 0			0.52	-95.6	-60	6.29		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	194.3	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	195.2	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	183.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	211.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 1+5GNR Ant 0+WLAN2.4G Ant 0+BT Ant 1



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	77.4	0.01
LTE 12 QPSK10M Ch23060_Ant 0			0.52	-95.6	-60	6.29		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	195.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	199.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	183.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	211.4	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	56.7	0.02
5G NR-n66 QPSK20M Ch344000_Ant 0			0.62	-104.4	-24.4	6.68		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.5	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.1	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n66 QPSK20M Ch344000_Ant 0	TB	Rear Face	0.62	-104.4	-24.4	6.68	190.9	0.01
WLAN2.4G_802.11b_Ch6_Ant 0			0.5	86	-37	0.31		
5G NR-n66 QPSK20M Ch344000_Ant 0	TB	Rear Face	0.62	-104.4	-24.4	6.68	208.3	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN2.4G_802.11b_Ch6_Ant 0	TB	Rear Face	0.5	86	-37	0.31	63.5	0.01
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 0+5GNR Ant 1+WLAN5G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	41.4	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	200.7	0.00
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	222.3	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	194.7	0.01
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	203.6	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0	TB	Rear Face	0.35	91.8	-42.4	1.2	68.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 1+5G NR Ant 0+WLAN5G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	49.7	0.03
5G NR-n2 QPSK20M Ch380000_Ant 0			0.79	-104.4	-17.4	6.67		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	204.9	0.00
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.1	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 0	TB	Rear Face	0.79	-104.4	-17.4	6.67	197.9	0.01
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
5G NR-n2 QPSK20M Ch380000_Ant 0	TB	Rear Face	0.79	-104.4	-17.4	6.67	206.8	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0	TB	Rear Face	0.35	91.8	-42.4	1.2	68.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	76.0	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	201.6	0.00
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	195.2	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	196.8	0.01
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	215.5	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0	TB	Rear Face	0.35	91.8	-42.4	1.2	68.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 1+5GNR Ant 0+WLAN5G Ant 0+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	72.9	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	199.4	0.00
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	194.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	196.8	0.01
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0			0.35	91.8	-42.4	1.2		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	215.5	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		
WLAN5.2G_802.11ac VHT80_Ch42_Ant 0	TB	Rear Face	0.35	91.8	-42.4	1.2	68.0	0.00
BT BDR_Ch78_Ant 1			0.05	98	25	7.32		

WWAN Ant 0+5GNR Ant 1+WLAN2.4G Ant 0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	41.4	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	205.4	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	198.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	43.2	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	193.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	198.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	37.9	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	201.5	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	198.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	81.1	0.02
5G NR-n7 QPSK20M Ch502000_Ant 1			0.54	-104	23	6.54		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	205.4	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	208.6	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		

WWAN Ant 0+5GNR Ant 1+WLAN2.4G Ant 0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	83.4	0.01
5G NR-n7 QPSK20M Ch502000_Ant 1			0.54	-104	23	6.54		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	193.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n7 QPSK20M Ch502000_Ant 1	TB	Rear Face	0.54	-104	23	6.54	208.6	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 25 QPSK20M Ch26590_Ant 0	TB	Rear Face	0.65	-103	-74	6.09	96.0	0.01
5G NR-n41 QPSK100M Ch523299_Ant 1			0.3	-104	22	6.59		
LTE 25 QPSK20M Ch26590_Ant 0	TB	Rear Face	0.65	-103	-74	6.09	202.7	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n41 QPSK100M Ch523299_Ant 1	TB	Rear Face	0.3	-104	22	6.59	208.3	0.00
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 26 QPSK15M Ch26965_Ant 0	TB	Rear Face	0.72	-108.2	-48	6.17	70.1	0.01
5G NR-n41 QPSK100M Ch523299_Ant 1			0.3	-104	22	6.59		
LTE 26 QPSK15M Ch26965_Ant 0	TB	Rear Face	0.72	-108.2	-48	6.17	204.6	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n41 QPSK100M Ch523299_Ant 1	TB	Rear Face	0.3	-104	22	6.59	208.3	0.00
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	75.5	0.02
5G NR-n66 QPSK20M Ch349000_Ant 1			0.53	-101.2	17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	205.4	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	204.3	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		

WWAN Ant 0+5GNR Ant 1+WLAN2.4G Ant 0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	77.4	0.01
5G NR-n66 QPSK20M Ch349000_Ant 1			0.53	-101.2	17.2	5.76		
LTE 12 QPSK10M Ch23060_Ant 0	TB	Rear Face	0.52	-95.6	-60	6.29	193.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	204.3	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	72.3	0.01
5G NR-n66 QPSK20M Ch349000_Ant 1			0.53	-101.2	17.2	5.76		
LTE 13 QPSK10M Ch23230_Ant 0	TB	Rear Face	0.44	-104.5	-55	6.25	201.5	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n66 QPSK20M Ch349000_Ant 1	TB	Rear Face	0.53	-101.2	17.2	5.76	204.3	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		

WWAN Ant 1+5GNR Ant 1+WLAN2.4G Ant 0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	49.7	0.03
5G NR-n2 QPSK20M Ch380000_Ant 0			0.79	-104.4	-17.4	6.67		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	206.6	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n2 QPSK20M Ch380000_Ant 0	TB	Rear Face	0.79	-104.4	-17.4	6.67	201.3	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	81.8	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	203.5	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	200.1	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 7 QPSK20M Ch20850_Ant 1	TB	Rear Face	0.4	-106.4	21.6	5.77	75.7	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 7 QPSK20M Ch20850_Ant 1	TB	Rear Face	0.4	-106.4	21.6	5.77	210.5	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	200.1	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	86.1	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	206.6	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	200.1	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		

WWAN Ant 1+5G NR Ant 1+WLAN2.4G Ant 0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	78.7	0.01
5G NR-n5 QPSK20M Ch166800_Ant 0			0.54	-103.2	-54	6.74		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	201.3	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n5 QPSK20M Ch166800_Ant 0	TB	Rear Face	0.54	-103.2	-54	6.74	200.1	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	76.0	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	203.5	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	201.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	72.9	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	201.3	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	201.2	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	56.7	0.02
5G NR-n66 QPSK20M Ch344000_Ant 0			0.62	-104.4	-24.4	6.68		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	206.6	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		
5G NR-n66 QPSK20M Ch344000_Ant 0	TB	Rear Face	0.62	-104.4	-24.4	6.68	200.8	0.01
WLAN2.4G_802.11n HT40_Ch3_Ant 0+1_Cube0			0.68	96	-36	0.92		

WWAN Ant 0+5GNR Ant 1+WLAN5G Ant 0+1+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	41.4	0.03
5G NR-n2 QPSK20M Ch380000_Ant 1			0.66	-101.2	-17.2	5.76		
LTE 5 QPSK10M Ch20600_Ant 0	TB	Rear Face	0.61	-108.2	-58	6.18	222.3	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 1	TB	Rear Face	0.66	-101.2	-17.2	5.76	203.6	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		

WWAN Ant 1+5GNR Ant 0+WLAN5G Ant 0+1+BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	49.7	0.03
5G NR-n2 QPSK20M Ch380000_Ant 0			0.79	-104.4	-17.4	6.67		
LTE 48 QPSK20M Ch56210_Ant 1	TB	Rear Face	0.55	-99	32	6.42	197.1	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		
5G NR-n2 QPSK20M Ch380000_Ant 0	TB	Rear Face	0.79	-104.4	-17.4	6.67	206.8	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	76.0	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 2 QPSK20M Ch18900_Ant 1	TB	Rear Face	0.55	-97.2	27.6	6.23	195.2	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	215.5	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	72.9	0.02
5G NR-n12 QPSK15M Ch141500_Ant 0			0.79	-104.8	-48	6.65		
LTE 66 QPSK20M Ch132572_Ant 1	TB	Rear Face	0.49	-96	24.4	5.48	194.0	0.00
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		
5G NR-n12 QPSK15M Ch141500_Ant 0	TB	Rear Face	0.79	-104.8	-48	6.65	215.5	0.01
WLAN5.8G_802.11ac VHT80_Ch155_Ant			0.34	98	25	7.32		

WWAN Ant0+5G NR Ant1+2.4G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	96.8	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	95.7	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	96.5	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	93.6	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		

WWAN Ant0+5G NR Ant1+2.4G Ant1



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	92.4	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	119.3	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	240.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	109.0	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	225.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	103.4	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		

WWAN Ant0+5G NR Ant1+2.4G Ant1



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	51.8	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	208.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	91.5	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	90.3	0.02
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	91.1	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		