

Appendix G. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (P-Sensor Off_Main 0)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	24.28	24.31	24.42	24.30	24.35	24.23	24.11	23.92	24.00
HSDPA Subtest-1	23.84	23.90	23.98	23.82	23.88	23.97	23.79	23.87	23.90
HSDPA Subtest-2	23.77	23.83	23.91	23.67	23.79	23.82	23.75	23.80	23.89
HSDPA Subtest-3	23.35	23.41	23.49	23.35	23.41	23.44	23.27	23.34	23.49
HSDPA Subtest-4	23.27	23.33	23.41	23.22	23.25	23.40	23.22	23.33	23.37
DC-HSDPA Subtest-1	23.76	23.82	23.90	23.67	23.77	23.86	23.67	23.78	23.84
DC-HSDPA Subtest-2	23.69	23.75	23.83	23.64	23.74	23.81	23.65	23.72	23.77
DC-HSDPA Subtest-3	23.27	23.33	23.41	23.27	23.27	23.35	23.22	23.23	23.34
DC-HSDPA Subtest-4	23.19	23.25	23.33	23.11	23.25	23.26	23.17	23.25	23.28
HSUPA Subtest-1	23.87	23.92	24.01	23.83	23.88	23.94	23.85	23.87	23.98
HSUPA Subtest-2	21.75	21.80	21.89	21.65	21.75	21.83	21.69	21.79	21.84
HSUPA Subtest-3	22.78	22.83	22.92	22.72	22.76	22.92	22.75	22.82	22.87
HSUPA Subtest-4	21.89	21.94	22.03	21.85	21.89	21.99	21.86	21.87	22.00
HSUPA Subtest-5	23.90	23.95	24.04	23.88	23.92	24.00	23.81	23.93	23.95

WCDMA Conducted Power (P-Sensor On_Main 0)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	19.64	19.71	19.79	17.46	17.49	17.40	19.45	19.41	19.33
HSDPA Subtest-1	19.19	19.26	19.24	17.14	17.17	17.08	19.00	18.92	18.88
HSDPA Subtest-2	19.16	19.23	19.21	17.10	17.13	17.04	18.98	18.90	18.86
HSDPA Subtest-3	19.11	19.18	19.16	17.07	17.10	17.01	18.94	18.86	18.82
HSDPA Subtest-4	19.07	19.14	19.12	17.03	17.06	16.97	18.91	18.83	18.79
DC-HSDPA Subtest-1	19.13	19.20	19.18	17.08	17.11	17.02	18.97	18.89	18.85
DC-HSDPA Subtest-2	19.10	19.17	19.15	17.04	17.07	16.98	18.95	18.87	18.83
DC-HSDPA Subtest-3	19.05	19.12	19.10	17.01	17.04	16.95	18.91	18.83	18.79
DC-HSDPA Subtest-4	19.01	19.08	19.06	16.97	17.00	16.91	18.88	18.80	18.76
HSUPA Subtest-1	19.18	19.25	19.23	17.19	17.22	17.13	18.93	19.02	18.94
HSUPA Subtest-2	17.04	17.11	17.09	15.00	15.03	14.94	17.02	17.11	17.03
HSUPA Subtest-3	18.26	18.33	18.31	16.30	16.33	16.24	18.13	18.22	18.14
HSUPA Subtest-4	17.18	17.25	17.23	15.12	15.15	15.06	17.19	17.28	17.20
HSUPA Subtest-5	19.28	19.35	19.33	17.33	17.36	17.27	19.16	19.25	19.17

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	24.00	23.90	23.96	0
		1	50	23.99	23.88	23.94	0
		1	99	23.89	23.78	23.84	0
		50	0	22.98	22.87	22.93	1
		50	25	22.97	22.86	22.92	1
		50	50	22.89	22.78	22.84	1
		100	0	22.98	22.95	22.78	1
20M	16QAM	1	0	22.98	22.88	22.94	1
		1	50	22.97	22.86	22.92	1
		1	99	22.87	22.76	22.82	1
		50	0	21.96	21.85	21.91	2
		50	25	21.95	21.84	21.90	2
		50	50	21.87	21.76	21.82	2
		100	0	21.95	21.93	21.93	2
20M	64QAM	1	0	21.95	21.85	21.91	2
		1	50	21.94	21.83	21.89	2
		1	99	21.84	21.73	21.79	2
		50	0	20.93	20.82	20.88	3
		50	25	20.92	20.81	20.87	3
		50	50	20.84	20.73	20.79	3
		100	0	20.93	20.90	20.96	3
20M	256QAM	1	0	18.98	18.79	18.85	5
		1	50	18.88	18.77	18.83	5
		1	99	18.78	18.67	18.73	5
		50	0	18.87	18.76	18.82	5
		50	25	18.86	18.75	18.81	5
		50	50	18.78	18.67	18.73	5
		100	0	18.95	18.84	18.90	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	23.92	23.86	23.87	0
		1	37	23.96	23.82	23.90	0
		1	74	23.79	23.78	23.76	0
		36	0	22.88	22.86	22.91	1
		36	19	22.87	22.85	22.87	1
		36	39	22.88	22.71	22.82	1
		75	0	22.93	22.87	22.70	1
15M	16QAM	1	0	22.98	22.79	22.87	1
		1	37	22.90	22.84	22.82	1
		1	74	22.80	22.71	22.79	1
		36	0	21.87	21.82	21.87	2
		36	19	21.95	21.74	21.82	2
		36	39	21.85	21.70	21.80	2
		75	0	21.86	21.92	21.91	2
15M	64QAM	1	0	21.95	21.85	21.82	2
		1	37	21.87	21.81	21.89	2
		1	74	21.78	21.69	21.72	2
		36	0	20.92	20.80	20.82	3
		36	19	20.85	20.81	20.78	3
		36	39	20.82	20.70	20.79	3
		75	0	20.87	20.86	20.90	3
15M	256QAM	1	0	18.97	18.78	18.84	5
		1	37	18.87	18.76	18.82	5
		1	74	18.77	18.66	18.72	5
		36	0	18.86	18.75	18.81	5
		36	19	18.85	18.74	18.80	5
		36	39	18.77	18.66	18.72	5
		75	0	18.94	18.83	18.89	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	23.96	23.81	23.94	0
		1	24	23.96	23.84	23.93	0
		1	49	23.83	23.68	23.76	0
		25	0	22.96	22.87	22.90	1
		25	12	22.90	22.78	22.83	1
		25	25	22.81	22.68	22.83	1
		50	0	22.95	22.92	22.75	1
10M	16QAM	1	0	22.96	22.79	22.89	1
		1	24	22.88	22.78	22.82	1
		1	49	22.82	22.69	22.75	1
		25	0	21.88	21.77	21.81	2
		25	12	21.86	21.77	21.81	2
		25	25	21.77	21.67	21.77	2
		50	0	21.87	21.93	21.85	2
10M	64QAM	1	0	21.93	21.81	21.81	2
		1	24	21.84	21.83	21.88	2
		1	49	21.75	21.68	21.79	2
		25	0	20.88	20.76	20.80	3
		25	12	20.87	20.74	20.82	3
		25	25	20.77	20.66	20.79	3
		50	0	20.90	20.90	20.88	3
10M	256QAM	1	0	18.96	18.77	18.83	5
		1	24	18.86	18.75	18.81	5
		1	49	18.76	18.65	18.71	5
		25	0	18.85	18.74	18.80	5
		25	12	18.84	18.73	18.79	5
		25	25	18.76	18.65	18.71	5
		50	0	18.93	18.82	18.88	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	23.92	23.86	23.91	0
		1	12	23.95	23.88	23.94	0
		1	24	23.81	23.78	23.80	0
		12	0	22.96	22.77	22.88	1
		12	6	22.93	22.82	22.86	1
		12	13	22.86	22.72	22.76	1
		25	0	22.94	22.86	22.70	1
5M	16QAM	1	0	22.91	22.87	22.91	1
		1	12	22.90	22.77	22.89	1
		1	24	22.80	22.69	22.80	1
		12	0	21.95	21.75	21.81	2
		12	6	21.85	21.78	21.90	2
		12	13	21.83	21.67	21.81	2
		25	0	21.88	21.88	21.83	2
5M	64QAM	1	0	21.95	21.80	21.89	2
		1	12	21.87	21.74	21.89	2
		1	24	21.81	21.71	21.73	2
		12	0	20.86	20.74	20.87	3
		12	6	20.84	20.76	20.78	3
		12	13	20.75	20.73	20.76	3
		25	0	20.93	20.89	20.90	3
5M	256QAM	1	0	18.95	18.76	18.82	5
		1	12	18.85	18.74	18.80	5
		1	24	18.75	18.64	18.70	5
		12	0	18.84	18.73	18.79	5
		12	6	18.83	18.72	18.78	5
		12	13	18.75	18.64	18.70	5
		25	0	18.92	18.81	18.87	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.91	23.87	23.93	0
		1	7	23.95	23.78	23.93	0
		1	14	23.84	23.76	23.81	0
		8	0	22.90	22.78	22.84	1
		8	3	22.89	22.79	22.89	1
		8	7	22.83	22.71	22.75	1
		15	0	22.91	22.85	22.75	1
3M	16QAM	1	0	22.91	22.84	22.85	1
		1	7	22.88	22.77	22.91	1
		1	14	22.84	22.69	22.79	1
		8	0	21.86	21.76	21.86	2
		8	3	21.85	21.79	21.80	2
		8	7	21.85	21.70	21.78	2
		15	0	21.86	21.89	21.87	2
3M	64QAM	1	0	21.87	21.78	21.82	2
		1	7	21.87	21.73	21.89	2
		1	14	21.74	21.66	21.77	2
		8	0	20.89	20.79	20.81	3
		8	3	20.87	20.74	20.77	3
		8	7	20.83	20.71	20.70	3
		15	0	20.85	20.82	20.91	3
3M	256QAM	1	0	18.94	18.75	18.81	5
		1	7	18.84	18.73	18.79	5
		1	14	18.74	18.63	18.69	5
		8	0	18.83	18.72	18.78	5
		8	3	18.82	18.71	18.77	5
		8	7	18.74	18.63	18.69	5
		15	0	18.91	18.80	18.86	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	23.89	23.77	23.84	0
		1	2	23.93	23.74	23.85	0
		1	5	23.86	23.68	23.62	0
		3	0	23.92	23.85	23.79	0
		3	1	23.89	23.75	23.80	0
		3	3	23.71	23.60	23.71	0
		6	0	22.86	22.86	22.72	1
1.4M	16QAM	1	0	22.89	22.82	22.71	1
		1	2	22.91	22.71	22.83	1
		1	5	22.84	22.70	22.75	1
		3	0	22.91	22.69	22.78	1
		3	1	22.91	22.65	22.72	1
		3	3	22.62	22.66	22.66	1
		6	0	21.87	21.87	21.86	2
1.4M	64QAM	1	0	21.85	21.73	21.79	2
		1	2	21.79	21.72	21.75	2
		1	5	21.78	21.64	21.58	2
		3	0	21.80	21.64	21.71	2
		3	1	21.78	21.64	21.71	2
		3	3	21.70	21.50	21.65	2
		6	0	20.87	20.76	20.86	3
1.4M	256QAM	1	0	18.93	18.74	18.80	5
		1	2	18.83	18.72	18.78	5
		1	5	18.73	18.62	18.68	5
		3	0	18.82	18.71	18.77	5
		3	1	18.81	18.70	18.76	5
		3	3	18.73	18.62	18.68	5
		6	0	18.90	18.79	18.85	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.79	23.97	23.83	0
		1	50	23.64	23.82	23.68	0
		1	99	23.61	23.79	23.65	0
		50	0	22.76	22.94	22.80	1
		50	25	22.71	22.89	22.75	1
		50	50	22.64	22.82	22.68	1
		100	0	22.75	22.93	22.79	1
20M	16QAM	1	0	22.76	22.91	22.74	1
		1	50	22.59	22.78	22.67	1
		1	99	22.58	22.70	22.65	1
		50	0	21.70	21.90	21.79	2
		50	25	21.62	21.89	21.75	2
		50	50	21.62	21.76	21.66	2
		100	0	21.74	21.93	21.77	2
20M	64QAM	1	0	21.73	21.92	21.77	2
		1	50	21.63	21.73	21.67	2
		1	99	21.58	21.72	21.59	2
		50	0	20.75	20.86	20.77	3
		50	25	20.71	20.87	20.69	3
		50	50	20.64	20.79	20.63	3
		100	0	20.70	20.84	20.77	3
20M	256QAM	1	0	18.74	18.97	18.83	5
		1	50	18.54	18.79	18.68	5
		1	99	18.52	18.77	18.61	5
		50	0	18.78	18.87	18.81	5
		50	25	18.61	18.78	18.65	5
		50	50	18.58	18.78	18.61	5
		100	0	18.55	18.74	18.63	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	23.75	23.88	23.80	0
		1	37	23.63	23.75	23.62	0
		1	74	23.59	23.79	23.58	0
		36	0	22.71	22.84	22.79	1
		36	19	22.65	22.88	22.75	1
		36	39	22.56	22.78	22.65	1
		75	0	22.74	22.88	22.72	1
15M	16QAM	1	0	22.66	22.83	22.65	1
		1	37	22.58	22.77	22.67	1
		1	74	22.48	22.67	22.65	1
		36	0	21.66	21.84	21.78	2
		36	19	21.57	21.88	21.71	2
		36	39	21.55	21.70	21.61	2
		75	0	21.64	21.90	21.71	2
15M	64QAM	1	0	21.72	21.90	21.77	2
		1	37	21.62	21.63	21.61	2
		1	74	21.53	21.65	21.54	2
		36	0	20.75	20.82	20.72	3
		36	19	20.65	20.86	20.65	3
		36	39	20.56	20.75	20.63	3
		75	0	20.66	20.81	20.67	3
15M	256QAM	1	0	18.71	18.88	18.74	5
		1	37	18.52	18.71	18.60	5
		1	74	18.43	18.67	18.52	5
		36	0	18.78	18.85	18.75	5
		36	19	18.61	18.77	18.58	5
		36	39	18.56	18.69	18.57	5
		75	0	18.52	18.74	18.61	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	23.77	23.89	23.78	0
		1	24	23.61	23.76	23.65	0
		1	49	23.59	23.70	23.65	0
		25	0	22.75	22.92	22.80	1
		25	12	22.70	22.89	22.70	1
		25	25	22.58	22.77	22.68	1
		50	0	22.73	22.92	22.71	1
10M	16QAM	1	0	22.66	22.86	22.67	1
		1	24	22.50	22.77	22.60	1
		1	49	22.50	22.70	22.59	1
		25	0	21.62	21.89	21.69	2
		25	12	21.52	21.88	21.66	2
		25	25	21.61	21.71	21.56	2
		50	0	21.71	21.83	21.73	2
10M	64QAM	1	0	21.64	21.86	21.71	2
		1	24	21.57	21.63	21.63	2
		1	49	21.58	21.72	21.53	2
		25	0	20.67	20.79	20.77	3
		25	12	20.70	20.82	20.69	3
		25	25	20.61	20.71	20.56	3
		50	0	20.61	20.78	20.72	3
10M	256QAM	1	0	18.64	18.97	18.78	5
		1	24	18.45	18.79	18.63	5
		1	49	18.49	18.75	18.55	5
		25	0	18.73	18.81	18.76	5
		25	12	18.57	18.75	18.62	5
		25	25	18.50	18.78	18.56	5
		50	0	18.50	18.74	18.54	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	23.71	23.95	23.73	0
		1	12	23.58	23.81	23.68	0
		1	24	23.57	23.69	23.62	0
		12	0	22.75	22.84	22.80	1
		12	6	22.61	22.86	22.73	1
		12	13	22.54	22.80	22.65	1
		25	0	22.73	22.89	22.70	1
5M	16QAM	1	0	22.68	22.85	22.65	1
		1	12	22.52	22.78	22.65	1
		1	24	22.57	22.67	22.62	1
		12	0	21.70	21.89	21.76	2
		12	6	21.61	21.79	21.67	2
		12	13	21.59	21.68	21.66	2
		25	0	21.68	21.85	21.69	2
5M	64QAM	1	0	21.71	21.84	21.73	2
		1	12	21.55	21.73	21.63	2
		1	24	21.51	21.68	21.59	2
		12	0	20.67	20.77	20.77	3
		12	6	20.66	20.81	20.65	3
		12	13	20.59	20.73	20.55	3
		25	0	20.67	20.76	20.68	3
5M	256QAM	1	0	18.71	18.89	18.79	5
		1	12	18.50	18.79	18.63	5
		1	24	18.52	18.67	18.52	5
		12	0	18.75	18.80	18.78	5
		12	6	18.52	18.71	18.55	5
		12	13	18.56	18.70	18.53	5
		25	0	18.48	18.74	18.62	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	23.75	23.92	23.79	0
		1	7	23.54	23.75	23.61	0
		1	14	23.61	23.78	23.57	0
		8	0	22.73	22.87	22.70	1
		8	3	22.64	22.83	22.74	1
		8	7	22.62	22.72	22.63	1
		15	0	22.67	22.93	22.73	1
3M	16QAM	1	0	22.66	22.91	22.64	1
		1	7	22.49	22.74	22.61	1
		1	14	22.53	22.60	22.60	1
		8	0	21.61	21.90	21.73	2
		8	3	21.53	21.86	21.67	2
		8	7	21.62	21.70	21.64	2
		15	0	21.74	21.91	21.73	2
3M	64QAM	1	0	21.66	21.85	21.69	2
		1	7	21.54	21.63	21.61	2
		1	14	21.57	21.62	21.51	2
		8	0	20.67	20.76	20.76	3
		8	3	20.68	20.77	20.65	3
		8	7	20.55	20.72	20.54	3
		15	0	20.65	20.82	20.72	3
3M	256QAM	1	0	18.74	18.97	18.78	5
		1	7	18.45	18.77	18.64	5
		1	14	18.42	18.70	18.54	5
		8	0	18.69	18.81	18.79	5
		8	3	18.51	18.73	18.56	5
		8	7	18.53	18.72	18.54	5
		15	0	18.46	18.72	18.55	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	23.59	23.82	23.78	0
		1	2	23.49	23.61	23.55	0
		1	5	23.56	23.68	23.45	0
		3	0	23.61	23.80	23.57	0
		3	1	23.54	23.79	23.64	0
		3	3	23.56	23.67	23.58	0
		6	0	22.58	22.82	22.60	1
1.4M	16QAM	1	0	22.72	22.81	22.70	1
		1	2	22.37	22.62	22.52	1
		1	5	22.51	22.61	22.49	1
		3	0	22.62	22.78	22.76	1
		3	1	22.58	22.74	22.71	1
		3	3	22.53	22.56	22.59	1
		6	0	21.68	21.76	21.63	2
1.4M	64QAM	1	0	21.62	21.79	21.58	2
		1	2	21.49	21.54	21.47	2
		1	5	21.53	21.67	21.57	2
		3	0	21.70	21.67	21.62	2
		3	1	21.65	21.80	21.64	2
		3	3	21.47	21.58	21.48	2
		6	0	20.57	20.67	20.67	3
1.4M	256QAM	1	0	18.70	18.95	18.81	5
		1	2	18.48	18.73	18.64	5
		1	5	18.45	18.69	18.57	5
		3	0	18.76	18.87	18.74	5
		3	1	18.61	18.75	18.56	5
		3	3	18.50	18.74	18.59	5
		6	0	18.51	18.67	18.53	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	24.39	24.48	24.41	0
		1	24	24.30	24.39	24.32	0
		1	49	24.33	24.42	24.35	0
		25	0	23.38	23.47	23.40	1
		25	12	23.32	23.41	23.34	1
		25	25	23.35	23.44	23.37	1
		50	0	23.39	23.48	23.41	1
10M	16QAM	1	0	23.39	23.43	23.38	1
		1	24	23.22	23.31	23.29	1
		1	49	23.33	23.41	23.32	1
		25	0	22.34	22.39	22.36	2
		25	12	22.27	22.40	22.30	2
		25	25	22.33	22.40	22.29	2
		50	0	22.31	22.48	22.38	2
10M	64QAM	1	0	22.30	22.44	22.41	2
		1	24	22.21	22.29	22.24	2
		1	49	22.29	22.40	22.26	2
		25	0	21.34	21.37	21.40	3
		25	12	21.27	21.37	21.27	3
		25	25	21.26	21.38	21.34	3
		50	0	21.34	21.38	21.38	3
10M	256QAM	1	0	19.36	19.41	19.37	5
		1	24	19.29	19.34	19.28	5
		1	49	19.23	19.41	19.34	5
		25	0	19.39	19.39	19.35	5
		25	12	19.26	19.29	19.22	5
		25	25	19.30	19.42	19.30	5
		50	0	19.28	19.29	19.28	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	24.39	24.40	24.38	0
		1	12	24.23	24.37	24.25	0
		1	24	24.24	24.41	24.25	0
		12	0	23.28	23.41	23.34	1
		12	6	23.29	23.31	23.25	1
		12	13	23.35	23.37	23.27	1
		25	0	23.35	23.45	23.35	1
5M	16QAM	1	0	23.39	23.39	23.33	1
		1	12	23.22	23.22	23.22	1
		1	24	23.28	23.38	23.25	1
		12	0	22.30	22.37	22.28	2
		12	6	22.19	22.38	22.26	2
		12	13	22.23	22.38	22.26	2
		25	0	22.29	22.47	22.30	2
5M	64QAM	1	0	22.26	22.43	22.38	2
		1	12	22.19	22.25	22.22	2
		1	24	22.19	22.36	22.17	2
		12	0	21.32	21.29	21.33	3
		12	6	21.22	21.34	21.27	3
		12	13	21.24	21.35	21.34	3
		25	0	21.33	21.33	21.29	3
5M	256QAM	1	0	19.31	19.40	19.33	5
		1	12	19.24	19.34	19.20	5
		1	24	19.18	19.34	19.28	5
		12	0	19.32	19.38	19.25	5
		12	6	19.19	19.20	19.18	5
		12	13	19.23	19.37	19.25	5
		25	0	19.18	19.21	19.20	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	24.31	24.46	24.36	0
		1	7	24.22	24.34	24.25	0
		1	14	24.26	24.42	24.29	0
		8	0	23.33	23.37	23.33	1
		8	3	23.30	23.32	23.24	1
		8	7	23.28	23.41	23.34	1
		15	0	23.32	23.48	23.34	1
3M	16QAM	1	0	23.35	23.39	23.32	1
		1	7	23.20	23.25	23.20	1
		1	14	23.32	23.35	23.28	1
		8	0	22.34	22.36	22.29	2
		8	3	22.24	22.39	22.25	2
		8	7	22.32	22.39	22.21	2
		15	0	22.21	22.39	22.30	2
3M	64QAM	1	0	22.30	22.44	22.41	2
		1	7	22.14	22.29	22.16	2
		1	14	22.28	22.36	22.18	2
		8	0	21.31	21.31	21.40	3
		8	3	21.17	21.32	21.25	3
		8	7	21.26	21.34	21.26	3
		15	0	21.27	21.36	21.34	3
3M	256QAM	1	0	19.28	19.32	19.36	5
		1	7	19.21	19.29	19.19	5
		1	14	19.19	19.36	19.31	5
		8	0	19.39	19.35	19.34	5
		8	3	19.21	19.26	19.19	5
		8	7	19.29	19.37	19.22	5
		15	0	19.23	19.22	19.20	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	24.22	24.43	24.28	0
		1	2	24.21	24.23	24.24	0
		1	5	24.22	24.26	24.16	0
		3	0	24.19	24.37	24.29	0
		3	1	24.10	24.27	24.24	0
		3	3	24.19	24.27	24.24	0
		6	0	23.33	23.26	23.39	1
1.4M	16QAM	1	0	23.26	23.27	23.36	1
		1	2	23.10	23.15	23.11	1
		1	5	23.19	23.30	23.14	1
		3	0	23.15	23.29	23.20	1
		3	1	23.16	23.27	23.24	1
		3	3	23.18	23.32	23.22	1
		6	0	22.14	22.33	22.27	2
1.4M	64QAM	1	0	22.15	22.33	22.35	2
		1	2	22.09	22.09	22.20	2
		1	5	22.21	22.24	22.12	2
		3	0	22.16	22.32	22.32	2
		3	1	22.19	22.17	22.27	2
		3	3	22.05	22.26	22.22	2
		6	0	21.21	21.28	21.26	3
1.4M	256QAM	1	0	19.32	19.37	19.30	5
		1	2	19.26	19.27	19.21	5
		1	5	19.15	19.41	19.31	5
		3	0	19.35	19.35	19.27	5
		3	1	19.22	19.23	19.18	5
		3	3	19.24	19.34	19.23	5
		6	0	19.27	19.29	19.27	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	21.50	21.44	21.13	0
		1	50	21.18	21.12	20.81	0
		1	99	21.07	21.01	20.70	0
		50	0	20.39	20.33	20.02	1
		50	25	20.21	20.15	19.84	1
		50	50	20.18	20.12	19.81	1
		100	0	20.28	20.22	19.91	1
20M	16QAM	1	0	20.47	20.43	20.07	1
		1	50	20.17	20.03	19.72	1
		1	99	20.01	19.95	19.61	1
		50	0	19.38	19.28	18.98	2
		50	25	19.21	19.08	18.81	2
		50	50	19.09	19.07	18.77	2
		100	0	19.19	19.14	18.86	2
20M	64QAM	1	0	19.48	19.44	19.09	2
		1	50	19.14	19.12	18.71	2
		1	99	19.02	18.95	18.62	2
		50	0	18.33	18.23	18.01	3
		50	25	18.13	18.10	17.78	3
		50	50	18.11	18.03	17.72	3
		100	0	18.22	18.22	17.89	3
20M	256QAM	1	0	16.46	16.35	16.04	5
		1	50	16.13	16.05	15.74	5
		1	99	16.07	16.00	15.63	5
		50	0	16.45	16.41	16.11	5
		50	25	16.13	16.08	15.74	5
		50	50	16.04	15.98	15.61	5
		100	0	16.12	16.03	15.74	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	21.47	21.41	21.10	0
		1	37	21.15	21.09	20.78	0
		1	74	21.04	20.98	20.67	0
		36	0	20.36	20.30	19.99	1
		36	19	20.18	20.12	19.81	1
		36	39	20.15	20.09	19.78	1
		75	0	20.25	20.19	19.88	1
15M	16QAM	1	0	20.44	20.40	20.04	1
		1	37	20.14	20.00	19.69	1
		1	74	19.98	19.92	19.58	1
		36	0	19.35	19.25	18.95	2
		36	19	19.18	19.05	18.78	2
		36	39	19.06	19.04	18.74	2
		75	0	19.16	19.11	18.83	2
15M	64QAM	1	0	19.45	19.41	19.06	2
		1	37	19.11	19.09	18.68	2
		1	74	18.99	18.92	18.59	2
		36	0	18.30	18.20	17.98	3
		36	19	18.10	18.07	17.75	3
		36	39	18.08	18.00	17.69	3
		75	0	18.19	18.19	17.86	3
15M	256QAM	1	0	16.43	16.32	16.01	5
		1	37	16.10	16.02	15.71	5
		1	74	16.04	15.97	15.60	5
		36	0	16.42	16.38	16.08	5
		36	19	16.10	16.05	15.71	5
		36	39	16.01	15.95	15.58	5
		75	0	16.09	16.00	15.71	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	21.42	21.36	21.05	0
		1	24	21.10	21.04	20.73	0
		1	49	20.99	20.93	20.62	0
		25	0	20.31	20.25	19.94	1
		25	12	20.13	20.07	19.76	1
		25	25	20.10	20.04	19.73	1
		50	0	20.20	20.14	19.83	1
10M	16QAM	1	0	20.39	20.35	19.99	1
		1	24	20.09	19.95	19.64	1
		1	49	19.93	19.87	19.53	1
		25	0	19.30	19.20	18.90	2
		25	12	19.13	19.00	18.73	2
		25	25	19.01	18.99	18.69	2
		50	0	19.11	19.06	18.78	2
10M	64QAM	1	0	19.40	19.36	19.01	2
		1	24	19.06	19.04	18.63	2
		1	49	18.94	18.87	18.54	2
		25	0	18.25	18.15	17.93	3
		25	12	18.05	18.02	17.70	3
		25	25	18.03	17.95	17.64	3
		50	0	18.14	18.14	17.81	3
10M	256QAM	1	0	16.38	16.27	15.96	5
		1	24	16.05	15.97	15.66	5
		1	49	15.99	15.92	15.55	5
		25	0	16.37	16.33	16.03	5
		25	12	16.05	16.00	15.66	5
		25	25	15.96	15.90	15.53	5
		50	0	16.04	15.95	15.66	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	21.35	21.29	20.98	0
		1	12	21.03	20.97	20.66	0
		1	24	20.92	20.86	20.55	0
		12	0	20.24	20.18	19.87	1
		12	6	20.06	20.00	19.69	1
		12	13	20.03	19.97	19.66	1
		25	0	20.13	20.07	19.76	1
5M	16QAM	1	0	20.32	20.28	19.92	1
		1	12	20.02	19.88	19.57	1
		1	24	19.86	19.80	19.46	1
		12	0	19.23	19.13	18.83	2
		12	6	19.06	18.93	18.66	2
		12	13	18.94	18.92	18.62	2
		25	0	19.04	18.99	18.71	2
5M	64QAM	1	0	19.33	19.29	18.94	2
		1	12	18.99	18.97	18.56	2
		1	24	18.87	18.80	18.47	2
		12	0	18.18	18.08	17.86	3
		12	6	17.98	17.95	17.63	3
		12	13	17.96	17.88	17.57	3
		25	0	18.07	18.07	17.74	3
5M	256QAM	1	0	16.31	16.20	15.89	5
		1	12	15.98	15.90	15.59	5
		1	24	15.92	15.85	15.48	5
		12	0	16.30	16.26	15.96	5
		12	6	15.98	15.93	15.59	5
		12	13	15.89	15.83	15.46	5
		25	0	15.97	15.88	15.59	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	24.30	24.29	24.25	0
		1	24	24.13	24.12	24.08	0
		1	49	24.08	24.07	24.03	0
		25	0	23.28	23.27	23.23	1
		25	12	23.17	23.16	23.12	1
		25	25	23.14	23.13	23.09	1
		50	0	23.19	23.18	23.14	1
10M	16QAM	1	0	23.25	23.25	23.20	1
		1	24	23.10	23.07	23.03	1
		1	49	22.98	23.04	22.95	1
		25	0	22.21	22.23	22.13	2
		25	12	22.09	22.12	22.08	2
		25	25	22.06	22.12	22.06	2
		50	0	22.10	22.10	22.13	2
10M	64QAM	1	0	22.30	22.19	22.24	2
		1	24	22.08	22.09	22.00	2
		1	49	22.00	21.99	22.02	2
		25	0	21.20	21.17	21.16	3
		25	12	21.17	21.13	21.05	3
		25	25	21.10	21.13	21.01	3
		50	0	21.15	21.16	21.13	3
10M	256QAM	1	0	19.25	19.28	19.18	5
		1	24	19.04	19.04	19.06	5
		1	49	18.98	19.00	19.03	5
		25	0	19.21	19.24	19.16	5
		25	12	19.09	19.06	19.01	5
		25	25	19.01	18.99	18.94	5
		50	0	18.98	19.02	18.98	5
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	24.25	24.19	24.20	0
		1	12	24.11	24.05	24.06	0
		1	24	24.05	24.04	23.96	0
		12	0	23.26	23.21	23.14	1
		12	6	23.11	23.08	23.11	1
		12	13	23.06	23.12	23.07	1
		25	0	23.17	23.11	23.10	1
5M	16QAM	1	0	23.16	23.19	23.20	1
		1	12	23.10	23.00	22.96	1
		1	24	22.95	22.97	22.92	1
		12	0	22.13	22.19	22.10	2
		12	6	22.08	22.04	22.01	2
		12	13	22.04	22.10	22.04	2
		25	0	22.08	22.02	22.03	2
5M	64QAM	1	0	22.28	22.15	22.20	2
		1	12	22.03	22.03	21.97	2
		1	24	21.92	21.96	21.98	2
		12	0	21.15	21.14	21.06	3
		12	6	21.16	21.04	20.96	3
		12	13	21.02	21.06	20.92	3
		25	0	21.11	21.10	21.04	3
5M	256QAM	1	0	19.24	19.28	19.14	5
		1	12	18.97	19.03	19.01	5
		1	24	18.97	18.90	18.93	5
		12	0	19.12	19.16	19.14	5
		12	6	19.01	18.99	18.92	5
		12	13	18.91	18.95	18.90	5
		25	0	18.97	18.93	18.92	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	24.30	24.26	24.22	0
		1	7	24.03	24.12	23.99	0
		1	14	23.99	24.06	23.96	0
		8	0	23.26	23.25	23.23	1
		8	3	23.16	23.10	23.08	1
		8	7	23.06	23.07	23.07	1
		15	0	23.11	23.17	23.10	1
3M	16QAM	1	0	23.22	23.23	23.19	1
		1	7	23.06	22.97	22.97	1
		1	14	22.95	23.01	22.93	1
		8	0	22.12	22.17	22.04	2
		8	3	22.05	22.11	22.05	2
		8	7	22.01	22.09	22.02	2
		15	0	22.00	22.01	22.07	2
3M	64QAM	1	0	22.28	22.18	22.19	2
		1	7	22.06	22.03	22.00	2
		1	14	21.91	21.94	21.98	2
		8	0	21.16	21.15	21.12	3
		8	3	21.07	21.04	21.00	3
		8	7	21.04	21.05	20.98	3
		15	0	21.15	21.11	21.10	3
3M	256QAM	1	0	19.25	19.18	19.13	5
		1	7	19.02	18.97	19.02	5
		1	14	18.96	18.98	18.97	5
		8	0	19.21	19.23	19.07	5
		8	3	19.03	19.06	18.96	5
		8	7	18.96	18.95	18.87	5
		15	0	18.96	18.97	18.91	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	24.22	24.26	24.07	0
		1	2	24.03	24.03	23.88	0
		1	5	24.05	23.90	23.79	0
		3	0	24.14	24.14	24.12	0
		3	1	24.04	23.98	23.99	0
		3	3	24.04	24.01	23.96	0
		6	0	23.09	23.01	22.94	1
1.4M	16QAM	1	0	23.21	23.23	23.05	1
		1	2	23.08	23.00	22.94	1
		1	5	22.78	23.03	22.87	1
		3	0	23.07	23.03	22.95	1
		3	1	22.96	22.98	22.90	1
		3	3	22.96	23.06	22.96	1
		6	0	21.96	21.87	22.04	2
1.4M	64QAM	1	0	22.14	22.15	22.04	2
		1	2	21.94	22.02	21.89	2
		1	5	21.84	21.83	21.95	2
		3	0	22.10	22.02	22.08	2
		3	1	22.12	21.97	21.95	2
		3	3	22.05	21.98	21.97	2
		6	0	21.02	20.97	21.10	3
1.4M	256QAM	1	0	19.24	19.24	19.09	5
		1	2	19.02	18.95	18.98	5
		1	5	18.98	18.97	19.02	5
		3	0	19.20	19.20	19.06	5
		3	1	19.00	19.00	19.00	5
		3	3	18.95	18.90	18.85	5
		6	0	18.95	18.97	18.91	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		24.39		0
		1	24		24.19		0
		1	49		24.22		0
		25	0		23.23		1
		25	12		23.19		1
		25	25		23.12		1
		50	0		23.33		1
10M	16QAM	1	0		23.33		1
		1	24		23.12		1
		1	49		23.15		1
		25	0		22.21		2
		25	12		22.19		2
		25	25		22.03		2
		50	0		22.30		2
10M	64QAM	1	0		22.36		2
		1	24		22.09		2
		1	49		22.17		2
		25	0		21.14		3
		25	12		21.11		3
		25	25		21.11		3
		50	0		21.29		3
10M	256QAM	1	0		19.38		5
		1	24		19.14		5
		1	49		19.12		5
		25	0		19.32		5
		25	12		19.15		5
		25	25		19.20		5
		50	0		19.09		5
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	24.34	24.24	24.32	0
		1	12	24.13	24.14	24.13	0
		1	24	24.14	24.13	24.03	0
		12	0	23.18	23.13	23.14	1
		12	6	23.15	23.05	23.00	1
		12	13	23.09	23.01	22.86	1
		25	0	23.26	23.28	23.17	1
5M	16QAM	1	0	23.25	23.18	23.11	1
		1	12	23.03	23.01	23.01	1
		1	24	23.06	23.01	22.94	1
		12	0	22.19	22.12	22.01	2
		12	6	22.09	22.15	22.02	2
		12	13	21.98	21.88	21.77	2
		25	0	22.28	22.16	22.14	2
5M	64QAM	1	0	22.31	22.29	22.30	2
		1	12	22.01	22.01	21.99	2
		1	24	22.13	22.01	21.96	2
		12	0	21.09	21.11	20.97	3
		12	6	21.01	20.99	20.86	3
		12	13	21.06	20.97	20.88	3
		25	0	21.23	21.20	21.18	3
5M	256QAM	1	0	19.33	19.23	19.26	5
		1	12	19.09	19.02	19.00	5
		1	24	19.11	19.04	18.94	5
		12	0	19.24	19.23	19.21	5
		12	6	19.10	19.05	18.99	5
		12	13	19.12	19.10	19.00	5
		25	0	19.08	18.99	18.96	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0		24.34		0
		1	24		24.25		0
		1	49		24.12		0
		25	0		23.21		1
		25	12		23.18		1
		25	25		23.14		1
		50	0		23.16		1
10M	16QAM	1	0		23.26		1
		1	24		23.19		1
		1	49		23.05		1
		25	0		22.12		2
		25	12		22.15		2
		25	25		22.12		2
		50	0		22.09		2
10M	64QAM	1	0		22.26		2
		1	24		22.24		2
		1	49		22.12		2
		25	0		21.16		3
		25	12		21.14		3
		25	25		21.14		3
		50	0		21.16		3
10M	256QAM	1	0		19.33		5
		1	24		19.21		5
		1	49		19.12		5
		25	0		19.32		5
		25	12		19.20		5
		25	25		19.07		5
		50	0		19.10		5
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	24.31	24.26	24.14	0
		1	12	24.19	24.21	24.14	0
		1	24	24.02	24.10	24.11	0
		12	0	23.11	23.06	23.08	1
		12	6	23.17	23.08	23.01	1
		12	13	23.10	22.99	22.92	1
		25	0	23.07	23.08	22.97	1
5M	16QAM	1	0	23.17	23.13	23.13	1
		1	12	23.12	23.06	22.96	1
		1	24	22.99	22.94	22.87	1
		12	0	22.03	21.99	21.98	2
		12	6	22.13	22.05	21.99	2
		12	13	22.11	22.05	21.87	2
		25	0	22.05	21.95	21.99	2
5M	64QAM	1	0	22.22	22.11	22.17	2
		1	12	22.15	22.24	22.14	2
		1	24	22.02	22.01	21.92	2
		12	0	21.15	21.02	21.04	3
		12	6	21.12	21.05	21.07	3
		12	13	21.05	21.04	20.93	3
		25	0	21.09	21.06	21.12	3
5M	256QAM	1	0	19.32	19.24	19.09	5
		1	12	19.20	19.15	19.06	5
		1	24	19.09	19.01	19.01	5
		12	0	19.27	19.29	19.22	5
		12	6	19.13	19.12	19.10	5
		12	13	19.05	18.98	18.89	5
		25	0	19.04	19.01	18.92	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	24.40	24.33	24.25	0
		1	24	24.31	24.24	24.16	0
		1	49	24.28	24.21	24.13	0
		25	0	23.25	23.18	23.10	1
		25	12	23.12	23.05	22.97	1
		25	25	23.19	23.12	23.04	1
		50	0	23.33	23.26	23.18	1
10M	16QAM	1	0	23.34	23.26	23.20	1
		1	24	23.21	23.24	23.15	1
		1	49	23.24	23.11	23.13	1
		25	0	22.25	22.14	22.10	2
		25	12	22.04	22.03	21.93	2
		25	25	22.11	22.03	22.03	2
		50	0	22.28	22.26	22.09	2
10M	64QAM	1	0	22.39	22.33	22.16	2
		1	24	22.27	22.17	22.06	2
		1	49	22.28	22.18	22.06	2
		25	0	21.22	21.11	21.08	3
		25	12	21.11	21.00	20.87	3
		25	25	21.16	21.02	20.96	3
		50	0	21.31	21.16	21.14	3
10M	256QAM	1	0	19.40	19.27	19.20	5
		1	24	19.31	19.19	19.07	5
		1	49	19.26	19.17	19.10	5
		25	0	19.38	19.26	19.20	5
		25	12	19.31	19.19	19.16	5
		25	25	19.21	19.12	19.13	5
		50	0	19.21	19.21	19.08	5
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	24.40	24.28	24.22	0
		1	12	24.27	24.15	24.08	0
		1	24	24.27	24.18	24.03	0
		12	0	23.17	23.15	23.09	1
		12	6	23.03	23.02	22.93	1
		12	13	23.15	23.02	22.94	1
		25	0	23.27	23.18	23.17	1
5M	16QAM	1	0	23.31	23.26	23.14	1
		1	12	23.17	23.22	23.09	1
		1	24	23.19	23.04	23.07	1
		12	0	22.24	22.04	22.10	2
		12	6	22.02	21.94	21.88	2
		12	13	22.09	22.02	21.95	2
		25	0	22.26	22.21	22.04	2
5M	64QAM	1	0	22.39	22.26	22.15	2
		1	12	22.23	22.09	22.00	2
		1	24	22.19	22.13	22.05	2
		12	0	21.21	21.06	21.04	3
		12	6	21.04	20.97	20.83	3
		12	13	21.15	20.94	20.90	3
		25	0	21.23	21.07	21.14	3
5M	256QAM	1	0	19.33	19.26	19.10	5
		1	12	19.22	19.18	18.99	5
		1	24	19.21	19.17	19.02	5
		12	0	19.34	19.19	19.19	5
		12	6	19.30	19.19	19.08	5
		12	13	19.13	19.03	19.13	5
		25	0	19.20	19.14	19.08	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	23.96	23.89	23.62	0
		1	50	23.81	23.74	23.47	0
		1	99	23.78	23.71	23.44	0
		50	0	22.81	22.74	22.47	1
		50	25	22.79	22.72	22.45	1
		50	50	22.77	22.70	22.43	1
		100	0	22.88	22.81	22.54	1
20M	16QAM	1	0	22.93	22.81	22.56	1
		1	50	22.78	22.68	22.45	1
		1	99	22.78	22.66	22.40	1
		50	0	21.74	21.68	21.45	2
		50	25	21.78	21.70	21.40	2
		50	50	21.71	21.65	21.35	2
		100	0	21.85	21.72	21.46	2
20M	64QAM	1	0	21.92	21.79	21.55	2
		1	50	21.72	21.66	21.43	2
		1	99	21.70	21.61	21.39	2
		50	0	20.75	20.68	20.37	3
		50	25	20.79	20.71	20.39	3
		50	50	20.76	20.65	20.36	3
		100	0	20.88	20.71	20.44	3
20M	256QAM	1	0	18.90	18.81	18.60	5
		1	50	18.75	18.73	18.42	5
		1	99	18.68	18.65	18.36	5
		50	0	18.93	18.88	18.58	5
		50	25	18.79	18.67	18.40	5
		50	50	18.69	18.70	18.40	5
		100	0	18.68	18.61	18.41	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	23.86	23.87	23.61	0
		1	37	23.73	23.71	23.44	0
		1	74	23.70	23.63	23.39	0
		36	0	22.75	22.65	22.38	1
		36	19	22.79	22.64	22.44	1
		36	39	22.69	22.60	22.37	1
		75	0	22.88	22.75	22.46	1
15M	16QAM	1	0	22.89	22.76	22.48	1
		1	37	22.70	22.64	22.40	1
		1	74	22.74	22.62	22.38	1
		36	0	21.66	21.63	21.44	2
		36	19	21.71	21.70	21.34	2
		36	39	21.67	21.55	21.35	2
		75	0	21.85	21.66	21.38	2
15M	64QAM	1	0	21.85	21.76	21.55	2
		1	37	21.63	21.62	21.43	2
		1	74	21.62	21.56	21.38	2
		36	0	20.70	20.67	20.35	3
		36	19	20.78	20.61	20.34	3
		36	39	20.68	20.56	20.34	3
		75	0	20.80	20.68	20.44	3
15M	256QAM	1	0	18.82	18.72	18.58	5
		1	37	18.66	18.68	18.39	5
		1	74	18.65	18.64	18.26	5
		36	0	18.88	18.81	18.55	5
		36	19	18.75	18.58	18.36	5
		36	39	18.59	18.62	18.37	5
		75	0	18.61	18.51	18.37	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	23.87	23.88	23.52	0
		1	24	23.80	23.65	23.46	0
		1	49	23.69	23.63	23.39	0
		25	0	22.73	22.65	22.43	1
		25	12	22.74	22.71	22.35	1
		25	25	22.76	22.62	22.40	1
		50	0	22.85	22.74	22.45	1
10M	16QAM	1	0	22.87	22.75	22.49	1
		1	24	22.73	22.65	22.40	1
		1	49	22.70	22.56	22.33	1
		25	0	21.67	21.64	21.40	2
		25	12	21.68	21.68	21.40	2
		25	25	21.61	21.55	21.29	2
		50	0	21.77	21.62	21.36	2
10M	64QAM	1	0	21.86	21.71	21.46	2
		1	24	21.66	21.56	21.42	2
		1	49	21.69	21.59	21.36	2
		25	0	20.68	20.62	20.34	3
		25	12	20.73	20.65	20.36	3
		25	25	20.75	20.61	20.27	3
		50	0	20.80	20.63	20.36	3
10M	256QAM	1	0	18.86	18.78	18.59	5
		1	24	18.72	18.65	18.37	5
		1	49	18.66	18.65	18.31	5
		25	0	18.83	18.81	18.58	5
		25	12	18.69	18.58	18.32	5
		25	25	18.65	18.70	18.32	5
		50	0	18.58	18.54	18.38	5
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	23.93	23.80	23.58	0
		1	12	23.74	23.67	23.39	0
		1	24	23.70	23.62	23.41	0
		12	0	22.81	22.66	22.43	1
		12	6	22.70	22.71	22.35	1
		12	13	22.72	22.69	22.36	1
		25	0	22.83	22.75	22.54	1
5M	16QAM	1	0	22.93	22.74	22.47	1
		1	12	22.73	22.61	22.39	1
		1	24	22.77	22.61	22.34	1
		12	0	21.64	21.59	21.40	2
		12	6	21.78	21.67	21.39	2
		12	13	21.71	21.55	21.29	2
		25	0	21.84	21.65	21.44	2
5M	64QAM	1	0	21.85	21.76	21.45	2
		1	12	21.66	21.60	21.39	2
		1	24	21.69	21.55	21.39	2
		12	0	20.71	20.68	20.28	3
		12	6	20.76	20.61	20.30	3
		12	13	20.68	20.58	20.27	3
		25	0	20.88	20.61	20.41	3
5M	256QAM	1	0	18.82	18.75	18.51	5
		1	12	18.69	18.69	18.34	5
		1	24	18.61	18.56	18.27	5
		12	0	18.90	18.85	18.56	5
		12	6	18.71	18.64	18.33	5
		12	13	18.68	18.60	18.30	5
		25	0	18.59	18.52	18.40	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	23.88	23.86	23.58	0
		1	7	23.79	23.72	23.45	0
		1	14	23.75	23.66	23.34	0
		8	0	22.80	22.71	22.46	1
		8	3	22.69	22.69	22.40	1
		8	7	22.67	22.69	22.33	1
		15	0	22.78	22.77	22.45	1
3M	16QAM	1	0	22.92	22.77	22.52	1
		1	7	22.70	22.66	22.35	1
		1	14	22.70	22.59	22.32	1
		8	0	21.72	21.65	21.38	2
		8	3	21.71	21.67	21.31	2
		8	7	21.62	21.63	21.29	2
		15	0	21.77	21.70	21.38	2
3M	64QAM	1	0	21.90	21.74	21.55	2
		1	7	21.68	21.63	21.38	2
		1	14	21.66	21.56	21.32	2
		8	0	20.71	20.60	20.36	3
		8	3	20.75	20.64	20.29	3
		8	7	20.71	20.55	20.32	3
		15	0	20.86	20.70	20.41	3
3M	256QAM	1	0	18.86	18.78	18.60	5
		1	7	18.71	18.65	18.37	5
		1	14	18.62	18.60	18.36	5
		8	0	18.84	18.88	18.58	5
		8	3	18.74	18.63	18.39	5
		8	7	18.63	18.61	18.34	5
		15	0	18.67	18.57	18.40	5
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	23.80	23.72	23.48	0
		1	2	23.66	23.69	23.39	0
		1	5	23.68	23.57	23.25	0
		3	0	23.67	23.64	23.32	0
		3	1	23.63	23.61	23.24	0
		3	3	23.69	23.55	23.24	0
		6	0	22.66	22.63	22.30	1
1.4M	16QAM	1	0	22.88	22.72	22.51	1
		1	2	22.65	22.53	22.33	1
		1	5	22.60	22.53	22.24	1
		3	0	22.51	22.61	22.38	1
		3	1	22.58	22.56	22.24	1
		3	3	22.67	22.47	22.22	1
		6	0	21.80	21.62	21.36	2
1.4M	64QAM	1	0	21.85	21.63	21.37	2
		1	2	21.52	21.55	21.27	2
		1	5	21.68	21.51	21.31	2
		3	0	21.70	21.61	21.27	2
		3	1	21.63	21.54	21.33	2
		3	3	21.65	21.45	21.26	2
		6	0	20.71	20.57	20.42	3
1.4M	256QAM	1	0	18.87	18.74	18.50	5
		1	2	18.72	18.73	18.33	5
		1	5	18.62	18.55	18.32	5
		3	0	18.86	18.83	18.54	5
		3	1	18.69	18.62	18.39	5
		3	3	18.65	18.65	18.37	5
		6	0	18.67	18.56	18.36	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	24.41	24.39	24.43	0
		1	37	24.35	24.33	24.37	0
		1	74	24.33	24.31	24.35	0
		36	0	23.36	23.34	23.38	1
		36	19	23.26	23.24	23.28	1
		36	39	23.32	23.27	23.31	1
		75	0	23.39	23.37	23.41	1
15M	16QAM	1	0	23.34	23.31	23.40	1
		1	37	23.29	23.30	23.37	1
		1	74	23.30	23.22	23.35	1
		36	0	22.31	22.30	22.30	2
		36	19	22.20	22.24	22.27	2
		36	39	22.32	22.27	22.28	2
		75	0	22.36	22.33	22.36	2
15M	64QAM	1	0	22.35	22.33	22.42	2
		1	37	22.25	22.32	22.31	2
		1	74	22.25	22.30	22.25	2
		36	0	21.36	21.34	21.30	3
		36	19	21.20	21.23	21.21	3
		36	39	21.22	21.18	21.31	3
		75	0	21.35	21.36	21.38	3
15M	256QAM	1	0	19.38	19.36	19.35	5
		1	37	19.32	19.32	19.35	5
		1	74	19.32	19.28	19.33	5
		36	0	19.35	19.38	19.43	5
		36	19	19.33	19.29	19.36	5
		36	39	19.32	19.24	19.34	5
		75	0	19.27	19.33	19.31	5
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	QPSK	1	0	24.33	24.37	24.42	0
		1	24	24.27	24.29	24.31	0
		1	49	24.24	24.22	24.27	0
		25	0	23.32	23.34	23.33	1
		25	12	23.21	23.17	23.19	1
		25	25	23.24	23.17	23.24	1
		50	0	23.31	23.35	23.39	1
10M	16QAM	1	0	23.30	23.28	23.31	1
		1	24	23.22	23.21	23.28	1
		1	49	23.26	23.15	23.30	1
		25	0	22.21	22.20	22.24	2
		25	12	22.13	22.14	22.24	2
		25	25	22.29	22.18	22.18	2
		50	0	22.28	22.32	22.32	2
10M	64QAM	1	0	22.32	22.27	22.39	2
		1	24	22.16	22.30	22.30	2
		1	49	22.17	22.22	22.22	2
		25	0	21.31	21.27	21.23	3
		25	12	21.14	21.13	21.20	3
		25	25	21.17	21.15	21.25	3
		50	0	21.26	21.29	21.30	3
10M	256QAM	1	0	19.30	19.30	19.26	5
		1	24	19.24	19.23	19.34	5
		1	49	19.30	19.27	19.28	5
		25	0	19.28	19.35	19.34	5
		25	12	19.31	19.27	19.34	5
		25	25	19.30	19.24	19.28	5
		50	0	19.23	19.32	19.27	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	24.36	24.29	24.41	0
		1	12	24.35	24.23	24.33	0
		1	24	24.31	24.21	24.34	0
		12	0	23.30	23.30	23.28	1
		12	6	23.19	23.15	23.27	1
		12	13	23.26	23.21	23.30	1
		25	0	23.33	23.28	23.38	1
5M	16QAM	1	0	23.24	23.28	23.30	1
		1	12	23.28	23.24	23.32	1
		1	24	23.25	23.19	23.30	1
		12	0	22.24	22.29	22.23	2
		12	6	22.17	22.17	22.24	2
		12	13	22.28	22.17	22.23	2
		25	0	22.30	22.23	22.28	2
5M	64QAM	1	0	22.30	22.26	22.33	2
		1	12	22.16	22.24	22.24	2
		1	24	22.17	22.24	22.15	2
		12	0	21.26	21.29	21.21	3
		12	6	21.18	21.20	21.20	3
		12	13	21.15	21.13	21.23	3
		25	0	21.33	21.26	21.38	3
5M	256QAM	1	0	19.38	19.30	19.25	5
		1	12	19.22	19.24	19.28	5
		1	24	19.23	19.24	19.24	5
		12	0	19.32	19.31	19.39	5
		12	6	19.30	19.25	19.36	5
		12	13	19.32	19.15	19.27	5
		25	0	19.18	19.26	19.21	5
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	24.33	24.30	24.42	0
		1	7	24.29	24.29	24.35	0
		1	14	24.28	24.31	24.25	0
		8	0	23.34	23.30	23.38	1
		8	3	23.23	23.14	23.19	1
		8	7	23.31	23.22	23.23	1
		15	0	23.33	23.33	23.37	1
3M	16QAM	1	0	23.33	23.27	23.40	1
		1	7	23.27	23.26	23.29	1
		1	14	23.27	23.13	23.27	1
		8	0	22.22	22.24	22.23	2
		8	3	22.17	22.20	22.19	2
		8	7	22.29	22.20	22.18	2
		15	0	22.36	22.27	22.27	2
3M	64QAM	1	0	22.29	22.32	22.33	2
		1	7	22.18	22.29	22.23	2
		1	14	22.23	22.23	22.19	2
		8	0	21.27	21.29	21.24	3
		8	3	21.20	21.15	21.15	3
		8	7	21.13	21.17	21.21	3
		15	0	21.35	21.33	21.37	3
3M	256QAM	1	0	19.29	19.32	19.31	5
		1	7	19.22	19.22	19.34	5
		1	14	19.25	19.21	19.27	5
		8	0	19.35	19.37	19.40	5
		8	3	19.28	19.21	19.34	5
		8	7	19.28	19.15	19.28	5
		15	0	19.19	19.29	19.26	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	24.24	24.32	24.30	0
		1	2	24.22	24.20	24.28	0
		1	5	24.13	24.19	24.20	0
		3	0	24.19	24.27	24.20	0
		3	1	24.15	24.10	24.22	0
		3	3	24.27	24.15	24.15	0
		6	0	23.27	23.17	23.18	1
1.4M	16QAM	1	0	23.32	23.23	23.29	1
		1	2	23.18	23.14	23.24	1
		1	5	23.15	22.99	23.14	1
		3	0	23.18	23.07	23.20	1
		3	1	23.12	23.18	23.04	1
		3	3	23.10	23.12	23.11	1
		6	0	22.34	22.32	22.27	2
1.4M	64QAM	1	0	22.21	22.27	22.38	2
		1	2	22.20	22.14	22.19	2
		1	5	22.12	22.16	22.05	2
		3	0	22.12	22.28	22.14	2
		3	1	22.01	22.06	22.17	2
		3	3	22.07	22.04	22.28	2
		6	0	21.26	21.25	21.25	3
1.4M	256QAM	1	0	19.36	19.30	19.35	5
		1	2	19.22	19.28	19.32	5
		1	5	19.25	19.18	19.24	5
		3	0	19.27	19.38	19.34	5
		3	1	19.25	19.22	19.28	5
		3	3	19.23	19.24	19.29	5
		6	0	19.23	19.28	19.25	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 30							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		22.55		0
		1	24		22.42		0
		1	49		22.39		0
		25	0		21.61		1
		25	12		21.53		1
		25	25		21.58		1
		50	0		21.65		1
10M	16QAM	1	0		21.49		1
		1	24		21.39		1
		1	49		21.39		1
		25	0		20.60		2
		25	12		20.44		2
		25	25		20.52		2
		50	0		20.61		2
10M	64QAM	1	0		20.47		2
		1	24		20.37		2
		1	49		20.30		2
		25	0		19.56		3
		25	12		19.48		3
		25	25		19.52		3
		50	0		19.56		3
10M	256QAM	1	0		17.48		5
		1	24		17.32		5
		1	49		17.39		5
		25	0		17.45		5
		25	12		17.39		5
		25	25		17.31		5
		50	0		17.54		5
BW	MCS Index	Channel		27685	27710	27735	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	QPSK	1	0	22.51	22.41	22.35	0
		1	12	22.41	22.32	22.24	0
		1	24	22.37	22.29	22.22	0
		12	0	21.53	21.53	21.49	1
		12	6	21.43	21.40	21.35	1
		12	13	21.53	21.50	21.41	1
		25	0	21.55	21.55	21.42	1
5M	16QAM	1	0	21.40	21.43	21.32	1
		1	12	21.39	21.23	21.20	1
		1	24	21.37	21.33	21.27	1
		12	0	20.58	20.51	20.38	2
		12	6	20.40	20.39	20.28	2
		12	13	20.52	20.40	20.36	2
		25	0	20.55	20.52	20.45	2
5M	64QAM	1	0	20.45	20.42	20.34	2
		1	12	20.37	20.29	20.26	2
		1	24	20.22	20.26	20.08	2
		12	0	19.46	19.43	19.35	3
		12	6	19.40	19.42	19.31	3
		12	13	19.45	19.44	19.39	3
		25	0	19.54	19.40	19.37	3
5M	256QAM	1	0	17.44	17.45	17.31	5
		1	12	17.22	17.15	17.21	5
		1	24	17.34	17.33	17.34	5
		12	0	17.35	17.34	17.40	5
		12	6	17.33	17.36	17.25	5
		12	13	17.28	17.25	17.25	5
		25	0	17.46	17.47	17.50	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	23.74	23.63	23.59	0
		1	50	23.65	23.55	23.44	0
		1	99	23.61	23.51	23.40	0
		50	0	22.87	22.77	22.66	1
		50	25	22.77	22.67	22.56	1
		50	50	22.68	22.58	22.47	1
		100	0	22.71	22.61	22.50	1
20M	16QAM	1	0	22.69	22.59	22.48	1
		1	50	22.65	22.55	22.44	1
		1	99	22.59	22.49	22.38	1
		50	0	21.58	21.48	21.37	2
		50	25	21.40	21.30	21.19	2
		50	50	21.43	21.33	21.22	2
		100	0	21.59	21.49	21.38	2
20M	64QAM	1	0	21.67	21.57	21.46	2
		1	50	21.60	21.50	21.39	2
		1	99	21.61	21.51	21.40	2
		50	0	20.56	20.46	20.35	3
		50	25	20.46	20.36	20.25	3
		50	50	20.52	20.42	20.31	3
		100	0	20.65	20.55	20.44	3
20M	256QAM	1	0	18.71	18.61	18.50	5
		1	50	18.61	18.51	18.40	5
		1	99	18.59	18.49	18.38	5
		50	0	18.62	18.52	18.41	5
		50	25	18.60	18.50	18.39	5
		50	50	18.51	18.41	18.30	5
		100	0	18.57	18.47	18.36	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	23.70	23.56	23.50	0
		1	37	23.60	23.54	23.41	0
		1	74	23.52	23.48	23.31	0
		36	0	22.78	22.68	22.58	1
		36	19	22.75	22.62	22.52	1
		36	39	22.62	22.55	22.37	1
		75	0	22.67	22.54	22.45	1
15M	16QAM	1	0	22.59	22.51	22.46	1
		1	37	22.56	22.45	22.37	1
		1	74	22.55	22.42	22.35	1
		36	0	21.56	21.48	21.36	2
		36	19	21.37	21.20	21.16	2
		36	39	21.42	21.30	21.13	2
		75	0	21.55	21.40	21.35	2
15M	64QAM	1	0	21.61	21.55	21.36	2
		1	37	21.50	21.46	21.30	2
		1	74	21.59	21.48	21.34	2
		36	0	20.56	20.39	20.28	3
		36	19	20.46	20.31	20.20	3
		36	39	20.46	20.36	20.27	3
		75	0	20.55	20.51	20.37	3
15M	256QAM	1	0	18.67	18.47	18.42	5
		1	37	18.51	18.45	18.30	5
		1	74	18.58	18.46	18.35	5
		36	0	18.54	18.46	18.32	5
		36	19	18.39	18.35	18.19	5
		36	39	18.42	18.34	18.21	5
		75	0	18.63	18.50	18.36	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	23.62	23.58	23.45	0
		1	24	23.42	23.37	23.34	0
		1	49	23.43	23.42	23.26	0
		25	0	22.65	22.63	22.57	1
		25	12	22.62	22.47	22.47	1
		25	25	22.51	22.51	22.31	1
		50	0	22.52	22.45	22.41	1
10M	16QAM	1	0	22.64	22.50	22.27	1
		1	24	22.56	22.44	22.36	1
		1	49	22.38	22.35	22.25	1
		25	0	21.54	21.43	21.26	2
		25	12	21.21	21.14	20.99	2
		25	25	21.33	21.30	21.12	2
		50	0	21.45	21.40	21.28	2
10M	64QAM	1	0	21.55	21.40	21.31	2
		1	24	21.47	21.33	21.17	2
		1	49	21.45	21.33	21.27	2
		25	0	20.54	20.30	20.16	3
		25	12	20.24	20.25	20.07	3
		25	25	20.45	20.31	20.28	3
		50	0	20.46	20.51	20.34	3
10M	256QAM	1	0	18.65	18.52	18.41	5
		1	24	18.54	18.40	18.33	5
		1	49	18.52	18.51	18.31	5
		25	0	18.54	18.37	18.34	5
		25	12	18.42	18.26	18.19	5
		25	25	18.51	18.37	18.29	5
		50	0	18.60	18.45	18.38	5
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	23.72	23.39	23.32	0
		1	12	23.47	23.32	23.23	0
		1	24	23.44	23.36	23.11	0
		12	0	22.80	22.53	22.43	1
		12	6	22.62	22.61	22.25	1
		12	13	22.54	22.41	22.36	1
		25	0	22.56	22.52	22.28	1
5M	16QAM	1	0	22.54	22.43	22.45	1
		1	12	22.55	22.42	22.29	1
		1	24	22.51	22.47	22.22	1
		12	0	21.54	21.35	21.27	2
		12	6	21.24	21.23	21.03	2
		12	13	21.24	21.24	21.16	2
		25	0	21.46	21.40	21.31	2
5M	64QAM	1	0	21.55	21.49	21.25	2
		1	12	21.51	21.32	21.26	2
		1	24	21.44	21.34	21.24	2
		12	0	20.51	20.36	20.33	3
		12	6	20.29	20.26	20.05	3
		12	13	20.37	20.29	20.29	3
		25	0	20.43	20.47	20.30	3
5M	256QAM	1	0	18.67	18.49	18.38	5
		1	12	18.58	18.46	18.39	5
		1	24	18.60	18.46	18.40	5
		12	0	18.55	18.37	18.26	5
		12	6	18.43	18.31	18.15	5
		12	13	18.49	18.33	18.28	5
		25	0	18.62	18.49	18.38	5

LTE Conducted Power (P-Sensor Off_Main 0)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	23.79	23.65	23.83	23.68	23.57	0
		1	50	23.71	23.57	23.75	23.60	23.49	0
		1	99	23.69	23.55	23.73	23.58	23.47	0
		50	0	22.82	22.68	22.86	22.71	22.60	1
		50	25	22.74	22.60	22.78	22.63	22.52	1
		50	50	22.73	22.59	22.77	22.62	22.51	1
		100	0	22.79	22.65	22.83	22.68	22.57	1
20M	16QAM	1	0	22.73	22.61	22.80	22.63	22.52	1
		1	50	22.64	22.47	22.66	22.50	22.39	1
		1	99	22.68	22.49	22.68	22.55	22.40	1
		50	0	21.77	21.65	21.80	21.70	21.59	2
		50	25	21.73	21.52	21.73	21.57	21.42	2
		50	50	21.64	21.58	21.71	21.53	21.44	2
		100	0	21.72	21.55	21.77	21.63	21.52	2
20M	64QAM	1	0	21.78	21.57	21.77	21.67	21.54	2
		1	50	21.66	21.57	21.69	21.52	21.41	2
		1	99	21.66	21.48	21.73	21.49	21.45	2
		50	0	20.78	20.59	20.76	20.62	20.52	3
		50	25	20.68	20.57	20.78	20.54	20.47	3
		50	50	20.71	20.55	20.74	20.54	20.50	3
		100	0	20.78	20.64	20.80	20.68	20.57	3
20M	256QAM	1	0	18.73	18.60	18.77	18.66	18.47	5
		1	50	18.69	18.53	18.67	18.52	18.42	5
		1	99	18.66	18.55	18.72	18.48	18.39	5
		50	0	18.75	18.58	18.75	18.59	18.53	5
		50	25	18.66	18.49	18.66	18.54	18.47	5
		50	50	18.61	18.51	18.64	18.57	18.48	5
		100	0	18.62	18.48	18.72	18.51	18.54	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	23.75	23.63	23.77	23.58	23.57	0
		1	37	23.64	23.54	23.75	23.54	23.39	0
		1	74	23.65	23.55	23.66	23.56	23.40	0
		36	0	22.78	22.59	22.78	22.65	22.59	1
		36	19	22.72	22.59	22.69	22.60	22.50	1
		36	39	22.73	22.52	22.71	22.57	22.44	1
		75	0	22.78	22.65	22.73	22.58	22.52	1
15M	16QAM	1	0	22.64	22.60	22.70	22.56	22.51	1
		1	37	22.60	22.46	22.65	22.49	22.41	1
		1	74	22.68	22.42	22.66	22.51	22.42	1
		36	0	21.71	21.65	21.80	21.67	21.58	2
		36	19	21.70	21.45	21.72	21.53	21.52	2
		36	39	21.62	21.48	21.64	21.46	21.49	2
		75	0	21.71	21.54	21.70	21.53	21.50	2
15M	64QAM	1	0	21.77	21.54	21.67	21.66	21.47	2
		1	37	21.61	21.51	21.60	21.51	21.49	2
		1	74	21.56	21.43	21.69	21.45	21.39	2
		36	0	20.69	20.57	20.66	20.59	20.51	3
		36	19	20.61	20.51	20.70	20.47	20.52	3
		36	39	20.62	20.46	20.71	20.46	20.41	3
		75	0	20.69	20.64	20.73	20.60	20.48	3
15M	256QAM	1	0	18.64	18.58	18.73	18.64	18.40	5
		1	37	18.62	18.46	18.65	18.49	18.33	5
		1	74	18.60	18.54	18.69	18.40	18.36	5
		36	0	18.72	18.51	18.75	18.57	18.45	5
		36	19	18.65	18.40	18.64	18.52	18.38	5
		36	39	18.54	18.45	18.59	18.52	18.48	5
		75	0	18.62	18.43	18.72	18.51	18.44	5

LTE Conducted Power (P-Sensor Off_Main 0)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	23.76	23.61	23.80	23.60	23.49	0
		1	24	23.68	23.53	23.65	23.50	23.40	0
		1	49	23.66	23.50	23.67	23.54	23.37	0
		25	0	22.74	22.68	22.79	22.63	22.54	1
		25	12	22.68	22.50	22.76	22.56	22.48	1
		25	25	22.69	22.50	22.76	22.54	22.50	1
		50	0	22.70	22.57	22.76	22.67	22.47	1
10M	16QAM	1	0	22.70	22.60	22.78	22.61	22.55	1
		1	24	22.54	22.44	22.58	22.50	22.49	1
		1	49	22.59	22.42	22.60	22.49	22.37	1
		25	0	21.75	21.61	21.72	21.63	21.56	2
		25	12	21.71	21.44	21.70	21.48	21.45	2
		25	25	21.55	21.55	21.69	21.44	21.47	2
		50	0	21.67	21.48	21.77	21.55	21.47	2
10M	64QAM	1	0	21.78	21.57	21.70	21.65	21.53	2
		1	24	21.63	21.55	21.68	21.44	21.43	2
		1	49	21.66	21.44	21.63	21.48	21.47	2
		25	0	20.77	20.53	20.67	20.56	20.59	3
		25	12	20.61	20.47	20.71	20.48	20.49	3
		25	25	20.62	20.47	20.71	20.54	20.48	3
		50	0	20.70	20.56	20.74	20.60	20.50	3
10M	256QAM	1	0	18.73	18.54	18.69	18.56	18.45	5
		1	24	18.63	18.46	18.62	18.44	18.38	5
		1	49	18.60	18.53	18.72	18.44	18.39	5
		25	0	18.70	18.48	18.65	18.50	18.44	5
		25	12	18.57	18.41	18.60	18.53	18.47	5
		25	25	18.59	18.46	18.55	18.54	18.40	5
		50	0	18.60	18.38	18.70	18.49	18.53	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	23.75	23.59	23.78	23.61	23.51	0
		1	12	23.67	23.55	23.74	23.58	23.48	0
		1	24	23.61	23.48	23.64	23.55	23.46	0
		12	0	22.75	22.66	22.78	22.64	22.50	1
		12	6	22.67	22.60	22.69	22.54	22.48	1
		12	13	22.63	22.51	22.70	22.62	22.42	1
		25	0	22.70	22.64	22.81	22.58	22.48	1
5M	16QAM	1	0	22.69	22.53	22.70	22.53	22.48	1
		1	12	22.57	22.47	22.61	22.45	22.47	1
		1	24	22.68	22.39	22.65	22.51	22.45	1
		12	0	21.71	21.57	21.74	21.60	21.60	2
		12	6	21.65	21.47	21.73	21.57	21.48	2
		12	13	21.55	21.54	21.69	21.47	21.42	2
		25	0	21.70	21.45	21.76	21.56	21.51	2
5M	64QAM	1	0	21.69	21.56	21.68	21.58	21.56	2
		1	12	21.56	21.56	21.65	21.45	21.44	2
		1	24	21.60	21.40	21.68	21.40	21.45	2
		12	0	20.75	20.51	20.73	20.52	20.53	3
		12	6	20.63	20.52	20.74	20.52	20.49	3
		12	13	20.69	20.47	20.70	20.52	20.48	3
		25	0	20.77	20.59	20.75	20.63	20.47	3
5M	256QAM	1	0	18.72	18.55	18.74	18.64	18.46	5
		1	12	18.60	18.43	18.64	18.49	18.38	5
		1	24	18.62	18.54	18.72	18.46	18.30	5
		12	0	18.74	18.48	18.75	18.54	18.47	5
		12	6	18.59	18.39	18.62	18.52	18.38	5
		12	13	18.61	18.42	18.63	18.55	18.45	5
		25	0	18.52	18.47	18.72	18.42	18.46	5

LTE Conducted Power (P-Sensor Off_Main 0)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	25.72	25.83	25.90	25.36	25.20	0
		1	50	25.66	25.77	25.84	25.30	25.14	0
		1	99	25.54	25.65	25.72	25.18	25.02	0
		50	0	24.71	24.82	24.89	24.35	24.19	1
		50	25	24.53	24.64	24.71	24.17	24.25	1
		50	50	24.44	24.55	24.62	24.08	24.33	1
		100	0	24.60	24.71	24.78	24.24	24.12	1
20M	16QAM	1	0	24.71	24.81	24.90	24.34	24.15	1
		1	50	24.66	24.74	24.77	24.28	24.12	1
		1	99	24.45	24.58	24.70	24.14	24.15	1
		50	0	23.67	23.73	23.89	23.34	23.13	2
		50	25	23.48	23.61	23.64	23.08	23.20	2
		50	50	23.36	23.52	23.60	23.05	23.23	2
		100	0	23.60	23.65	23.73	23.24	23.04	2
20M	64QAM	1	0	23.65	23.76	23.84	23.35	23.14	2
		1	50	23.57	23.73	23.83	23.20	23.04	2
		1	99	23.45	23.59	23.69	23.12	23.17	2
		50	0	22.71	22.75	22.88	22.33	22.17	3
		50	25	22.47	22.56	22.68	22.13	22.25	3
		50	50	22.40	22.47	22.62	22.07	22.29	3
		100	0	22.56	22.70	22.73	22.18	22.07	3
20M	256QAM	1	0	20.62	20.80	20.85	20.30	20.15	5
		1	50	20.69	20.82	20.87	20.35	20.12	5
		1	99	20.70	20.80	20.85	20.33	20.17	5
		50	0	20.63	20.73	20.86	20.30	20.18	5
		50	25	20.63	20.74	20.87	20.28	20.13	5
		50	50	20.62	20.81	20.80	20.31	20.17	5
		100	0	20.62	20.79	20.88	20.26	20.12	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	25.64	25.72	25.31	25.81	25.05	0
		1	37	25.55	25.65	25.21	25.73	25.09	0
		1	74	25.43	25.61	25.02	25.56	25.12	0
		36	0	24.60	24.80	24.19	24.78	24.14	1
		36	19	24.52	24.55	24.13	24.51	24.21	1
		36	39	24.38	24.47	24.16	24.54	24.32	1
		75	0	24.44	24.66	24.12	24.63	24.12	1
15M	16QAM	1	0	24.61	24.78	24.26	24.85	24.03	1
		1	37	24.57	24.67	24.20	24.80	24.10	1
		1	74	24.50	24.57	24.07	24.52	24.15	1
		36	0	23.58	23.77	23.23	23.78	23.14	2
		36	19	23.49	23.62	23.12	23.60	23.16	2
		36	39	23.38	23.40	23.05	23.52	23.28	2
		75	0	23.50	23.68	23.18	23.72	23.19	2
15M	64QAM	1	0	23.62	23.75	23.30	23.77	23.15	2
		1	37	23.60	23.63	23.14	23.71	23.10	2
		1	74	23.48	23.59	23.04	23.53	23.15	2
		36	0	22.57	22.81	22.20	22.75	22.10	3
		36	19	22.50	22.54	22.04	22.59	22.19	3
		36	39	22.36	22.43	22.19	22.55	22.26	3
		75	0	22.50	22.65	22.14	22.70	22.01	3
15M	256QAM	1	0	20.70	20.82	20.27	20.84	20.10	5
		1	37	20.70	20.75	20.30	20.84	20.20	5
		1	74	20.64	20.73	20.27	20.80	20.19	5
		36	0	20.72	20.73	20.28	20.89	20.14	5
		36	19	20.68	20.78	20.30	20.87	20.10	5
		36	39	20.65	20.82	20.36	20.82	20.11	5
		75	0	20.67	20.77	20.35	20.84	20.14	5

LTE Conducted Power (P-Sensor Off_Main 0)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	25.64	25.66	25.29	25.72	25.07	0
		1	24	25.48	25.73	25.21	25.67	25.11	0
		1	49	25.39	25.51	25.13	25.61	25.19	0
		25	0	24.67	24.77	24.23	24.82	24.13	1
		25	12	24.37	24.60	24.16	24.67	24.18	1
		25	25	24.32	24.47	24.25	24.56	24.22	1
		50	0	24.51	24.64	24.11	24.69	24.04	1
10M	16QAM	1	0	24.65	24.74	24.23	24.74	24.13	1
		1	24	24.53	24.66	24.29	24.69	24.08	1
		1	49	24.42	24.52	24.01	24.62	24.09	1
		25	0	23.67	23.74	23.23	23.81	23.17	2
		25	12	23.36	23.53	23.09	23.58	23.22	2
		25	25	23.33	23.47	23.12	23.55	23.26	2
		50	0	23.54	23.63	23.12	23.70	23.02	2
10M	64QAM	1	0	23.59	23.76	23.27	23.74	23.16	2
		1	24	23.48	23.70	23.22	23.68	23.09	2
		1	49	23.44	23.52	23.01	23.64	23.15	2
		25	0	22.70	22.74	22.21	22.83	22.11	3
		25	12	22.41	22.61	22.07	22.59	22.23	3
		25	25	22.29	22.45	22.11	22.57	22.31	3
		50	0	22.57	22.61	22.04	22.70	22.03	3
10M	256QAM	1	0	20.72	20.79	20.34	20.81	20.20	5
		1	24	20.69	20.73	20.32	20.89	20.16	5
		1	49	20.64	20.75	20.29	20.89	20.16	5
		25	0	20.70	20.82	20.36	20.84	20.11	5
		25	12	20.71	20.78	20.36	20.89	20.14	5
		25	25	20.67	20.79	20.28	20.85	20.20	5
		50	0	20.70	20.77	20.34	20.81	20.13	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	25.58	25.68	25.23	25.77	25.03	0
		1	12	25.57	25.71	25.21	25.68	25.04	0
		1	24	25.44	25.45	25.10	25.63	25.12	0
		12	0	24.61	24.73	24.26	24.76	24.12	1
		12	6	24.40	24.58	24.08	24.60	24.23	1
		12	13	24.37	24.43	24.14	24.44	24.32	1
		25	0	24.49	24.66	24.14	24.73	24.09	1
5M	16QAM	1	0	24.54	24.64	24.22	24.80	24.02	1
		1	12	24.58	24.68	24.23	24.75	24.04	1
		1	24	24.43	24.49	24.10	24.58	24.08	1
		12	0	23.62	23.76	23.17	23.82	23.08	2
		12	6	23.41	23.60	23.12	23.67	23.18	2
		12	13	23.39	23.40	23.04	23.51	23.32	2
		25	0	23.52	23.57	23.12	23.70	23.12	2
5M	64QAM	1	0	23.57	23.69	23.24	23.82	23.05	2
		1	12	23.62	23.72	23.16	23.67	23.04	2
		1	24	23.42	23.51	23.13	23.56	23.15	2
		12	0	22.67	22.68	22.26	22.78	22.11	3
		12	6	22.40	22.57	22.05	22.66	22.18	3
		12	13	22.42	22.48	22.05	22.42	22.28	3
		25	0	22.51	22.60	22.09	22.68	22.08	3
5M	256QAM	1	0	20.72	20.80	20.32	20.82	20.13	5
		1	12	20.67	20.75	20.30	20.87	20.20	5
		1	24	20.71	20.74	20.26	20.86	20.13	5
		12	0	20.72	20.82	20.26	20.80	20.17	5
		12	6	20.72	20.74	20.29	20.80	20.15	5
		12	13	20.66	20.77	20.30	20.90	20.12	5
		25	0	20.64	20.74	20.29	20.87	20.20	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	23.41	23.46	23.80	0
		1	50	23.29	23.34	23.68	0
		1	99	23.34	23.39	23.73	0
		50	0	22.35	22.40	22.74	1
		50	25	22.29	22.34	22.68	1
		50	50	22.32	22.37	22.71	1
		100	0	22.44	22.49	22.83	1
20M	16QAM	1	0	22.35	22.42	22.79	1
		1	50	22.27	22.30	22.61	1
		1	99	22.29	22.32	22.71	1
		50	0	21.29	21.31	21.67	2
		50	25	21.20	21.29	21.66	2
		50	50	21.26	21.35	21.67	2
		100	0	21.42	21.49	21.83	2
20M	64QAM	1	0	21.37	21.44	21.70	2
		1	50	21.21	21.32	21.66	2
		1	99	21.32	21.39	21.66	2
		50	0	20.26	20.34	20.74	3
		50	25	20.26	20.25	20.68	3
		50	50	20.28	20.32	20.71	3
		100	0	20.42	20.47	20.82	3
20M	256QAM	1	0	18.38	18.40	18.71	5
		1	50	18.26	18.27	18.68	5
		1	99	18.26	18.39	18.67	5
		50	0	18.32	18.36	18.76	5
		50	25	18.23	18.31	18.66	5
		50	50	18.26	18.29	18.72	5
		100	0	18.29	18.30	18.62	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	23.38	23.44	23.77	0
		1	37	23.27	23.26	23.61	0
		1	74	23.25	23.34	23.70	0
		36	0	22.33	22.39	22.70	1
		36	19	22.20	22.33	22.64	1
		36	39	22.28	22.34	22.70	1
		75	0	22.44	22.43	22.73	1
15M	16QAM	1	0	22.25	22.34	22.70	1
		1	37	22.23	22.24	22.59	1
		1	74	22.29	22.27	22.64	1
		36	0	21.25	21.26	21.60	2
		36	19	21.10	21.24	21.57	2
		36	39	21.26	21.25	21.67	2
		75	0	21.32	21.49	21.74	2
15M	64QAM	1	0	21.37	21.36	21.69	2
		1	37	21.19	21.22	21.64	2
		1	74	21.25	21.31	21.60	2
		36	0	20.23	20.32	20.67	3
		36	19	20.26	20.15	20.66	3
		36	39	20.28	20.25	20.70	3
		75	0	20.39	20.44	20.77	3
15M	256QAM	1	0	18.34	18.40	18.71	5
		1	37	18.24	18.22	18.61	5
		1	74	18.24	18.38	18.61	5
		36	0	18.26	18.33	18.76	5
		36	19	18.13	18.26	18.62	5
		36	39	18.17	18.22	18.68	5
		75	0	18.21	18.29	18.57	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	23.37	23.38	23.74	0
		1	24	23.25	23.25	23.66	0
		1	49	23.26	23.39	23.67	0
		25	0	22.30	22.31	22.67	1
		25	12	22.22	22.31	22.61	1
		25	25	22.25	22.29	22.65	1
		50	0	22.41	22.42	22.74	1
10M	16QAM	1	0	22.34	22.37	22.78	1
		1	24	22.18	22.29	22.52	1
		1	49	22.24	22.29	22.69	1
		25	0	21.26	21.24	21.58	2
		25	12	21.15	21.26	21.61	2
		25	25	21.25	21.26	21.60	2
		50	0	21.38	21.44	21.81	2
10M	64QAM	1	0	21.34	21.38	21.61	2
		1	24	21.19	21.24	21.59	2
		1	49	21.22	21.30	21.57	2
		25	0	20.21	20.33	20.72	3
		25	12	20.26	20.20	20.68	3
		25	25	20.25	20.30	20.70	3
		50	0	20.37	20.40	20.73	3
10M	256QAM	1	0	18.30	18.39	18.63	5
		1	24	18.25	18.27	18.60	5
		1	49	18.23	18.31	18.57	5
		25	0	18.31	18.27	18.67	5
		25	12	18.13	18.23	18.59	5
		25	25	18.26	18.29	18.72	5
		50	0	18.24	18.21	18.55	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	23.37	23.45	23.76	0
		1	12	23.28	23.27	23.68	0
		1	24	23.27	23.38	23.73	0
		12	0	22.28	22.33	22.69	1
		12	6	22.20	22.31	22.60	1
		12	13	22.28	22.27	22.63	1
		25	0	22.37	22.46	22.75	1
5M	16QAM	1	0	22.25	22.34	22.70	1
		1	12	22.22	22.28	22.60	1
		1	24	22.27	22.27	22.61	1
		12	0	21.22	21.27	21.58	2
		12	6	21.10	21.27	21.61	2
		12	13	21.17	21.28	21.63	2
		25	0	21.40	21.48	21.75	2
5M	64QAM	1	0	21.36	21.35	21.60	2
		1	12	21.14	21.23	21.66	2
		1	24	21.28	21.30	21.59	2
		12	0	20.17	20.26	20.72	3
		12	6	20.25	20.17	20.65	3
		12	13	20.23	20.29	20.70	3
		25	0	20.38	20.42	20.74	3
5M	256QAM	1	0	18.37	18.40	18.71	5
		1	12	18.25	18.24	18.58	5
		1	24	18.16	18.36	18.64	5
		12	0	18.28	18.30	18.76	5
		12	6	18.18	18.27	18.57	5
		12	13	18.16	18.27	18.68	5
		25	0	18.29	18.30	18.58	5

LTE Conducted Power (P-Sensor Off_Main 0)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	23.33	23.43	23.70	0
		1	7	23.19	23.32	23.61	0
		1	14	23.24	23.34	23.69	0
		8	0	22.32	22.35	22.74	1
		8	3	22.21	22.32	22.64	1
		8	7	22.25	22.29	22.62	1
		15	0	22.36	22.45	22.83	1
3M	16QAM	1	0	22.34	22.38	22.71	1
		1	7	22.17	22.28	22.60	1
		1	14	22.29	22.24	22.71	1
		8	0	21.25	21.24	21.57	2
		8	3	21.17	21.27	21.63	2
		8	7	21.25	21.25	21.66	2
		15	0	21.37	21.42	21.83	2
3M	64QAM	1	0	21.37	21.37	21.63	2
		1	7	21.21	21.23	21.57	2
		1	14	21.23	21.31	21.64	2
		8	0	20.26	20.27	20.68	3
		8	3	20.19	20.18	20.63	3
		8	7	20.18	20.24	20.64	3
		15	0	20.33	20.42	20.75	3
3M	256QAM	1	0	18.36	18.36	18.71	5
		1	7	18.19	18.25	18.58	5
		1	14	18.21	18.30	18.62	5
		8	0	18.28	18.34	18.74	5
		8	3	18.15	18.30	18.58	5
		8	7	18.19	18.28	18.70	5
		15	0	18.24	18.26	18.62	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	23.37	23.30	23.78	0
		1	2	23.17	23.14	23.56	0
		1	5	23.31	23.28	23.66	0
		3	0	23.16	23.39	23.61	0
		3	1	23.21	23.18	23.57	0
		3	3	23.28	23.19	23.61	0
		6	0	22.31	22.30	22.71	1
1.4M	16QAM	1	0	22.18	22.24	22.58	1
		1	2	22.09	22.24	22.55	1
		1	5	22.06	22.19	22.64	1
		3	0	22.11	22.19	22.57	1
		3	1	22.06	22.21	22.59	1
		3	3	22.21	22.20	22.57	1
		6	0	21.36	21.47	21.72	2
1.4M	64QAM	1	0	21.29	21.41	21.67	2
		1	2	21.01	21.21	21.56	2
		1	5	21.08	21.26	21.63	2
		3	0	21.18	21.14	21.68	2
		3	1	21.03	21.05	21.56	2
		3	3	21.23	21.24	21.50	2
		6	0	20.37	20.39	20.66	3
1.4M	256QAM	1	0	18.31	18.36	18.70	5
		1	2	18.16	18.20	18.63	5
		1	5	18.21	18.30	18.67	5
		3	0	18.26	18.35	18.72	5
		3	1	18.21	18.26	18.61	5
		3	3	18.25	18.29	18.69	5
		6	0	18.23	18.23	18.60	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	18.69	18.84	18.66	0
		1	50	18.65	18.80	18.62	0
		1	99	18.59	18.74	18.56	0
		50	0	17.66	17.81	17.63	1
		50	25	17.62	17.77	17.59	1
		50	50	17.56	17.71	17.53	1
		100	0	17.66	17.77	17.63	1
20M	16QAM	1	0	17.66	17.81	17.63	1
		1	50	17.62	17.77	17.59	1
		1	99	17.56	17.71	17.53	1
		50	0	16.63	16.78	16.60	2
		50	25	16.59	16.74	16.56	2
		50	50	16.53	16.68	16.50	2
		100	0	16.63	16.74	16.60	2
20M	64QAM	1	0	16.62	16.77	16.59	2
		1	50	16.58	16.73	16.55	2
		1	99	16.52	16.67	16.49	2
		50	0	15.59	15.74	15.56	3
		50	25	15.55	15.70	15.52	3
		50	50	15.49	15.64	15.46	3
		100	0	15.59	15.70	15.56	3
20M	256QAM	1	0	13.56	13.71	13.53	5
		1	50	13.52	13.67	13.49	5
		1	99	13.46	13.61	13.43	5
		50	0	13.53	13.68	13.50	5
		50	25	13.49	13.64	13.46	5
		50	50	13.43	13.58	13.40	5
		100	0	13.50	13.65	13.47	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	18.66	18.81	18.63	0
		1	37	18.62	18.77	18.59	0
		1	74	18.56	18.71	18.53	0
		36	0	17.63	17.78	17.60	1
		36	19	17.59	17.74	17.56	1
		36	39	17.53	17.68	17.50	1
		75	0	17.63	17.74	17.60	1
15M	16QAM	1	0	17.63	17.78	17.60	1
		1	37	17.59	17.74	17.56	1
		1	74	17.53	17.68	17.50	1
		36	0	16.60	16.75	16.57	2
		36	19	16.56	16.71	16.53	2
		36	39	16.50	16.65	16.47	2
		75	0	16.60	16.71	16.57	2
15M	64QAM	1	0	16.59	16.74	16.56	2
		1	37	16.55	16.70	16.52	2
		1	74	16.49	16.64	16.46	2
		36	0	15.56	15.71	15.53	3
		36	19	15.52	15.67	15.49	3
		36	39	15.46	15.61	15.43	3
		75	0	15.56	15.67	15.53	3
15M	256QAM	1	0	13.53	13.68	13.50	5
		1	37	13.49	13.64	13.46	5
		1	74	13.43	13.58	13.40	5
		36	0	13.50	13.65	13.47	5
		36	19	13.46	13.61	13.43	5
		36	39	13.40	13.55	13.37	5
		75	0	13.47	13.62	13.44	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	18.62	18.77	18.59	0
		1	24	18.58	18.73	18.55	0
		1	49	18.52	18.67	18.49	0
		25	0	17.59	17.74	17.56	1
		25	12	17.55	17.70	17.52	1
		25	25	17.49	17.64	17.46	1
		50	0	17.59	17.70	17.56	1
10M	16QAM	1	0	17.59	17.74	17.56	1
		1	24	17.55	17.70	17.52	1
		1	49	17.49	17.64	17.46	1
		25	0	16.56	16.71	16.53	2
		25	12	16.52	16.67	16.49	2
		25	25	16.46	16.61	16.43	2
		50	0	16.56	16.67	16.53	2
10M	64QAM	1	0	16.55	16.70	16.52	2
		1	24	16.51	16.66	16.48	2
		1	49	16.45	16.60	16.42	2
		25	0	15.52	15.67	15.49	3
		25	12	15.48	15.63	15.45	3
		25	25	15.42	15.57	15.39	3
		50	0	15.52	15.63	15.49	3
10M	256QAM	1	0	13.49	13.64	13.46	5
		1	24	13.45	13.60	13.42	5
		1	49	13.39	13.54	13.36	5
		25	0	13.46	13.61	13.43	5
		25	12	13.42	13.57	13.39	5
		25	25	13.36	13.51	13.33	5
		50	0	13.43	13.58	13.40	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	18.56	18.71	18.53	0
		1	12	18.52	18.67	18.49	0
		1	24	18.46	18.61	18.43	0
		12	0	17.53	17.68	17.50	1
		12	6	17.49	17.64	17.46	1
		12	13	17.43	17.58	17.40	1
		25	0	17.53	17.64	17.50	1
5M	16QAM	1	0	17.53	17.68	17.50	1
		1	12	17.49	17.64	17.46	1
		1	24	17.43	17.58	17.40	1
		12	0	16.50	16.65	16.47	2
		12	6	16.46	16.61	16.43	2
		12	13	16.40	16.55	16.37	2
		25	0	16.50	16.61	16.47	2
5M	64QAM	1	0	16.49	16.64	16.46	2
		1	12	16.45	16.60	16.42	2
		1	24	16.39	16.54	16.36	2
		12	0	15.46	15.61	15.43	3
		12	6	15.42	15.57	15.39	3
		12	13	15.36	15.51	15.33	3
		25	0	15.46	15.57	15.43	3
5M	256QAM	1	0	13.43	13.58	13.40	5
		1	12	13.39	13.54	13.36	5
		1	24	13.33	13.48	13.30	5
		12	0	13.40	13.55	13.37	5
		12	6	13.36	13.51	13.33	5
		12	13	13.30	13.45	13.27	5
		25	0	13.37	13.52	13.34	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	18.52	18.67	18.49	0
		1	7	18.48	18.63	18.45	0
		1	14	18.42	18.57	18.39	0
		8	0	17.49	17.64	17.46	1
		8	3	17.45	17.60	17.42	1
		8	7	17.39	17.54	17.36	1
		15	0	17.49	17.60	17.46	1
3M	16QAM	1	0	17.49	17.64	17.46	1
		1	7	17.45	17.60	17.42	1
		1	14	17.39	17.54	17.36	1
		8	0	16.46	16.61	16.43	2
		8	3	16.42	16.57	16.39	2
		8	7	16.36	16.51	16.33	2
		15	0	16.46	16.57	16.43	2
3M	64QAM	1	0	16.45	16.60	16.42	2
		1	7	16.41	16.56	16.38	2
		1	14	16.35	16.50	16.32	2
		8	0	15.42	15.57	15.39	3
		8	3	15.38	15.53	15.35	3
		8	7	15.32	15.47	15.29	3
		15	0	15.42	15.53	15.39	3
3M	256QAM	1	0	13.39	13.54	13.36	5
		1	7	13.35	13.50	13.32	5
		1	14	13.29	13.44	13.26	5
		8	0	13.36	13.51	13.33	5
		8	3	13.32	13.47	13.29	5
		8	7	13.26	13.41	13.23	5
		15	0	13.33	13.48	13.30	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	18.46	18.61	18.43	0
		1	2	18.42	18.57	18.39	0
		1	5	18.36	18.51	18.33	0
		3	0	17.43	17.58	17.40	0
		3	1	17.39	17.54	17.36	0
		3	3	17.33	17.48	17.30	0
		6	0	17.43	17.54	17.40	1
1.4M	16QAM	1	0	17.43	17.58	17.40	1
		1	2	17.39	17.54	17.36	1
		1	5	17.33	17.48	17.30	1
		3	0	16.40	16.55	16.37	1
		3	1	16.36	16.51	16.33	1
		3	3	16.30	16.45	16.27	1
		6	0	16.40	16.51	16.37	2
1.4M	64QAM	1	0	16.39	16.54	16.36	2
		1	2	16.35	16.50	16.32	2
		1	5	16.29	16.44	16.26	2
		3	0	15.36	15.51	15.33	2
		3	1	15.32	15.47	15.29	2
		3	3	15.26	15.41	15.23	2
		6	0	15.36	15.47	15.33	3
1.4M	256QAM	1	0	13.33	13.48	13.30	5
		1	2	13.29	13.44	13.26	5
		1	5	13.23	13.38	13.20	5
		3	0	13.30	13.45	13.27	5
		3	1	13.26	13.41	13.23	5
		3	3	13.20	13.35	13.17	5
		6	0	13.27	13.42	13.24	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	17.63	17.82	17.64	0
		1	50	17.58	17.77	17.59	0
		1	99	17.50	17.69	17.51	0
		50	0	16.63	16.82	16.64	1
		50	25	16.55	16.74	16.56	1
		50	50	16.35	16.54	16.36	1
		100	0	16.63	16.82	16.64	1
20M	16QAM	1	0	16.60	16.79	16.61	1
		1	50	16.55	16.74	16.56	1
		1	99	16.47	16.66	16.48	1
		50	0	15.60	15.79	15.61	2
		50	25	15.52	15.71	15.53	2
		50	50	15.32	15.51	15.33	2
		100	0	15.60	15.79	15.61	2
20M	64QAM	1	0	15.54	15.73	15.55	2
		1	50	15.49	15.68	15.50	2
		1	99	15.41	15.60	15.42	2
		50	0	14.54	14.73	14.55	3
		50	25	14.46	14.65	14.47	3
		50	50	14.26	14.45	14.27	3
		100	0	14.54	14.73	14.55	3
20M	256QAM	1	0	12.52	12.71	12.53	5
		1	50	12.47	12.66	12.48	5
		1	99	12.39	12.58	12.40	5
		50	0	12.50	12.69	12.51	5
		50	25	12.45	12.64	12.46	5
		50	50	12.37	12.56	12.38	5
		100	0	12.44	12.66	12.42	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	17.59	17.78	17.60	0
		1	37	17.54	17.73	17.55	0
		1	74	17.46	17.65	17.47	0
		36	0	16.59	16.78	16.60	1
		36	19	16.51	16.70	16.52	1
		36	39	16.31	16.50	16.32	1
		75	0	16.59	16.78	16.60	1
15M	16QAM	1	0	16.56	16.75	16.57	1
		1	37	16.51	16.70	16.52	1
		1	74	16.43	16.62	16.44	1
		36	0	15.56	15.75	15.57	2
		36	19	15.48	15.67	15.49	2
		36	39	15.28	15.47	15.29	2
		75	0	15.56	15.75	15.57	2
15M	64QAM	1	0	15.50	15.69	15.51	2
		1	37	15.45	15.64	15.46	2
		1	74	15.37	15.56	15.38	2
		36	0	14.50	14.69	14.51	3
		36	19	14.42	14.61	14.43	3
		36	39	14.22	14.41	14.23	3
		75	0	14.50	14.69	14.51	3
15M	256QAM	1	0	12.48	12.67	12.49	5
		1	37	12.43	12.62	12.44	5
		1	74	12.35	12.54	12.36	5
		36	0	12.46	12.65	12.47	5
		36	19	12.41	12.60	12.42	5
		36	39	12.33	12.52	12.34	5
		75	0	12.40	12.62	12.38	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	17.55	17.74	17.56	0
		1	24	17.50	17.69	17.51	0
		1	49	17.42	17.61	17.43	0
		25	0	16.55	16.74	16.56	1
		25	12	16.47	16.66	16.48	1
		25	25	16.27	16.46	16.28	1
		50	0	16.55	16.74	16.56	1
10M	16QAM	1	0	16.52	16.71	16.53	1
		1	24	16.47	16.66	16.48	1
		1	49	16.39	16.58	16.40	1
		25	0	15.52	15.71	15.53	2
		25	12	15.44	15.63	15.45	2
		25	25	15.24	15.43	15.25	2
		50	0	15.52	15.71	15.53	2
10M	64QAM	1	0	15.46	15.65	15.47	2
		1	24	15.41	15.60	15.42	2
		1	49	15.33	15.52	15.34	2
		25	0	14.46	14.65	14.47	3
		25	12	14.38	14.57	14.39	3
		25	25	14.18	14.37	14.19	3
		50	0	14.46	14.65	14.47	3
10M	256QAM	1	0	12.44	12.63	12.45	5
		1	24	12.39	12.58	12.40	5
		1	49	12.31	12.50	12.32	5
		25	0	12.42	12.61	12.43	5
		25	12	12.37	12.56	12.38	5
		25	25	12.29	12.48	12.30	5
		50	0	12.36	12.58	12.34	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	17.53	17.72	17.54	0
		1	12	17.48	17.67	17.49	0
		1	24	17.40	17.59	17.41	0
		12	0	16.53	16.72	16.54	1
		12	6	16.45	16.64	16.46	1
		12	13	16.25	16.44	16.26	1
		25	0	16.53	16.72	16.54	1
5M	16QAM	1	0	16.50	16.69	16.51	1
		1	12	16.45	16.64	16.46	1
		1	24	16.37	16.56	16.38	1
		12	0	15.50	15.69	15.51	2
		12	6	15.42	15.61	15.43	2
		12	13	15.22	15.41	15.23	2
		25	0	15.50	15.69	15.51	2
5M	64QAM	1	0	15.44	15.63	15.45	2
		1	12	15.39	15.58	15.40	2
		1	24	15.31	15.50	15.32	2
		12	0	14.44	14.63	14.45	3
		12	6	14.36	14.55	14.37	3
		12	13	14.16	14.35	14.17	3
		25	0	14.44	14.63	14.45	3
5M	256QAM	1	0	12.42	12.61	12.43	5
		1	12	12.37	12.56	12.38	5
		1	24	12.29	12.48	12.30	5
		12	0	12.40	12.59	12.41	5
		12	6	12.35	12.54	12.36	5
		12	13	12.27	12.46	12.28	5
		25	0	12.34	12.56	12.32	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	17.49	17.68	17.50	0
		1	7	17.44	17.63	17.45	0
		1	14	17.36	17.55	17.37	0
		8	0	16.49	16.68	16.50	1
		8	3	16.41	16.60	16.42	1
		8	7	16.21	16.40	16.22	1
		15	0	16.49	16.68	16.50	1
3M	16QAM	1	0	16.46	16.65	16.47	1
		1	7	16.41	16.60	16.42	1
		1	14	16.33	16.52	16.34	1
		8	0	15.46	15.65	15.47	2
		8	3	15.38	15.57	15.39	2
		8	7	15.18	15.37	15.19	2
		15	0	15.46	15.65	15.47	2
3M	64QAM	1	0	15.40	15.59	15.41	2
		1	7	15.35	15.54	15.36	2
		1	14	15.27	15.46	15.28	2
		8	0	14.40	14.59	14.41	3
		8	3	14.32	14.51	14.33	3
		8	7	14.12	14.31	14.13	3
		15	0	14.40	14.59	14.41	3
3M	256QAM	1	0	12.38	12.57	12.39	5
		1	7	12.33	12.52	12.34	5
		1	14	12.25	12.44	12.26	5
		8	0	12.36	12.55	12.37	5
		8	3	12.31	12.50	12.32	5
		8	7	12.23	12.42	12.24	5
		15	0	12.30	12.52	12.28	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	17.45	17.64	17.46	0
		1	2	17.40	17.59	17.41	0
		1	5	17.32	17.51	17.33	0
		3	0	16.45	16.64	16.46	0
		3	1	16.37	16.56	16.38	0
		3	3	16.17	16.36	16.18	0
		6	0	16.45	16.64	16.46	1
1.4M	16QAM	1	0	16.42	16.61	16.43	1
		1	2	16.37	16.56	16.38	1
		1	5	16.29	16.48	16.30	1
		3	0	15.42	15.61	15.43	1
		3	1	15.34	15.53	15.35	1
		3	3	15.14	15.33	15.15	1
		6	0	15.42	15.61	15.43	2
1.4M	64QAM	1	0	15.36	15.55	15.37	2
		1	2	15.31	15.50	15.32	2
		1	5	15.23	15.42	15.24	2
		3	0	14.36	14.55	14.37	2
		3	1	14.28	14.47	14.29	2
		3	3	14.08	14.27	14.09	2
		6	0	14.36	14.55	14.37	3
1.4M	256QAM	1	0	12.34	12.53	12.35	5
		1	2	12.29	12.48	12.30	5
		1	5	12.21	12.40	12.22	5
		3	0	12.32	12.51	12.33	5
		3	1	12.27	12.46	12.28	5
		3	3	12.19	12.38	12.20	5
		6	0	12.26	12.48	12.24	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	18.85	18.92	18.79	0
		1	24	18.83	18.90	18.77	0
		1	49	18.75	18.82	18.69	0
		25	0	17.82	17.89	17.76	1
		25	12	17.80	17.87	17.74	1
		25	25	17.72	17.79	17.66	1
		50	0	17.82	17.88	17.76	1
10M	16QAM	1	0	17.82	17.89	17.76	1
		1	24	17.80	17.87	17.74	1
		1	49	17.72	17.79	17.66	1
		25	0	16.79	16.86	16.73	2
		25	12	16.77	16.84	16.71	2
		25	25	16.69	16.76	16.63	2
		50	0	16.79	16.85	16.73	2
10M	64QAM	1	0	16.80	16.87	16.74	2
		1	24	16.78	16.85	16.72	2
		1	49	16.70	16.77	16.64	2
		25	0	15.77	15.84	15.71	3
		25	12	15.75	15.82	15.69	3
		25	25	15.67	15.74	15.61	3
		50	0	15.77	15.83	15.71	3
10M	256QAM	1	0	13.74	13.81	13.68	5
		1	24	13.72	13.79	13.66	5
		1	49	13.64	13.71	13.58	5
		25	0	13.70	13.77	13.64	5
		25	12	13.68	13.75	13.62	5
		25	25	13.60	13.67	13.54	5
		50	0	13.66	13.73	13.60	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	18.81	18.88	18.75	0
		1	12	18.79	18.86	18.73	0
		1	24	18.71	18.78	18.65	0
		12	0	17.78	17.85	17.72	1
		12	6	17.76	17.83	17.70	1
		12	13	17.68	17.75	17.62	1
		25	0	17.78	17.84	17.72	1
5M	16QAM	1	0	17.78	17.85	17.72	1
		1	12	17.76	17.83	17.70	1
		1	24	17.68	17.75	17.62	1
		12	0	16.75	16.82	16.69	2
		12	6	16.73	16.80	16.67	2
		12	13	16.65	16.72	16.59	2
		25	0	16.75	16.81	16.69	2
5M	64QAM	1	0	16.76	16.83	16.70	2
		1	12	16.74	16.81	16.68	2
		1	24	16.66	16.73	16.60	2
		12	0	15.73	15.80	15.67	3
		12	6	15.71	15.78	15.65	3
		12	13	15.63	15.70	15.57	3
		25	0	15.73	15.79	15.67	3
5M	256QAM	1	0	13.70	13.77	13.64	5
		1	12	13.68	13.75	13.62	5
		1	24	13.60	13.67	13.54	5
		12	0	13.66	13.73	13.60	5
		12	6	13.64	13.71	13.58	5
		12	13	13.56	13.63	13.50	5
		25	0	13.62	13.69	13.56	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	18.78	18.85	18.72	0
		1	7	18.76	18.83	18.70	0
		1	14	18.68	18.75	18.62	0
		8	0	17.75	17.82	17.69	1
		8	3	17.73	17.80	17.67	1
		8	7	17.65	17.72	17.59	1
		15	0	17.75	17.81	17.69	1
3M	16QAM	1	0	17.75	17.82	17.69	1
		1	7	17.73	17.80	17.67	1
		1	14	17.65	17.72	17.59	1
		8	0	16.72	16.79	16.66	2
		8	3	16.70	16.77	16.64	2
		8	7	16.62	16.69	16.56	2
		15	0	16.72	16.78	16.66	2
3M	64QAM	1	0	16.73	16.80	16.67	2
		1	7	16.71	16.78	16.65	2
		1	14	16.63	16.70	16.57	2
		8	0	15.70	15.77	15.64	3
		8	3	15.68	15.75	15.62	3
		8	7	15.60	15.67	15.54	3
		15	0	15.70	15.76	15.64	3
3M	256QAM	1	0	13.67	13.74	13.61	5
		1	7	13.65	13.72	13.59	5
		1	14	13.57	13.64	13.51	5
		8	0	13.63	13.70	13.57	5
		8	3	13.61	13.68	13.55	5
		8	7	13.53	13.60	13.47	5
		15	0	13.59	13.66	13.53	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	18.74	18.81	18.68	0
		1	2	18.72	18.79	18.66	0
		1	5	18.64	18.71	18.58	0
		3	0	17.71	17.78	17.65	0
		3	1	17.69	17.76	17.63	0
		3	3	17.61	17.68	17.55	0
		6	0	17.71	17.77	17.65	1
1.4M	16QAM	1	0	17.71	17.78	17.65	1
		1	2	17.69	17.76	17.63	1
		1	5	17.61	17.68	17.55	1
		3	0	16.68	16.75	16.62	1
		3	1	16.66	16.73	16.60	1
		3	3	16.58	16.65	16.52	1
		6	0	16.68	16.74	16.62	2
1.4M	64QAM	1	0	16.69	16.76	16.63	2
		1	2	16.67	16.74	16.61	2
		1	5	16.59	16.66	16.53	2
		3	0	15.66	15.73	15.60	2
		3	1	15.64	15.71	15.58	2
		3	3	15.56	15.63	15.50	2
		6	0	15.66	15.72	15.60	3
1.4M	256QAM	1	0	13.63	13.70	13.57	5
		1	2	13.61	13.68	13.55	5
		1	5	13.53	13.60	13.47	5
		3	0	13.59	13.66	13.53	5
		3	1	13.57	13.64	13.51	5
		3	3	13.49	13.56	13.43	5
		6	0	13.55	13.62	13.49	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	14.71	14.77	14.69	0
		1	50	14.66	14.72	14.64	0
		1	99	14.60	14.66	14.58	0
		50	0	13.69	13.75	13.67	1
		50	25	13.64	13.70	13.62	1
		50	50	13.58	13.64	13.56	1
		100	0	13.65	13.69	13.66	1
20M	16QAM	1	0	13.68	13.74	13.66	1
		1	50	13.63	13.69	13.61	1
		1	99	13.57	13.63	13.55	1
		50	0	12.66	12.72	12.64	2
		50	25	12.61	12.67	12.59	2
		50	50	12.55	12.61	12.53	2
		100	0	12.62	12.66	12.63	2
20M	64QAM	1	0	12.64	12.70	12.62	2
		1	50	12.59	12.65	12.57	2
		1	99	12.53	12.59	12.51	2
		50	0	11.62	11.68	11.60	3
		50	25	11.57	11.63	11.55	3
		50	50	11.51	11.57	11.49	3
		100	0	11.58	11.62	11.59	3
20M	256QAM	1	0	9.58	9.64	9.56	5
		1	50	9.53	9.59	9.51	5
		1	99	9.47	9.53	9.45	5
		50	0	9.54	9.60	9.52	5
		50	25	9.49	9.55	9.47	5
		50	50	9.43	9.49	9.41	5
		100	0	9.44	9.52	9.51	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	14.66	14.72	14.64	0
		1	37	14.61	14.67	14.59	0
		1	74	14.55	14.61	14.53	0
		36	0	13.64	13.70	13.62	1
		36	19	13.59	13.65	13.57	1
		36	39	13.53	13.59	13.51	1
		75	0	13.60	13.64	13.61	1
15M	16QAM	1	0	13.63	13.69	13.61	1
		1	37	13.58	13.64	13.56	1
		1	74	13.52	13.58	13.50	1
		36	0	12.61	12.67	12.59	2
		36	19	12.56	12.62	12.54	2
		36	39	12.50	12.56	12.48	2
		75	0	12.57	12.61	12.58	2
15M	64QAM	1	0	12.59	12.65	12.57	2
		1	37	12.54	12.60	12.52	2
		1	74	12.48	12.54	12.46	2
		36	0	11.57	11.63	11.55	3
		36	19	11.52	11.58	11.50	3
		36	39	11.46	11.52	11.44	3
		75	0	11.53	11.57	11.54	3
15M	256QAM	1	0	9.53	9.59	9.51	5
		1	37	9.48	9.54	9.46	5
		1	74	9.42	9.48	9.40	5
		36	0	9.49	9.55	9.47	5
		36	19	9.44	9.50	9.42	5
		36	39	9.38	9.44	9.36	5
		75	0	9.39	9.47	9.46	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	14.62	14.68	14.60	0
		1	24	14.57	14.63	14.55	0
		1	49	14.51	14.57	14.49	0
		25	0	13.60	13.66	13.58	1
		25	12	13.55	13.61	13.53	1
		25	25	13.49	13.55	13.47	1
		50	0	13.56	13.60	13.57	1
10M	16QAM	1	0	13.59	13.65	13.57	1
		1	24	13.54	13.60	13.52	1
		1	49	13.48	13.54	13.46	1
		25	0	12.57	12.63	12.55	2
		25	12	12.52	12.58	12.50	2
		25	25	12.46	12.52	12.44	2
		50	0	12.53	12.57	12.54	2
10M	64QAM	1	0	12.55	12.61	12.53	2
		1	24	12.50	12.56	12.48	2
		1	49	12.44	12.50	12.42	2
		25	0	11.53	11.59	11.51	3
		25	12	11.48	11.54	11.46	3
		25	25	11.42	11.48	11.40	3
		50	0	11.49	11.53	11.50	3
10M	256QAM	1	0	9.49	9.55	9.47	5
		1	24	9.44	9.50	9.42	5
		1	49	9.38	9.44	9.36	5
		25	0	9.45	9.51	9.43	5
		25	12	9.40	9.46	9.38	5
		25	25	9.34	9.40	9.32	5
		50	0	9.35	9.43	9.42	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	14.56	14.62	14.54	0
		1	12	14.51	14.57	14.49	0
		1	24	14.45	14.51	14.43	0
		12	0	13.54	13.60	13.52	1
		12	6	13.49	13.55	13.47	1
		12	13	13.43	13.49	13.41	1
		25	0	13.50	13.54	13.51	1
5M	16QAM	1	0	13.53	13.59	13.51	1
		1	12	13.48	13.54	13.46	1
		1	24	13.42	13.48	13.40	1
		12	0	12.51	12.57	12.49	2
		12	6	12.46	12.52	12.44	2
		12	13	12.40	12.46	12.38	2
		25	0	12.47	12.51	12.48	2
5M	64QAM	1	0	12.49	12.55	12.47	2
		1	12	12.44	12.50	12.42	2
		1	24	12.38	12.44	12.36	2
		12	0	11.47	11.53	11.45	3
		12	6	11.42	11.48	11.40	3
		12	13	11.36	11.42	11.34	3
		25	0	11.43	11.47	11.44	3
5M	256QAM	1	0	9.43	9.49	9.41	5
		1	12	9.38	9.44	9.36	5
		1	24	9.32	9.38	9.30	5
		12	0	9.39	9.45	9.37	5
		12	6	9.34	9.40	9.32	5
		12	13	9.28	9.34	9.26	5
		25	0	9.29	9.37	9.36	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	20.22	20.32	20.12	0
		1	24	20.20	20.30	20.10	0
		1	49	20.15	20.25	20.05	0
		25	0	19.19	19.29	19.09	1
		25	12	19.17	19.27	19.07	1
		25	25	19.12	19.22	19.02	1
		50	0	19.25	19.33	19.12	1
10M	16QAM	1	0	19.19	19.29	19.09	1
		1	24	19.17	19.27	19.07	1
		1	49	19.12	19.22	19.02	1
		25	0	18.16	18.26	18.06	2
		25	12	18.14	18.24	18.04	2
		25	25	18.09	18.19	17.99	2
		50	0	18.22	18.30	18.09	2
10M	64QAM	1	0	18.15	18.25	18.05	2
		1	24	18.13	18.23	18.03	2
		1	49	18.08	18.18	17.98	2
		25	0	17.12	17.22	17.02	3
		25	12	17.10	17.20	17.00	3
		25	25	17.05	17.15	16.95	3
		50	0	17.18	17.26	17.05	3
10M	256QAM	1	0	15.09	15.19	14.99	5
		1	24	15.07	15.17	14.97	5
		1	49	15.02	15.12	14.92	5
		25	0	15.06	15.16	14.96	5
		25	12	15.04	15.14	14.94	5
		25	25	14.99	15.09	14.89	5
		50	0	15.02	15.11	15.12	5
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	20.19	20.29	20.09	0
		1	12	20.17	20.27	20.07	0
		1	24	20.12	20.22	20.02	0
		12	0	19.16	19.26	19.06	1
		12	6	19.14	19.24	19.04	1
		12	13	19.09	19.19	18.99	1
		25	0	19.22	19.30	19.09	1
5M	16QAM	1	0	19.16	19.26	19.06	1
		1	12	19.14	19.24	19.04	1
		1	24	19.09	19.19	18.99	1
		12	0	18.13	18.23	18.03	2
		12	6	18.11	18.21	18.01	2
		12	13	18.06	18.16	17.96	2
		25	0	18.19	18.27	18.06	2
5M	64QAM	1	0	18.12	18.22	18.02	2
		1	12	18.10	18.20	18.00	2
		1	24	18.05	18.15	17.95	2
		12	0	17.09	17.19	16.99	3
		12	6	17.07	17.17	16.97	3
		12	13	17.02	17.12	16.92	3
		25	0	17.15	17.23	17.02	3
5M	256QAM	1	0	15.06	15.16	14.96	5
		1	12	15.04	15.14	14.94	5
		1	24	14.99	15.09	14.89	5
		12	0	15.03	15.13	14.93	5
		12	6	15.01	15.11	14.91	5
		12	13	14.96	15.06	14.86	5
		25	0	14.99	15.08	15.09	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	20.14	20.24	20.04	0
		1	7	20.12	20.22	20.02	0
		1	14	20.07	20.17	19.97	0
		8	0	19.11	19.21	19.01	1
		8	3	19.09	19.19	18.99	1
		8	7	19.04	19.14	18.94	1
		15	0	19.17	19.25	19.04	1
3M	16QAM	1	0	19.11	19.21	19.01	1
		1	7	19.09	19.19	18.99	1
		1	14	19.04	19.14	18.94	1
		8	0	18.08	18.18	17.98	2
		8	3	18.06	18.16	17.96	2
		8	7	18.01	18.11	17.91	2
		15	0	18.14	18.22	18.01	2
3M	64QAM	1	0	18.07	18.17	17.97	2
		1	7	18.05	18.15	17.95	2
		1	14	18.00	18.10	17.90	2
		8	0	17.04	17.14	16.94	3
		8	3	17.02	17.12	16.92	3
		8	7	16.97	17.07	16.87	3
		15	0	17.10	17.18	16.97	3
3M	256QAM	1	0	15.01	15.11	14.91	5
		1	7	14.99	15.09	14.89	5
		1	14	14.94	15.04	14.84	5
		8	0	14.98	15.08	14.88	5
		8	3	14.96	15.06	14.86	5
		8	7	14.91	15.01	14.81	5
		15	0	14.94	15.03	15.04	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	20.12	20.22	20.02	0
		1	2	20.10	20.20	20.00	0
		1	5	20.05	20.15	19.95	0
		3	0	19.09	19.19	18.99	0
		3	1	19.07	19.17	18.97	0
		3	3	19.02	19.12	18.92	0
		6	0	19.15	19.23	19.02	1
1.4M	16QAM	1	0	19.09	19.19	18.99	1
		1	2	19.07	19.17	18.97	1
		1	5	19.02	19.12	18.92	1
		3	0	18.06	18.16	17.96	1
		3	1	18.04	18.14	17.94	1
		3	3	17.99	18.09	17.89	1
		6	0	18.12	18.20	17.99	2
1.4M	64QAM	1	0	18.05	18.15	17.95	2
		1	2	18.03	18.13	17.93	2
		1	5	17.98	18.08	17.88	2
		3	0	17.02	17.12	16.92	2
		3	1	17.00	17.10	16.90	2
		3	3	16.95	17.05	16.85	2
		6	0	17.08	17.16	16.95	3
1.4M	256QAM	1	0	14.99	15.09	14.89	5
		1	2	14.97	15.07	14.87	5
		1	5	14.92	15.02	14.82	5
		3	0	14.96	15.06	14.86	5
		3	1	14.94	15.04	14.84	5
		3	3	14.89	14.99	14.79	5
		6	0	14.92	15.01	15.02	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		21.34		0
		1	24		21.22		0
		1	49		21.20		0
		25	0		20.30		1
		25	12		20.22		1
		25	25		20.15		1
		50	0		20.22		1
10M	16QAM	1	0		20.32		1
		1	24		20.20		1
		1	49		20.18		1
		25	0		19.28		2
		25	12		19.20		2
		25	25		19.13		2
		50	0		19.20		2
10M	64QAM	1	0		19.28		2
		1	24		19.16		2
		1	49		19.14		2
		25	0		18.24		3
		25	12		18.16		3
		25	25		18.09		3
		50	0		18.16		3
10M	256QAM	1	0		16.27		5
		1	24		16.15		5
		1	49		16.13		5
		25	0		16.22		5
		25	12		16.20		5
		25	25		16.11		5
		50	0		16.21		5
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	21.27	21.31	21.25	0
		1	12	21.15	21.19	21.13	0
		1	24	21.13	21.17	21.11	0
		12	0	20.23	20.27	20.21	1
		12	6	20.15	20.19	20.13	1
		12	13	20.08	20.12	20.06	1
		25	0	20.15	20.19	20.13	1
5M	16QAM	1	0	20.25	20.29	20.23	1
		1	12	20.13	20.17	20.11	1
		1	24	20.11	20.15	20.09	1
		12	0	19.21	19.25	19.19	2
		12	6	19.13	19.17	19.11	2
		12	13	19.06	19.10	19.04	2
		25	0	19.13	19.17	19.11	2
5M	64QAM	1	0	19.21	19.25	19.19	2
		1	12	19.09	19.13	19.07	2
		1	24	19.07	19.11	19.05	2
		12	0	18.17	18.21	18.15	3
		12	6	18.09	18.13	18.07	3
		12	13	18.02	18.06	18.00	3
		25	0	18.09	18.13	18.07	3
5M	256QAM	1	0	16.20	16.24	16.18	5
		1	12	16.08	16.12	16.06	5
		1	24	16.06	16.10	16.04	5
		12	0	16.15	16.19	16.13	5
		12	6	16.13	16.17	16.11	5
		12	13	16.04	16.08	16.02	5
		25	0	16.14	16.18	16.12	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0		22.42		0
		1	24		22.32		0
		1	49		22.22		0
		25	0		21.32		1
		25	12		21.22		1
		25	25		21.15		1
		50	0		21.25		1
10M	16QAM	1	0		21.40		1
		1	24		21.30		1
		1	49		21.20		1
		25	0		20.30		2
		25	12		20.20		2
		25	25		20.13		2
		50	0		20.23		2
10M	64QAM	1	0		20.37		2
		1	24		20.27		2
		1	49		20.17		2
		25	0		19.27		3
		25	12		19.17		3
		25	25		19.10		3
		50	0		19.20		3
10M	256QAM	1	0		17.35		5
		1	24		17.25		5
		1	49		17.15		5
		25	0		16.25		5
		25	12		16.15		5
		25	25		16.08		5
		50	0		16.18		5
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	22.34	22.38	22.36	0
		1	12	22.24	22.28	22.26	0
		1	24	22.14	22.18	22.16	0
		12	0	21.24	21.28	21.26	1
		12	6	21.14	21.18	21.16	1
		12	13	21.07	21.11	21.09	1
		25	0	21.17	21.21	21.19	1
5M	16QAM	1	0	21.32	21.36	21.34	1
		1	12	21.22	21.26	21.24	1
		1	24	21.12	21.16	21.14	1
		12	0	20.22	20.26	20.24	2
		12	6	20.12	20.16	20.14	2
		12	13	20.05	20.09	20.07	2
		25	0	20.15	20.19	20.17	2
5M	64QAM	1	0	20.29	20.33	20.31	2
		1	12	20.19	20.23	20.21	2
		1	24	20.09	20.13	20.11	2
		12	0	19.19	19.23	19.21	3
		12	6	19.09	19.13	19.11	3
		12	13	19.02	19.06	19.04	3
		25	0	19.12	19.16	19.14	3
5M	256QAM	1	0	17.27	17.31	17.29	5
		1	12	17.17	17.21	17.19	5
		1	24	17.07	17.11	17.09	5
		12	0	16.17	16.21	16.19	5
		12	6	16.07	16.11	16.09	5
		12	13	16.00	16.04	16.02	5
		25	0	16.10	16.14	16.12	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	20.36	20.42	20.40	0
		1	24	20.33	20.41	20.39	0
		1	49	20.25	20.33	20.31	0
		25	0	19.32	19.38	19.36	1
		25	12	19.29	19.37	19.35	1
		25	25	19.21	19.29	19.27	1
		50	0	19.33	19.38	19.37	1
10M	16QAM	1	0	19.32	19.38	19.36	1
		1	24	19.29	19.37	19.35	1
		1	49	19.21	19.29	19.27	1
		25	0	18.28	18.34	18.32	2
		25	12	18.25	18.33	18.31	2
		25	25	18.17	18.25	18.23	2
		50	0	18.29	18.31	18.33	2
10M	64QAM	1	0	18.30	18.36	18.34	2
		1	24	18.27	18.35	18.33	2
		1	49	18.19	18.27	18.25	2
		25	0	17.26	17.32	17.30	3
		25	12	17.23	17.31	17.29	3
		25	25	17.15	17.23	17.21	3
		50	0	17.27	17.29	17.31	3
10M	256QAM	1	0	17.25	17.31	17.29	5
		1	24	17.22	17.30	17.28	5
		1	49	17.14	17.22	17.20	5
		25	0	17.22	17.28	17.26	5
		25	12	17.19	17.27	17.25	5
		25	25	17.11	17.19	17.17	5
		50	0	17.21	17.20	17.27	5
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	20.32	20.38	20.36	0
		1	12	20.29	20.37	20.35	0
		1	24	20.21	20.29	20.27	0
		12	0	19.28	19.34	19.32	1
		12	6	19.25	19.33	19.31	1
		12	13	19.17	19.25	19.23	1
		25	0	19.29	19.31	19.33	1
5M	16QAM	1	0	19.28	19.34	19.32	1
		1	12	19.25	19.33	19.31	1
		1	24	19.17	19.25	19.23	1
		12	0	18.24	18.30	18.28	2
		12	6	18.21	18.29	18.27	2
		12	13	18.13	18.21	18.19	2
		25	0	18.25	18.27	18.29	2
5M	64QAM	1	0	18.26	18.32	18.30	2
		1	12	18.23	18.31	18.29	2
		1	24	18.15	18.23	18.21	2
		12	0	17.22	17.28	17.26	3
		12	6	17.19	17.27	17.25	3
		12	13	17.11	17.19	17.17	3
		25	0	17.23	17.25	17.27	3
5M	256QAM	1	0	17.21	17.27	17.25	5
		1	12	17.18	17.26	17.24	5
		1	24	17.10	17.18	17.16	5
		12	0	17.18	17.24	17.22	5
		12	6	17.15	17.23	17.21	5
		12	13	17.07	17.15	17.13	5
		25	0	17.17	17.16	17.23	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	19.24	19.32	19.25	0
		1	50	19.17	19.25	19.18	0
		1	99	19.13	19.21	19.14	0
		50	0	18.22	18.30	18.23	1
		50	25	18.15	18.23	18.16	1
		50	50	18.11	18.19	18.12	1
		100	0	18.21	18.28	18.25	1
20M	16QAM	1	0	18.21	18.29	18.22	1
		1	50	18.14	18.22	18.15	1
		1	99	18.10	18.18	18.11	1
		50	0	17.19	17.27	17.20	2
		50	25	17.12	17.20	17.13	2
		50	50	17.08	17.16	17.09	2
		100	0	17.18	17.19	17.22	2
20M	64QAM	1	0	17.17	17.25	17.18	2
		1	50	17.10	17.18	17.11	2
		1	99	17.06	17.14	17.07	2
		50	0	16.15	16.23	16.16	3
		50	25	16.08	16.16	16.09	3
		50	50	16.04	16.12	16.05	3
		100	0	16.14	16.15	16.18	3
20M	256QAM	1	0	14.11	14.19	14.12	5
		1	50	14.04	14.12	14.05	5
		1	99	14.00	14.08	14.01	5
		50	0	14.09	14.17	14.10	5
		50	25	14.02	14.10	14.03	5
		50	50	13.98	14.06	13.99	5
		100	0	14.06	14.09	14.12	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	19.21	19.29	19.22	0
		1	37	19.14	19.22	19.15	0
		1	74	19.10	19.18	19.11	0
		36	0	18.19	18.27	18.20	1
		36	19	18.12	18.20	18.13	1
		36	39	18.08	18.16	18.09	1
		75	0	18.18	18.19	18.22	1
15M	16QAM	1	0	18.18	18.26	18.19	1
		1	37	18.11	18.19	18.12	1
		1	74	18.07	18.15	18.08	1
		36	0	17.16	17.24	17.17	2
		36	19	17.09	17.17	17.10	2
		36	39	17.05	17.13	17.06	2
		75	0	17.15	17.16	17.19	2
15M	64QAM	1	0	17.14	17.22	17.15	2
		1	37	17.07	17.15	17.08	2
		1	74	17.03	17.11	17.04	2
		36	0	16.12	16.20	16.13	3
		36	19	16.05	16.13	16.06	3
		36	39	16.01	16.09	16.02	3
		75	0	16.11	16.12	16.15	3
15M	256QAM	1	0	14.08	14.16	14.09	5
		1	37	14.01	14.09	14.02	5
		1	74	13.97	14.05	13.98	5
		36	0	14.06	14.14	14.07	5
		36	19	13.99	14.07	14.00	5
		36	39	13.95	14.03	13.96	5
		75	0	14.03	14.06	14.09	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	19.17	19.25	19.18	0
		1	24	19.10	19.18	19.11	0
		1	49	19.06	19.14	19.07	0
		25	0	18.15	18.23	18.16	1
		25	12	18.08	18.16	18.09	1
		25	25	18.04	18.12	18.05	1
		50	0	18.14	18.15	18.18	1
10M	16QAM	1	0	18.14	18.22	18.15	1
		1	24	18.07	18.15	18.08	1
		1	49	18.03	18.11	18.04	1
		25	0	17.12	17.20	17.13	2
		25	12	17.05	17.13	17.06	2
		25	25	17.01	17.09	17.02	2
		50	0	17.11	17.12	17.15	2
10M	64QAM	1	0	17.10	17.18	17.11	2
		1	24	17.03	17.11	17.04	2
		1	49	16.99	17.07	17.00	2
		25	0	16.08	16.16	16.09	3
		25	12	16.01	16.09	16.02	3
		25	25	15.97	16.05	15.98	3
		50	0	16.07	16.08	16.11	3
10M	256QAM	1	0	14.04	14.12	14.05	5
		1	24	13.97	14.05	13.98	5
		1	49	13.93	14.01	13.94	5
		25	0	14.02	14.10	14.03	5
		25	12	13.95	14.03	13.96	5
		25	25	13.91	13.99	13.92	5
		50	0	13.99	14.02	14.05	5
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	19.13	19.21	19.14	0
		1	12	19.06	19.14	19.07	0
		1	24	19.02	19.10	19.03	0
		12	0	18.11	18.19	18.12	1
		12	6	18.04	18.12	18.05	1
		12	13	18.00	18.08	18.01	1
		25	0	18.10	18.11	18.14	1
5M	16QAM	1	0	18.10	18.18	18.11	1
		1	12	18.03	18.11	18.04	1
		1	24	17.99	18.07	18.00	1
		12	0	17.08	17.16	17.09	2
		12	6	17.01	17.09	17.02	2
		12	13	16.97	17.05	16.98	2
		25	0	17.07	17.08	17.11	2
5M	64QAM	1	0	17.06	17.14	17.07	2
		1	12	16.99	17.07	17.00	2
		1	24	16.95	17.03	16.96	2
		12	0	16.04	16.12	16.05	3
		12	6	15.97	16.05	15.98	3
		12	13	15.93	16.01	15.94	3
		25	0	16.03	16.04	16.07	3
5M	256QAM	1	0	14.00	14.08	14.01	5
		1	12	13.93	14.01	13.94	5
		1	24	13.89	13.97	13.90	5
		12	0	13.98	14.06	13.99	5
		12	6	13.91	13.99	13.92	5
		12	13	13.87	13.95	13.88	5
		25	0	13.95	13.98	14.01	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	19.11	19.19	19.12	0
		1	7	19.04	19.12	19.05	0
		1	14	19.00	19.08	19.01	0
		8	0	18.09	18.17	18.10	1
		8	3	18.02	18.10	18.03	1
		8	7	17.98	18.06	17.99	1
		15	0	18.08	18.09	18.12	1
3M	16QAM	1	0	18.08	18.16	18.09	1
		1	7	18.01	18.09	18.02	1
		1	14	17.97	18.05	17.98	1
		8	0	17.06	17.14	17.07	2
		8	3	16.99	17.07	17.00	2
		8	7	16.95	17.03	16.96	2
		15	0	17.05	17.06	17.09	2
3M	64QAM	1	0	17.04	17.12	17.05	2
		1	7	16.97	17.05	16.98	2
		1	14	16.93	17.01	16.94	2
		8	0	16.02	16.10	16.03	3
		8	3	15.95	16.03	15.96	3
		8	7	15.91	15.99	15.92	3
		15	0	16.01	16.02	16.05	3
3M	256QAM	1	0	13.98	14.06	13.99	2
		1	7	13.91	13.99	13.92	2
		1	14	13.87	13.95	13.88	2
		8	0	13.96	14.04	13.97	3
		8	3	13.89	13.97	13.90	3
		8	7	13.85	13.93	13.86	3
		15	0	13.93	13.96	13.99	3
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	19.07	19.15	19.08	0
		1	2	19.00	19.08	19.01	0
		1	5	18.96	19.04	18.97	0
		3	0	18.05	18.13	18.06	0
		3	1	17.98	18.06	17.99	0
		3	3	17.94	18.02	17.95	0
		6	0	18.04	18.05	18.08	1
1.4M	16QAM	1	0	18.04	18.12	18.05	1
		1	2	17.97	18.05	17.98	1
		1	5	17.93	18.01	17.94	1
		3	0	17.02	17.10	17.03	1
		3	1	16.95	17.03	16.96	1
		3	3	16.91	16.99	16.92	1
		6	0	17.01	17.02	17.05	2
1.4M	64QAM	1	0	17.00	17.08	17.01	2
		1	2	16.93	17.01	16.94	2
		1	5	16.89	16.97	16.90	2
		3	0	15.98	16.06	15.99	2
		3	1	15.91	15.99	15.92	2
		3	3	15.87	15.95	15.88	2
		6	0	15.97	15.98	16.01	3
1.4M	256QAM	1	0	13.94	14.02	13.95	5
		1	2	13.87	13.95	13.88	5
		1	5	13.83	13.91	13.84	5
		3	0	13.92	14.00	13.93	5
		3	1	13.85	13.93	13.86	5
		3	3	13.81	13.89	13.82	5
		6	0	13.89	13.92	13.95	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	18.60	18.64	18.52	0
		1	37	18.58	18.62	18.50	0
		1	74	18.54	18.58	18.46	0
		36	0	17.58	17.62	17.50	1
		36	19	17.56	17.60	17.48	1
		36	39	17.52	17.56	17.44	1
		75	0	17.66	17.68	17.54	1
15M	16QAM	1	0	17.58	17.62	17.50	1
		1	37	17.56	17.60	17.48	1
		1	74	17.52	17.56	17.44	1
		36	0	16.56	16.60	16.48	2
		36	19	16.54	16.58	16.46	2
		36	39	16.50	16.54	16.42	2
		75	0	16.64	16.62	16.52	2
15M	64QAM	1	0	16.55	16.59	16.47	2
		1	37	16.53	16.57	16.45	2
		1	74	16.49	16.53	16.41	2
		36	0	15.53	15.57	15.45	3
		36	19	15.51	15.55	15.43	3
		36	39	15.47	15.51	15.39	3
		75	0	15.61	15.59	15.49	3
15M	256QAM	1	0	13.53	13.57	13.45	5
		1	37	13.51	13.55	13.43	5
		1	74	13.47	13.51	13.39	5
		36	0	13.49	13.53	13.41	5
		36	19	13.47	13.51	13.39	5
		36	39	13.43	13.47	13.35	5
		75	0	13.47	13.51	13.39	5
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	QPSK	1	0	18.56	18.60	18.48	0
		1	24	18.54	18.58	18.46	0
		1	49	18.50	18.54	18.42	0
		25	0	17.54	17.58	17.46	1
		25	12	17.52	17.56	17.44	1
		25	25	17.48	17.52	17.40	1
		50	0	17.62	17.60	17.50	1
10M	16QAM	1	0	17.54	17.58	17.46	1
		1	24	17.52	17.56	17.44	1
		1	49	17.48	17.52	17.40	1
		25	0	16.52	16.56	16.44	2
		25	12	16.50	16.54	16.42	2
		25	25	16.46	16.50	16.38	2
		50	0	16.60	16.58	16.48	2
10M	64QAM	1	0	16.51	16.55	16.43	2
		1	24	16.49	16.53	16.41	2
		1	49	16.45	16.49	16.37	2
		25	0	15.49	15.53	15.41	3
		25	12	15.47	15.51	15.39	3
		25	25	15.43	15.47	15.35	3
		50	0	15.57	15.55	15.45	3
10M	256QAM	1	0	13.49	13.53	13.41	5
		1	24	13.47	13.51	13.39	5
		1	49	13.43	13.47	13.35	5
		25	0	13.45	13.49	13.37	5
		25	12	13.43	13.47	13.35	5
		25	25	13.39	13.43	13.31	5
		50	0	13.43	13.47	13.35	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	18.48	18.52	18.40	0
		1	12	18.46	18.50	18.38	0
		1	24	18.42	18.46	18.34	0
		12	0	17.46	17.50	17.38	1
		12	6	17.44	17.48	17.36	1
		12	13	17.40	17.44	17.32	1
		25	0	17.54	17.52	17.42	1
5M	16QAM	1	0	17.46	17.50	17.38	1
		1	12	17.44	17.48	17.36	1
		1	24	17.40	17.44	17.32	1
		12	0	16.44	16.48	16.36	2
		12	6	16.42	16.46	16.34	2
		12	13	16.38	16.42	16.30	2
		25	0	16.52	16.50	16.40	2
5M	64QAM	1	0	16.43	16.47	16.35	2
		1	12	16.41	16.45	16.33	2
		1	24	16.37	16.41	16.29	2
		12	0	15.41	15.45	15.33	3
		12	6	15.39	15.43	15.31	3
		12	13	15.35	15.39	15.27	3
		25	0	15.49	15.47	15.37	3
5M	256QAM	1	0	13.41	13.45	13.33	5
		1	12	13.39	13.43	13.31	5
		1	24	13.35	13.39	13.27	5
		12	0	13.37	13.41	13.29	5
		12	6	13.35	13.39	13.27	5
		12	13	13.31	13.35	13.23	5
		25	0	13.35	13.39	13.27	5
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	18.44	18.48	18.36	0
		1	7	18.42	18.46	18.34	0
		1	14	18.38	18.42	18.30	0
		8	0	17.42	17.46	17.34	1
		8	3	17.40	17.44	17.32	1
		8	7	17.36	17.40	17.28	1
		15	0	17.50	17.48	17.38	1
3M	16QAM	1	0	17.42	17.46	17.34	1
		1	7	17.40	17.44	17.32	1
		1	14	17.36	17.40	17.28	1
		8	0	16.40	16.44	16.32	2
		8	3	16.38	16.42	16.30	2
		8	7	16.34	16.38	16.26	2
		15	0	16.48	16.46	16.36	2
3M	64QAM	1	0	16.39	16.43	16.31	2
		1	7	16.37	16.41	16.29	2
		1	14	16.33	16.37	16.25	2
		8	0	15.37	15.41	15.29	3
		8	3	15.35	15.39	15.27	3
		8	7	15.31	15.35	15.23	3
		15	0	15.45	15.43	15.33	3
3M	256QAM	1	0	13.37	13.41	13.29	5
		1	7	13.35	13.39	13.27	5
		1	14	13.31	13.35	13.23	5
		8	0	13.33	13.37	13.25	5
		8	3	13.31	13.35	13.23	5
		8	7	13.27	13.31	13.19	5
		15	0	13.31	13.35	13.23	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	18.40	18.44	18.32	0
		1	2	18.38	18.42	18.30	0
		1	5	18.34	18.38	18.26	0
		3	0	17.38	17.42	17.30	0
		3	1	17.36	17.40	17.28	0
		3	3	17.32	17.36	17.24	0
		6	0	17.46	17.44	17.34	1
1.4M	16QAM	1	0	17.38	17.42	17.30	1
		1	2	17.36	17.40	17.28	1
		1	5	17.32	17.36	17.24	1
		3	0	16.36	16.40	16.28	1
		3	1	16.34	16.38	16.26	1
		3	3	16.30	16.34	16.22	1
		6	0	16.44	16.42	16.32	2
1.4M	64QAM	1	0	16.35	16.39	16.27	2
		1	2	16.33	16.37	16.25	2
		1	5	16.29	16.33	16.21	2
		3	0	15.33	15.37	15.25	2
		3	1	15.31	15.35	15.23	2
		3	3	15.27	15.31	15.19	2
		6	0	15.41	15.39	15.29	3
1.4M	256QAM	1	0	13.33	13.37	13.25	5
		1	2	13.31	13.35	13.23	5
		1	5	13.27	13.31	13.19	5
		3	0	13.29	13.33	13.21	5
		3	1	13.27	13.31	13.19	5
		3	3	13.23	13.27	13.15	5
		6	0	13.27	13.31	13.19	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 30							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		19.84		0
		1	24		19.81		0
		1	49		19.77		0
		25	0		18.82		1
		25	12		18.77		1
		25	25		18.69		1
		50	0		18.74		1
10M	16QAM	1	0		18.82		1
		1	24		18.79		1
		1	49		18.75		1
		25	0		17.80		2
		25	12		17.75		2
		25	25		17.67		2
		50	0		17.72		2
10M	64QAM	1	0		17.79		2
		1	24		17.76		2
		1	49		17.72		2
		25	0		16.77		3
		25	12		16.72		3
		25	25		16.64		3
		50	0		16.69		3
10M	256QAM	1	0		14.73		5
		1	24		14.70		5
		1	49		14.66		5
		25	0		13.71		5
		25	12		13.66		5
		25	25		13.58		5
		50	0		13.63		5
BW	MCS Index	Channel		27685	27710	27735	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	QPSK	1	0	19.77	19.81	19.79	0
		1	12	19.74	19.78	19.76	0
		1	24	19.70	19.74	19.72	0
		12	0	18.75	18.79	18.77	1
		12	6	18.70	18.74	18.72	1
		12	13	18.62	18.66	18.64	1
		25	0	18.67	18.71	18.69	1
5M	16QAM	1	0	18.75	18.79	18.77	1
		1	12	18.72	18.76	18.74	1
		1	24	18.68	18.72	18.70	1
		12	0	17.73	17.77	17.75	2
		12	6	17.68	17.72	17.70	2
		12	13	17.60	17.64	17.62	2
		25	0	17.65	17.69	17.67	2
5M	64QAM	1	0	17.72	17.76	17.74	2
		1	12	17.69	17.73	17.71	2
		1	24	17.65	17.69	17.67	2
		12	0	16.70	16.74	16.72	3
		12	6	16.65	16.69	16.67	3
		12	13	16.57	16.61	16.59	3
		25	0	16.62	16.66	16.64	3
5M	256QAM	1	0	14.66	14.70	14.68	5
		1	12	14.63	14.67	14.65	5
		1	24	14.59	14.63	14.61	5
		12	0	13.64	13.68	13.66	5
		12	6	13.59	13.63	13.61	5
		12	13	13.51	13.55	13.53	5
		25	0	13.56	13.60	13.58	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	20.65	20.78	20.63	0
		1	50	20.58	20.71	20.56	0
		1	99	20.55	20.68	20.53	0
		50	0	19.59	19.72	19.57	1
		50	25	19.57	19.70	19.55	1
		50	50	19.53	19.66	19.51	1
		100	0	19.72	19.85	19.70	1
20M	16QAM	1	0	19.62	19.75	19.60	1
		1	50	19.55	19.68	19.53	1
		1	99	19.52	19.65	19.50	1
		50	0	18.56	18.69	18.54	2
		50	25	18.54	18.67	18.52	2
		50	50	18.50	18.63	18.48	2
		100	0	18.69	18.82	18.67	2
20M	64QAM	1	0	18.58	18.71	18.56	2
		1	50	18.51	18.64	18.49	2
		1	99	18.48	18.61	18.46	2
		50	0	17.52	17.65	17.50	3
		50	25	17.50	17.63	17.48	3
		50	50	17.46	17.59	17.44	3
		100	0	17.65	17.78	17.63	3
20M	256QAM	1	0	15.52	15.65	15.50	5
		1	50	15.45	15.58	15.43	5
		1	99	15.42	15.55	15.40	5
		50	0	15.48	15.61	15.46	5
		50	25	15.41	15.54	15.39	5
		50	50	15.38	15.51	15.36	5
		100	0	15.42	15.61	16.42	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	20.61	20.74	20.59	0
		1	37	20.54	20.67	20.52	0
		1	74	20.51	20.64	20.49	0
		36	0	19.55	19.68	19.53	1
		36	19	19.53	19.66	19.51	1
		36	39	19.49	19.62	19.47	1
		75	0	19.68	19.81	19.66	1
15M	16QAM	1	0	19.58	19.71	19.56	1
		1	37	19.51	19.64	19.49	1
		1	74	19.48	19.61	19.46	1
		36	0	18.52	18.65	18.50	2
		36	19	18.50	18.63	18.48	2
		36	39	18.46	18.59	18.44	2
		75	0	18.65	18.78	18.63	2
15M	64QAM	1	0	18.54	18.67	18.52	2
		1	37	18.47	18.60	18.45	2
		1	74	18.44	18.57	18.42	2
		36	0	17.48	17.61	17.46	3
		36	19	17.46	17.59	17.44	3
		36	39	17.42	17.55	17.40	3
		75	0	17.61	17.74	17.59	3
15M	256QAM	1	0	15.48	15.61	15.46	5
		1	37	15.41	15.54	15.39	5
		1	74	15.38	15.51	15.36	5
		36	0	15.44	15.57	15.42	5
		36	19	15.37	15.50	15.35	5
		36	39	15.34	15.47	15.32	5
		75	0	15.38	15.57	16.38	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	20.57	20.70	20.55	0
		1	24	20.50	20.63	20.48	0
		1	49	20.47	20.60	20.45	0
		25	0	19.51	19.64	19.49	1
		25	12	19.49	19.62	19.47	1
		25	25	19.45	19.58	19.43	1
		50	0	19.64	19.77	19.62	1
10M	16QAM	1	0	19.54	19.67	19.52	1
		1	24	19.47	19.60	19.45	1
		1	49	19.44	19.57	19.42	1
		25	0	18.48	18.61	18.46	2
		25	12	18.46	18.59	18.44	2
		25	25	18.42	18.55	18.40	2
		50	0	18.61	18.74	18.59	2
10M	64QAM	1	0	18.50	18.63	18.48	2
		1	24	18.43	18.56	18.41	2
		1	49	18.40	18.53	18.38	2
		25	0	17.44	17.57	17.42	3
		25	12	17.42	17.55	17.40	3
		25	25	17.38	17.51	17.36	3
		50	0	17.57	17.70	17.55	3
10M	256QAM	1	0	15.44	15.57	15.42	5
		1	24	15.37	15.50	15.35	5
		1	49	15.34	15.47	15.32	5
		25	0	15.40	15.53	15.38	5
		25	12	15.33	15.46	15.31	5
		25	25	15.30	15.43	15.28	5
		50	0	15.34	15.53	16.34	5
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	20.51	20.64	20.49	0
		1	12	20.44	20.57	20.42	0
		1	24	20.41	20.54	20.39	0
		12	0	19.45	19.58	19.43	1
		12	6	19.43	19.56	19.41	1
		12	13	19.39	19.52	19.37	1
		25	0	19.58	19.71	19.56	1
5M	16QAM	1	0	19.48	19.61	19.46	1
		1	12	19.41	19.54	19.39	1
		1	24	19.38	19.51	19.36	1
		12	0	18.42	18.55	18.40	2
		12	6	18.40	18.53	18.38	2
		12	13	18.36	18.49	18.34	2
		25	0	18.55	18.68	18.53	2
5M	64QAM	1	0	18.44	18.57	18.42	2
		1	12	18.37	18.50	18.35	2
		1	24	18.34	18.47	18.32	2
		12	0	17.38	17.51	17.36	3
		12	6	17.36	17.49	17.34	3
		12	13	17.32	17.45	17.30	3
		25	0	17.51	17.64	17.49	3
5M	256QAM	1	0	15.38	15.51	15.36	5
		1	12	15.31	15.44	15.29	5
		1	24	15.28	15.41	15.26	5
		12	0	15.34	15.47	15.32	5
		12	6	15.27	15.40	15.25	5
		12	13	15.24	15.37	15.22	5
		25	0	15.28	15.47	16.28	5

LTE Conducted Power (P-Sensor On_Main 0)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	21.78	21.77	21.89	21.82	21.66	0
		1	50	21.74	21.73	21.77	21.78	21.54	0
		1	99	21.66	21.65	21.69	21.70	21.51	0
		50	0	20.85	20.84	20.96	20.89	20.95	1
		50	25	20.71	20.70	20.74	20.75	20.81	1
		50	50	20.66	20.65	20.69	20.70	20.76	1
		100	0	20.76	20.75	20.88	20.80	20.86	1
20M	16QAM	1	0	20.76	20.75	20.79	20.80	20.64	1
		1	50	20.72	20.71	20.75	20.76	20.82	1
		1	99	20.64	20.63	20.67	20.68	20.74	1
		50	0	19.83	19.82	19.86	19.87	19.93	2
		50	25	19.69	19.68	19.72	19.73	19.79	2
		50	50	19.64	19.63	19.67	19.68	19.74	2
		100	0	19.74	19.73	19.77	19.78	19.84	2
20M	64QAM	1	0	19.74	19.73	19.77	19.78	19.62	2
		1	50	19.70	19.69	19.73	19.74	19.80	2
		1	99	19.62	19.61	19.65	19.66	19.72	2
		50	0	18.81	18.80	18.84	18.85	18.91	3
		50	25	18.67	18.66	18.70	18.71	18.77	3
		50	50	18.62	18.61	18.65	18.66	18.72	3
		100	0	18.72	18.71	18.75	18.76	18.82	3
20M	256QAM	1	0	16.69	16.68	16.72	16.73	16.57	5
		1	50	16.65	16.64	16.68	16.69	16.75	5
		1	99	16.57	16.56	16.60	16.61	16.67	5
		50	0	15.76	15.75	15.79	15.80	15.86	5
		50	25	15.62	15.61	15.65	15.66	15.72	5
		50	50	15.57	15.56	15.60	15.61	15.67	5
		100	0	15.67	15.66	15.70	15.71	15.77	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	21.73	21.72	21.84	21.77	21.61	0
		1	37	21.69	21.68	21.72	21.73	21.79	0
		1	74	21.61	21.60	21.64	21.65	21.71	0
		36	0	20.80	20.79	20.91	20.84	20.90	1
		36	19	20.66	20.65	20.69	20.70	20.76	1
		36	39	20.61	20.60	20.64	20.65	20.71	1
		75	0	20.71	20.70	20.83	20.75	20.81	1
15M	16QAM	1	0	20.71	20.70	20.74	20.75	20.59	1
		1	37	20.67	20.66	20.70	20.71	20.77	1
		1	74	20.59	20.58	20.62	20.63	20.69	1
		36	0	19.78	19.77	19.81	19.82	19.88	2
		36	19	19.64	19.63	19.67	19.68	19.74	2
		36	39	19.59	19.58	19.62	19.63	19.69	2
		75	0	19.69	19.68	19.72	19.73	19.79	2
15M	64QAM	1	0	19.69	19.68	19.72	19.73	19.57	2
		1	37	19.65	19.64	19.68	19.69	19.75	2
		1	74	19.57	19.56	19.60	19.61	19.67	2
		36	0	18.76	18.75	18.79	18.80	18.86	3
		36	19	18.62	18.61	18.65	18.66	18.72	3
		36	39	18.57	18.56	18.60	18.61	18.67	3
		75	0	18.67	18.66	18.70	18.71	18.77	3
15M	256QAM	1	0	16.64	16.63	16.67	16.68	16.52	5
		1	37	16.60	16.59	16.63	16.64	16.70	5
		1	74	16.52	16.51	16.55	16.56	16.62	5
		36	0	15.71	15.70	15.74	15.75	15.81	5
		36	19	15.57	15.56	15.60	15.61	15.67	5
		36	39	15.52	15.51	15.55	15.56	15.62	5
		75	0	15.62	15.61	15.65	15.66	15.72	5

LTE Conducted Power (P-Sensor On_Main 0)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	21.69	21.68	21.80	21.73	21.57	0
		1	24	21.65	21.64	21.68	21.69	21.75	0
		1	49	21.57	21.56	21.60	21.61	21.67	0
		25	0	20.76	20.75	20.87	20.80	20.86	1
		25	12	20.62	20.61	20.65	20.66	20.72	1
		25	25	20.57	20.56	20.60	20.61	20.67	1
		50	0	20.67	20.66	20.79	20.71	20.77	1
10M	16QAM	1	0	20.67	20.66	20.70	20.71	20.55	1
		1	24	20.63	20.62	20.66	20.67	20.73	1
		1	49	20.55	20.54	20.58	20.59	20.65	1
		25	0	19.74	19.73	19.77	19.78	19.84	2
		25	12	19.60	19.59	19.63	19.64	19.70	2
		25	25	19.55	19.54	19.58	19.59	19.65	2
		50	0	19.65	19.64	19.68	19.69	19.75	2
10M	64QAM	1	0	19.65	19.64	19.68	19.69	19.53	2
		1	24	19.61	19.60	19.64	19.65	19.71	2
		1	49	19.53	19.52	19.56	19.57	19.63	2
		25	0	18.72	18.71	18.75	18.76	18.82	3
		25	12	18.58	18.57	18.61	18.62	18.68	3
		25	25	18.53	18.52	18.56	18.57	18.63	3
		50	0	18.63	18.62	18.66	18.67	18.73	3
10M	256QAM	1	0	16.60	16.59	16.63	16.64	16.48	5
		1	24	16.56	16.55	16.59	16.60	16.66	5
		1	49	16.48	16.47	16.51	16.52	16.58	5
		25	0	15.67	15.66	15.70	15.71	15.77	5
		25	12	15.53	15.52	15.56	15.57	15.63	5
		25	25	15.48	15.47	15.51	15.52	15.58	5
		50	0	15.58	15.57	15.61	15.62	15.68	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	21.61	21.60	21.72	21.65	21.49	0
		1	12	21.57	21.56	21.60	21.61	21.67	0
		1	24	21.49	21.48	21.52	21.53	21.59	0
		12	0	20.68	20.67	20.79	20.72	20.78	1
		12	6	20.54	20.53	20.57	20.58	20.64	1
		12	13	20.49	20.48	20.52	20.53	20.59	1
		25	0	20.59	20.58	20.71	20.63	20.69	1
5M	16QAM	1	0	20.59	20.58	20.62	20.63	20.47	1
		1	12	20.55	20.54	20.58	20.59	20.65	1
		1	24	20.47	20.46	20.50	20.51	20.57	1
		12	0	19.66	19.65	19.69	19.70	19.76	2
		12	6	19.52	19.51	19.55	19.56	19.62	2
		12	13	19.47	19.46	19.50	19.51	19.57	2
		25	0	19.57	19.56	19.60	19.61	19.67	2
5M	64QAM	1	0	19.57	19.56	19.60	19.61	19.45	2
		1	12	19.53	19.52	19.56	19.57	19.63	2
		1	24	19.45	19.44	19.48	19.49	19.55	2
		12	0	18.64	18.63	18.67	18.68	18.74	3
		12	6	18.50	18.49	18.53	18.54	18.60	3
		12	13	18.45	18.44	18.48	18.49	18.55	3
		25	0	18.55	18.54	18.58	18.59	18.65	3
5M	256QAM	1	0	16.52	16.51	16.55	16.56	16.40	5
		1	12	16.48	16.47	16.51	16.52	16.58	5
		1	24	16.40	16.39	16.43	16.44	16.50	5
		12	0	15.59	15.58	15.62	15.63	15.69	5
		12	6	15.45	15.44	15.48	15.49	15.55	5
		12	13	15.40	15.39	15.43	15.44	15.50	5
		25	0	15.50	15.49	15.53	15.54	15.60	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	17.86	17.89	17.75	0
		1	50	17.59	17.62	17.48	0
		1	99	17.42	17.45	17.31	0
		50	0	16.74	16.77	16.63	1
		50	25	16.66	16.69	16.55	1
		50	50	16.51	16.54	16.40	1
		100	0	16.64	16.67	16.53	1
20M	16QAM	1	0	16.83	16.86	16.72	1
		1	50	16.56	16.59	16.45	1
		1	99	16.39	16.42	16.28	1
		50	0	15.71	15.74	15.60	2
		50	25	15.63	15.66	15.52	2
		50	50	15.48	15.51	15.37	2
		100	0	15.61	15.64	15.50	2
20M	64QAM	1	0	15.79	15.82	15.68	2
		1	50	15.52	15.55	15.41	2
		1	99	15.35	15.38	15.24	2
		50	0	14.67	14.70	14.56	3
		50	25	14.59	14.62	14.48	3
		50	50	14.44	14.47	14.33	3
		100	0	14.57	14.60	14.46	3
20M	256QAM	1	0	12.74	12.77	12.63	5
		1	50	12.47	12.50	12.36	5
		1	99	12.30	12.33	12.19	5
		50	0	11.62	11.65	11.51	5
		50	25	11.54	11.57	11.43	5
		50	50	11.39	11.42	11.28	5
		100	0	11.52	11.55	11.41	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	17.81	17.84	17.70	0
		1	37	17.54	17.57	17.43	0
		1	74	17.37	17.40	17.26	0
		36	0	16.69	16.72	16.58	1
		36	19	16.61	16.64	16.50	1
		36	39	16.46	16.49	16.35	1
		75	0	16.59	16.62	16.48	1
15M	16QAM	1	0	16.78	16.81	16.67	1
		1	37	16.51	16.54	16.40	1
		1	74	16.34	16.37	16.23	1
		36	0	15.66	15.69	15.55	2
		36	19	15.58	15.61	15.47	2
		36	39	15.43	15.46	15.32	2
		75	0	15.56	15.59	15.45	2
15M	64QAM	1	0	15.74	15.77	15.63	2
		1	37	15.47	15.50	15.36	2
		1	74	15.30	15.33	15.19	2
		36	0	14.62	14.65	14.51	3
		36	19	14.54	14.57	14.43	3
		36	39	14.39	14.42	14.28	3
		75	0	14.52	14.55	14.41	3
15M	256QAM	1	0	12.69	12.72	12.58	5
		1	37	12.42	12.45	12.31	5
		1	74	12.25	12.28	12.14	5
		36	0	11.57	11.60	11.46	5
		36	19	11.49	11.52	11.38	5
		36	39	11.34	11.37	11.23	5
		75	0	11.47	11.50	11.36	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	17.76	17.79	17.65	0
		1	24	17.49	17.52	17.38	0
		1	49	17.32	17.35	17.21	0
		25	0	16.64	16.67	16.53	1
		25	12	16.56	16.59	16.45	1
		25	25	16.41	16.44	16.30	1
		50	0	16.54	16.57	16.43	1
10M	16QAM	1	0	16.73	16.76	16.62	1
		1	24	16.46	16.49	16.35	1
		1	49	16.29	16.32	16.18	1
		25	0	15.61	15.64	15.50	2
		25	12	15.53	15.56	15.42	2
		25	25	15.38	15.41	15.27	2
		50	0	15.51	15.54	15.40	2
10M	64QAM	1	0	15.69	15.72	15.58	2
		1	24	15.42	15.45	15.31	2
		1	49	15.25	15.28	15.14	2
		25	0	14.57	14.60	14.46	3
		25	12	14.49	14.52	14.38	3
		25	25	14.34	14.37	14.23	3
		50	0	14.47	14.50	14.36	3
10M	256QAM	1	0	12.64	12.67	12.53	5
		1	24	12.37	12.40	12.26	5
		1	49	12.20	12.23	12.09	5
		25	0	11.52	11.55	11.41	5
		25	12	11.44	11.47	11.33	5
		25	25	11.29	11.32	11.18	5
		50	0	11.42	11.45	11.31	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	17.70	17.73	17.59	0
		1	12	17.43	17.46	17.32	0
		1	24	17.26	17.29	17.15	0
		12	0	16.58	16.61	16.47	1
		12	6	16.50	16.53	16.39	1
		12	13	16.35	16.38	16.24	1
		25	0	16.48	16.51	16.37	1
5M	16QAM	1	0	16.67	16.70	16.56	1
		1	12	16.40	16.43	16.29	1
		1	24	16.23	16.26	16.12	1
		12	0	15.55	15.58	15.44	2
		12	6	15.47	15.50	15.36	2
		12	13	15.32	15.35	15.21	2
		25	0	15.45	15.48	15.34	2
5M	64QAM	1	0	15.63	15.66	15.52	2
		1	12	15.36	15.39	15.25	2
		1	24	15.19	15.22	15.08	2
		12	0	14.51	14.54	14.40	3
		12	6	14.43	14.46	14.32	3
		12	13	14.28	14.31	14.17	3
		25	0	14.41	14.44	14.30	3
5M	256QAM	1	0	12.58	12.61	12.47	5
		1	12	12.31	12.34	12.20	5
		1	24	12.14	12.17	12.03	5
		12	0	11.46	11.49	11.35	5
		12	6	11.38	11.41	11.27	5
		12	13	11.23	11.26	11.12	5
		25	0	11.36	11.39	11.25	5

LTE Conducted Power (P-Sensor On_Main 0)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	17.66	17.69	17.55	0
		1	7	17.39	17.42	17.28	0
		1	14	17.22	17.25	17.11	0
		8	0	16.54	16.57	16.43	1
		8	3	16.46	16.49	16.35	1
		8	7	16.31	16.34	16.20	1
		15	0	16.44	16.47	16.33	1
3M	16QAM	1	0	16.63	16.66	16.52	1
		1	7	16.36	16.39	16.25	1
		1	14	16.19	16.22	16.08	1
		8	0	15.51	15.54	15.40	2
		8	3	15.43	15.46	15.32	2
		8	7	15.28	15.31	15.17	2
		15	0	15.41	15.44	15.30	2
3M	64QAM	1	0	15.59	15.62	15.48	2
		1	7	15.32	15.35	15.21	2
		1	14	15.15	15.18	15.04	2
		8	0	14.47	14.50	14.36	3
		8	3	14.39	14.42	14.28	3
		8	7	14.24	14.27	14.13	3
		15	0	14.37	14.40	14.26	3
3M	256QAM	1	0	12.54	12.57	12.43	5
		1	7	12.27	12.30	12.16	5
		1	14	12.10	12.13	11.99	5
		8	0	11.42	11.45	11.31	5
		8	3	11.34	11.37	11.23	5
		8	7	11.19	11.22	11.08	5
		15	0	11.32	11.35	11.21	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	17.61	17.64	17.50	0
		1	2	17.34	17.37	17.23	0
		1	5	17.17	17.20	17.06	0
		3	0	16.49	16.52	16.38	0
		3	1	16.41	16.44	16.30	0
		3	3	16.26	16.29	16.15	0
		6	0	16.39	16.42	16.28	1
1.4M	16QAM	1	0	16.58	16.61	16.47	1
		1	2	16.31	16.34	16.20	1
		1	5	16.14	16.17	16.03	1
		3	0	15.46	15.49	15.35	1
		3	1	15.38	15.41	15.27	1
		3	3	15.23	15.26	15.12	1
		6	0	15.36	15.39	15.25	2
1.4M	64QAM	1	0	15.54	15.57	15.43	2
		1	2	15.27	15.30	15.16	2
		1	5	15.10	15.13	14.99	2
		3	0	14.42	14.45	14.31	2
		3	1	14.34	14.37	14.23	2
		3	3	14.19	14.22	14.08	2
		6	0	14.32	14.35	14.21	3
1.4M	256QAM	1	0	12.49	12.52	12.38	5
		1	2	12.22	12.25	12.11	5
		1	5	12.05	12.08	11.94	5
		3	0	11.37	11.40	11.26	5
		3	1	11.29	11.32	11.18	5
		3	3	11.14	11.17	11.03	5
		6	0	11.27	11.30	11.16	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	24.00	23.90	23.96	0
		1	50	23.99	23.88	23.94	0
		1	99	23.89	23.78	23.84	0
		50	0	22.98	22.87	22.93	1
		50	25	22.97	22.86	22.92	1
		50	50	22.89	22.78	22.84	1
		100	0	22.98	22.95	22.78	1
20M	16QAM	1	0	22.98	22.88	22.94	1
		1	50	22.97	22.86	22.92	1
		1	99	22.87	22.76	22.82	1
		50	0	21.96	21.85	21.91	2
		50	25	21.95	21.84	21.90	2
		50	50	21.87	21.76	21.82	2
		100	0	21.95	21.93	21.93	2
20M	64QAM	1	0	21.95	21.85	21.91	2
		1	50	21.94	21.83	21.89	2
		1	99	21.84	21.73	21.79	2
		50	0	20.93	20.82	20.88	3
		50	25	20.92	20.81	20.87	3
		50	50	20.84	20.73	20.79	3
		100	0	20.93	20.90	20.96	3
20M	256QAM	1	0	18.98	18.79	18.85	5
		1	50	18.88	18.77	18.83	5
		1	99	18.78	18.67	18.73	5
		50	0	18.87	18.76	18.82	5
		50	25	18.86	18.75	18.81	5
		50	50	18.78	18.67	18.73	5
		100	0	18.95	18.84	18.90	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	23.92	23.86	23.87	0
		1	37	23.96	23.82	23.90	0
		1	74	23.79	23.78	23.76	0
		36	0	22.88	22.86	22.91	1
		36	19	22.87	22.85	22.87	1
		36	39	22.88	22.71	22.82	1
		75	0	22.93	22.87	22.70	1
15M	16QAM	1	0	22.98	22.79	22.87	1
		1	37	22.90	22.84	22.82	1
		1	74	22.80	22.71	22.79	1
		36	0	21.87	21.82	21.87	2
		36	19	21.95	21.74	21.82	2
		36	39	21.85	21.70	21.80	2
		75	0	21.86	21.92	21.91	2
15M	64QAM	1	0	21.95	21.85	21.82	2
		1	37	21.87	21.81	21.89	2
		1	74	21.78	21.69	21.72	2
		36	0	20.92	20.80	20.82	3
		36	19	20.85	20.81	20.78	3
		36	39	20.82	20.70	20.79	3
		75	0	20.87	20.86	20.90	3
15M	256QAM	1	0	18.97	18.78	18.84	5
		1	37	18.87	18.76	18.82	5
		1	74	18.77	18.66	18.72	5
		36	0	18.86	18.75	18.81	5
		36	19	18.85	18.74	18.80	5
		36	39	18.77	18.66	18.72	5
		75	0	18.94	18.83	18.89	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	23.96	23.81	23.94	0
		1	24	23.96	23.84	23.93	0
		1	49	23.83	23.68	23.76	0
		25	0	22.96	22.87	22.90	1
		25	12	22.90	22.78	22.83	1
		25	25	22.81	22.68	22.83	1
		50	0	22.95	22.92	22.75	1
10M	16QAM	1	0	22.96	22.79	22.89	1
		1	24	22.88	22.78	22.82	1
		1	49	22.82	22.69	22.75	1
		25	0	21.88	21.77	21.81	2
		25	12	21.86	21.77	21.81	2
		25	25	21.77	21.67	21.77	2
		50	0	21.87	21.93	21.85	2
10M	64QAM	1	0	21.93	21.81	21.81	2
		1	24	21.84	21.83	21.88	2
		1	49	21.75	21.68	21.79	2
		25	0	20.88	20.76	20.80	3
		25	12	20.87	20.74	20.82	3
		25	25	20.77	20.66	20.79	3
		50	0	20.90	20.90	20.88	3
10M	256QAM	1	0	18.96	18.77	18.83	5
		1	24	18.86	18.75	18.81	5
		1	49	18.76	18.65	18.71	5
		25	0	18.85	18.74	18.80	5
		25	12	18.84	18.73	18.79	5
		25	25	18.76	18.65	18.71	5
		50	0	18.93	18.82	18.88	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	23.92	23.86	23.91	0
		1	12	23.95	23.88	23.94	0
		1	24	23.81	23.78	23.80	0
		12	0	22.96	22.77	22.88	1
		12	6	22.93	22.82	22.86	1
		12	13	22.86	22.72	22.76	1
		25	0	22.94	22.86	22.70	1
5M	16QAM	1	0	22.91	22.87	22.91	1
		1	12	22.90	22.77	22.89	1
		1	24	22.80	22.69	22.80	1
		12	0	21.95	21.75	21.81	2
		12	6	21.85	21.78	21.90	2
		12	13	21.83	21.67	21.81	2
		25	0	21.88	21.88	21.83	2
5M	64QAM	1	0	21.95	21.80	21.89	2
		1	12	21.87	21.74	21.89	2
		1	24	21.81	21.71	21.73	2
		12	0	20.86	20.74	20.87	3
		12	6	20.84	20.76	20.78	3
		12	13	20.75	20.73	20.76	3
		25	0	20.93	20.89	20.90	3
5M	256QAM	1	0	18.95	18.76	18.82	5
		1	12	18.85	18.74	18.80	5
		1	24	18.75	18.64	18.70	5
		12	0	18.84	18.73	18.79	5
		12	6	18.83	18.72	18.78	5
		12	13	18.75	18.64	18.70	5
		25	0	18.92	18.81	18.87	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.91	23.87	23.93	0
		1	7	23.95	23.78	23.93	0
		1	14	23.84	23.76	23.81	0
		8	0	22.90	22.78	22.84	1
		8	3	22.89	22.79	22.89	1
		8	7	22.83	22.71	22.75	1
		15	0	22.91	22.85	22.75	1
3M	16QAM	1	0	22.91	22.84	22.85	1
		1	7	22.88	22.77	22.91	1
		1	14	22.84	22.69	22.79	1
		8	0	21.86	21.76	21.86	2
		8	3	21.85	21.79	21.80	2
		8	7	21.85	21.70	21.78	2
		15	0	21.86	21.89	21.87	2
3M	64QAM	1	0	21.87	21.78	21.82	2
		1	7	21.87	21.73	21.89	2
		1	14	21.74	21.66	21.77	2
		8	0	20.89	20.79	20.81	3
		8	3	20.87	20.74	20.77	3
		8	7	20.83	20.71	20.70	3
		15	0	20.85	20.82	20.91	3
3M	256QAM	1	0	18.94	18.75	18.81	5
		1	7	18.84	18.73	18.79	5
		1	14	18.74	18.63	18.69	5
		8	0	18.83	18.72	18.78	5
		8	3	18.82	18.71	18.77	5
		8	7	18.74	18.63	18.69	5
		15	0	18.91	18.80	18.86	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	23.89	23.77	23.84	0
		1	2	23.93	23.74	23.85	0
		1	5	23.86	23.68	23.62	0
		3	0	23.92	23.85	23.79	0
		3	1	23.89	23.75	23.80	0
		3	3	23.71	23.60	23.71	0
		6	0	22.86	22.86	22.72	1
1.4M	16QAM	1	0	22.89	22.82	22.71	1
		1	2	22.91	22.71	22.83	1
		1	5	22.84	22.70	22.75	1
		3	0	22.91	22.69	22.78	1
		3	1	22.91	22.65	22.72	1
		3	3	22.62	22.66	22.66	1
		6	0	21.87	21.87	21.86	2
1.4M	64QAM	1	0	21.85	21.73	21.79	2
		1	2	21.79	21.72	21.75	2
		1	5	21.78	21.64	21.58	2
		3	0	21.80	21.64	21.71	2
		3	1	21.78	21.64	21.71	2
		3	3	21.70	21.50	21.65	2
		6	0	20.87	20.76	20.86	3
1.4M	256QAM	1	0	18.93	18.74	18.80	5
		1	2	18.83	18.72	18.78	5
		1	5	18.73	18.62	18.68	5
		3	0	18.82	18.71	18.77	5
		3	1	18.81	18.70	18.76	5
		3	3	18.73	18.62	18.68	5
		6	0	18.90	18.79	18.85	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	21.50	21.44	21.13	0
		1	50	21.18	21.12	20.81	0
		1	99	21.07	21.01	20.70	0
		50	0	20.39	20.33	20.02	1
		50	25	20.21	20.15	19.84	1
		50	50	20.18	20.12	19.81	1
		100	0	20.28	20.22	19.91	1
20M	16QAM	1	0	20.47	20.43	20.07	1
		1	50	20.17	20.03	19.72	1
		1	99	20.01	19.95	19.61	1
		50	0	19.38	19.28	18.98	2
		50	25	19.21	19.08	18.81	2
		50	50	19.09	19.07	18.77	2
		100	0	19.19	19.14	18.86	2
20M	64QAM	1	0	19.48	19.44	19.09	2
		1	50	19.14	19.12	18.71	2
		1	99	19.02	18.95	18.62	2
		50	0	18.33	18.23	18.01	3
		50	25	18.13	18.10	17.78	3
		50	50	18.11	18.03	17.72	3
		100	0	18.22	18.22	17.89	3
20M	256QAM	1	0	16.46	16.35	16.04	5
		1	50	16.13	16.05	15.74	5
		1	99	16.07	16.00	15.63	5
		50	0	16.45	16.41	16.11	5
		50	25	16.13	16.08	15.74	5
		50	50	16.04	15.98	15.61	5
		100	0	16.12	16.03	15.74	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	21.47	21.41	21.10	0
		1	37	21.15	21.09	20.78	0
		1	74	21.04	20.98	20.67	0
		36	0	20.36	20.30	19.99	1
		36	19	20.18	20.12	19.81	1
		36	39	20.15	20.09	19.78	1
		75	0	20.25	20.19	19.88	1
15M	16QAM	1	0	20.44	20.40	20.04	1
		1	37	20.14	20.00	19.69	1
		1	74	19.98	19.92	19.58	1
		36	0	19.35	19.25	18.95	2
		36	19	19.18	19.05	18.78	2
		36	39	19.06	19.04	18.74	2
		75	0	19.16	19.11	18.83	2
15M	64QAM	1	0	19.45	19.41	19.06	2
		1	37	19.11	19.09	18.68	2
		1	74	18.99	18.92	18.59	2
		36	0	18.30	18.20	17.98	3
		36	19	18.10	18.07	17.75	3
		36	39	18.08	18.00	17.69	3
		75	0	18.19	18.19	17.86	3
15M	256QAM	1	0	16.43	16.32	16.01	5
		1	37	16.10	16.02	15.71	5
		1	74	16.04	15.97	15.60	5
		36	0	16.42	16.38	16.08	5
		36	19	16.10	16.05	15.71	5
		36	39	16.01	15.95	15.58	5
		75	0	16.09	16.00	15.71	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	21.42	21.36	21.05	0
		1	24	21.10	21.04	20.73	0
		1	49	20.99	20.93	20.62	0
		25	0	20.31	20.25	19.94	1
		25	12	20.13	20.07	19.76	1
		25	25	20.10	20.04	19.73	1
		50	0	20.20	20.14	19.83	1
10M	16QAM	1	0	20.39	20.35	19.99	1
		1	24	20.09	19.95	19.64	1
		1	49	19.93	19.87	19.53	1
		25	0	19.30	19.20	18.90	2
		25	12	19.13	19.00	18.73	2
		25	25	19.01	18.99	18.69	2
		50	0	19.11	19.06	18.78	2
10M	64QAM	1	0	19.40	19.36	19.01	2
		1	24	19.06	19.04	18.63	2
		1	49	18.94	18.87	18.54	2
		25	0	18.25	18.15	17.93	3
		25	12	18.05	18.02	17.70	3
		25	25	18.03	17.95	17.64	3
		50	0	18.14	18.14	17.81	3
10M	256QAM	1	0	16.38	16.27	15.96	5
		1	24	16.05	15.97	15.66	5
		1	49	15.99	15.92	15.55	5
		25	0	16.37	16.33	16.03	5
		25	12	16.05	16.00	15.66	5
		25	25	15.96	15.90	15.53	5
		50	0	16.04	15.95	15.66	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	21.35	21.29	20.98	0
		1	12	21.03	20.97	20.66	0
		1	24	20.92	20.86	20.55	0
		12	0	20.24	20.18	19.87	1
		12	6	20.06	20.00	19.69	1
		12	13	20.03	19.97	19.66	1
		25	0	20.13	20.07	19.76	1
5M	16QAM	1	0	20.32	20.28	19.92	1
		1	12	20.02	19.88	19.57	1
		1	24	19.86	19.80	19.46	1
		12	0	19.23	19.13	18.83	2
		12	6	19.06	18.93	18.66	2
		12	13	18.94	18.92	18.62	2
		25	0	19.04	18.99	18.71	2
5M	64QAM	1	0	19.33	19.29	18.94	2
		1	12	18.99	18.97	18.56	2
		1	24	18.87	18.80	18.47	2
		12	0	18.18	18.08	17.86	3
		12	6	17.98	17.95	17.63	3
		12	13	17.96	17.88	17.57	3
		25	0	18.07	18.07	17.74	3
5M	256QAM	1	0	16.31	16.20	15.89	5
		1	12	15.98	15.90	15.59	5
		1	24	15.92	15.85	15.48	5
		12	0	16.30	16.26	15.96	5
		12	6	15.98	15.93	15.59	5
		12	13	15.89	15.83	15.46	5
		25	0	15.97	15.88	15.59	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 42							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		43190	43340	43490	
		Frequency (MHz)		3560	3575	3590	
20M	QPSK	1	0	23.97	23.95	23.99	0
		1	50	23.93	23.91	23.95	0
		1	99	23.89	23.87	23.91	0
		50	0	22.97	22.95	22.99	1
		50	25	22.92	22.90	22.94	1
		50	50	22.86	22.84	22.88	1
		100	0	22.82	22.80	22.84	1
20M	16QAM	1	0	22.94	22.92	22.96	1
		1	50	22.90	22.88	22.92	1
		1	99	22.87	22.85	22.89	1
		50	0	21.88	21.86	21.90	2
		50	25	21.83	21.81	21.85	2
		50	50	21.78	21.76	21.80	2
		100	0	21.74	21.72	21.76	2
20M	64QAM	1	0	21.85	21.83	21.87	2
		1	50	21.81	21.79	21.83	2
		1	99	21.75	21.73	21.77	2
		50	0	20.81	20.79	20.83	3
		50	25	20.76	20.74	20.78	3
		50	50	20.72	20.70	20.74	3
		100	0	20.69	20.67	20.71	3
20M	256QAM	1	0	18.96	18.93	18.96	5
		1	50	18.92	18.89	18.92	5
		1	99	18.88	18.85	18.88	5
		50	0	17.96	17.93	17.96	5
		50	25	17.91	17.88	17.91	5
		50	50	17.85	17.82	17.85	5
		100	0	17.82	17.79	17.81	5
BW	MCS Index	Channel		43165	43340	43515	3GPP MPR
		Frequency (MHz)		3557.5	3575	3592.5	
15M	QPSK	1	0	23.91	23.83	23.85	0
		1	37	23.86	23.76	23.92	0
		1	74	23.77	23.68	23.76	0
		36	0	22.96	22.73	22.92	1
		36	19	22.81	22.81	22.78	1
		36	39	22.75	22.66	22.70	1
		75	0	22.58	22.73	22.68	1
15M	16QAM	1	0	22.76	22.67	22.84	1
		1	37	22.66	22.77	22.68	1
		1	74	22.73	22.67	22.84	1
		36	0	21.78	21.79	21.78	2
		36	19	21.77	21.79	21.71	2
		36	39	21.58	21.66	21.71	2
		75	0	21.63	21.55	21.70	2
15M	64QAM	1	0	21.68	21.66	21.74	2
		1	37	21.62	21.59	21.71	2
		1	74	21.65	21.58	21.63	2
		36	0	20.73	20.62	20.64	3
		36	19	20.64	20.63	20.60	3
		36	39	20.63	20.61	20.49	3
		75	0	20.56	20.49	20.62	3
15M	256QAM	1	0	18.94	18.93	18.96	5
		1	37	18.92	18.77	18.92	5
		1	74	18.80	18.79	18.88	5
		36	0	17.95	17.80	17.81	5
		36	19	17.86	17.74	17.81	5
		36	39	17.84	17.73	17.79	5
		75	0	17.71	17.76	17.75	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 42							
BW	MCS Index	Channel		43140	43340	43540	3GPP MPR
		Frequency (MHz)		3555	3575	3595	
10M	QPSK	1	0	23.80	23.74	23.83	0
		1	24	23.89	23.86	23.88	0
		1	49	23.81	23.64	23.74	0
		25	0	22.83	22.87	22.77	1
		25	12	22.82	22.86	22.82	1
		25	25	22.73	22.65	22.76	1
		50	0	22.67	22.67	22.64	1
10M	16QAM	1	0	22.79	22.79	22.90	1
		1	24	22.88	22.74	22.76	1
		1	49	22.80	22.76	22.84	1
		25	0	21.81	21.67	21.72	2
		25	12	21.70	21.70	21.76	2
		25	25	21.63	21.67	21.65	2
		50	0	21.58	21.65	21.74	2
10M	64QAM	1	0	21.70	21.74	21.69	2
		1	24	21.64	21.70	21.66	2
		1	49	21.60	21.57	21.65	2
		25	0	20.70	20.69	20.74	3
		25	12	20.67	20.67	20.58	3
		25	25	20.63	20.59	20.57	3
		50	0	20.59	20.49	20.61	3
10M	256QAM	1	0	18.94	18.87	18.90	5
		1	24	18.92	18.75	18.79	5
		1	49	18.81	18.81	18.73	5
		25	0	17.87	17.82	17.94	5
		25	12	17.88	17.80	17.89	5
		25	25	17.73	17.67	17.75	5
		50	0	17.77	17.77	17.73	5
BW	MCS Index	Channel		43115	43340	43565	3GPP MPR
		Frequency (MHz)		3552.5	3575	3597.5	
5M	QPSK	1	0	23.81	23.80	23.93	0
		1	12	23.80	23.78	23.74	0
		1	24	23.78	23.70	23.75	0
		12	0	22.83	22.77	22.80	1
		12	6	22.74	22.73	22.84	1
		12	13	22.65	22.74	22.65	1
		25	0	22.82	22.69	22.71	1
5M	16QAM	1	0	22.86	22.80	22.88	1
		1	12	22.88	22.74	22.75	1
		1	24	22.73	22.76	22.70	1
		12	0	21.74	21.71	21.80	2
		12	6	21.67	21.68	21.75	2
		12	13	21.63	21.64	21.67	2
		25	0	21.68	21.69	21.65	2
5M	64QAM	1	0	21.74	21.69	21.74	2
		1	12	21.69	21.72	21.73	2
		1	24	21.62	21.56	21.60	2
		12	0	20.66	20.67	20.70	3
		12	6	20.73	20.58	20.63	3
		12	13	20.68	20.62	20.55	3
		25	0	20.54	20.55	20.57	3
5M	256QAM	1	0	18.87	18.78	18.81	5
		1	12	18.84	18.76	18.84	5
		1	24	18.85	18.81	18.77	5
		12	0	17.94	17.80	17.94	5
		12	6	17.88	17.83	17.85	5
		12	13	17.76	17.67	17.71	5
		25	0	17.73	17.76	17.67	5

LTE Conducted Power (P-Sensor Off_MIMO 2)								
LTE Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	20.78	20.90	20.94	20.98	0
		1	50	20.72	20.84	20.88	20.92	0
		1	99	20.69	20.81	20.85	20.89	0
		50	0	19.73	19.85	19.89	19.93	1
		50	25	19.63	19.75	19.79	19.83	1
		50	50	19.56	19.68	19.72	19.76	1
		100	0	19.48	19.60	19.64	19.68	1
20M	16QAM	1	0	19.52	19.64	19.68	19.72	1
		1	50	19.42	19.54	19.58	19.62	1
		1	99	19.40	19.52	19.56	19.60	1
		50	0	18.54	18.66	18.70	18.74	2
		50	25	18.39	18.51	18.55	18.59	2
		50	50	18.37	18.49	18.53	18.57	2
		100	0	18.29	18.41	18.45	18.49	2
20M	64QAM	1	0	18.38	18.50	18.54	18.58	2
		1	50	18.40	18.52	18.56	18.60	2
		1	99	18.38	18.50	18.54	18.58	2
		50	0	17.28	17.40	17.44	17.48	3
		50	25	17.37	17.49	17.53	17.57	3
		50	50	17.35	17.47	17.51	17.55	3
		100	0	17.27	17.39	17.43	17.47	3
20M	256QAM	1	0	15.36	15.48	15.52	15.56	5
		1	50	15.34	15.46	15.50	15.54	5
		1	99	15.32	15.44	15.48	15.52	5
		50	0	15.24	15.36	15.40	15.44	5
		50	25	15.30	15.42	15.46	15.50	5
		50	50	15.28	15.40	15.44	15.48	5
		100	0	15.20	15.32	15.36	15.40	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	20.70	20.82	20.93	20.73	0
		1	37	20.64	20.77	20.82	20.76	0
		1	74	20.60	20.76	20.78	20.78	0
		36	0	19.68	19.76	19.89	19.77	1
		36	19	19.55	19.70	19.77	19.79	1
		36	39	19.47	19.60	19.72	19.69	1
		75	0	19.48	19.54	19.56	19.57	1
15M	16QAM	1	0	19.49	19.55	19.67	19.54	1
		1	37	19.42	19.46	19.50	19.55	1
		1	74	19.35	19.45	19.51	19.39	1
		36	0	18.46	18.58	18.70	18.51	2
		36	19	18.39	18.45	18.53	18.38	2
		36	39	18.37	18.48	18.45	18.47	2
		75	0	18.24	18.41	18.36	18.31	2
15M	64QAM	1	0	18.34	18.50	18.50	18.49	2
		1	37	18.30	18.42	18.52	18.35	2
		1	74	18.35	18.43	18.49	18.53	2
		36	0	17.26	17.31	17.34	17.29	3
		36	19	17.32	17.43	17.46	17.42	3
		36	39	17.35	17.39	17.41	17.37	3
		75	0	17.24	17.35	17.42	17.26	3
15M	256QAM	1	0	14.97	14.98	15.02	14.98	5
		1	37	15.00	14.97	15.06	15.04	5
		1	74	14.97	14.93	14.99	15.02	5
		36	0	14.93	14.86	14.92	14.86	5
		36	19	14.96	14.99	15.04	14.96	5
		36	39	14.97	14.92	15.01	14.99	5
		75	0	14.88	14.88	14.96	14.88	5

LTE Conducted Power (P-Sensor Off_MIMO 2)								
LTE Band 48								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	20.69	20.85	20.92	20.80	0
		1	24	20.68	20.77	20.80	20.75	0
		1	49	20.60	20.81	20.82	20.66	0
		25	0	19.65	19.84	19.88	19.69	1
		25	12	19.63	19.71	19.77	19.64	1
		25	25	19.56	19.68	19.67	19.51	1
		50	0	19.47	19.51	19.61	19.47	1
10M	16QAM	1	0	19.44	19.58	19.67	19.60	1
		1	24	19.42	19.47	19.56	19.52	1
		1	49	19.39	19.49	19.53	19.48	1
		25	0	18.52	18.61	18.69	18.54	2
		25	12	18.34	18.46	18.45	18.50	2
		25	25	18.36	18.44	18.50	18.42	2
		50	0	18.29	18.37	18.44	18.32	2
10M	64QAM	1	0	18.34	18.44	18.47	18.46	2
		1	24	18.39	18.43	18.49	18.37	2
		1	49	18.32	18.42	18.54	18.37	2
		25	0	17.25	17.30	17.40	17.29	3
		25	12	17.35	17.39	17.51	17.46	3
		25	25	17.31	17.47	17.45	17.35	3
		50	0	17.23	17.30	17.34	17.30	3
10M	256QAM	1	0	14.96	15.07	15.11	14.98	5
		1	24	14.94	15.03	15.04	15.03	5
		1	49	14.92	14.96	15.01	14.96	5
		25	0	14.92	14.89	14.93	14.95	5
		25	12	14.90	14.99	14.99	15.00	5
		25	25	14.94	14.92	15.04	14.97	5
		50	0	14.88	14.86	14.96	14.90	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	20.77	20.82	20.84	20.84	0
		1	12	20.71	20.75	20.79	20.77	0
		1	24	20.69	20.74	20.84	20.67	0
		12	0	19.64	19.82	19.87	19.72	1
		12	6	19.57	19.69	19.71	19.68	1
		12	13	19.48	19.64	19.69	19.65	1
		25	0	19.48	19.57	19.59	19.46	1
5M	16QAM	1	0	19.48	19.60	19.63	19.54	1
		1	12	19.39	19.52	19.52	19.48	1
		1	24	19.37	19.50	19.48	19.43	1
		12	0	18.45	18.57	18.66	18.60	2
		12	6	18.38	18.51	18.55	18.38	2
		12	13	18.34	18.41	18.44	18.42	2
		25	0	18.22	18.39	18.35	18.40	2
5M	64QAM	1	0	18.38	18.49	18.52	18.43	2
		1	12	18.33	18.51	18.55	18.42	2
		1	24	18.28	18.49	18.45	18.51	2
		12	0	17.22	17.34	17.40	17.25	3
		12	6	17.37	17.40	17.44	17.48	3
		12	13	17.31	17.37	17.50	17.47	3
		25	0	17.19	17.34	17.40	17.41	3
5M	256QAM	1	0	14.97	15.04	15.04	15.00	5
		1	12	14.94	14.97	15.03	15.02	5
		1	24	14.99	14.94	15.02	14.95	5
		12	0	14.89	14.87	14.95	14.94	5
		12	6	14.95	14.93	15.03	15.02	5
		12	13	14.93	14.94	15.01	14.99	5
		25	0	14.83	14.81	14.90	14.92	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	23.41	23.46	23.80	0
		1	50	23.29	23.34	23.68	0
		1	99	23.34	23.39	23.73	0
		50	0	22.35	22.40	22.74	1
		50	25	22.29	22.34	22.68	1
		50	50	22.32	22.37	22.71	1
		100	0	22.44	22.49	22.83	1
20M	16QAM	1	0	22.35	22.42	22.79	1
		1	50	22.27	22.30	22.61	1
		1	99	22.29	22.32	22.71	1
		50	0	21.29	21.31	21.67	2
		50	25	21.20	21.29	21.66	2
		50	50	21.26	21.35	21.67	2
		100	0	21.42	21.49	21.83	2
20M	64QAM	1	0	21.37	21.44	21.70	2
		1	50	21.21	21.32	21.66	2
		1	99	21.32	21.39	21.66	2
		50	0	20.26	20.34	20.74	3
		50	25	20.26	20.25	20.68	3
		50	50	20.28	20.32	20.71	3
		100	0	20.42	20.47	20.82	3
20M	256QAM	1	0	18.38	18.40	18.71	5
		1	50	18.26	18.27	18.68	5
		1	99	18.26	18.39	18.67	5
		50	0	18.32	18.36	18.76	5
		50	25	18.23	18.31	18.66	5
		50	50	18.26	18.29	18.72	5
		100	0	18.29	18.30	18.62	5
BW	MCS Index	Channel		132047	132335.52	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	23.38	23.44	23.77	0
		1	37	23.27	23.26	23.61	0
		1	74	23.25	23.34	23.70	0
		36	0	22.33	22.39	22.70	1
		36	19	22.20	22.33	22.64	1
		36	39	22.28	22.34	22.70	1
		75	0	22.44	22.43	22.73	1
15M	16QAM	1	0	22.25	22.34	22.70	1
		1	37	22.23	22.24	22.59	1
		1	74	22.29	22.27	22.64	1
		36	0	21.25	21.26	21.60	2
		36	19	21.10	21.24	21.57	2
		36	39	21.26	21.25	21.67	2
		75	0	21.32	21.49	21.74	2
15M	64QAM	1	0	21.37	21.36	21.69	2
		1	37	21.19	21.22	21.64	2
		1	74	21.25	21.31	21.60	2
		36	0	20.23	20.32	20.67	3
		36	19	20.26	20.15	20.66	3
		36	39	20.28	20.25	20.70	3
		75	0	20.39	20.44	20.77	3
15M	256QAM	1	0	18.34	18.40	18.71	5
		1	37	18.24	18.22	18.61	5
		1	74	18.24	18.38	18.61	5
		36	0	18.26	18.33	18.76	5
		36	19	18.13	18.26	18.62	5
		36	39	18.17	18.22	18.68	5
		75	0	18.21	18.29	18.57	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	23.37	23.38	23.74	0
		1	24	23.25	23.25	23.66	0
		1	49	23.26	23.39	23.67	0
		25	0	22.30	22.31	22.67	1
		25	12	22.22	22.31	22.61	1
		25	25	22.25	22.29	22.65	1
		50	0	22.41	22.42	22.74	1
10M	16QAM	1	0	22.34	22.37	22.78	1
		1	24	22.18	22.29	22.52	1
		1	49	22.24	22.29	22.69	1
		25	0	21.26	21.24	21.58	2
		25	12	21.15	21.26	21.61	2
		25	25	21.25	21.26	21.60	2
		50	0	21.38	21.44	21.81	2
10M	64QAM	1	0	21.34	21.38	21.61	2
		1	24	21.19	21.24	21.59	2
		1	49	21.22	21.30	21.57	2
		25	0	20.21	20.33	20.72	3
		25	12	20.26	20.20	20.68	3
		25	25	20.25	20.30	20.70	3
		50	0	20.37	20.40	20.73	3
10M	256QAM	1	0	18.30	18.39	18.63	5
		1	24	18.25	18.27	18.60	5
		1	49	18.23	18.31	18.57	5
		25	0	18.31	18.27	18.67	5
		25	12	18.13	18.23	18.59	5
		25	25	18.26	18.29	18.72	5
		50	0	18.24	18.21	18.55	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	23.37	23.45	23.76	0
		1	12	23.28	23.27	23.68	0
		1	24	23.27	23.38	23.73	0
		12	0	22.28	22.33	22.69	1
		12	6	22.20	22.31	22.60	1
		12	13	22.28	22.27	22.63	1
		25	0	22.37	22.46	22.75	1
5M	16QAM	1	0	22.25	22.34	22.70	1
		1	12	22.22	22.28	22.60	1
		1	24	22.27	22.27	22.61	1
		12	0	21.22	21.27	21.58	2
		12	6	21.10	21.27	21.61	2
		12	13	21.17	21.28	21.63	2
		25	0	21.40	21.48	21.75	2
5M	64QAM	1	0	21.36	21.35	21.60	2
		1	12	21.14	21.23	21.66	2
		1	24	21.28	21.30	21.59	2
		12	0	20.17	20.26	20.72	3
		12	6	20.25	20.17	20.65	3
		12	13	20.23	20.29	20.70	3
		25	0	20.38	20.42	20.74	3
5M	256QAM	1	0	18.37	18.40	18.71	5
		1	12	18.25	18.24	18.58	5
		1	24	18.16	18.36	18.64	5
		12	0	18.28	18.30	18.76	5
		12	6	18.18	18.27	18.57	5
		12	13	18.16	18.27	18.68	5
		25	0	18.29	18.30	18.58	5

LTE Conducted Power (P-Sensor Off_MIMO 2)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	23.33	23.43	23.70	0
		1	7	23.19	23.32	23.61	0
		1	14	23.24	23.34	23.69	0
		8	0	22.32	22.35	22.74	1
		8	3	22.21	22.32	22.64	1
		8	7	22.25	22.29	22.62	1
		15	0	22.36	22.45	22.83	1
3M	16QAM	1	0	22.34	22.38	22.71	1
		1	7	22.17	22.28	22.60	1
		1	14	22.29	22.24	22.71	1
		8	0	21.25	21.24	21.57	2
		8	3	21.17	21.27	21.63	2
		8	7	21.25	21.25	21.66	2
		15	0	21.37	21.42	21.83	2
3M	64QAM	1	0	21.37	21.37	21.63	2
		1	7	21.21	21.23	21.57	2
		1	14	21.23	21.31	21.64	2
		8	0	20.26	20.27	20.68	3
		8	3	20.19	20.18	20.63	3
		8	7	20.18	20.24	20.64	3
		15	0	20.33	20.42	20.75	3
3M	256QAM	1	0	18.36	18.36	18.71	5
		1	7	18.19	18.25	18.58	5
		1	14	18.21	18.30	18.62	5
		8	0	18.28	18.34	18.74	5
		8	3	18.15	18.30	18.58	5
		8	7	18.19	18.28	18.70	5
		15	0	18.24	18.26	18.62	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	23.37	23.30	23.78	0
		1	2	23.17	23.14	23.56	0
		1	5	23.31	23.28	23.66	0
		3	0	23.16	23.39	23.61	0
		3	1	23.21	23.18	23.57	0
		3	3	23.28	23.19	23.61	0
		6	0	22.31	22.30	22.71	1
1.4M	16QAM	1	0	22.18	22.24	22.58	1
		1	2	22.09	22.24	22.55	1
		1	5	22.06	22.19	22.64	1
		3	0	22.11	22.19	22.57	1
		3	1	22.06	22.21	22.59	1
		3	3	22.21	22.20	22.57	1
		6	0	21.36	21.47	21.72	2
1.4M	64QAM	1	0	21.29	21.41	21.67	2
		1	2	21.01	21.21	21.56	2
		1	5	21.08	21.26	21.63	2
		3	0	21.18	21.14	21.68	2
		3	1	21.03	21.05	21.56	2
		3	3	21.23	21.24	21.50	2
		6	0	20.37	20.39	20.66	3
1.4M	256QAM	1	0	18.31	18.36	18.70	5
		1	2	18.16	18.20	18.63	5
		1	5	18.21	18.30	18.67	5
		3	0	18.26	18.35	18.72	5
		3	1	18.21	18.26	18.61	5
		3	3	18.25	18.29	18.69	5
		6	0	18.23	18.23	18.60	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	18.85	18.71	18.70	0
		1	50	18.79	18.64	18.62	0
		1	99	18.76	18.61	18.59	0
		50	0	18.00	17.94	17.92	1
		50	25	17.97	17.82	17.80	1
		50	50	17.89	17.74	17.72	1
		100	0	17.93	17.78	17.76	1
20M	16QAM	1	0	17.83	17.68	17.66	1
		1	50	17.81	17.66	17.64	1
		1	99	17.73	17.58	17.56	1
		50	0	16.80	16.65	16.63	2
		50	25	16.78	16.63	16.61	2
		50	50	16.70	16.55	16.53	2
		100	0	16.79	16.64	16.62	2
20M	64QAM	1	0	16.81	16.66	16.64	2
		1	50	16.79	16.64	16.62	2
		1	99	16.71	16.56	16.54	2
		50	0	15.78	15.63	15.61	3
		50	25	15.76	15.61	15.59	3
		50	50	15.68	15.53	15.51	3
		100	0	15.77	15.62	15.60	3
20M	256QAM	1	0	13.75	13.60	13.58	5
		1	50	13.73	13.58	13.56	5
		1	99	13.65	13.50	13.48	5
		50	0	13.71	13.56	13.54	5
		50	25	13.69	13.54	13.52	5
		50	50	13.61	13.46	13.44	5
		100	0	13.67	13.52	13.50	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	18.83	18.71	18.61	0
		1	37	18.72	18.61	18.53	0
		1	74	18.75	18.58	18.54	0
		36	0	17.98	17.85	17.84	1
		36	19	17.92	17.82	17.72	1
		36	39	17.82	17.71	17.71	1
		75	0	17.93	17.69	17.72	1
15M	16QAM	1	0	17.81	17.65	17.57	1
		1	37	17.79	17.59	17.55	1
		1	74	17.71	17.51	17.48	1
		36	0	16.70	16.65	16.63	2
		36	19	16.71	16.58	16.54	2
		36	39	16.68	16.50	16.44	2
		75	0	16.71	16.64	16.62	2
15M	64QAM	1	0	16.79	16.66	16.60	2
		1	37	16.78	16.63	16.56	2
		1	74	16.68	16.54	16.50	2
		36	0	15.77	15.58	15.59	3
		36	19	15.72	15.61	15.54	3
		36	39	15.62	15.48	15.46	3
		75	0	15.76	15.59	15.58	3
15M	256QAM	1	0	13.68	13.55	13.56	5
		1	37	13.68	13.58	13.47	5
		1	74	13.64	13.49	13.44	5
		36	0	13.64	13.51	13.45	5
		36	19	13.62	13.52	13.52	5
		36	39	13.52	13.41	13.34	5
		75	0	13.61	13.52	13.40	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	18.78	18.61	18.60	0
		1	24	18.76	18.60	18.58	0
		1	49	18.71	18.54	18.52	0
		25	0	17.95	17.86	17.92	1
		25	12	17.95	17.78	17.70	1
		25	25	17.81	17.69	17.69	1
		50	0	17.89	17.69	17.67	1
10M	16QAM	1	0	17.79	17.66	17.66	1
		1	24	17.79	17.62	17.58	1
		1	49	17.73	17.53	17.49	1
		25	0	16.77	16.63	16.56	2
		25	12	16.68	16.55	16.57	2
		25	25	16.68	16.55	16.52	2
		50	0	16.77	16.56	16.52	2
10M	64QAM	1	0	16.71	16.62	16.58	2
		1	24	16.71	16.62	16.55	2
		1	49	16.68	16.51	16.46	2
		25	0	15.76	15.62	15.56	3
		25	12	15.72	15.61	15.56	3
		25	25	15.64	15.52	15.42	3
		50	0	15.77	15.56	15.57	3
10M	256QAM	1	0	13.70	13.51	13.56	5
		1	24	13.72	13.58	13.52	5
		1	49	13.59	13.44	13.39	5
		25	0	13.69	13.56	13.52	5
		25	12	13.69	13.46	13.42	5
		25	25	13.56	13.43	13.39	5
		50	0	13.67	13.50	13.49	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	18.79	18.71	18.68	0
		1	12	18.75	18.54	18.55	0
		1	24	18.75	18.51	18.50	0
		12	0	17.99	17.89	17.87	1
		12	6	17.94	17.80	17.73	1
		12	13	17.83	17.72	17.67	1
		25	0	17.90	17.75	17.66	1
5M	16QAM	1	0	17.78	17.60	17.56	1
		1	12	17.80	17.60	17.56	1
		1	24	17.67	17.58	17.53	1
		12	0	16.71	16.60	16.61	2
		12	6	16.70	16.59	16.57	2
		12	13	16.63	16.51	16.45	2
		25	0	16.75	16.58	16.58	2
5M	64QAM	1	0	16.72	16.65	16.57	2
		1	12	16.69	16.60	16.60	2
		1	24	16.71	16.53	16.52	2
		12	0	15.69	15.57	15.51	3
		12	6	15.72	15.51	15.49	3
		12	13	15.62	15.47	15.44	3
		25	0	15.67	15.61	15.50	3
5M	256QAM	1	0	13.61	13.43	13.36	5
		1	12	13.56	13.47	13.37	5
		1	24	13.42	13.40	13.33	5
		12	0	13.66	13.42	13.34	5
		12	6	13.62	13.45	13.43	5
		12	13	13.50	13.32	13.24	5
		25	0	13.62	13.28	13.49	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	18.81	18.61	18.70	0
		1	7	18.74	18.54	18.54	0
		1	14	18.71	18.55	18.50	0
		8	0	17.93	17.88	17.89	1
		8	3	17.93	17.73	17.75	1
		8	7	17.80	17.72	17.67	1
		15	0	17.91	17.77	17.76	1
3M	16QAM	1	0	17.75	17.61	17.62	1
		1	7	17.78	17.65	17.61	1
		1	14	17.63	17.50	17.53	1
		8	0	16.73	16.65	16.60	2
		8	3	16.74	16.60	16.56	2
		8	7	16.63	16.53	16.43	2
		15	0	16.73	16.58	16.61	2
3M	64QAM	1	0	16.72	16.66	16.57	2
		1	7	16.70	16.59	16.57	2
		1	14	16.66	16.46	16.47	2
		8	0	15.68	15.58	15.59	3
		8	3	15.68	15.57	15.55	3
		8	7	15.59	15.48	15.42	3
		15	0	15.72	15.55	15.57	3
3M	256QAM	1	0	13.72	13.49	13.47	5
		1	7	13.61	13.42	13.42	5
		1	14	13.64	13.41	13.33	5
		8	0	13.50	13.49	13.50	5
		8	3	13.63	13.38	13.33	5
		8	7	13.51	13.38	13.33	5
		15	0	13.64	13.33	13.45	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	18.84	18.61	18.69	0
		1	2	18.73	18.61	18.53	0
		1	5	18.66	18.55	18.55	0
		3	0	17.93	17.88	17.82	0
		3	1	17.88	17.77	17.75	0
		3	3	17.89	17.67	17.70	0
		6	0	17.89	17.74	17.74	1
1.4M	16QAM	1	0	17.79	17.62	17.62	1
		1	2	17.77	17.57	17.58	1
		1	5	17.64	17.48	17.50	1
		3	0	16.77	16.65	16.63	1
		3	1	16.78	16.63	16.59	1
		3	3	16.68	16.55	16.50	1
		6	0	16.74	16.57	16.56	2
1.4M	64QAM	1	0	16.79	16.56	16.58	2
		1	2	16.70	16.64	16.60	2
		1	5	16.67	16.48	16.46	2
		3	0	15.72	15.57	15.51	2
		3	1	15.66	15.53	15.57	2
		3	3	15.58	15.48	15.48	2
		6	0	15.70	15.56	15.55	3
1.4M	256QAM	1	0	13.53	13.50	13.48	5
		1	2	13.65	13.43	13.36	5
		1	5	13.50	13.29	13.29	5
		3	0	13.50	13.46	13.39	5
		3	1	13.52	13.42	13.48	5
		3	3	13.57	13.35	13.35	5
		6	0	13.54	13.37	13.39	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	14.75	14.70	14.71	0
		1	50	14.70	14.64	14.68	0
		1	99	14.69	14.63	14.67	0
		50	0	14.00	13.94	13.98	1
		50	25	13.88	13.82	13.86	1
		50	50	13.80	13.74	13.78	1
		100	0	13.84	13.78	13.82	1
20M	16QAM	1	0	13.74	13.68	13.72	1
		1	50	13.72	13.66	13.70	1
		1	99	13.64	13.58	13.62	1
		50	0	12.71	12.65	12.69	2
		50	25	12.69	12.63	12.67	2
		50	50	12.61	12.55	12.59	2
		100	0	12.70	12.64	12.68	2
20M	64QAM	1	0	12.72	12.66	12.70	2
		1	50	12.70	12.64	12.68	2
		1	99	12.62	12.56	12.60	2
		50	0	11.69	11.63	11.67	3
		50	25	11.67	11.61	11.65	3
		50	50	11.59	11.53	11.57	3
		100	0	11.68	11.62	11.66	3
20M	256QAM	1	0	9.66	9.60	9.64	5
		1	50	9.64	9.58	9.62	5
		1	99	9.56	9.50	9.54	5
		50	0	9.62	9.56	9.60	5
		50	25	9.60	9.54	9.58	5
		50	50	9.52	9.46	9.50	5
		100	0	9.58	9.52	9.56	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	14.71	14.64	14.68	0
		1	37	14.67	14.59	14.62	0
		1	74	14.60	14.61	14.63	0
		36	0	13.92	13.87	13.93	1
		36	19	13.78	13.81	13.83	1
		36	39	13.73	13.65	13.68	1
		75	0	13.82	13.75	13.77	1
15M	16QAM	1	0	13.65	13.61	13.67	1
		1	37	13.68	13.60	13.65	1
		1	74	13.64	13.58	13.56	1
		36	0	12.62	12.65	12.69	2
		36	19	12.66	12.55	12.62	2
		36	39	12.56	12.53	12.52	2
		75	0	12.67	12.61	12.59	2
15M	64QAM	1	0	12.72	12.59	12.67	2
		1	37	12.66	12.55	12.60	2
		1	74	12.53	12.51	12.50	2
		36	0	11.69	11.54	11.58	3
		36	19	11.64	11.57	11.62	3
		36	39	11.59	11.46	11.49	3
		75	0	11.65	11.56	11.58	3
15M	256QAM	1	0	9.63	9.52	9.60	5
		1	37	9.55	9.58	9.61	5
		1	74	9.55	9.47	9.52	5
		36	0	9.52	9.55	9.50	5
		36	19	9.57	9.52	9.49	5
		36	39	9.46	9.45	9.45	5
		75	0	9.48	9.44	9.51	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	14.70	14.52	14.49	0
		1	24	14.59	14.48	14.49	0
		1	49	14.59	14.51	14.54	0
		25	0	13.82	13.89	13.88	1
		25	12	13.69	13.72	13.72	1
		25	25	13.65	13.64	13.66	1
		50	0	13.68	13.74	13.60	1
10M	16QAM	1	0	13.71	13.55	13.64	1
		1	24	13.57	13.57	13.61	1
		1	49	13.55	13.43	13.46	1
		25	0	12.67	12.55	12.60	2
		25	12	12.64	12.60	12.57	2
		25	25	12.56	12.46	12.44	2
		50	0	12.51	12.54	12.55	2
10M	64QAM	1	0	12.59	12.65	12.51	2
		1	24	12.65	12.55	12.52	2
		1	49	12.52	12.33	12.36	2
		25	0	11.62	11.60	11.51	3
		25	12	11.54	11.45	11.51	3
		25	25	11.42	11.42	11.36	3
		50	0	11.59	11.57	11.58	3
10M	256QAM	1	0	9.61	9.50	9.60	5
		1	24	9.55	9.50	9.61	5
		1	49	9.51	9.40	9.46	5
		25	0	9.56	9.56	9.56	5
		25	12	9.51	9.46	9.54	5
		25	25	9.43	9.38	9.44	5
		50	0	9.57	9.42	9.51	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	14.59	14.60	14.64	0
		1	12	14.54	14.53	14.61	0
		1	24	14.64	14.53	14.63	0
		12	0	13.87	13.79	13.94	1
		12	6	13.70	13.73	13.81	1
		12	13	13.67	13.62	13.60	1
		25	0	13.65	13.60	13.60	1
5M	16QAM	1	0	13.59	13.55	13.64	1
		1	12	13.70	13.51	13.55	1
		1	24	13.53	13.49	13.55	1
		12	0	12.58	12.51	12.61	2
		12	6	12.65	12.51	12.53	2
		12	13	12.51	12.41	12.50	2
		25	0	12.57	12.50	12.59	2
5M	64QAM	1	0	12.61	12.52	12.61	2
		1	12	12.59	12.60	12.52	2
		1	24	12.45	12.51	12.45	2
		12	0	11.62	11.43	11.60	3
		12	6	11.64	11.55	11.52	3
		12	13	11.38	11.42	11.50	3
		25	0	11.52	11.38	11.55	3
5M	256QAM	1	0	9.59	9.52	9.58	5
		1	12	9.56	9.56	9.58	5
		1	24	9.50	9.45	9.45	5
		12	0	9.59	9.47	9.60	5
		12	6	9.51	9.46	9.49	5
		12	13	9.46	9.37	9.40	5
		25	0	9.56	9.42	9.53	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 42							
BW	MCS Index	RB Size	RB Offset	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		43190	43340	43490	
		Frequency (MHz)		3560	3575	3590	
20M	QPSK	1	0	22.35	22.42	22.33	0
		1	50	22.30	22.40	22.25	0
		1	99	22.34	22.37	22.32	0
		50	0	21.39	21.42	21.37	1
		50	25	21.37	21.40	21.35	1
		50	50	21.27	21.30	21.25	1
		100	0	21.46	21.49	21.44	1
20M	16QAM	1	0	21.45	21.48	21.43	1
		1	50	21.40	21.43	21.38	1
		1	99	21.38	21.41	21.36	1
		50	0	20.42	20.45	20.40	2
		50	25	20.37	20.40	20.35	2
		50	50	20.35	20.38	20.33	2
		100	0	20.27	20.30	20.25	2
20M	64QAM	1	0	20.36	20.39	20.34	2
		1	50	20.38	20.41	20.36	2
		1	99	20.36	20.39	20.34	2
		50	0	19.26	19.29	19.24	3
		50	25	19.35	19.38	19.33	3
		50	50	19.33	19.36	19.31	3
		100	0	19.25	19.28	19.23	3
20M	256QAM	1	0	17.34	17.37	17.32	5
		1	50	17.32	17.35	17.30	5
		1	99	17.30	17.33	17.28	5
		50	0	17.22	17.25	17.20	5
		50	25	17.28	17.31	17.26	5
		50	50	17.26	17.29	17.24	5
		100	0	17.18	17.21	17.16	5
BW	MCS Index	Channel		43165	43340	43515	3GPP MPR
		Frequency (MHz)		3557.5	3575	3592.5	
15M	QPSK	1	0	22.29	22.34	22.25	0
		1	37	22.33	22.35	22.29	0
		1	74	22.31	22.27	22.22	0
		36	0	21.33	21.33	21.30	1
		36	19	21.37	21.36	21.26	1
		36	39	21.21	21.26	21.20	1
		75	0	21.45	21.44	21.44	1
15M	16QAM	1	0	21.40	21.40	21.36	1
		1	37	21.31	21.35	21.38	1
		1	74	21.30	21.33	21.36	1
		36	0	20.38	20.37	20.34	2
		36	19	20.37	20.40	20.26	2
		36	39	20.33	20.34	20.29	2
		75	0	20.23	20.27	20.21	2
15M	64QAM	1	0	20.34	20.38	20.34	2
		1	37	20.31	20.39	20.30	2
		1	74	20.30	20.30	20.26	2
		36	0	19.24	19.26	19.14	3
		36	19	19.26	19.29	19.28	3
		36	39	19.25	19.35	19.29	3
		75	0	19.20	19.26	19.16	3
15M	256QAM	1	0	17.28	17.32	17.28	5
		1	37	17.31	17.31	17.29	5
		1	74	17.21	17.30	17.18	5
		36	0	17.21	17.19	17.17	5
		36	19	17.26	17.30	17.17	5
		36	39	17.22	17.25	17.21	5
		75	0	17.17	17.18	17.12	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 42							
BW	MCS Index	Channel		43140	43340	43540	3GPP MPR
		Frequency (MHz)		3555	3575	3595	
10M	QPSK	1	0	22.25	22.33	22.32	0
		1	24	22.19	22.17	22.25	0
		1	49	22.19	22.27	22.10	0
		25	0	21.30	21.35	21.23	1
		25	12	21.28	21.29	21.16	1
		25	25	21.16	21.18	21.09	1
		50	0	21.26	21.40	21.33	1
10M	16QAM	1	0	21.32	21.33	21.31	1
		1	24	21.36	21.25	21.23	1
		1	49	21.20	21.30	21.15	1
		25	0	20.31	20.27	20.25	2
		25	12	20.20	20.25	20.15	2
		25	25	20.17	20.19	20.18	2
		50	0	20.22	20.10	20.06	2
10M	64QAM	1	0	20.31	20.25	20.20	2
		1	24	20.32	20.23	20.22	2
		1	49	20.18	20.19	20.16	2
		25	0	19.19	19.12	19.06	3
		25	12	19.17	19.26	19.15	3
		25	25	19.29	19.21	19.10	3
		50	0	19.18	19.04	19.17	3
10M	256QAM	1	0	17.28	17.28	17.25	5
		1	24	17.31	17.31	17.24	5
		1	49	17.23	17.32	17.28	5
		25	0	17.15	17.23	17.12	5
		25	12	17.25	17.28	17.19	5
		25	25	17.19	17.29	17.17	5
		50	0	17.09	17.19	17.14	5
BW	MCS Index	Channel		43115	43340	43565	3GPP MPR
		Frequency (MHz)		3552.5	3575	3597.5	
5M	QPSK	1	0	22.20	22.26	22.25	0
		1	12	22.24	22.27	22.26	0
		1	24	22.13	22.25	22.25	0
		12	0	21.20	21.38	21.33	1
		12	6	21.28	21.28	21.28	1
		12	13	21.20	21.24	21.20	1
		25	0	21.36	21.38	21.28	1
5M	16QAM	1	0	21.29	21.43	21.35	1
		1	12	21.23	21.32	21.27	1
		1	24	21.20	21.35	21.15	1
		12	0	20.31	20.25	20.28	2
		12	6	20.28	20.35	20.34	2
		12	13	20.20	20.31	20.21	2
		25	0	20.03	20.17	20.14	2
5M	64QAM	1	0	20.13	20.27	20.29	2
		1	12	20.23	20.25	20.15	2
		1	24	20.28	20.34	20.19	2
		12	0	19.24	19.20	19.21	3
		12	6	19.33	19.31	19.13	3
		12	13	19.19	19.27	19.17	3
		25	0	19.04	19.16	19.13	3
5M	256QAM	1	0	17.34	17.37	17.22	5
		1	12	17.24	17.30	17.30	5
		1	24	17.22	17.26	17.24	5
		12	0	17.20	17.23	17.16	5
		12	6	17.21	17.28	17.24	5
		12	13	17.19	17.23	17.19	5
		25	0	17.10	17.16	17.14	5

LTE Conducted Power (P-Sensor On_MIMO 2)								
LTE Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	20.45	20.42	20.50	20.46	0
		1	50	20.42	20.34	20.48	20.44	0
		1	99	20.39	20.40	20.45	20.41	0
		50	0	19.43	19.44	19.49	19.45	1
		50	25	19.33	19.34	19.39	19.35	1
		50	50	19.26	19.27	19.32	19.28	1
		100	0	19.18	19.19	19.24	19.20	1
20M	16QAM	1	0	19.22	19.23	19.28	19.24	1
		1	50	19.12	19.13	19.18	19.14	1
		1	99	19.10	19.11	19.16	19.12	1
		50	0	18.24	18.25	18.30	18.26	2
		50	25	18.09	18.10	18.15	18.11	2
		50	50	18.07	18.08	18.13	18.09	2
		100	0	17.99	18.00	18.05	18.01	2
20M	64QAM	1	0	18.08	18.09	18.14	18.10	2
		1	50	18.10	18.11	18.16	18.12	2
		1	99	18.08	18.09	18.14	18.10	2
		50	0	16.98	16.99	17.04	17.00	3
		50	25	17.07	17.08	17.13	17.09	3
		50	50	17.05	17.06	17.11	17.07	3
		100	0	16.97	16.98	17.03	16.99	3
20M	256QAM	1	0	15.06	15.07	15.12	15.08	5
		1	50	15.04	15.05	15.10	15.06	5
		1	99	15.02	15.03	15.08	15.04	5
		50	0	14.94	14.95	15.00	14.96	5
		50	25	15.00	15.01	15.06	15.02	5
		50	50	14.98	14.99	15.04	15.00	5
		100	0	14.90	14.91	14.96	14.92	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	20.38	20.34	20.44	20.37	0
		1	37	20.33	20.42	20.40	20.44	0
		1	74	20.29	20.32	20.45	20.38	0
		36	0	19.34	19.41	19.39	19.41	1
		36	19	19.32	19.29	19.39	19.35	1
		36	39	19.26	19.19	19.32	19.18	1
		75	0	19.14	19.18	19.16	19.10	1
15M	16QAM	1	0	19.37	19.39	19.44	19.41	1
		1	37	19.39	19.36	19.40	19.34	1
		1	74	19.31	19.34	19.45	19.36	1
		36	0	18.33	18.35	18.47	18.38	2
		36	19	18.28	18.27	18.29	18.31	2
		36	39	18.19	18.21	18.29	18.18	2
		75	0	18.12	18.13	18.21	18.12	2
15M	64QAM	1	0	18.45	18.33	18.46	18.40	2
		1	37	18.32	18.35	18.46	18.40	2
		1	74	18.32	18.40	18.41	18.32	2
		36	0	17.36	17.36	17.40	17.42	3
		36	19	17.25	17.28	17.34	17.28	3
		36	39	17.23	17.26	17.22	17.26	3
		75	0	17.08	17.11	17.22	17.15	3
15M	256QAM	1	0	14.97	14.98	15.02	14.98	5
		1	37	15.00	14.97	15.06	15.04	5
		1	74	14.97	14.93	14.99	15.02	5
		36	0	14.93	14.86	14.92	14.86	5
		36	19	14.96	14.99	15.04	14.96	5
		36	39	14.97	14.92	15.01	14.99	5
		75	0	14.88	14.88	14.96	14.88	5

LTE Conducted Power (P-Sensor On_MIMO 2)								
LTE Band 48								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	20.40	20.36	20.38	20.39	0
		1	24	20.32	20.32	20.28	20.40	0
		1	49	20.31	20.32	20.38	20.34	0
		25	0	19.34	19.28	19.39	19.41	1
		25	12	19.23	19.22	19.38	19.24	1
		25	25	19.12	19.12	19.22	19.22	1
		50	0	19.08	19.14	19.17	19.01	1
10M	16QAM	1	0	19.44	19.41	19.46	19.31	1
		1	24	19.25	19.34	19.30	19.37	1
		1	49	19.28	19.24	19.38	19.34	1
		25	0	18.35	18.28	18.34	18.37	2
		25	12	18.19	18.24	18.37	18.23	2
		25	25	18.11	18.10	18.20	18.25	2
		50	0	18.03	18.19	18.14	18.06	2
10M	64QAM	1	0	18.44	18.37	18.44	18.31	2
		1	24	18.27	18.33	18.30	18.38	2
		1	49	18.28	18.30	18.40	18.33	2
		25	0	17.36	17.34	17.30	17.41	3
		25	12	17.18	17.18	17.37	17.22	3
		25	25	17.14	17.14	17.20	17.25	3
		50	0	17.05	17.18	17.16	17.05	3
10M	256QAM	1	0	14.96	15.07	15.11	14.98	5
		1	24	14.94	15.03	15.04	15.03	5
		1	49	14.92	14.96	15.01	14.96	5
		25	0	14.92	14.89	14.93	14.95	5
		25	12	14.90	14.99	14.99	15.00	5
		25	25	14.94	14.92	15.04	14.97	5
		50	0	14.88	14.86	14.96	14.90	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	20.25	20.35	20.32	20.29	0
		1	12	20.31	20.38	20.42	20.29	0
		1	24	20.35	20.28	20.33	20.28	0
		12	0	19.28	19.35	19.39	19.34	1
		12	6	19.27	19.17	19.35	19.17	1
		12	13	19.24	19.09	19.24	19.21	1
		25	0	19.11	19.07	19.13	19.09	1
5M	16QAM	1	0	19.28	19.36	19.33	19.37	1
		1	12	19.33	19.39	19.37	19.33	1
		1	24	19.27	19.33	19.35	19.30	1
		12	0	18.29	18.35	18.46	18.29	2
		12	6	18.28	18.19	18.35	18.22	2
		12	13	18.23	18.13	18.19	18.15	2
		25	0	18.08	18.11	18.11	18.07	2
5M	64QAM	1	0	18.32	18.26	18.34	18.33	2
		1	12	18.36	18.36	18.39	18.32	2
		1	24	18.30	18.37	18.42	18.29	2
		12	0	17.31	17.38	17.46	17.36	3
		12	6	17.23	17.21	17.27	17.20	3
		12	13	17.14	17.14	17.25	17.15	3
		25	0	17.15	17.10	17.18	17.03	3
5M	256QAM	1	0	14.97	15.04	15.04	15.00	5
		1	12	14.94	14.97	15.03	15.02	5
		1	24	14.99	14.94	15.02	14.95	5
		12	0	14.89	14.87	14.95	14.94	5
		12	6	14.95	14.93	15.03	15.02	5
		12	13	14.93	14.94	15.01	14.99	5
		25	0	14.83	14.81	14.90	14.92	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	17.74	17.67	17.72	0
		1	50	17.64	17.52	17.61	0
		1	99	17.62	17.50	17.59	0
		50	0	16.85	16.73	16.82	1
		50	25	16.80	16.68	16.77	1
		50	50	16.73	16.61	16.70	1
		100	0	16.65	16.53	16.62	1
20M	16QAM	1	0	16.69	16.57	16.66	1
		1	50	16.59	16.47	16.56	1
		1	99	16.57	16.45	16.54	1
		50	0	15.71	15.59	15.68	2
		50	25	15.56	15.44	15.53	2
		50	50	15.54	15.42	15.51	2
		100	0	15.46	15.34	15.43	2
20M	64QAM	1	0	15.55	15.43	15.52	2
		1	50	15.57	15.45	15.54	2
		1	99	15.55	15.43	15.52	2
		50	0	14.45	14.33	14.42	3
		50	25	14.54	14.42	14.51	3
		50	50	14.52	14.40	14.49	3
		100	0	14.44	14.32	14.41	3
20M	256QAM	1	0	12.53	12.41	12.50	5
		1	50	12.51	12.39	12.48	5
		1	99	12.49	12.37	12.46	5
		50	0	12.41	12.29	12.38	5
		50	25	12.47	12.35	12.44	5
		50	50	12.45	12.33	12.42	5
		100	0	12.37	12.25	12.34	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	17.72	17.66	17.69	0
		1	37	17.60	17.51	17.61	0
		1	74	17.62	17.43	17.56	0
		36	0	16.80	16.68	16.75	1
		36	19	16.72	16.61	16.69	1
		36	39	16.68	16.53	16.70	1
		75	0	16.63	16.43	16.59	1
15M	16QAM	1	0	16.63	16.54	16.62	1
		1	37	16.56	16.41	16.50	1
		1	74	16.54	16.35	16.48	1
		36	0	15.66	15.54	15.61	2
		36	19	15.55	15.38	15.47	2
		36	39	15.51	15.37	15.48	2
		75	0	15.36	15.25	15.41	2
15M	64QAM	1	0	15.50	15.37	15.43	2
		1	37	15.48	15.40	15.47	2
		1	74	15.48	15.35	15.51	2
		36	0	14.40	14.32	14.40	3
		36	19	14.51	14.39	14.47	3
		36	39	14.51	14.33	14.39	3
		75	0	14.37	14.30	14.40	3
15M	256QAM	1	0	12.44	12.33	12.47	5
		1	37	12.48	12.37	12.45	5
		1	74	12.44	12.33	12.37	5
		36	0	12.34	12.22	12.29	5
		36	19	12.44	12.31	12.37	5
		36	39	12.40	12.33	12.32	5
		75	0	12.30	12.21	12.24	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	17.64	17.60	17.66	0
		1	24	17.59	17.44	17.57	0
		1	49	17.56	17.47	17.49	0
		25	0	16.77	16.66	16.77	1
		25	12	16.75	16.61	16.74	1
		25	25	16.70	16.54	16.66	1
		50	0	16.62	16.44	16.57	1
10M	16QAM	1	0	16.61	16.51	16.66	1
		1	24	16.51	16.46	16.56	1
		1	49	16.51	16.42	16.52	1
		25	0	15.62	15.59	15.64	2
		25	12	15.48	15.36	15.45	2
		25	25	15.44	15.42	15.49	2
		50	0	15.41	15.33	15.36	2
10M	64QAM	1	0	15.55	15.35	15.51	2
		1	24	15.47	15.35	15.54	2
		1	49	15.45	15.43	15.48	2
		25	0	14.45	14.25	14.39	3
		25	12	14.45	14.34	14.45	3
		25	25	14.43	14.37	14.46	3
		50	0	14.42	14.22	14.34	3
10M	256QAM	1	0	12.50	12.33	12.47	5
		1	24	12.48	12.30	12.46	5
		1	49	12.46	12.35	12.44	5
		25	0	12.36	12.20	12.28	5
		25	12	12.46	12.30	12.44	5
		25	25	12.36	12.26	12.41	5
		50	0	12.27	12.15	12.27	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	17.71	17.66	17.70	0
		1	12	17.55	17.52	17.54	0
		1	24	17.54	17.40	17.58	0
		12	0	16.75	16.63	16.73	1
		12	6	16.70	16.61	16.69	1
		12	13	16.67	16.60	16.68	1
		25	0	16.55	16.47	16.55	1
5M	16QAM	1	0	16.60	16.54	16.66	1
		1	12	16.49	16.43	16.51	1
		1	24	16.48	16.44	16.53	1
		12	0	15.62	15.59	15.61	2
		12	6	15.54	15.43	15.53	2
		12	13	15.50	15.32	15.43	2
		25	0	15.41	15.25	15.39	2
5M	64QAM	1	0	15.54	15.33	15.48	2
		1	12	15.48	15.38	15.51	2
		1	24	15.50	15.39	15.47	2
		12	0	14.40	14.27	14.37	3
		12	6	14.47	14.40	14.41	3
		12	13	14.45	14.35	14.48	3
		25	0	14.43	14.26	14.32	3
5M	256QAM	1	0	12.53	12.31	12.43	5
		1	12	12.42	12.34	12.47	5
		1	24	12.45	12.37	12.40	5
		12	0	12.35	12.20	12.33	5
		12	6	12.46	12.27	12.39	5
		12	13	12.40	12.24	12.39	5
		25	0	12.31	12.20	12.28	5

LTE Conducted Power (P-Sensor On_MIMO 2)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	17.69	17.63	17.63	0
		1	7	17.61	17.47	17.52	0
		1	14	17.62	17.44	17.50	0
		8	0	16.77	16.66	16.74	1
		8	3	16.76	16.64	16.71	1
		8	7	16.67	16.55	16.63	1
		15	0	16.62	16.53	16.60	1
3M	16QAM	1	0	16.59	16.50	16.66	1
		1	7	16.56	16.43	16.55	1
		1	14	16.48	16.38	16.50	1
		8	0	15.64	15.50	15.62	2
		8	3	15.52	15.41	15.43	2
		8	7	15.49	15.33	15.50	2
		15	0	15.38	15.30	15.34	2
3M	64QAM	1	0	15.48	15.35	15.44	2
		1	7	15.54	15.39	15.53	2
		1	14	15.55	15.34	15.46	2
		8	0	14.37	14.25	14.32	3
		8	3	14.48	14.32	14.42	3
		8	7	14.50	14.30	14.40	3
		15	0	14.36	14.25	14.38	3
3M	256QAM	1	0	12.46	12.31	12.50	5
		1	7	12.51	12.39	12.39	5
		1	14	12.39	12.34	12.40	5
		8	0	12.39	12.20	12.35	5
		8	3	12.45	12.26	12.35	5
		8	7	12.42	12.27	12.40	5
		15	0	12.35	12.20	12.28	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	17.65	17.66	17.70	0
		1	2	17.63	17.42	17.53	0
		1	5	17.56	17.46	17.49	0
		3	0	16.81	16.66	16.77	0
		3	1	16.73	16.58	16.68	0
		3	3	16.68	16.59	16.62	0
		6	0	16.59	16.51	16.62	1
1.4M	16QAM	1	0	16.60	16.55	16.60	1
		1	2	16.54	16.47	16.50	1
		1	5	16.53	16.35	16.50	1
		3	0	15.61	15.58	15.66	1
		3	1	15.48	15.44	15.52	1
		3	3	15.48	15.32	15.41	1
		6	0	15.44	15.33	15.43	2
1.4M	64QAM	1	0	15.48	15.36	15.45	2
		1	2	15.52	15.44	15.46	2
		1	5	15.50	15.38	15.44	2
		3	0	14.37	14.32	14.37	2
		3	1	14.48	14.32	14.51	2
		3	3	14.42	14.38	14.45	2
		6	0	14.36	14.27	14.40	3
1.4M	256QAM	1	0	12.50	12.40	12.45	5
		1	2	12.41	12.31	12.39	5
		1	5	12.39	12.33	12.39	5
		3	0	12.40	12.19	12.32	5
		3	1	12.39	12.32	12.35	5
		3	3	12.45	12.23	12.41	5
		6	0	12.34	12.25	12.32	5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	23.63	23.81	23.90	0
		1	53	23.55	23.72	23.88	0
		1	104	23.61	23.75	23.85	0
		50	0	23.13	23.31	23.37	0.5
		50	28	23.52	23.68	23.79	0
		50	56	23.12	23.31	23.41	0.5
		100	0	23.11	23.35	23.34	0.5
20M	DFT-S QPSK	1	1	23.70	23.90	23.95	0
		1	53	23.62	23.80	23.91	0
		1	104	23.62	23.80	23.85	0
		50	0	22.65	22.84	22.90	1
		50	28	23.53	23.71	23.89	0
		50	56	22.69	22.81	22.94	1
		100	0	22.63	22.87	22.92	1
20M	DFT-S 16QAM	1	1	22.60	22.85	22.84	1
20M	DFT-S 64QAM	1	1	21.05	21.34	21.35	2.5
20M	DFT-S 256QAM	1	1	19.13	19.35	19.42	4.5
20M	CP QPSK	1	1	22.09	22.37	22.39	1.5
20M	CP 16QAM	1	1	21.63	21.83	21.88	2
20M	CP 64QAM	1	1	20.03	20.34	20.42	3.5
20M	CP 256QAM	1	1	17.13	17.29	17.37	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 2							
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	23.61	23.73	23.82	0
		1	40	23.54	23.71	23.78	0
		1	77	23.56	23.67	23.83	0
		36	0	23.09	23.31	23.28	0.5
		36	22	23.44	23.60	23.77	0
		36	43	23.06	23.24	23.33	0.5
		75	0	23.02	23.27	23.24	0.5
15M	DFT-S QPSK	1	1	23.66	23.87	23.92	0
		1	40	23.56	23.77	23.83	0
		1	77	23.56	23.79	23.84	0
		36	0	22.64	22.74	22.88	1
		36	22	23.52	23.69	23.88	0
		36	43	22.59	22.79	22.85	1
		75	0	22.56	22.77	22.88	1
15M	DFT-S 16QAM	1	1	22.57	22.83	22.78	1
15M	DFT-S 64QAM	1	1	21.03	21.33	21.29	2.5
15M	DFT-S 256QAM	1	1	19.12	19.25	19.36	4.5
15M	CP QPSK	1	1	22.06	22.29	22.32	1.5
15M	CP 16QAM	1	1	21.63	21.78	21.88	2
15M	CP 64QAM	1	1	19.99	20.30	20.32	3.5
15M	CP 256QAM	1	1	17.08	17.19	17.36	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	23.61	23.81	23.80	0
		1	26	23.53	23.64	23.88	0
		1	50	23.52	23.75	23.83	0
		25	0	23.04	23.26	23.35	0.5
		25	14	23.43	23.65	23.75	0
		25	27	23.06	23.27	23.37	0.5
		50	0	23.04	23.27	23.27	0.5
10M	DFT-S QPSK	1	1	23.63	23.89	23.87	0
		1	26	23.55	23.72	23.81	0
		1	50	23.53	23.76	23.80	0
		25	0	22.64	22.82	22.88	1
		25	14	23.49	23.63	23.79	0
		25	27	22.61	22.79	22.89	1
		50	0	22.54	22.77	22.91	1
10M	DFT-S 16QAM	1	1	22.55	22.78	22.84	1
10M	DFT-S 64QAM	1	1	20.95	21.27	21.28	2.5
10M	DFT-S 256QAM	1	1	19.08	19.29	19.41	4.5
10M	CP QPSK	1	1	22.04	22.35	22.35	1.5
10M	CP 16QAM	1	1	21.54	21.74	21.83	2
10M	CP 64QAM	1	1	19.93	20.32	20.41	3.5
10M	CP 256QAM	1	1	17.11	17.25	17.27	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 2							
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	23.63	23.77	23.89	0
		1	13	23.49	23.63	23.83	0
		1	23	23.53	23.69	23.77	0
		12	0	23.06	23.26	23.37	0.5
		12	7	23.49	23.58	23.70	0
		12	13	23.04	23.24	23.31	0.5
		25	0	23.03	23.33	23.28	0.5
5M	DFT-S QPSK	1	1	23.60	23.80	23.85	0
		1	13	23.55	23.80	23.82	0
		1	23	23.61	23.78	23.84	0
		12	0	22.60	22.77	22.87	1
		12	7	23.45	23.71	23.85	0
		12	13	22.61	22.79	22.89	1
		25	0	22.59	22.83	22.86	1
5M	DFT-S 16QAM	1	1	22.58	22.85	22.83	1
5M	DFT-S 64QAM	1	1	20.96	21.24	21.27	2.5
5M	DFT-S 256QAM	1	1	19.11	19.29	19.32	4.5
5M	CP QPSK	1	1	22.03	22.35	22.33	1.5
5M	CP 16QAM	1	1	21.58	21.79	21.82	2
5M	CP 64QAM	1	1	20.02	20.28	20.41	3.5
5M	CP 256QAM	1	1	17.06	17.22	17.36	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	23.89	23.86	23.91	0
		1	53	23.94	23.83	23.72	0
		1	104	23.84	23.84	23.85	0
		50	0	23.44	23.29	23.33	0.5
		50	28	23.84	23.80	23.86	0
		50	56	23.36	23.35	23.35	0.5
		100	0	23.34	23.30	23.26	0.5
20M	DFT-S QPSK	1	1	23.99	23.93	23.91	0
		1	53	23.98	23.87	23.81	0
		1	104	23.90	23.84	23.90	0
		50	0	22.98	22.89	22.91	1
		50	28	23.89	23.81	23.86	0
		50	56	22.91	22.92	22.88	1
		100	0	22.90	22.87	22.82	1
20M	DFT-S 16QAM	1	1	22.88	22.85	22.72	1
20M	DFT-S 64QAM	1	1	21.31	21.33	21.26	2.5
20M	DFT-S 256QAM	1	1	19.35	19.33	19.28	4.5
20M	CP QPSK	1	1	22.33	22.34	22.23	1.5
20M	CP 16QAM	1	1	21.89	21.78	21.80	2
20M	CP 64QAM	1	1	20.32	20.34	20.29	3.5
20M	CP 256QAM	1	1	17.35	17.27	17.26	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 5							
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	23.87	23.85	23.81	0
		1	40	23.90	23.76	23.67	0
		1	77	23.75	23.82	23.81	0
		36	0	23.39	23.21	23.31	0.5
		36	22	23.78	23.73	23.86	0
		36	43	23.29	23.34	23.34	0.5
		75	0	23.25	23.28	23.25	0.5
15M	DFT-S QPSK	1	1	23.90	23.88	23.83	0
		1	40	23.97	23.83	23.72	0
		1	77	23.85	23.82	23.84	0
		36	0	22.97	22.89	22.82	1
		36	22	23.89	23.80	23.83	0
		36	43	22.85	22.83	22.79	1
		75	0	22.86	22.82	22.79	1
15M	DFT-S 16QAM	1	1	22.78	22.78	22.69	1
15M	DFT-S 64QAM	1	1	21.31	21.32	21.20	2.5
15M	DFT-S 256QAM	1	1	19.26	19.33	19.26	4.5
15M	CP QPSK	1	1	22.31	22.31	22.18	1.5
15M	CP 16QAM	1	1	21.85	21.71	21.75	2
15M	CP 64QAM	1	1	20.30	20.24	20.28	3.5
15M	CP 256QAM	1	1	17.34	17.22	17.26	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	23.80	23.81	23.90	0
		1	26	23.94	23.78	23.68	0
		1	50	23.78	23.78	23.79	0
		25	0	23.41	23.29	23.33	0.5
		25	14	23.77	23.77	23.82	0
		25	27	23.30	23.27	23.32	0.5
		50	0	23.33	23.22	23.20	0.5
10M	DFT-S QPSK	1	1	23.94	23.87	23.87	0
		1	26	23.96	23.85	23.81	0
		1	50	23.82	23.80	23.88	0
		25	0	22.97	22.88	22.82	1
		25	14	23.79	23.79	23.85	0
		25	27	22.90	22.86	22.81	1
		50	0	22.84	22.87	22.82	1
10M	DFT-S 16QAM	1	1	22.87	22.77	22.65	1
10M	DFT-S 64QAM	1	1	21.22	21.25	21.18	2.5
10M	DFT-S 256QAM	1	1	19.28	19.31	19.26	4.5
10M	CP QPSK	1	1	22.26	22.28	22.18	1.5
10M	CP 16QAM	1	1	21.81	21.78	21.76	2
10M	CP 64QAM	1	1	20.25	20.25	20.28	3.5
10M	CP 256QAM	1	1	17.25	17.24	17.18	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 5							
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	23.89	23.76	23.85	0
		1	13	23.87	23.76	23.68	0
		1	23	23.77	23.84	23.78	0
		12	0	23.35	23.29	23.33	0.5
		12	7	23.84	23.75	23.85	0
		12	13	23.35	23.27	23.25	0.5
		25	0	23.29	23.24	23.19	0.5
5M	DFT-S QPSK	1	1	23.89	23.86	23.88	0
		1	13	23.90	23.81	23.79	0
		1	23	23.87	23.83	23.83	0
		12	0	22.98	22.89	22.84	1
		12	7	23.86	23.74	23.78	0
		12	13	22.90	22.83	22.88	1
		25	0	22.84	22.85	22.72	1
5M	DFT-S 16QAM	1	1	22.82	22.81	22.68	1
5M	DFT-S 64QAM	1	1	21.25	21.24	21.22	2.5
5M	DFT-S 256QAM	1	1	19.35	19.29	19.24	4.5
5M	CP QPSK	1	1	22.32	22.24	22.22	1.5
5M	CP 16QAM	1	1	21.88	21.74	21.72	2
5M	CP 64QAM	1	1	20.30	20.30	20.28	3.5
5M	CP 256QAM	1	1	17.25	17.24	17.22	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		141300	141500	141700	
		Frequency (MHz)		706.5	707.5	708.5	
15M	DFT-S PI/2 BPSK	1	1	23.60	23.56	23.52	0
		1	40	23.56	23.47	23.53	0
		1	77	23.48	23.37	23.41	0
		36	0	23.01	22.93	22.97	0.5
		36	22	23.48	23.42	23.41	0
		36	43	23.10	22.97	22.99	0.5
		75	0	23.05	22.95	22.95	0.5
15M	DFT-S QPSK	1	1	23.62	23.56	23.59	0
		1	40	23.59	23.50	23.57	0
		1	77	23.54	23.46	23.50	0
		36	0	22.56	22.53	22.51	1
		36	22	23.57	23.46	23.51	0
		36	43	22.61	22.51	22.52	1
		75	0	22.60	22.55	22.55	1
15M	DFT-S 16QAM	1	1	22.54	22.46	22.54	1
15M	DFT-S 64QAM	1	1	21.06	21.01	20.96	2.5
15M	DFT-S 256QAM	1	1	19.05	19.02	19.01	4.5
15M	CP QPSK	1	1	22.02	21.96	22.00	1.5
15M	CP 16QAM	1	1	21.59	21.51	21.48	2
15M	CP 64QAM	1	1	20.07	20.03	19.99	3.5
15M	CP 256QAM	1	1	17.02	17.03	17.05	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 12							
BW	MCS Index	Channel		140800	141500	142200	3GPP MPR
		Frequency (MHz)		704	707.5	711	
10M	DFT-S PI/2 BPSK	1	1	23.52	23.51	23.42	0
		1	26	23.53	23.40	23.50	0
		1	50	23.39	23.31	23.35	0
		25	0	22.98	22.83	22.97	0.5
		25	14	23.40	23.42	23.31	0
		25	27	23.00	22.88	22.97	0.5
		50	0	23.02	22.89	22.94	0.5
10M	DFT-S QPSK	1	1	23.57	23.50	23.54	0
		1	26	23.58	23.43	23.52	0
		1	50	23.46	23.46	23.45	0
		25	0	22.53	22.47	22.51	1
		25	14	23.47	23.46	23.46	0
		25	27	22.55	22.42	22.45	1
		50	0	22.57	22.54	22.49	1
10M	DFT-S 16QAM	1	1	22.52	22.46	22.51	1
10M	DFT-S 64QAM	1	1	21.03	21.00	20.91	2.5
10M	DFT-S 256QAM	1	1	18.96	18.93	18.96	4.5
10M	CP QPSK	1	1	21.94	21.94	21.96	1.5
10M	CP 16QAM	1	1	21.54	21.50	21.39	2
10M	CP 64QAM	1	1	20.04	19.96	19.94	3.5
10M	CP 256QAM	1	1	16.97	16.97	17.03	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 12							
BW	MCS Index	Channel		140300	141500	142700	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	DFT-S PI/2 BPSK	1	1	23.56	23.51	23.45	0
		1	13	23.54	23.43	23.46	0
		1	23	23.38	23.28	23.32	0
		12	0	22.95	22.84	22.94	0.5
		12	7	23.41	23.38	23.33	0
		12	13	23.05	22.95	22.89	0.5
		25	0	23.02	22.86	22.92	0.5
5M	DFT-S QPSK	1	1	23.54	23.52	23.50	0
		1	13	23.55	23.47	23.48	0
		1	23	23.48	23.38	23.49	0
		12	0	22.53	22.51	22.43	1
		12	7	23.47	23.39	23.41	0
		12	13	22.58	22.41	22.44	1
		25	0	22.53	22.46	22.47	1
5M	DFT-S 16QAM	1	1	22.46	22.40	22.48	1
5M	DFT-S 64QAM	1	1	21.04	20.99	20.91	2.5
5M	DFT-S 256QAM	1	1	18.95	19.01	18.98	4.5
5M	CP QPSK	1	1	22.00	21.89	21.96	1.5
5M	CP 16QAM	1	1	21.55	21.46	21.38	2
5M	CP 64QAM	1	1	20.07	20.02	19.95	3.5
5M	CP 256QAM	1	1	16.98	16.97	17.03	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	23.70	23.61	23.64	0
		1	53	23.62	23.58	23.59	0
		1	104	23.62	23.58	23.67	0
		50	0	23.20	23.02	23.10	0.5
		50	28	23.64	23.45	23.52	0
		50	56	23.08	23.10	23.13	0.5
		100	0	23.18	23.06	23.07	0.5
20M	DFT-S QPSK	1	1	23.73	23.68	23.71	0
		1	53	23.63	23.59	23.66	0
		1	104	23.71	23.59	23.69	0
		50	0	22.73	22.58	22.68	1
		50	28	23.69	23.51	23.53	0
		50	56	22.64	22.67	22.71	1
		100	0	22.69	22.66	22.64	1
20M	DFT-S 16QAM	1	1	22.63	22.62	22.59	1
20M	DFT-S 64QAM	1	1	21.14	21.15	21.10	2.5
20M	DFT-S 256QAM	1	1	19.18	19.15	19.12	4.5
20M	CP QPSK	1	1	22.10	22.16	22.11	1.5
20M	CP 16QAM	1	1	21.60	21.61	21.64	2
20M	CP 64QAM	1	1	20.19	20.11	20.04	3.5
20M	CP 256QAM	1	1	17.12	17.06	17.04	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	23.69	23.58	23.55	0
		1	40	23.56	23.53	23.53	0
		1	77	23.62	23.58	23.59	0
		36	0	23.17	22.94	23.08	0.5
		36	22	23.56	23.44	23.50	0
		36	43	23.07	23.03	23.04	0.5
		75	0	23.13	22.98	23.00	0.5
15M	DFT-S QPSK	1	1	23.64	23.59	23.63	0
		1	40	23.60	23.56	23.65	0
		1	77	23.71	23.52	23.61	0
		36	0	22.70	22.54	22.64	1
		36	22	23.61	23.45	23.48	0
		36	43	22.61	22.58	22.67	1
		75	0	22.64	22.57	22.64	1
15M	DFT-S 16QAM	1	1	22.63	22.58	22.58	1
15M	DFT-S 64QAM	1	1	21.11	21.13	21.09	2.5
15M	DFT-S 256QAM	1	1	19.09	19.11	19.03	4.5
15M	CP QPSK	1	1	22.01	22.15	22.01	1.5
15M	CP 16QAM	1	1	21.55	21.60	21.57	2
15M	CP 64QAM	1	1	20.10	20.05	19.99	3.5
15M	CP 256QAM	1	1	17.10	17.03	16.96	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 66							
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	23.69	23.52	23.56	0
		1	26	23.57	23.48	23.54	0
		1	50	23.55	23.52	23.64	0
		25	0	23.16	22.92	23.00	0.5
		25	14	23.57	23.37	23.43	0
		25	27	23.08	23.05	23.04	0.5
		50	0	23.18	23.04	22.99	0.5
10M	DFT-S QPSK	1	1	23.63	23.60	23.62	0
		1	26	23.53	23.54	23.62	0
		1	50	23.67	23.52	23.63	0
		25	0	22.69	22.50	22.68	1
		25	14	23.69	23.46	23.44	0
		25	27	22.61	22.57	22.64	1
		50	0	22.69	22.59	22.64	1
10M	DFT-S 16QAM	1	1	22.55	22.55	22.52	1
10M	DFT-S 64QAM	1	1	21.04	21.11	21.08	2.5
10M	DFT-S 256QAM	1	1	19.11	19.08	19.09	4.5
10M	CP QPSK	1	1	22.03	22.09	22.11	1.5
10M	CP 16QAM	1	1	21.60	21.60	21.63	2
10M	CP 64QAM	1	1	20.19	20.02	20.01	3.5
10M	CP 256QAM	1	1	17.12	16.98	17.03	6.5

NR Conducted Power (P-Sensor Off_Main 0)							
NR Band 66							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	23.62	23.51	23.59	0
		1	13	23.55	23.52	23.56	0
		1	23	23.59	23.55	23.64	0
		12	0	23.20	22.99	23.06	0.5
		12	7	23.59	23.42	23.47	0
		12	13	22.98	23.09	23.03	0.5
		25	0	23.11	23.04	22.98	0.5
5M	DFT-S QPSK	1	1	23.68	23.60	23.63	0
		1	13	23.60	23.57	23.56	0
		1	23	23.68	23.56	23.65	0
		12	0	22.65	22.48	22.59	1
		12	7	23.60	23.42	23.47	0
		12	13	22.61	22.60	22.67	1
		25	0	22.69	22.60	22.58	1
5M	DFT-S 16QAM	1	1	22.60	22.59	22.57	1
5M	DFT-S 64QAM	1	1	21.04	21.07	21.07	2.5
5M	DFT-S 256QAM	1	1	19.17	19.11	19.07	4.5
5M	CP QPSK	1	1	22.06	22.09	22.06	1.5
5M	CP 16QAM	1	1	21.52	21.56	21.60	2
5M	CP 64QAM	1	1	20.17	20.04	19.99	3.5
5M	CP 256QAM	1	1	17.06	16.96	16.97	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	17.84	17.86	17.96	0
		1	53	17.74	17.93	17.86	0
		1	104	17.82	17.82	17.90	0
		50	0	17.33	17.37	17.33	0.5
		50	28	17.69	17.65	17.81	0
		50	56	17.33	17.35	17.30	0.5
		100	0	17.31	17.43	17.39	0.5
20M	DFT-S QPSK	1	1	17.93	17.94	17.99	0
		1	53	17.83	17.94	17.91	0
		1	104	17.89	17.90	17.97	0
		50	0	16.83	16.92	16.92	1
		50	28	17.76	17.74	17.89	0
		50	56	16.85	16.89	16.89	1
		100	0	16.91	16.94	16.90	1
20M	DFT-S 16QAM	1	1	16.83	16.94	16.85	1
20M	DFT-S 64QAM	1	1	15.33	15.42	15.40	2.5
20M	DFT-S 256QAM	1	1	13.41	13.37	13.30	4.5
20M	CP QPSK	1	1	16.38	16.40	16.33	1.5
20M	CP 16QAM	1	1	15.88	15.85	15.82	2
20M	CP 64QAM	1	1	14.34	14.35	14.40	3.5
20M	CP 256QAM	1	1	11.40	11.35	11.40	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 2							
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	17.79	17.82	17.92	0
		1	40	17.72	17.87	17.84	0
		1	77	17.77	17.76	17.86	0
		36	0	17.28	17.36	17.25	0.5
		36	22	17.63	17.55	17.71	0
		36	43	17.29	17.35	17.25	0.5
		75	0	17.28	17.35	17.31	0.5
15M	DFT-S QPSK	1	1	17.93	17.89	17.98	0
		1	40	17.76	17.93	17.82	0
		1	77	17.84	17.80	17.88	0
		36	0	16.79	16.86	16.83	1
		36	22	17.74	17.69	17.84	0
		36	43	16.84	16.80	16.81	1
		75	0	16.90	16.88	16.81	1
15M	DFT-S 16QAM	1	1	16.75	16.91	16.84	1
15M	DFT-S 64QAM	1	1	15.26	15.36	15.39	2.5
15M	DFT-S 256QAM	1	1	13.33	13.28	13.22	4.5
15M	CP QPSK	1	1	16.30	16.34	16.25	1.5
15M	CP 16QAM	1	1	15.79	15.85	15.75	2
15M	CP 64QAM	1	1	14.25	14.27	14.37	3.5
15M	CP 256QAM	1	1	11.31	11.35	11.30	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	17.81	17.77	17.90	0
		1	26	17.69	17.89	17.82	0
		1	50	17.81	17.81	17.80	0
		25	0	17.24	17.34	17.31	0.5
		25	14	17.68	17.56	17.77	0
		25	27	17.23	17.33	17.22	0.5
		50	0	17.30	17.38	17.34	0.5
10M	DFT-S QPSK	1	1	17.91	17.89	17.96	0
		1	26	17.73	17.84	17.88	0
		1	50	17.84	17.87	17.94	0
		25	0	16.79	16.85	16.82	1
		25	14	17.72	17.66	17.81	0
		25	27	16.82	16.83	16.80	1
		50	0	16.88	16.93	16.90	1
10M	DFT-S 16QAM	1	1	16.75	16.86	16.85	1
10M	DFT-S 64QAM	1	1	15.29	15.40	15.31	2.5
10M	DFT-S 256QAM	1	1	13.33	13.29	13.28	4.5
10M	CP QPSK	1	1	16.33	16.31	16.30	1.5
10M	CP 16QAM	1	1	15.80	15.78	15.80	2
10M	CP 64QAM	1	1	14.28	14.29	14.30	3.5
10M	CP 256QAM	1	1	11.32	11.26	11.36	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 2							
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	17.80	17.82	17.95	0
		1	13	17.74	17.85	17.86	0
		1	23	17.74	17.80	17.84	0
		12	0	17.23	17.31	17.24	0.5
		12	7	17.67	17.59	17.75	0
		12	13	17.26	17.29	17.27	0.5
		25	0	17.25	17.35	17.30	0.5
5M	DFT-S QPSK	1	1	17.87	17.84	17.93	0
		1	13	17.81	17.84	17.86	0
		1	23	17.88	17.85	17.89	0
		12	0	16.76	16.89	16.83	1
		12	7	17.72	17.71	17.85	0
		12	13	16.79	16.85	16.86	1
		25	0	16.89	16.92	16.80	1
5M	DFT-S 16QAM	1	1	16.82	16.92	16.80	1
5M	DFT-S 64QAM	1	1	15.25	15.36	15.39	2.5
5M	DFT-S 256QAM	1	1	13.38	13.30	13.22	4.5
5M	CP QPSK	1	1	16.30	16.32	16.29	1.5
5M	CP 16QAM	1	1	15.78	15.81	15.78	2
5M	CP 64QAM	1	1	14.27	14.30	14.30	3.5
5M	CP 256QAM	1	1	11.39	11.35	11.40	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	19.40	19.33	19.36	0
		1	53	19.32	19.26	19.38	0
		1	104	19.30	19.26	19.37	0
		50	0	18.89	18.78	18.85	0.5
		50	28	19.39	19.40	19.36	0
		50	56	18.82	18.84	18.78	0.5
		100	0	18.89	18.77	18.88	0.5
20M	DFT-S QPSK	1	1	19.48	19.43	19.44	0
		1	53	19.42	19.36	19.38	0
		1	104	19.38	19.35	19.40	0
		50	0	18.47	18.35	18.38	1
		50	28	19.46	19.42	19.41	0
		50	56	18.39	18.38	18.38	1
		100	0	18.47	18.35	18.43	1
20M	DFT-S 16QAM	1	1	18.42	18.31	18.35	1
20M	DFT-S 64QAM	1	1	16.95	16.81	16.88	2.5
20M	DFT-S 256QAM	1	1	14.89	14.81	14.89	4.5
20M	CP QPSK	1	1	17.93	17.76	17.86	1.5
20M	CP 16QAM	1	1	17.40	17.33	17.35	2
20M	CP 64QAM	1	1	15.92	15.75	15.85	3.5
20M	CP 256QAM	1	1	12.91	12.84	12.88	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 5							
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	19.37	19.31	19.29	0
		1	40	19.23	19.16	19.36	0
		1	77	19.26	19.22	19.30	0
		36	0	18.84	18.70	18.75	0.5
		36	22	19.38	19.31	19.34	0
		36	43	18.74	18.81	18.70	0.5
		75	0	18.79	18.69	18.86	0.5
15M	DFT-S QPSK	1	1	19.46	19.36	19.44	0
		1	40	19.32	19.29	19.35	0
		1	77	19.31	19.30	19.37	0
		36	0	18.43	18.25	18.37	1
		36	22	19.42	19.42	19.32	0
		36	43	18.30	18.35	18.30	1
		75	0	18.45	18.25	18.41	1
15M	DFT-S 16QAM	1	1	18.42	18.30	18.33	1
15M	DFT-S 64QAM	1	1	16.95	16.73	16.88	2.5
15M	DFT-S 256QAM	1	1	14.86	14.80	14.87	4.5
15M	CP QPSK	1	1	17.89	17.67	17.84	1.5
15M	CP 16QAM	1	1	17.32	17.30	17.31	2
15M	CP 64QAM	1	1	15.91	15.65	15.82	3.5
15M	CP 256QAM	1	1	12.82	12.81	12.83	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	19.36	19.26	19.36	0
		1	26	19.30	19.17	19.36	0
		1	50	19.26	19.19	19.29	0
		25	0	18.89	18.77	18.82	0.5
		25	14	19.33	19.32	19.30	0
		25	27	18.77	18.84	18.78	0.5
		50	0	18.81	18.72	18.86	0.5
10M	DFT-S QPSK	1	1	19.43	19.43	19.38	0
		1	26	19.32	19.32	19.35	0
		1	50	19.37	19.34	19.36	0
		25	0	18.39	18.26	18.32	1
		25	14	19.45	19.39	19.35	0
		25	27	18.30	18.31	18.37	1
		50	0	18.45	18.33	18.41	1
10M	DFT-S 16QAM	1	1	18.33	18.30	18.30	1
10M	DFT-S 64QAM	1	1	16.86	16.78	16.81	2.5
10M	DFT-S 256QAM	1	1	14.84	14.81	14.89	4.5
10M	CP QPSK	1	1	17.89	17.67	17.77	1.5
10M	CP 16QAM	1	1	17.36	17.28	17.31	2
10M	CP 64QAM	1	1	15.89	15.65	15.85	3.5
10M	CP 256QAM	1	1	12.81	12.75	12.85	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 5							
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	19.30	19.26	19.32	0
		1	13	19.25	19.17	19.28	0
		1	23	19.25	19.19	19.37	0
		12	0	18.87	18.73	18.80	0.5
		12	7	19.31	19.37	19.33	0
		12	13	18.76	18.83	18.75	0.5
		25	0	18.81	18.75	18.88	0.5
5M	DFT-S QPSK	1	1	19.44	19.37	19.38	0
		1	13	19.33	19.34	19.32	0
		1	23	19.32	19.25	19.37	0
		12	0	18.39	18.28	18.30	1
		12	7	19.38	19.34	19.35	0
		12	13	18.32	18.32	18.38	1
		25	0	18.38	18.32	18.33	1
5M	DFT-S 16QAM	1	1	18.38	18.21	18.26	1
5M	DFT-S 64QAM	1	1	16.91	16.77	16.84	2.5
5M	DFT-S 256QAM	1	1	14.87	14.74	14.79	4.5
5M	CP QPSK	1	1	17.84	17.66	17.80	1.5
5M	CP 16QAM	1	1	17.35	17.30	17.34	2
5M	CP 64QAM	1	1	15.88	15.69	15.82	3.5
5M	CP 256QAM	1	1	12.87	12.77	12.78	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		141300	141500	141700	
		Frequency (MHz)		706.5	707.5	708.5	
15M	DFT-S PI/2 BPSK	1	1	18.95	18.90	18.80	0
		1	40	18.87	18.75	18.76	0
		1	77	18.82	18.81	18.85	0
		36	0	18.44	18.30	18.26	0.5
		36	22	18.83	18.67	18.65	0
		36	43	18.31	18.26	18.26	0.5
		75	0	18.29	18.33	18.26	0.5
15M	DFT-S QPSK	1	1	18.97	18.91	18.87	0
		1	40	18.94	18.85	18.84	0
		1	77	18.89	18.86	18.86	0
		36	0	17.94	17.89	17.84	1
		36	22	18.83	18.74	18.71	0
		36	43	17.88	17.84	17.81	1
		75	0	17.87	17.83	17.81	1
15M	DFT-S 16QAM	1	1	17.84	17.83	17.73	1
15M	DFT-S 64QAM	1	1	16.27	16.27	16.29	2.5
15M	DFT-S 256QAM	1	1	14.37	14.27	14.31	4.5
15M	CP QPSK	1	1	17.28	17.23	17.27	1.5
15M	CP 16QAM	1	1	16.87	16.79	16.71	2
15M	CP 64QAM	1	1	15.35	15.29	15.27	3.5
15M	CP 256QAM	1	1	12.33	12.33	12.23	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 12							
BW	MCS Index	Channel		140800	141500	142200	3GPP MPR
		Frequency (MHz)		704	707.5	711	
10M	DFT-S PI/2 BPSK	1	1	18.93	18.85	18.72	0
		1	26	18.85	18.68	18.69	0
		1	50	18.79	18.75	18.81	0
		25	0	18.43	18.22	18.25	0.5
		25	14	18.75	18.60	18.55	0
		25	27	18.26	18.20	18.17	0.5
		50	0	18.19	18.26	18.20	0.5
10M	DFT-S QPSK	1	1	18.88	18.85	18.82	0
		1	26	18.88	18.77	18.78	0
		1	50	18.79	18.77	18.79	0
		25	0	17.85	17.86	17.75	1
		25	14	18.73	18.68	18.61	0
		25	27	17.86	17.76	17.81	1
		50	0	17.86	17.78	17.78	1
10M	DFT-S 16QAM	1	1	17.78	17.74	17.63	1
10M	DFT-S 64QAM	1	1	16.18	16.20	16.22	2.5
10M	DFT-S 256QAM	1	1	14.36	14.19	14.24	4.5
10M	CP QPSK	1	1	17.24	17.18	17.27	1.5
10M	CP 16QAM	1	1	16.77	16.75	16.71	2
10M	CP 64QAM	1	1	15.33	15.22	15.25	3.5
10M	CP 256QAM	1	1	12.23	12.33	12.17	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 12							
BW	MCS Index	Channel		140300	141500	142700	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	DFT-S PI/2 BPSK	1	1	18.85	18.86	18.75	0
		1	13	18.83	18.68	18.68	0
		1	23	18.78	18.77	18.75	0
		12	0	18.41	18.23	18.21	0.5
		12	7	18.76	18.61	18.55	0
		12	13	18.22	18.23	18.20	0.5
		25	0	18.25	18.31	18.22	0.5
5M	DFT-S QPSK	1	1	18.97	18.91	18.86	0
		1	13	18.87	18.75	18.80	0
		1	23	18.80	18.83	18.81	0
		12	0	17.90	17.87	17.79	1
		12	7	18.75	18.66	18.70	0
		12	13	17.81	17.74	17.76	1
		25	0	17.86	17.79	17.74	1
5M	DFT-S 16QAM	1	1	17.82	17.76	17.65	1
5M	DFT-S 64QAM	1	1	16.23	16.25	16.23	2.5
5M	DFT-S 256QAM	1	1	14.31	14.20	14.21	4.5
5M	CP QPSK	1	1	17.20	17.20	17.19	1.5
5M	CP 16QAM	1	1	16.83	16.77	16.63	2
5M	CP 64QAM	1	1	15.33	15.22	15.20	3.5
5M	CP 256QAM	1	1	12.32	12.23	12.21	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	17.91	17.84	17.88	0
		1	53	17.81	17.84	17.80	0
		1	104	17.93	17.83	17.78	0
		50	0	17.44	17.33	17.29	0.5
		50	28	17.87	17.83	17.82	0
		50	56	17.35	17.34	17.28	0.5
		100	0	17.34	17.34	17.41	0.5
20M	DFT-S QPSK	1	1	17.98	17.91	17.93	0
		1	53	17.89	17.87	17.87	0
		1	104	17.94	17.87	17.84	0
		50	0	16.98	16.84	16.85	1
		50	28	17.92	17.85	17.89	0
		50	56	16.93	16.88	16.84	1
		100	0	16.88	16.88	16.92	1
20M	DFT-S 16QAM	1	1	16.81	16.86	16.82	1
20M	DFT-S 64QAM	1	1	15.36	15.38	15.41	2.5
20M	DFT-S 256QAM	1	1	13.37	13.32	13.37	4.5
20M	CP QPSK	1	1	16.38	16.28	16.32	1.5
20M	CP 16QAM	1	1	15.85	15.85	15.84	2
20M	CP 64QAM	1	1	14.38	14.35	14.34	3.5
20M	CP 256QAM	1	1	11.29	11.28	11.39	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	17.89	17.79	17.79	0
		1	40	17.74	17.75	17.75	0
		1	77	17.83	17.74	17.76	0
		36	0	17.35	17.24	17.27	0.5
		36	22	17.85	17.77	17.77	0
		36	43	17.31	17.34	17.22	0.5
		75	0	17.32	17.26	17.35	0.5
15M	DFT-S QPSK	1	1	17.93	17.89	17.91	0
		1	40	17.85	17.86	17.82	0
		1	77	17.91	17.78	17.80	0
		36	0	16.89	16.83	16.76	1
		36	22	17.86	17.79	17.84	0
		36	43	16.91	16.88	16.79	1
		75	0	16.81	16.88	16.86	1
15M	DFT-S 16QAM	1	1	16.71	16.83	16.72	1
15M	DFT-S 64QAM	1	1	15.33	15.37	15.37	2.5
15M	DFT-S 256QAM	1	1	13.30	13.22	13.34	4.5
15M	CP QPSK	1	1	16.37	16.27	16.30	1.5
15M	CP 16QAM	1	1	15.81	15.78	15.77	2
15M	CP 64QAM	1	1	14.32	14.29	14.34	3.5
15M	CP 256QAM	1	1	11.20	11.19	11.34	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 66							
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	17.88	17.83	17.83	0
		1	26	17.80	17.76	17.74	0
		1	50	17.87	17.76	17.68	0
		25	0	17.40	17.25	17.29	0.5
		25	14	17.82	17.78	17.80	0
		25	27	17.27	17.30	17.19	0.5
		50	0	17.30	17.24	17.38	0.5
10M	DFT-S QPSK	1	1	17.93	17.90	17.84	0
		1	26	17.80	17.83	17.87	0
		1	50	17.85	17.79	17.81	0
		25	0	16.89	16.75	16.84	1
		25	14	17.92	17.85	17.84	0
		25	27	16.91	16.79	16.77	1
		50	0	16.78	16.83	16.87	1
10M	DFT-S 16QAM	1	1	16.75	16.76	16.72	1
10M	DFT-S 64QAM	1	1	15.31	15.30	15.41	2.5
10M	DFT-S 256QAM	1	1	13.36	13.27	13.27	4.5
10M	CP QPSK	1	1	16.33	16.19	16.30	1.5
10M	CP 16QAM	1	1	15.78	15.78	15.83	2
10M	CP 64QAM	1	1	14.32	14.33	14.27	3.5
10M	CP 256QAM	1	1	11.25	11.19	11.32	6.5

NR Conducted Power (P-Sensor On_Main 0)							
NR Band 66							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	17.86	17.78	17.87	0
		1	13	17.75	17.78	17.79	0
		1	23	17.83	17.82	17.71	0
		12	0	17.38	17.26	17.27	0.5
		12	7	17.77	17.81	17.80	0
		12	13	17.26	17.27	17.25	0.5
		25	0	17.33	17.24	17.34	0.5
5M	DFT-S QPSK	1	1	17.89	17.90	17.83	0
		1	13	17.80	17.81	17.85	0
		1	23	17.84	17.78	17.74	0
		12	0	16.89	16.79	16.81	1
		12	7	17.89	17.81	17.84	0
		12	13	16.88	16.82	16.84	1
		25	0	16.82	16.83	16.92	1
5M	DFT-S 16QAM	1	1	16.74	16.78	16.76	1
5M	DFT-S 64QAM	1	1	15.32	15.32	15.41	2.5
5M	DFT-S 256QAM	1	1	13.27	13.30	13.28	4.5
5M	CP QPSK	1	1	16.38	16.28	16.29	1.5
5M	CP 16QAM	1	1	15.76	15.85	15.83	2
5M	CP 64QAM	1	1	14.38	14.30	14.34	3.5
5M	CP 256QAM	1	1	11.22	11.27	11.35	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	23.63	23.81	23.90	0
		1	53	23.55	23.72	23.88	0
		1	104	23.61	23.75	23.85	0
		50	0	23.13	23.31	23.37	0.5
		50	28	23.52	23.68	23.79	0
		50	56	23.12	23.31	23.41	0.5
		100	0	23.11	23.35	23.34	0.5
20M	DFT-S QPSK	1	1	23.70	23.90	23.95	0
		1	53	23.62	23.80	23.91	0
		1	104	23.62	23.80	23.85	0
		50	0	22.65	22.84	22.90	1
		50	28	23.53	23.71	23.89	0
		50	56	22.69	22.81	22.94	1
		100	0	22.63	22.87	22.92	1
20M	DFT-S 16QAM	1	1	22.60	22.85	22.84	1
20M	DFT-S 64QAM	1	1	21.05	21.34	21.35	2.5
20M	DFT-S 256QAM	1	1	19.13	19.35	19.42	4.5
20M	CP QPSK	1	1	22.09	22.37	22.39	1.5
20M	CP 16QAM	1	1	21.63	21.83	21.88	2
20M	CP 64QAM	1	1	20.03	20.34	20.42	3.5
20M	CP 256QAM	1	1	17.13	17.29	17.37	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 2							
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	23.61	23.73	23.82	0
		1	40	23.54	23.71	23.78	0
		1	77	23.56	23.67	23.83	0
		36	0	23.09	23.31	23.28	0.5
		36	22	23.44	23.60	23.77	0
		36	43	23.06	23.24	23.33	0.5
		75	0	23.02	23.27	23.24	0.5
15M	DFT-S QPSK	1	1	23.66	23.87	23.92	0
		1	40	23.56	23.77	23.83	0
		1	77	23.56	23.79	23.84	0
		36	0	22.64	22.74	22.88	1
		36	22	23.52	23.69	23.88	0
		36	43	22.59	22.79	22.85	1
		75	0	22.56	22.77	22.88	1
15M	DFT-S 16QAM	1	1	22.57	22.83	22.78	1
15M	DFT-S 64QAM	1	1	21.03	21.33	21.29	2.5
15M	DFT-S 256QAM	1	1	19.12	19.25	19.36	4.5
15M	CP QPSK	1	1	22.06	22.29	22.32	1.5
15M	CP 16QAM	1	1	21.63	21.78	21.88	2
15M	CP 64QAM	1	1	19.99	20.30	20.32	3.5
15M	CP 256QAM	1	1	17.08	17.19	17.36	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	23.61	23.81	23.80	0
		1	26	23.53	23.64	23.88	0
		1	50	23.52	23.75	23.83	0
		25	0	23.04	23.26	23.35	0.5
		25	14	23.43	23.65	23.75	0
		25	27	23.06	23.27	23.37	0.5
		50	0	23.04	23.27	23.27	0.5
10M	DFT-S QPSK	1	1	23.63	23.89	23.87	0
		1	26	23.55	23.72	23.81	0
		1	50	23.53	23.76	23.80	0
		25	0	22.64	22.82	22.88	1
		25	14	23.49	23.63	23.79	0
		25	27	22.61	22.79	22.89	1
		50	0	22.54	22.77	22.91	1
10M	DFT-S 16QAM	1	1	22.55	22.78	22.84	1
10M	DFT-S 64QAM	1	1	20.95	21.27	21.28	2.5
10M	DFT-S 256QAM	1	1	19.08	19.29	19.41	4.5
10M	CP QPSK	1	1	22.04	22.35	22.35	1.5
10M	CP 16QAM	1	1	21.54	21.74	21.83	2
10M	CP 64QAM	1	1	19.93	20.32	20.41	3.5
10M	CP 256QAM	1	1	17.11	17.25	17.27	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 2							
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	23.63	23.77	23.89	0
		1	13	23.49	23.63	23.83	0
		1	23	23.53	23.69	23.77	0
		12	0	23.06	23.26	23.37	0.5
		12	7	23.49	23.58	23.70	0
		12	13	23.04	23.24	23.31	0.5
		25	0	23.03	23.33	23.28	0.5
5M	DFT-S QPSK	1	1	23.60	23.80	23.85	0
		1	13	23.55	23.80	23.82	0
		1	23	23.61	23.78	23.84	0
		12	0	22.60	22.77	22.87	1
		12	7	23.45	23.71	23.85	0
		12	13	22.61	22.79	22.89	1
		25	0	22.59	22.83	22.86	1
5M	DFT-S 16QAM	1	1	22.58	22.85	22.83	1
5M	DFT-S 64QAM	1	1	20.96	21.24	21.27	2.5
5M	DFT-S 256QAM	1	1	19.11	19.29	19.32	4.5
5M	CP QPSK	1	1	22.03	22.35	22.33	1.5
5M	CP 16QAM	1	1	21.58	21.79	21.82	2
5M	CP 64QAM	1	1	20.02	20.28	20.41	3.5
5M	CP 256QAM	1	1	17.06	17.22	17.36	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	21.40	21.42	21.40	0
		1	53	21.36	21.37	21.29	0
		1	104	21.39	21.41	21.33	0
		50	0	20.82	20.99	20.79	0.5
		50	28	21.35	21.39	21.32	0
		50	56	20.80	20.91	20.83	0.5
		100	0	20.80	20.97	20.86	0.5
20M	DFT-S QPSK	1	1	21.45	21.48	21.42	0
		1	53	21.40	21.43	21.37	0
		1	104	21.38	21.41	21.35	0
		50	0	20.46	20.49	20.43	1
		50	28	21.42	21.45	21.39	0
		50	56	20.39	20.42	20.36	1
		100	0	20.45	20.48	20.42	1
20M	DFT-S 16QAM	1	1	20.44	20.47	20.41	1
20M	DFT-S 64QAM	1	1	18.65	18.68	18.62	2.5
20M	DFT-S 256QAM	1	1	16.67	16.70	16.64	4.5
20M	CP QPSK	1	1	19.64	19.67	19.61	1.5
20M	CP 16QAM	1	1	19.22	19.25	19.19	2
20M	CP 64QAM	1	1	17.52	17.55	17.49	3.5
20M	CP 256QAM	1	1	14.63	14.66	14.60	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	21.39	21.41	21.39	0
		1	40	21.35	21.36	21.28	0
		1	77	21.38	21.40	21.32	0
		36	0	20.81	20.98	20.78	0.5
		36	22	21.34	21.38	21.31	0
		36	43	20.79	20.90	20.82	0.5
		75	0	20.79	20.96	20.85	0.5
15M	DFT-S QPSK	1	1	21.44	21.47	21.41	0
		1	40	21.39	21.42	21.36	0
		1	77	21.37	21.40	21.34	0
		36	0	20.45	20.48	20.42	1
		36	22	21.41	21.44	21.38	0
		36	43	20.38	20.41	20.35	1
		75	0	20.44	20.47	20.41	1
15M	DFT-S 16QAM	1	1	20.43	20.46	20.40	1
15M	DFT-S 64QAM	1	1	18.64	18.67	18.61	2.5
15M	DFT-S 256QAM	1	1	16.66	16.69	16.63	4.5
15M	CP QPSK	1	1	19.63	19.66	19.60	1.5
15M	CP 16QAM	1	1	19.21	19.24	19.18	2
15M	CP 64QAM	1	1	17.51	17.54	17.48	3.5
15M	CP 256QAM	1	1	14.62	14.65	14.59	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	21.38	21.40	21.38	0
		1	26	21.34	21.35	21.27	0
		1	50	21.37	21.39	21.31	0
		25	0	20.80	20.97	20.77	0.5
		25	14	21.33	21.37	21.30	0
		25	27	20.78	20.89	20.81	0.5
		50	0	20.78	20.95	20.84	0.5
10M	DFT-S QPSK	1	1	21.43	21.46	21.40	0
		1	26	21.38	21.41	21.35	0
		1	50	21.36	21.39	21.33	0
		25	0	20.44	20.47	20.41	1
		25	14	21.40	21.43	21.37	0
		25	27	20.37	20.40	20.34	1
		50	0	20.43	20.46	20.40	1
10M	DFT-S 16QAM	1	1	20.42	20.45	20.39	1
10M	DFT-S 64QAM	1	1	18.63	18.66	18.60	2.5
10M	DFT-S 256QAM	1	1	16.65	16.68	16.62	4.5
10M	CP QPSK	1	1	19.62	19.65	19.59	1.5
10M	CP 16QAM	1	1	19.20	19.23	19.17	2
10M	CP 64QAM	1	1	17.50	17.53	17.47	3.5
10M	CP 256QAM	1	1	14.61	14.64	14.58	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	21.37	21.39	21.37	0
		1	13	21.33	21.34	21.26	0
		1	23	21.36	21.38	21.30	0
		12	0	20.79	20.96	20.76	0.5
		12	7	21.32	21.36	21.29	0
		12	13	20.77	20.88	20.80	0.5
		25	0	20.77	20.94	20.83	0.5
5M	DFT-S QPSK	1	1	21.42	21.45	21.39	0
		1	13	21.37	21.40	21.34	0
		1	23	21.35	21.38	21.32	0
		12	0	20.43	20.46	20.40	1
		12	7	21.39	21.42	21.36	0
		12	13	20.36	20.39	20.33	1
		25	0	20.42	20.45	20.39	1
5M	DFT-S 16QAM	1	1	20.41	20.44	20.38	1
5M	DFT-S 64QAM	1	1	18.62	18.65	18.59	2.5
5M	DFT-S 256QAM	1	1	16.64	16.67	16.61	4.5
5M	CP QPSK	1	1	19.61	19.64	19.58	1.5
5M	CP 16QAM	1	1	19.19	19.22	19.16	2
5M	CP 64QAM	1	1	17.49	17.52	17.46	3.5
5M	CP 256QAM	1	1	14.60	14.63	14.57	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	23.70	23.61	23.64	0
		1	53	23.62	23.58	23.59	0
		1	104	23.62	23.58	23.67	0
		50	0	23.20	23.02	23.10	0.5
		50	28	23.64	23.45	23.52	0
		50	56	23.08	23.10	23.13	0.5
		100	0	23.18	23.06	23.07	0.5
20M	DFT-S QPSK	1	1	23.73	23.68	23.71	0
		1	53	23.63	23.59	23.66	0
		1	104	23.71	23.59	23.69	0
		50	0	22.73	22.58	22.68	1
		50	28	23.69	23.51	23.53	0
		50	56	22.64	22.67	22.71	1
		100	0	22.69	22.66	22.64	1
20M	DFT-S 16QAM	1	1	22.63	22.62	22.59	1
20M	DFT-S 64QAM	1	1	21.14	21.15	21.10	2.5
20M	DFT-S 256QAM	1	1	19.18	19.15	19.12	4.5
20M	CP QPSK	1	1	22.10	22.16	22.11	1.5
20M	CP 16QAM	1	1	21.60	21.61	21.64	2
20M	CP 64QAM	1	1	20.19	20.11	20.04	3.5
20M	CP 256QAM	1	1	17.12	17.06	17.04	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	23.69	23.58	23.55	0
		1	40	23.56	23.53	23.53	0
		1	77	23.62	23.58	23.59	0
		36	0	23.17	22.94	23.08	0.5
		36	22	23.56	23.44	23.50	0
		36	43	23.07	23.03	23.04	0.5
		75	0	23.13	22.98	23.00	0.5
15M	DFT-S QPSK	1	1	23.64	23.59	23.63	0
		1	40	23.60	23.56	23.65	0
		1	77	23.71	23.52	23.61	0
		36	0	22.70	22.54	22.64	1
		36	22	23.61	23.45	23.48	0
		36	43	22.61	22.58	22.67	1
		75	0	22.64	22.57	22.64	1
15M	DFT-S 16QAM	1	1	22.63	22.58	22.58	1
15M	DFT-S 64QAM	1	1	21.11	21.13	21.09	2.5
15M	DFT-S 256QAM	1	1	19.09	19.11	19.03	4.5
15M	CP QPSK	1	1	22.01	22.15	22.01	1.5
15M	CP 16QAM	1	1	21.55	21.60	21.57	2
15M	CP 64QAM	1	1	20.10	20.05	19.99	3.5
15M	CP 256QAM	1	1	17.10	17.03	16.96	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	23.69	23.52	23.56	0
		1	26	23.57	23.48	23.54	0
		1	50	23.55	23.52	23.64	0
		25	0	23.16	22.92	23.00	0.5
		25	14	23.57	23.37	23.43	0
		25	27	23.08	23.05	23.04	0.5
		50	0	23.18	23.04	22.99	0.5
10M	DFT-S QPSK	1	1	23.63	23.60	23.62	0
		1	26	23.53	23.54	23.62	0
		1	50	23.67	23.52	23.63	0
		25	0	22.69	22.50	22.68	1
		25	14	23.69	23.46	23.44	0
		25	27	22.61	22.57	22.64	1
		50	0	22.69	22.59	22.64	1
10M	DFT-S 16QAM	1	1	22.55	22.55	22.52	1
10M	DFT-S 64QAM	1	1	21.04	21.11	21.08	2.5
10M	DFT-S 256QAM	1	1	19.11	19.08	19.09	4.5
10M	CP QPSK	1	1	22.03	22.09	22.11	1.5
10M	CP 16QAM	1	1	21.60	21.60	21.63	2
10M	CP 64QAM	1	1	20.19	20.02	20.01	3.5
10M	CP 256QAM	1	1	17.12	16.98	17.03	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	23.62	23.51	23.59	0
		1	13	23.55	23.52	23.56	0
		1	23	23.59	23.55	23.64	0
		12	0	23.20	22.99	23.06	0.5
		12	7	23.59	23.42	23.47	0
		12	13	22.98	23.09	23.03	0.5
		25	0	23.11	23.04	22.98	0.5
5M	DFT-S QPSK	1	1	23.68	23.60	23.63	0
		1	13	23.60	23.57	23.56	0
		1	23	23.68	23.56	23.65	0
		12	0	22.65	22.48	22.59	1
		12	7	23.60	23.42	23.47	0
		12	13	22.61	22.60	22.67	1
		25	0	22.69	22.60	22.58	1
5M	DFT-S 16QAM	1	1	22.60	22.59	22.57	1
5M	DFT-S 64QAM	1	1	21.04	21.07	21.07	2.5
5M	DFT-S 256QAM	1	1	19.17	19.11	19.07	4.5
5M	CP QPSK	1	1	22.06	22.09	22.06	1.5
5M	CP 16QAM	1	1	21.52	21.56	21.60	2
5M	CP 64QAM	1	1	20.17	20.04	19.99	3.5
5M	CP 256QAM	1	1	17.06	16.96	16.97	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	17.74	17.72	17.85	0
		1	53	17.67	17.65	17.80	0
		1	104	17.67	17.77	17.62	0
		50	0	17.16	17.12	17.21	0.5
		50	28	17.43	17.40	17.71	0
		50	56	17.31	17.29	17.15	0.5
		100	0	17.04	17.14	17.21	0.5
20M	DFT-S QPSK	1	1	17.86	17.78	17.87	0
		1	53	17.64	17.68	17.74	0
		1	104	17.78	17.62	17.76	0
		50	0	16.74	16.67	16.79	1
		50	28	17.67	17.45	17.70	0
		50	56	16.60	16.80	16.85	1
		100	0	16.83	16.92	16.61	1
20M	DFT-S 16QAM	1	1	16.68	16.65	16.80	1
20M	DFT-S 64QAM	1	1	15.15	15.39	15.37	2.5
20M	DFT-S 256QAM	1	1	13.33	13.15	13.25	4.5
20M	CP QPSK	1	1	16.10	16.21	16.15	1.5
20M	CP 16QAM	1	1	15.63	15.69	15.54	2
20M	CP 64QAM	1	1	14.29	14.12	14.19	3.5
20M	CP 256QAM	1	1	11.12	11.16	11.23	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 2							
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	17.80	17.66	17.74	0
		1	40	17.52	17.67	17.62	0
		1	77	17.63	17.63	17.86	0
		36	0	17.07	17.21	17.23	0.5
		36	22	17.66	17.54	17.64	0
		36	43	17.17	17.26	17.18	0.5
		75	0	17.14	17.34	17.35	0.5
15M	DFT-S QPSK	1	1	17.83	17.68	17.75	0
		1	40	17.76	17.75	17.63	0
		1	77	17.81	17.84	17.81	0
		36	0	16.68	16.63	16.90	1
		36	22	17.54	17.73	17.69	0
		36	43	16.79	16.82	16.69	1
		75	0	16.78	16.83	16.81	1
15M	DFT-S 16QAM	1	1	16.78	16.72	16.69	1
15M	DFT-S 64QAM	1	1	15.06	15.21	15.15	2.5
15M	DFT-S 256QAM	1	1	13.22	13.09	13.12	4.5
15M	CP QPSK	1	1	16.13	16.17	16.23	1.5
15M	CP 16QAM	1	1	15.86	15.59	15.75	2
15M	CP 64QAM	1	1	14.32	14.33	14.20	3.5
15M	CP 256QAM	1	1	11.36	11.11	11.34	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	17.54	17.59	17.70	0
		1	26	17.54	17.60	17.66	0
		1	50	17.63	17.57	17.51	0
		25	0	17.10	17.05	17.12	0.5
		25	14	17.57	17.45	17.57	0
		25	27	16.94	17.05	16.94	0.5
		50	0	17.18	17.10	17.23	0.5
10M	DFT-S QPSK	1	1	17.73	17.64	17.78	0
		1	26	17.50	17.60	17.73	0
		1	50	17.59	17.68	17.76	0
		25	0	16.61	16.64	16.54	1
		25	14	17.55	17.42	17.54	0
		25	27	16.72	16.56	16.70	1
		50	0	16.66	16.69	16.62	1
10M	DFT-S 16QAM	1	1	16.52	16.63	16.70	1
10M	DFT-S 64QAM	1	1	15.08	15.26	15.04	2.5
10M	DFT-S 256QAM	1	1	13.15	13.19	13.06	4.5
10M	CP QPSK	1	1	16.23	16.16	16.07	1.5
10M	CP 16QAM	1	1	15.65	15.67	15.67	2
10M	CP 64QAM	1	1	14.02	14.12	14.10	3.5
10M	CP 256QAM	1	1	11.12	11.11	11.19	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 2							
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	17.51	17.55	17.77	0
		1	13	17.48	17.69	17.72	0
		1	23	17.62	17.62	17.73	0
		12	0	17.10	17.14	17.00	0.5
		12	7	17.43	17.39	17.64	0
		12	13	17.04	17.00	17.03	0.5
		25	0	17.08	17.10	17.02	0.5
5M	DFT-S QPSK	1	1	17.69	17.56	17.65	0
		1	13	17.62	17.65	17.75	0
		1	23	17.67	17.70	17.61	0
		12	0	16.57	16.69	16.73	1
		12	7	17.45	17.42	17.63	0
		12	13	16.56	16.60	16.76	1
		25	0	16.74	16.69	16.65	1
5M	DFT-S 16QAM	1	1	16.67	16.78	16.51	1
5M	DFT-S 64QAM	1	1	14.98	15.18	15.11	2.5
5M	DFT-S 256QAM	1	1	13.28	13.03	13.09	4.5
5M	CP QPSK	1	1	16.03	16.14	16.00	1.5
5M	CP 16QAM	1	1	15.52	15.67	15.64	2
5M	CP 64QAM	1	1	14.01	14.16	14.07	3.5
5M	CP 256QAM	1	1	11.28	11.10	11.11	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	14.90	14.92	14.90	0
		1	53	14.86	14.87	14.79	0
		1	104	14.89	14.91	14.83	0
		50	0	14.32	14.49	14.29	0.5
		50	28	14.85	14.89	14.82	0
		50	56	14.30	14.41	14.33	0.5
		100	0	14.30	14.47	14.36	0.5
20M	DFT-S QPSK	1	1	14.97	14.99	14.94	0
		1	53	14.93	14.94	14.87	0
		1	104	14.89	14.91	14.86	0
		50	0	13.89	13.99	13.85	1
		50	28	14.93	14.95	14.91	0
		50	56	13.88	13.92	13.93	1
		100	0	13.90	13.98	13.93	1
20M	DFT-S 16QAM	1	1	13.97	13.99	13.90	1
20M	DFT-S 64QAM	1	1	12.37	12.43	12.40	2.5
20M	DFT-S 256QAM	1	1	10.38	10.44	10.39	4.5
20M	CP QPSK	1	1	13.34	13.46	13.39	1.5
20M	CP 16QAM	1	1	12.84	12.91	12.87	2
20M	CP 64QAM	1	1	11.30	11.47	11.41	3.5
20M	CP 256QAM	1	1	8.31	8.41	8.33	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	14.90	14.82	14.89	0
		1	40	14.77	14.82	14.72	0
		1	77	14.87	14.81	14.79	0
		36	0	14.31	14.40	14.22	0.5
		36	22	14.77	14.82	14.75	0
		36	43	14.27	14.32	14.29	0.5
		75	0	14.20	14.37	14.35	0.5
15M	DFT-S QPSK	1	1	14.94	14.89	14.91	0
		1	40	14.83	14.86	14.80	0
		1	77	14.82	14.83	14.84	0
		36	0	13.88	13.93	13.79	1
		36	22	14.91	14.95	14.81	0
		36	43	13.87	13.89	13.89	1
		75	0	13.84	13.93	13.86	1
15M	DFT-S 16QAM	1	1	13.93	13.91	13.85	1
15M	DFT-S 64QAM	1	1	12.28	12.40	12.33	2.5
15M	DFT-S 256QAM	1	1	10.30	10.44	10.35	4.5
15M	CP QPSK	1	1	13.27	13.46	13.34	1.5
15M	CP 16QAM	1	1	12.80	12.82	12.78	2
15M	CP 64QAM	1	1	11.22	11.42	11.41	3.5
15M	CP 256QAM	1	1	8.22	8.32	8.31	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	14.90	14.88	14.87	0
		1	26	14.77	14.79	14.77	0
		1	50	14.81	14.81	14.74	0
		25	0	14.29	14.43	14.25	0.5
		25	14	14.81	14.88	14.76	0
		25	27	14.28	14.36	14.24	0.5
		50	0	14.28	14.47	14.34	0.5
10M	DFT-S QPSK	1	1	14.96	14.90	14.84	0
		1	26	14.88	14.86	14.85	0
		1	50	14.81	14.85	14.86	0
		25	0	13.79	13.89	13.85	1
		25	14	14.93	14.86	14.84	0
		25	27	13.79	13.86	13.84	1
		50	0	13.81	13.96	13.83	1
10M	DFT-S 16QAM	1	1	13.88	13.95	13.84	1
10M	DFT-S 64QAM	1	1	12.34	12.38	12.39	2.5
10M	DFT-S 256QAM	1	1	10.34	10.43	10.34	4.5
10M	CP QPSK	1	1	13.30	13.41	13.31	1.5
10M	CP 16QAM	1	1	12.77	12.90	12.77	2
10M	CP 64QAM	1	1	11.29	11.47	11.35	3.5
10M	CP 256QAM	1	1	8.29	8.33	8.24	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 7							
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	14.82	14.85	14.88	0
		1	13	14.80	14.80	14.69	0
		1	23	14.81	14.85	14.79	0
		12	0	14.23	14.49	14.27	0.5
		12	7	14.76	14.87	14.72	0
		12	13	14.23	14.36	14.31	0.5
		25	0	14.26	14.37	14.26	0.5
5M	DFT-S QPSK	1	1	14.87	14.98	14.84	0
		1	13	14.86	14.89	14.83	0
		1	23	14.86	14.88	14.83	0
		12	0	13.88	13.93	13.83	1
		12	7	14.88	14.94	14.85	0
		12	13	13.88	13.83	13.89	1
		25	0	13.88	13.94	13.88	1
5M	DFT-S 16QAM	1	1	13.97	13.95	13.82	1
5M	DFT-S 64QAM	1	1	12.27	12.35	12.38	2.5
5M	DFT-S 256QAM	1	1	10.35	10.40	10.31	4.5
5M	CP QPSK	1	1	13.31	13.43	13.39	1.5
5M	CP 16QAM	1	1	12.79	12.90	12.77	2
5M	CP 64QAM	1	1	11.30	11.39	11.38	3.5
5M	CP 256QAM	1	1	8.28	8.38	8.27	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	17.62	17.75	17.65	0
		1	53	17.54	17.72	17.60	0
		1	104	17.69	17.64	17.76	0
		50	0	17.24	17.31	17.25	0.5
		50	28	17.71	17.72	17.65	0
		50	56	17.28	17.16	17.26	0.5
		100	0	17.11	17.26	17.16	0.5
20M	DFT-S QPSK	1	1	17.86	17.79	17.81	0
		1	53	17.65	17.68	17.78	0
		1	104	17.70	17.73	17.58	0
		50	0	16.80	16.78	16.60	1
		50	28	17.67	17.69	17.64	0
		50	56	16.78	16.87	16.74	1
		100	0	16.75	16.71	16.64	1
20M	DFT-S 16QAM	1	1	16.54	16.74	16.54	1
20M	DFT-S 64QAM	1	1	15.20	15.37	15.34	2.5
20M	DFT-S 256QAM	1	1	13.12	13.28	13.25	4.5
20M	CP QPSK	1	1	16.14	16.08	16.24	1.5
20M	CP 16QAM	1	1	15.83	15.81	15.76	2
20M	CP 64QAM	1	1	14.13	14.22	14.33	3.5
20M	CP 256QAM	1	1	11.01	11.20	11.15	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	17.74	17.63	17.68	0
		1	40	17.48	17.64	17.63	0
		1	77	17.66	17.51	17.53	0
		36	0	17.24	17.03	17.13	0.5
		36	22	17.56	17.55	17.53	0
		36	43	17.07	17.06	17.01	0.5
		75	0	17.22	17.02	17.13	0.5
15M	DFT-S QPSK	1	1	17.74	17.61	17.74	0
		1	40	17.74	17.58	17.54	0
		1	77	17.73	17.62	17.52	0
		36	0	16.72	16.70	16.52	1
		36	22	17.64	17.59	17.73	0
		36	43	16.70	16.62	16.65	1
		75	0	16.71	16.62	16.65	1
15M	DFT-S 16QAM	1	1	16.46	16.59	16.53	1
15M	DFT-S 64QAM	1	1	15.17	15.12	15.23	2.5
15M	DFT-S 256QAM	1	1	13.03	13.04	13.21	4.5
15M	CP QPSK	1	1	16.19	16.02	16.12	1.5
15M	CP 16QAM	1	1	15.54	15.49	15.51	2
15M	CP 64QAM	1	1	14.03	14.14	14.19	3.5
15M	CP 256QAM	1	1	11.06	11.09	11.11	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	17.65	17.65	17.63	0
		1	26	17.59	17.59	17.59	0
		1	50	17.77	17.56	17.54	0
		25	0	17.30	17.04	17.00	0.5
		25	14	17.56	17.56	17.67	0
		25	27	17.13	17.16	16.93	0.5
		50	0	17.06	17.14	17.11	0.5
10M	DFT-S QPSK	1	1	17.78	17.79	17.55	0
		1	26	17.63	17.58	17.66	0
		1	50	17.72	17.68	17.71	0
		25	0	16.64	16.63	16.73	1
		25	14	17.65	17.75	17.61	0
		25	27	16.76	16.62	16.48	1
		50	0	16.55	16.66	16.70	1
10M	DFT-S 16QAM	1	1	16.62	16.55	16.51	1
10M	DFT-S 64QAM	1	1	15.12	15.09	15.14	2.5
10M	DFT-S 256QAM	1	1	13.08	13.00	13.10	4.5
10M	CP QPSK	1	1	16.05	16.01	16.18	1.5
10M	CP 16QAM	1	1	15.62	15.61	15.66	2
10M	CP 64QAM	1	1	14.11	14.10	14.14	3.5
10M	CP 256QAM	1	1	11.05	10.95	11.09	6.5

NR Conducted Power (P-Sensor On_MIMO 2)							
NR Band 66							
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	17.65	17.65	17.68	0
		1	13	17.46	17.62	17.56	0
		1	23	17.70	17.71	17.49	0
		12	0	17.12	16.99	17.08	0.5
		12	7	17.58	17.70	17.54	0
		12	13	16.98	17.00	17.15	0.5
		25	0	17.06	17.12	17.13	0.5
5M	DFT-S QPSK	1	1	17.74	17.75	17.68	0
		1	13	17.53	17.63	17.56	0
		1	23	17.72	17.59	17.47	0
		12	0	16.79	16.57	16.71	1
		12	7	17.60	17.56	17.68	0
		12	13	16.72	16.59	16.56	1
		25	0	16.55	16.72	16.70	1
5M	DFT-S 16QAM	1	1	16.51	16.49	16.65	1
5M	DFT-S 64QAM	1	1	15.19	15.17	15.14	2.5
5M	DFT-S 256QAM	1	1	13.16	13.06	13.10	4.5
5M	CP QPSK	1	1	16.09	16.01	16.02	1.5
5M	CP 16QAM	1	1	15.52	15.68	15.55	2
5M	CP 64QAM	1	1	14.16	14.12	14.18	3.5
5M	CP 256QAM	1	1	11.02	11.06	11.24	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	21.25	21.12	21.30	21.27	21.24	0
		1	137	21.07	20.94	21.12	21.09	21.06	0
		1	271	21.12	20.99	21.17	21.14	21.11	0
		135	0	20.62	20.49	20.67	20.64	20.61	0.5
		135	69	21.14	21.01	21.19	21.16	21.13	0
		135	138	20.55	20.42	20.60	20.57	20.54	0.5
		270	0	20.50	20.37	20.55	20.52	20.49	0.5
100M	DFT-S QPSK	1	1	21.28	21.15	21.33	21.30	21.27	0
		1	137	21.10	20.97	21.15	21.12	21.09	0
		1	271	21.15	21.02	21.20	21.17	21.14	0
		135	0	20.39	20.26	20.44	20.41	20.38	1
		135	69	21.16	21.03	21.21	21.18	21.15	0
		135	138	20.38	20.25	20.43	20.40	20.37	1
		270	0	20.39	20.26	20.44	20.41	20.38	1
100M	DFT-S 16QAM	1	1	20.41	20.28	20.46	20.43	20.40	1
100M	DFT-S 64QAM	1	1	18.60	18.47	18.65	18.62	18.59	2.5
100M	DFT-S 256QAM	1	1	16.55	16.42	16.60	16.57	16.54	4.5
100M	CP QPSK	1	1	19.50	19.37	19.55	19.52	19.49	1.5
100M	CP 16QAM	1	1	19.07	18.94	19.12	19.09	19.06	2
100M	CP 64QAM	1	1	17.61	17.48	17.66	17.63	17.60	3.5
100M	CP 256QAM	1	1	14.65	14.52	14.70	14.67	14.64	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequency (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	21.24	21.11	21.29	21.26	21.23	0
		1	123	21.06	20.93	21.11	21.08	21.05	0
		1	243	21.11	20.98	21.16	21.13	21.10	0
		120	0	20.61	20.48	20.66	20.63	20.60	0.5
		120	63	21.13	21.00	21.18	21.15	21.12	0
		120	125	20.54	20.41	20.59	20.56	20.53	0.5
		243	0	20.49	20.36	20.54	20.51	20.48	0.5
90M	DFT-S QPSK	1	1	21.27	21.14	21.32	21.29	21.26	0
		1	123	21.09	20.96	21.14	21.11	21.08	0
		1	243	21.14	21.01	21.19	21.16	21.13	0
		120	0	20.38	20.25	20.43	20.40	20.37	1
		120	63	21.15	21.02	21.20	21.17	21.14	0
		120	125	20.37	20.24	20.42	20.39	20.36	1
		243	0	20.38	20.25	20.43	20.40	20.37	1
90M	DFT-S 16QAM	1	1	20.40	20.27	20.45	20.42	20.39	1
90M	DFT-S 64QAM	1	1	18.59	18.46	18.64	18.61	18.58	2.5
90M	DFT-S 256QAM	1	1	16.54	16.41	16.59	16.56	16.53	4.5
90M	CP QPSK	1	1	19.49	19.36	19.54	19.51	19.48	1.5
90M	CP 16QAM	1	1	19.06	18.93	19.11	19.08	19.05	2
90M	CP 64QAM	1	1	17.60	17.47	17.65	17.62	17.59	3.5
90M	CP 256QAM	1	1	14.64	14.51	14.69	14.66	14.63	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	21.23	21.10	21.28	21.25	21.22	0
		1	109	21.05	20.92	21.10	21.07	21.04	0
		1	215	21.10	20.97	21.15	21.12	21.09	0
		108	0	20.60	20.47	20.65	20.62	20.59	0.5
		108	55	21.12	20.99	21.17	21.14	21.11	0
		108	109	20.53	20.40	20.58	20.55	20.52	0.5
		216	0	20.48	20.35	20.53	20.50	20.47	0.5
80M	DFT-S QPSK	1	1	21.26	21.13	21.31	21.28	21.25	0
		1	109	21.08	20.95	21.13	21.10	21.07	0
		1	215	21.13	21.00	21.18	21.15	21.12	0
		108	0	20.37	20.24	20.42	20.39	20.36	1
		108	55	21.14	21.01	21.19	21.16	21.13	0
		108	109	20.36	20.23	20.41	20.38	20.35	1
		216	0	20.37	20.24	20.42	20.39	20.36	1
80M	DFT-S 16QAM	1	1	20.39	20.26	20.44	20.41	20.38	1
80M	DFT-S 64QAM	1	1	18.58	18.45	18.63	18.60	18.57	2.5
80M	DFT-S 256QAM	1	1	16.53	16.40	16.58	16.55	16.52	4.5
80M	CP QPSK	1	1	19.48	19.35	19.53	19.50	19.47	1.5
80M	CP 16QAM	1	1	19.05	18.92	19.10	19.07	19.04	2
80M	CP 64QAM	1	1	17.59	17.46	17.64	17.61	17.58	3.5
80M	CP 256QAM	1	1	14.63	14.50	14.68	14.65	14.62	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequency (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	DFT-S PI/2 BPSK	1	1	21.22	21.09	21.27	21.24	21.21	0
		1	95	21.04	20.91	21.09	21.06	21.03	0
		1	187	21.09	20.96	21.14	21.11	21.08	0
		90	0	20.59	20.46	20.64	20.61	20.58	0.5
		90	50	21.11	20.98	21.16	21.13	21.10	0
		90	99	20.52	20.39	20.57	20.54	20.51	0.5
		180	0	20.47	20.34	20.52	20.49	20.46	0.5
70M	DFT-S QPSK	1	1	21.25	21.12	21.30	21.27	21.24	0
		1	95	21.07	20.94	21.12	21.09	21.06	0
		1	187	21.12	20.99	21.17	21.14	21.11	0
		90	0	20.36	20.23	20.41	20.38	20.35	1
		90	50	21.13	21.00	21.18	21.15	21.12	0
		90	99	20.35	20.22	20.40	20.37	20.34	1
		180	0	20.36	20.23	20.41	20.38	20.35	1
70M	DFT-S 16QAM	1	1	20.38	20.25	20.43	20.40	20.37	1
70M	DFT-S 64QAM	1	1	18.57	18.44	18.62	18.59	18.56	2.5
70M	DFT-S 256QAM	1	1	16.52	16.39	16.57	16.54	16.51	4.5
70M	CP QPSK	1	1	19.47	19.34	19.52	19.49	19.46	1.5
70M	CP 16QAM	1	1	19.04	18.91	19.09	19.06	19.03	2
70M	CP 64QAM	1	1	17.58	17.45	17.63	17.60	17.57	3.5
70M	CP 256QAM	1	1	14.62	14.49	14.67	14.64	14.61	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequency (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	21.21	21.08	21.26	21.23	21.20	0
		1	81	21.03	20.90	21.08	21.05	21.02	0
		1	160	21.08	20.95	21.13	21.10	21.07	0
		81	0	20.58	20.45	20.63	20.60	20.57	0.5
		81	41	21.10	20.97	21.15	21.12	21.09	0
		81	81	20.51	20.38	20.56	20.53	20.50	0.5
		162	0	20.46	20.33	20.51	20.48	20.45	0.5
60M	DFT-S QPSK	1	1	21.24	21.11	21.29	21.26	21.23	0
		1	81	21.06	20.93	21.11	21.08	21.05	0
		1	160	21.11	20.98	21.16	21.13	21.10	0
		81	0	20.35	20.22	20.40	20.37	20.34	1
		81	41	21.12	20.99	21.17	21.14	21.11	0
		81	81	20.34	20.21	20.39	20.36	20.33	1
		162	0	20.35	20.22	20.40	20.37	20.34	1
60M	DFT-S 16QAM	1	1	20.37	20.24	20.42	20.39	20.36	1
60M	DFT-S 64QAM	1	1	18.56	18.43	18.61	18.58	18.55	2.5
60M	DFT-S 256QAM	1	1	16.51	16.38	16.56	16.53	16.50	4.5
60M	CP QPSK	1	1	19.46	19.33	19.51	19.48	19.45	1.5
60M	CP 16QAM	1	1	19.03	18.90	19.08	19.05	19.02	2
60M	CP 64QAM	1	1	17.57	17.44	17.62	17.59	17.56	3.5
60M	CP 256QAM	1	1	14.61	14.48	14.66	14.63	14.60	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	21.20	21.07	21.25	21.22	21.19	0
		1	67	21.02	20.89	21.07	21.04	21.01	0
		1	131	21.07	20.94	21.12	21.09	21.06	0
		64	0	20.57	20.44	20.62	20.59	20.56	0.5
		64	35	21.09	20.96	21.14	21.11	21.08	0
		64	69	20.50	20.37	20.55	20.52	20.49	0.5
		128	0	20.45	20.32	20.50	20.47	20.44	0.5
50M	DFT-S QPSK	1	1	21.23	21.10	21.28	21.25	21.22	0
		1	67	21.05	20.92	21.10	21.07	21.04	0
		1	131	21.10	20.97	21.15	21.12	21.09	0
		64	0	20.34	20.21	20.39	20.36	20.33	1
		64	35	21.11	20.98	21.16	21.13	21.10	0
		64	69	20.33	20.20	20.38	20.35	20.32	1
		128	0	20.34	20.21	20.39	20.36	20.33	1
50M	DFT-S 16QAM	1	1	20.36	20.23	20.41	20.38	20.35	1
50M	DFT-S 64QAM	1	1	18.55	18.42	18.60	18.57	18.54	2.5
50M	DFT-S 256QAM	1	1	16.50	16.37	16.55	16.52	16.49	4.5
50M	CP QPSK	1	1	19.45	19.32	19.50	19.47	19.44	1.5
50M	CP 16QAM	1	1	19.02	18.89	19.07	19.04	19.01	2
50M	CP 64QAM	1	1	17.56	17.43	17.61	17.58	17.55	3.5
50M	CP 256QAM	1	1	14.60	14.47	14.65	14.62	14.59	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	21.19	21.06	21.24	21.21	21.18	0
		1	53	21.01	20.88	21.06	21.03	21.00	0
		1	104	21.06	20.93	21.11	21.08	21.05	0
		50	0	20.56	20.43	20.61	20.58	20.55	0.5
		50	28	21.08	20.95	21.13	21.10	21.07	0
		50	56	20.49	20.36	20.54	20.51	20.48	0.5
		100	0	20.44	20.31	20.49	20.46	20.43	0.5
40M	DFT-S QPSK	1	1	21.22	21.09	21.27	21.24	21.21	0
		1	53	21.04	20.91	21.09	21.06	21.03	0
		1	104	21.09	20.96	21.14	21.11	21.08	0
		50	0	20.33	20.20	20.38	20.35	20.32	1
		50	28	21.10	20.97	21.15	21.12	21.09	0
		50	56	20.32	20.19	20.37	20.34	20.31	1
		100	0	20.33	20.20	20.38	20.35	20.32	1
40M	DFT-S 16QAM	1	1	20.35	20.22	20.40	20.37	20.34	1
40M	DFT-S 64QAM	1	1	18.54	18.41	18.59	18.56	18.53	2.5
40M	DFT-S 256QAM	1	1	16.49	16.36	16.54	16.51	16.48	4.5
40M	CP QPSK	1	1	19.44	19.31	19.49	19.46	19.43	1.5
40M	CP 16QAM	1	1	19.01	18.88	19.06	19.03	19.00	2
40M	CP 64QAM	1	1	17.55	17.42	17.60	17.57	17.54	3.5
40M	CP 256QAM	1	1	14.59	14.46	14.64	14.61	14.58	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	21.18	21.05	21.23	21.20	21.17	0
		1	26	21.00	20.87	21.05	21.02	20.99	0
		1	49	21.05	20.92	21.10	21.07	21.04	0
		25	0	20.55	20.42	20.60	20.57	20.54	0.5
		25	13	21.07	20.94	21.12	21.09	21.06	0
		25	26	20.48	20.35	20.53	20.50	20.47	0.5
		50	0	20.43	20.30	20.48	20.45	20.42	0.5
20M	DFT-S QPSK	1	1	21.21	21.08	21.26	21.23	21.20	0
		1	26	21.03	20.90	21.08	21.05	21.02	0
		1	49	21.08	20.95	21.13	21.10	21.07	0
		25	0	20.32	20.19	20.37	20.34	20.31	1
		25	13	21.09	20.96	21.14	21.11	21.08	0
		25	26	20.31	20.18	20.36	20.33	20.30	1
		50	0	20.32	20.19	20.37	20.34	20.31	1
20M	DFT-S 16QAM	1	1	20.34	20.21	20.39	20.36	20.33	1
20M	DFT-S 64QAM	1	1	18.53	18.40	18.58	18.55	18.52	2.5
20M	DFT-S 256QAM	1	1	16.48	16.35	16.53	16.50	16.47	4.5
20M	CP QPSK	1	1	19.43	19.30	19.48	19.45	19.42	1.5
20M	CP 16QAM	1	1	19.00	18.87	19.05	19.02	18.99	2
20M	CP 64QAM	1	1	17.54	17.41	17.59	17.56	17.53	3.5
20M	CP 256QAM	1	1	14.58	14.45	14.63	14.60	14.57	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	21.17	21.04	21.22	21.19	21.16	0
		1	19	20.99	20.86	21.04	21.01	20.98	0
		1	36	21.04	20.91	21.09	21.06	21.03	0
		18	0	20.54	20.41	20.59	20.56	20.53	0.5
		18	10	21.06	20.93	21.11	21.08	21.05	0
		18	20	20.47	20.34	20.52	20.49	20.46	0.5
		36	0	20.42	20.29	20.47	20.44	20.41	0.5
15M	DFT-S QPSK	1	1	21.20	21.07	21.25	21.22	21.19	0
		1	19	21.02	20.89	21.07	21.04	21.01	0
		1	36	21.07	20.94	21.12	21.09	21.06	0
		18	0	20.31	20.18	20.36	20.33	20.30	1
		18	10	21.08	20.95	21.13	21.10	21.07	0
		18	20	20.30	20.17	20.35	20.32	20.29	1
		36	0	20.31	20.18	20.36	20.33	20.30	1
15M	DFT-S 16QAM	1	1	20.33	20.20	20.38	20.35	20.32	1
15M	DFT-S 64QAM	1	1	18.52	18.39	18.57	18.54	18.51	2.5
15M	DFT-S 256QAM	1	1	16.47	16.34	16.52	16.49	16.46	4.5
15M	CP QPSK	1	1	19.42	19.29	19.47	19.44	19.41	1.5
15M	CP 16QAM	1	1	18.99	18.86	19.04	19.01	18.98	2
15M	CP 64QAM	1	1	17.53	17.40	17.58	17.55	17.52	3.5
15M	CP 256QAM	1	1	14.57	14.44	14.62	14.59	14.56	6.5

NR Conducted Power (P-Sensor Off_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	21.16	21.03	21.21	21.18	21.15	0
		1	11	20.98	20.85	21.03	21.00	20.97	0
		1	22	21.03	20.90	21.08	21.05	21.02	0
		12	0	20.53	20.40	20.58	20.55	20.52	0.5
		12	6	21.05	20.92	21.10	21.07	21.04	0
		12	12	20.46	20.33	20.51	20.48	20.45	0.5
		24	0	20.41	20.28	20.46	20.43	20.40	0.5
10M	DFT-S QPSK	1	1	21.19	21.06	21.24	21.21	21.18	0
		1	11	21.01	20.88	21.06	21.03	21.00	0
		1	22	21.06	20.93	21.11	21.08	21.05	0
		12	0	20.30	20.17	20.35	20.32	20.29	1
		12	6	21.07	20.94	21.12	21.09	21.06	0
		12	12	20.29	20.16	20.34	20.31	20.28	1
		24	0	20.30	20.17	20.35	20.32	20.29	1
10M	DFT-S 16QAM	1	1	20.32	20.19	20.37	20.34	20.31	1
10M	DFT-S 64QAM	1	1	18.51	18.38	18.56	18.53	18.50	2.5
10M	DFT-S 256QAM	1	1	16.46	16.33	16.51	16.48	16.45	4.5
10M	CP QPSK	1	1	19.41	19.28	19.46	19.43	19.40	1.5
10M	CP 16QAM	1	1	18.98	18.85	19.03	19.00	18.97	2
10M	CP 64QAM	1	1	17.52	17.39	17.57	17.54	17.51	3.5
10M	CP 256QAM	1	1	14.56	14.43	14.61	14.58	14.55	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	14.88	14.93	14.96	14.85	14.82	0
		1	137	14.76	14.79	14.84	14.84	14.71	0
		1	271	14.81	14.79	14.93	14.81	14.85	0
		135	0	14.40	14.27	14.33	14.32	14.29	0.5
		135	69	14.78	14.86	14.89	14.77	14.74	0
		135	138	14.31	14.41	14.33	14.30	14.25	0.5
		270	0	14.35	14.36	14.42	14.32	14.22	0.5
100M	DFT-S QPSK	1	1	14.94	14.93	14.99	14.92	14.89	0
		1	137	14.84	14.87	14.89	14.85	14.79	0
		1	271	14.88	14.86	14.96	14.89	14.86	0
		135	0	13.91	13.83	13.93	13.87	13.89	1
		135	69	14.82	14.89	14.93	14.87	14.83	0
		135	138	13.88	13.91	13.93	13.84	13.80	1
		270	0	13.89	13.88	13.94	13.89	13.79	1
100M	DFT-S 16QAM	1	1	13.90	13.91	13.98	13.84	13.85	1
100M	DFT-S 64QAM	1	1	12.32	12.31	12.32	12.31	12.26	2.5
100M	DFT-S 256QAM	1	1	10.28	10.34	10.40	10.33	10.33	4.5
100M	CP QPSK	1	1	13.34	13.24	13.43	13.35	13.37	1.5
100M	CP 16QAM	1	1	12.75	12.86	12.83	12.81	12.75	2
100M	CP 64QAM	1	1	11.38	11.36	11.34	11.30	11.27	3.5
100M	CP 256QAM	1	1	8.32	8.33	8.34	8.32	8.27	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequency (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	14.79	14.90	14.87	14.82	14.72	0
		1	123	14.69	14.69	14.80	14.82	14.63	0
		1	243	14.80	14.72	14.88	14.77	14.76	0
		120	0	14.32	14.22	14.26	14.24	14.29	0.5
		120	63	14.77	14.80	14.82	14.70	14.72	0
		120	125	14.28	14.34	14.23	14.23	14.20	0.5
		243	0	14.33	14.36	14.36	14.26	14.17	0.5
90M	DFT-S QPSK	1	1	14.85	14.84	14.88	14.82	14.74	0
		1	123	14.76	14.79	14.75	14.75	14.70	0
		1	243	14.75	14.70	14.83	14.74	14.79	0
		120	0	13.87	13.74	13.75	13.73	13.70	1
		120	63	14.75	14.77	14.88	14.73	14.66	0
		120	125	13.72	13.87	13.77	13.78	13.66	1
		243	0	13.75	13.78	13.86	13.78	13.71	1
90M	DFT-S 16QAM	1	1	13.84	13.85	13.96	13.79	13.80	1
90M	DFT-S 64QAM	1	1	12.26	12.19	12.26	12.34	12.18	2.5
90M	DFT-S 256QAM	1	1	10.21	10.22	10.41	10.21	10.28	4.5
90M	CP QPSK	1	1	13.36	13.19	13.30	13.30	13.25	1.5
90M	CP 16QAM	1	1	12.70	12.79	12.83	12.68	12.74	2
90M	CP 64QAM	1	1	11.21	11.32	11.29	11.25	11.16	3.5
90M	CP 256QAM	1	1	8.31	8.32	8.33	8.31	8.26	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	14.80	14.92	14.94	14.80	14.79	0
		1	109	14.74	14.74	14.79	14.78	14.70	0
		1	215	14.72	14.77	14.83	14.78	14.79	0
		108	0	14.39	14.24	14.26	14.24	14.19	0.5
		108	55	14.70	14.83	14.87	14.73	14.67	0
		108	109	14.28	14.33	14.30	14.29	14.23	0.5
		216	0	14.26	14.28	14.34	14.32	14.21	0.5
80M	DFT-S QPSK	1	1	14.88	14.91	14.93	14.80	14.76	0
		1	109	14.72	14.70	14.74	14.80	14.61	0
		1	215	14.76	14.69	14.92	14.73	14.81	0
		108	0	13.83	13.69	13.80	13.75	13.76	1
		108	55	14.74	14.79	14.87	14.77	14.65	0
		108	109	13.77	13.82	13.81	13.77	13.75	1
		216	0	13.75	13.83	13.87	13.79	13.65	1
80M	DFT-S 16QAM	1	1	13.83	13.88	13.90	13.78	13.73	1
80M	DFT-S 64QAM	1	1	12.21	12.23	12.27	12.28	12.18	2.5
80M	DFT-S 256QAM	1	1	10.22	10.22	10.39	10.31	10.35	4.5
80M	CP QPSK	1	1	13.37	13.17	13.30	13.26	13.22	1.5
80M	CP 16QAM	1	1	12.70	12.85	12.87	12.77	12.72	2
80M	CP 64QAM	1	1	11.21	11.41	11.32	11.30	11.25	3.5
80M	CP 256QAM	1	1	8.29	8.27	8.32	8.29	8.14	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequency (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	DFT-S PI/2 BPSK	1	1	14.81	14.87	14.92	14.83	14.80	0
		1	95	14.69	14.72	14.83	14.84	14.70	0
		1	187	14.78	14.74	14.93	14.77	14.75	0
		90	0	14.31	14.27	14.32	14.32	14.20	0.5
		90	50	14.70	14.85	14.88	14.70	14.70	0
		90	99	14.24	14.40	14.28	14.30	14.25	0.5
		180	0	14.26	14.31	14.39	14.23	14.20	0.5
70M	DFT-S QPSK	1	1	14.78	14.92	14.94	14.76	14.76	0
		1	95	14.75	14.69	14.77	14.77	14.70	0
		1	187	14.71	14.73	14.85	14.81	14.79	0
		90	0	13.86	13.75	13.76	13.80	13.78	1
		90	50	14.78	14.81	14.89	14.74	14.67	0
		90	99	13.81	13.86	13.75	13.74	13.69	1
		180	0	13.79	13.78	13.89	13.81	13.64	1
70M	DFT-S 16QAM	1	1	13.84	13.92	13.94	13.76	13.80	1
70M	DFT-S 64QAM	1	1	12.25	12.27	12.24	12.28	12.18	2.5
70M	DFT-S 256QAM	1	1	10.28	10.23	10.34	10.23	10.33	4.5
70M	CP QPSK	1	1	13.31	13.24	13.32	13.26	13.19	1.5
70M	CP 16QAM	1	1	12.70	12.83	12.86	12.72	12.64	2
70M	CP 64QAM	1	1	11.26	11.38	11.33	11.20	11.19	3.5
70M	CP 256QAM	1	1	8.33	8.34	8.32	8.32	8.12	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequency (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	14.85	14.91	14.94	14.83	14.82	0
		1	81	14.76	14.77	14.76	14.80	14.62	0
		1	160	14.75	14.73	14.89	14.75	14.75	0
		81	0	14.34	14.24	14.33	14.28	14.23	0.5
		81	41	14.72	14.79	14.88	14.71	14.69	0
		81	81	14.29	14.39	14.23	14.26	14.23	0.5
		162	0	14.25	14.26	14.34	14.22	14.20	0.5
60M	DFT-S QPSK	1	1	14.87	14.90	14.88	14.75	14.73	0
		1	81	14.69	14.69	14.80	14.77	14.70	0
		1	160	14.77	14.73	14.85	14.79	14.79	0
		81	0	13.85	13.75	13.75	13.75	13.74	1
		81	41	14.69	14.81	14.89	14.73	14.70	0
		81	81	13.73	13.90	13.77	13.80	13.69	1
		162	0	13.79	13.81	13.92	13.77	13.64	1
60M	DFT-S 16QAM	1	1	13.88	13.85	13.89	13.85	13.74	1
60M	DFT-S 64QAM	1	1	12.16	12.22	12.30	12.24	12.12	2.5
60M	DFT-S 256QAM	1	1	10.28	10.29	10.33	10.30	10.29	4.5
60M	CP QPSK	1	1	13.36	13.22	13.32	13.22	13.25	1.5
60M	CP 16QAM	1	1	12.73	12.84	12.81	12.74	12.72	2
60M	CP 64QAM	1	1	11.26	11.40	11.23	11.23	11.15	3.5
60M	CP 256QAM	1	1	8.35	8.30	8.39	8.32	8.14	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	14.80	14.92	14.87	14.79	14.79	0
		1	67	14.68	14.72	14.78	14.76	14.70	0
		1	131	14.78	14.72	14.88	14.76	14.81	0
		64	0	14.39	14.27	14.30	14.23	14.19	0.5
		64	35	14.75	14.83	14.81	14.72	14.66	0
		64	69	14.26	14.40	14.27	14.22	14.18	0.5
		128	0	14.27	14.33	14.34	14.26	14.13	0.5
50M	DFT-S QPSK	1	1	14.80	14.83	14.89	14.75	14.73	0
		1	67	14.76	14.78	14.74	14.78	14.69	0
		1	131	14.74	14.78	14.93	14.75	14.76	0
		64	0	13.87	13.73	13.79	13.78	13.70	1
		64	35	14.78	14.80	14.86	14.67	14.66	0
		64	69	13.77	13.87	13.76	13.71	13.67	1
		128	0	13.84	13.86	13.84	13.81	13.64	1
50M	DFT-S 16QAM	1	1	13.85	13.92	13.93	13.85	13.82	1
50M	DFT-S 64QAM	1	1	12.24	12.20	12.27	12.27	12.16	2.5
50M	DFT-S 256QAM	1	1	10.21	10.19	10.34	10.30	10.28	4.5
50M	CP QPSK	1	1	13.40	13.25	13.32	13.31	13.22	1.5
50M	CP 16QAM	1	1	12.73	12.82	12.80	12.76	12.67	2
50M	CP 64QAM	1	1	11.22	11.40	11.23	11.30	11.23	3.5
50M	CP 256QAM	1	1	8.27	8.27	8.34	8.28	8.20	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	14.80	14.92	14.94	14.82	14.76	0
		1	53	14.71	14.76	14.80	14.77	14.71	0
		1	104	14.75	14.70	14.85	14.74	14.85	0
		50	0	14.36	14.22	14.28	14.28	14.22	0.5
		50	28	14.77	14.84	14.89	14.77	14.66	0
		50	56	14.27	14.32	14.27	14.26	14.21	0.5
		100	0	14.30	14.26	14.32	14.29	14.14	0.5
40M	DFT-S QPSK	1	1	14.82	14.85	14.90	14.79	14.82	0
		1	53	14.72	14.70	14.76	14.80	14.68	0
		1	104	14.72	14.75	14.89	14.71	14.85	0
		50	0	13.86	13.69	13.79	13.72	13.75	1
		50	28	14.72	14.76	14.88	14.67	14.69	0
		50	56	13.79	13.91	13.74	13.79	13.67	1
		100	0	13.80	13.85	13.83	13.80	13.62	1
40M	DFT-S 16QAM	1	1	13.85	13.85	13.93	13.77	13.73	1
40M	DFT-S 64QAM	1	1	12.26	12.29	12.28	12.33	12.13	2.5
40M	DFT-S 256QAM	1	1	10.30	10.23	10.33	10.23	10.29	4.5
40M	CP QPSK	1	1	13.34	13.17	13.26	13.25	13.27	1.5
40M	CP 16QAM	1	1	12.73	12.78	12.83	12.73	12.71	2
40M	CP 64QAM	1	1	11.24	11.33	11.25	11.24	11.21	3.5
40M	CP 256QAM	1	1	8.35	8.36	8.32	8.23	8.22	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	14.80	14.83	14.86	14.81	14.80	0
		1	26	14.72	14.71	14.76	14.84	14.69	0
		1	49	14.77	14.73	14.86	14.76	14.84	0
		25	0	14.32	14.18	14.32	14.22	14.20	0.5
		25	13	14.71	14.83	14.85	14.72	14.74	0
		25	26	14.26	14.40	14.25	14.30	14.25	0.5
		50	0	14.34	14.30	14.33	14.30	14.15	0.5
20M	DFT-S QPSK	1	1	14.83	14.93	14.96	14.78	14.73	0
		1	26	14.73	14.74	14.74	14.81	14.64	0
		1	49	14.79	14.75	14.93	14.77	14.82	0
		25	0	13.87	13.75	13.78	13.75	13.78	1
		25	13	14.74	14.81	14.87	14.67	14.73	0
		25	26	13.80	13.88	13.79	13.80	13.66	1
		50	0	13.75	13.79	13.85	13.75	13.62	1
20M	DFT-S 16QAM	1	1	13.81	13.93	13.92	13.75	13.72	1
20M	DFT-S 64QAM	1	1	12.17	12.23	12.33	12.25	12.18	2.5
20M	DFT-S 256QAM	1	1	10.30	10.23	10.39	10.25	10.27	4.5
20M	CP QPSK	1	1	13.31	13.23	13.23	13.29	13.28	1.5
20M	CP 16QAM	1	1	12.70	12.85	12.82	12.71	12.69	2
20M	CP 64QAM	1	1	11.28	11.39	11.27	11.21	11.21	3.5
20M	CP 256QAM	1	1	8.25	8.26	8.36	8.30	8.20	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	14.84	14.93	14.86	14.76	14.72	0
		1	19	14.71	14.70	14.80	14.84	14.64	0
		1	36	14.79	14.78	14.84	14.73	14.85	0
		18	0	14.32	14.24	14.25	14.31	14.23	0.5
		18	10	14.76	14.82	14.79	14.67	14.67	0
		18	20	14.31	14.31	14.24	14.29	14.21	0.5
		36	0	14.33	14.30	14.42	14.29	14.17	0.5
15M	DFT-S QPSK	1	1	14.82	14.93	14.88	14.77	14.77	0
		1	19	14.74	14.74	14.81	14.78	14.69	0
		1	36	14.76	14.73	14.92	14.81	14.75	0
		18	0	13.80	13.73	13.83	13.75	13.71	1
		18	10	14.72	14.77	14.80	14.69	14.69	0
		18	20	13.73	13.85	13.77	13.76	13.75	1
		36	0	13.78	13.83	13.91	13.81	13.70	1
15M	DFT-S 16QAM	1	1	13.79	13.86	13.91	13.80	13.75	1
15M	DFT-S 64QAM	1	1	12.19	12.24	12.25	12.31	12.17	2.5
15M	DFT-S 256QAM	1	1	10.23	10.29	10.40	10.29	10.27	4.5
15M	CP QPSK	1	1	13.38	13.22	13.27	13.28	13.23	1.5
15M	CP 16QAM	1	1	12.73	12.80	12.86	12.75	12.70	2
15M	CP 64QAM	1	1	11.26	11.39	11.32	11.28	11.17	3.5
15M	CP 256QAM	1	1	8.29	8.33	8.34	8.24	8.12	6.5

NR Conducted Power (P-Sensor On_MIMO 2)									
NR Band 41									
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	14.86	14.84	14.93	14.85	14.82	0
		1	11	14.74	14.75	14.82	14.82	14.64	0
		1	22	14.75	14.72	14.85	14.75	14.80	0
		12	0	14.35	14.27	14.27	14.30	14.23	0.5
		12	6	14.77	14.85	14.82	14.69	14.66	0
		12	12	14.21	14.41	14.32	14.25	14.16	0.5
		24	0	14.35	14.28	14.38	14.23	14.14	0.5
10M	DFT-S QPSK	1	1	14.83	14.84	14.95	14.75	14.80	0
		1	11	14.76	14.76	14.82	14.78	14.70	0
		1	22	14.80	14.77	14.92	14.72	14.81	0
		12	0	13.88	13.73	13.83	13.81	13.78	1
		12	6	14.74	14.81	14.85	14.67	14.67	0
		12	12	13.75	13.87	13.74	13.72	13.72	1
		24	0	13.75	13.79	13.84	13.77	13.62	1
10M	DFT-S 16QAM	1	1	13.86	13.90	13.94	13.80	13.75	1
10M	DFT-S 64QAM	1	1	12.25	12.23	12.28	12.29	12.13	2.5
10M	DFT-S 256QAM	1	1	10.29	10.20	10.42	10.22	10.31	4.5
10M	CP QPSK	1	1	13.34	13.26	13.30	13.22	13.27	1.5
10M	CP 16QAM	1	1	12.71	12.84	12.88	12.73	12.64	2
10M	CP 64QAM	1	1	11.25	11.35	11.29	11.29	11.18	3.5
10M	CP 256QAM	1	1	8.26	8.31	8.42	8.24	8.19	6.5

Uplink Carrier Aggregation Scenarios Conducted Power_P-Sensor Off

Confugure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequen cy (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	24.5	24.39	24.30
					1	49						1	0			24.5	24.33	24.23
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	24.5	24.35	24.18
					1	49						1	0			24.5	24.23	24.13
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	24.5	24.3	24.26
					1	49						1	0			24.5	24.18	24.07
	7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	21.5	21.5	21.34
					1	99						1	0			21.5	21.07	21.06
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	21.5	21.44	21.25
					1	99						1	0			21.5	21	20.96
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	21.5	21.32	21.08
					1	99						1	0			21.5	20.88	20.85
	38C	38	20	QPSK	1	0	37850	2580	38	20	QPSK	1	99	38048	2599.8	24	23.74	23.18
					1	99						1	0			24	23.61	22.93
		38	20	QPSK	1	0	37901	2585.1	38	20	QPSK	1	99	38099	2604.9	24	23.7	23.13
					1	99						1	0			24	23.55	22.87
		38	20	QPSK	1	0	37952	2590.2	38	20	QPSK	1	99	38150	2610	24	23.62	22.95
					1	99						1	0			24	23.49	22.73
	41C	41	20	QPSK	1	0	39750	2506	41	20	QPSK	1	99	39948	2525.8	24	23.79	23.16
					1	99						1	0			24	23.63	22.97
		41	20	QPSK	1	0	40521	2583.1	41	20	QPSK	1	99	40719	2602.9	24	23.7	23.12
					1	99						1	0			24	23.54	22.88
		41	20	QPSK	1	0	41292	2660.2	41	20	QPSK	1	99	41490	2680	24	23.62	22.99
					1	99						1	0			24	23.43	22.72
	42C	42	20	QPSK	1	0	43190	3560	42	20	QPSK	1	99	43388	3579.8	24	23.97	23.63
					1	99						1	0			24	23.89	23.59
		42	20	QPSK	1	0	43340	3575	42	20	QPSK	1	99	43538	3594.8	24	23.66	23.53
					1	99						1	0			24	23.5	23.46
		42	20	QPSK	1	0	43490	3590	42	20	QPSK	1	99	43292	3570.2	24	23.69	23.57
					1	99						1	0			24	23.43	23.36
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	21	20.78	20.72
					1	99						1	0			21	20.69	20.51
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	21	20.73	20.68
					1	99						1	0			21	20.66	20.40
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	21	20.7	20.52
					1	99						1	0			21	20.59	20.31
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	24	23.37	23.17
					1	49						1	0			24	23.26	22.98
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	24	23.31	23.12
					1	49						1	0			24	23.2	22.85
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	24	23.23	22.93
					1	49						1	0			24	23.12	22.72
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	24	23.41	23.19
					1	99						1	0			24	23.34	22.98
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	24	23.3	23.13
					1	99						1	0			24	23.22	22.82
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	24	23.33	22.98
					1	99						1	0			24	23.23	22.77

Uplink Carrier Aggregation Scenarios Conducted Power_P-Sensor On

Confugure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequen cy (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	19	18.85	18.47
					1	49						1	0			19	18.75	18.28
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	19	18.79	18.42
					1	49						1	0			19	18.7	18.12
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	19	18.81	18.22
					1	49						1	0			19	18.72	18.06
	7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	15	14.71	13.94
					1	99						1	0			15	14.6	13.76
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	15	14.66	13.79
					1	99						1	0			15	14.58	13.51
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	15	14.62	13.71
					1	99						1	0			15	14.43	13.52
	38C	38	20	QPSK	1	0	37850	2580	38	20	QPSK	1	99	38048	2599.8	21	20.65	19.82
					1	99						1	0			21	20.55	19.80
		38	20	QPSK	1	0	37901	2585.1	38	20	QPSK	1	99	38099	2604.9	21	20.6	19.79
					1	99						1	0			21	20.41	19.50
		38	20	QPSK	1	0	37952	2590.2	38	20	QPSK	1	99	38150	2610	21	20.59	19.68
					1	99						1	0			21	20.33	19.40
	41C	41	20	QPSK	1	0	39750	2506	41	20	QPSK	1	99	39948	2525.8	22.5	21.78	21.47
					1	99						1	0			22.5	21.66	21.43
		41	20	QPSK	1	0	40529	2583.9	41	20	QPSK	1	99	40727	2603.7	22.5	21.69	21.41
					1	99						1	0			22.5	21.56	21.13
		41	20	QPSK	1	0	41292	2660.2	41	20	QPSK	1	99	41490	2680	22.5	21.71	21.33
					1	99						1	0			22.5	21.63	21.06
	42C	42	20	QPSK	1	0	43190	3560	42	20	QPSK	1	99	43388	3579.8	22.5	22.35	22.27
					1	99						1	0			22.5	22.34	22.23
		42	20	QPSK	1	0	43340	3575	42	20	QPSK	1	99	43538	3594.8	22.5	22.3	22.21
					1	99						1	0			22.5	22.25	21.93
		42	20	QPSK	1	0	43490	3590	42	20	QPSK	1	99	43292	3570.2	22.5	22.32	22.13
					1	99						1	0			22.5	22.15	21.86
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	20.5	20.45	19.52
					1	99						1	0			20.5	20.39	19.31
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	20.5	20.4	19.48
					1	99						1	0			20.5	20.23	19.20
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	20.5	20.33	19.32
					1	99						1	0			20.5	20.19	19.11
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	18	17.76	17.45
					1	49						1	0			18	17.32	17.26
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	18	17.72	17.42
					1	49						1	0			18	17.27	17.15
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	18	17.65	17.26
					1	49						1	0			18	17.13	17.04
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	18	17.86	17.46
					1	99						1	0			18	17.42	17.26
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	18	17.76	17.45
					1	99						1	0			18	17.31	17.17
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	18	17.8	17.22
					1	99						1	0			18	17.33	17.05

Downlink Carrier Aggregation Scenarios Conducted Power_P-Sensor Off																																				
Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				SCC5				SCC6				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximu m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
Intra Band Contiguous	CA_7B(4x4)	7	15	20825	2507.5	1	0	2825	2627.5	7	5	2918	2636.8																			24	23.79	23.71		
	CA_38C(4x4)	38	20	37850	2580	1	0	37850	2580	38	20	38048	2599.8																			24	23.84	23.82		
	CA_42E(4x4)	42	20	42140	3455	1	0	42140	3455	42	20	42338	3474.8	42	20	42536	3494.6	42	20	42734	3514.4											15.5	15.45	15.39		
	CA_48F(4x4)	48	20	56210	3647	1	0	56210	3647	48	20	56012	3627.2	48	20	55814	3607.4	48	20	55616	3587.6	48	20	55418	3567.8							16	15.91	15.85		
Intra Band Non-Contiguous	CA_25A(4x4)-25A(4x4)-25A(4x4)	25	20	26590	1905	1	0	8590	1985	25	20	8392	1965.2	25	20	8194	1945.4															24	23.47	23.44		
	CA_41A(4x4)-41A(4x4)-41C(4x4)	41	20	39790	2510	1	0	39790	2510	41	20	40185	2549.5	41	20	40620	2593	41	20	40818	2612.8											24	23.98	23.89		
	CA_41A-41A(4x4)-41A(4x4)	41	20	40185	2549.5	1	0	40185	2549.5	41	20	40620	2593	41	20	41490	2680															24	23.90	23.85		
	CA_41A(4x4)-41D(4x4)	41	20	39790	2510	1	0	39790	2510	41	20	40185	2549.5	41	20	40620	2593	41	20	40818	2612.8											24	23.98	23.87		
	CA_41C(4x4)-41C(4x4)	41	20	39790	2510	1	0	39790	2510	41	20	40185	2549.5	41	20	40620	2593	41	20	40818	2612.8											24	23.98	23.85		
	CA_41C(4x4)-41D(4x4)	41	20	39790	2510	1	0	39790	2510	41	20	39948	2525.8	41	20	40185	2549.5	41	20	40383	2569.3	41	20	40581	2589.1							24	23.98	23.89		
	CA_42A(4x4)-42D(4x4)	42	20	41690	3410	1	0	41690	3410	42	20	41888	3429.8	42	20	42086	3449.6	42	20	42284	3469.4											15.5	15.47	15.41		
	CA_48C(4x4)-48D(4x4)	48	20	56210	3647	1	0	56210	3647	48	20	56012	3627.2	48	20	55814	3607.4	48	20	55616	3587.6	48	20	55418	3567.8							16	15.91	15.85		
	CA_2A(4x4)-17A	2	20	18900	1880	1	0	900	1960	17	10	5790	740																				24	23.51	23.47	
	CA_2A(4x4)-4A(4x4)-13A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	13	10	5230	751																24	23.51	23.45	
	CA_2A(4x4)-5A-46A	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	46	20	50665	5537.5																24	23.51	23.43	
	CA_2A(4x4)-5A-7A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	7	20	3100	2655																24	23.51	23.46	
	CA_2A(4x4)-2A(4x4)-46A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	46	20	50665	5537.5																24	23.51	23.38	
	CA_2A(4x4)-29A-30A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	29	10	9715	722.5	30	10	9820	2355	66	20	66786	2145												24	23.51	23.37	
	CA_2A(4x4)-4A(4x4)-12A-30A(4x4)	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	12	10	5060	734	30	10	9820	2355												24	23.51	23.42	
	CA_2A(4x4)-4A(4x4)-29A-30A(4x4)	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	29	10	9715	722.5	30	10	9820	2355												24	23.51	23.44	
	CA_2A(4x4)-4A(4x4)-5A-30A(4x4)	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	5	10	2525	881.5	30	10	9820	2355												24	23.51	23.47	
	CA_2A(4x4)-4A(4x4)-7A(4x4)-12A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	7	20	3100	2655	12	10	5060	734												24	23.51	23.46	
	CA_2A(4x4)-7A(4x4)-46A-66A(4x4)	2	20	18900	1880	1	0	900	1960	7	20	3100	2655	46	20	50665	5537.5	66	20	66786	2145												24	23.51	23.45	
	CA_2A(4x4)-46A-48A-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	48	20	55780	3603	66	20	66786	2145												24	23.51	23.44	
	CA_2A(4x4)-12A-66C(4x4)	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	66	20	66536	2120	66	20	66734	2139.8												24	23.51	23.41	
	CA_2A(4x4)-2A(4x4)-29A-30A(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	29	10	9715	722.5	30	10	9820	2355												24	23.51	23.38	
	CA_2A(4x4)-2A(4x4)-4A(4x4)-12A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	4	20	2175	2132.5	12	10	5095	737.5												24	23.51	23.37	
	CA_2A(4x4)-2A(4x4)-4A(4x4)-5A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	4	20	2175	2132.5	5	10	2525	881.5												24	23.51	23.39	
	CA_2A(4x4)-2A(4x4)-4A(4x4)-71A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	4	20	2175	2132.5	71	20	68761	634.5												24	23.51	23.44	
	CA_2A(4x4)-2A(4x4)-66A(4x4)-71A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	66	20	66786	2145	71	20	68761	634.5												24	23.51	23.47	
	CA_2A(4x4)-46A-46A-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	46890	5160	46	20	54340	5905	66	20	66786	2145												24	23.51	23.41	
	CA_2A(4x4)-4A(4x4)-12A-12A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	12	5	5035	731.5	12	5	5155	743.5												24	23.51	23.42	
	CA_2A(4x4)-4A(4x4)-12B	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	12	5	5048	732.8	12	10	5120	740												24	23.51	23.38	
	CA_2A(4x4)-4A(4x4)-4A(4x4)-5A	2	20	18900	1880	1	0	900	1960	4	20	2050	2120	4	20	2300	2145	5	10	2525	881.5												24	23.51	23.35	
	CA_2A(4x4)-4A(4x4)-7C(4x4)	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	7	20	3001	2645.1	7	20	3199	2664.9												24	23.51	23.40	
CA_2A(4x4)-5A-46C	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	46	20	50692	5540.2	46	20	50890	5560												24	23.51	23.41		
CA_2A(4x4)-66A(4x4)-66A(4x4)-71A	2	20	18900	1880	1	0	900	1960	66	20	66536	2120	66	20	67036	2170	71	20	68761	634.5												24	23.51	23.44		
CA_2A(4x4)-66C(4x4)-71A	2	20	18900	1880	1	0	900	1960	66																											

Downlink Carrier Aggregation Scenarios Conducted Power_P-Sensor Off									
---	--	--	--	--	--	--	--	--	--

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				SCC5				SCC6				Measurement Power		
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximu m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active Total
Inter Band	CA_2A(4x4)-2A(4x4)-5A-66C(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	5	10	2525	881.5	66	20	66536	2120	66	20	66734	2139.8								24	23.51	23.28	
	CA_2A(4x4)-2A(4x4)-5B-66A(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	5	10	2450	874	5	10	2549	883.9	66	20	66786	2145								24	23.51	23.39	
	CA_2A(4x4)-46A-46C-66A(4x4)	2	20	18900	1880	1	0	900	1960	66	20	66786	2145	46	20	46892	5160.2	46	20	50492	5520.2	46	20	50690	5540								24	23.51	23.30	
	CA_2A(4x4)-5A-48A(4x4)-48C(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9								24	23.51	23.38	
	CA_2A(4x4)-5A-48D(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8								24	23.51	23.26	
	CA_2A(4x4)-5B-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	883.9	66	20	66536	2120	66	20	66536	2170								24	23.51	23.34	
	CA_2A(4x4)-5B-66B(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	883.9	66	20	66536	2120	66	20	66734	2139.8								24	23.51	23.35	
	CA_2A(4x4)-5B-66C(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	883.9	66	20	66787	2145.1	66	20	66985	2164.9								24	23.51	23.37	
	CA_2C(4x4)-5B-30A(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	5	10	2476	876.6	5	10	2575	886.5	30	10	9820	2355								24	23.51	23.37	
	CA_2A(4x4)-12B-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	12	5	5048	732.8	12	10	5120	740	66	20	66536	2120	66	20	67036	2170								24	23.51	23.44	
	CA_2A(4x4)-7C(4x4)-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	7	20	3001	2645.1	7	20	3199	2664.9	66	20	66536	2120	66	20	67036	2170								24	23.51	23.41	
	CA_2A(4x4)-7A(4x4)-7A(4x4)-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	7	20	2850	2630	7	20	3350	2680	66	20	66536	2120	66	20	67036	2170								24	23.51	23.39	
	CA_2A(4x4)-2A(4x4)-46D	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	46	20	50492	5520.2	46	20	50690	5540	46	20	50888	5559.8								24	23.51	23.33	
	CA_2A(4x4)-2A(4x4)-4A(4x4)-66A(4x4)-66B(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	66	20	66536	2120	66	10	67187	2185.1	66	10	67286	2195								24	23.51	23.31	
	CA_2A(4x4)-2A(4x4)-4A(4x4)-66C(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	66	20	66536	2120	66	20	67038	2170.2	66	20	67236	2190								24	23.51	23.32	
	CA_2A(4x4)-46C-46C	2	20	18900	1880	1	0	900	1960	46	20	50692	5540.2	46	20	50890	5560	46	20	54142	5885.2	46	20	54340	5905								24	23.51	23.48	
	CA_2A(4x4)-48A(4x4)-48D(4x4)	2	20	18900	1880	1	0	900	1960	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8								24	23.51	23.43	
	CA_2A(4x4)-48C(4x4)-48C(4x4)	2	20	18900	1880	1	0	900	1960	48	20	55891	3615.1	48	20	56089	3634.9	48	20	56290	3655	48	20	56488	3674.8								24	23.51	23.39	
	CA_2A(4x4)-46E-48A-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	48	20	55780	3603	66	20	66786	2145	24	23.51	23.33
	CA_2A(4x4)-46D-48C-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8	48	20	55340	3560	48	20	55538	3579.8	66	20	66786	2145	24	23.51	23.33
	CA_2A(4x4)-5A-46E-66A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	66	20	66786	2145	24	23.51	23.30
	CA_2A(4x4)-5A-46D-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8	66	20	67036	2170	66	20	66786	2145	24	23.51	23.28
	CA_2A(4x4)-13A-46D-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8	66	20	67036	2170	66	20	66786	2145	24	23.51	23.35
	CA_2A(4x4)-46A-48D-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	48	20	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	66	20	66786	2145				24	23.51	23.28	
	CA_2A(4x4)-46C-48C-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50892	5560.2	46	20	51090	5580	48	20	55340	3560	48	20	55538	3579.8	66	20	66786	2145				24	23.51	23.39	
	CA_2A(4x4)-46D-48A-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50892	5560.2	46	20	51090	5580	48	20	51288	5599.8	48	20	55780	3603	66	20	66786	2145				24	23.51	23.26	
	CA_2A(4x4)-46C-48E	2	20	18900	1880	1	0	900	1960	46	20	50892	5560.2	46	20	51090	5580	48	20	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	24	23.51	23.35
	CA_2A(4x4)-46E-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	66	20	67036	2170	66	20	66786	2145	24	23.51	23.39
	CA_2A(4x4)-7A(4x4)-7A(4x4)-46E	2	20	18900	1880	1	0	900	1960	7	20	2850	2630	7	20	3350	2680	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	24	23.51	23.33
	CA_2A(4x4)-13A-46A-46D	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50665	5537.5	46	20	50492	5520.2	46	20	50690	5540	46	20	50888	5559.8				24	23.51	23.40	
	CA_2A(4x4)-13A-46E	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	46	20		24	23.51	23.41	
	CA_2A(4x4)-48E(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	48	20	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	66	20	66786	2145				24	23.51	23.35	
	CA_2A(4x4)-7A(4x4)-7A(4x4)-46D	2	20	18900	1880	1	0	900	1960	7	20	2850	2630	7	20	3350	2680	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8				24	23.51	23.30	
	CA_2A(4x4)-46C-48D-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50892	5560.2	46	20	51090	5580	48	20	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	66	20	66786	2145	24	23.51	23.26
	CA_4A(4x4)-48A(4x4)	4	20	20050	1720	1	0	2050	2120	48	20	55340	3560																					24	23.35	23.31
	CA_4A(4x4)-17A	4	20	20050	1720	1	0	2050	2120	17	10	5790	740																					24	23.35	23.28
	CA_4A(4x4)-46A-46A	4	20	20050	1720	1	0	2050	2120	46	20	46890	5160	46	20	54340	5905																	24	23.35	23.32
	CA_4A(4x4)-48C(4x4)	4	20	20050	1720	1	0	2050	2120	48	20	55891	3615.1	48	20	56089	3634.9																	24	23.35	23.25
	CA_4A(4x4)-4A(4x4)-13A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	13	10	5230	751																	24	23.35	23.27
	CA_4A(4x4)-4A(4x4)-71A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	71	20	68761	634.5																	24	23.35	23.33
	CA_4A(4x4)-4A(4x4)-7A(4x4)	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	7	20	3100	2655																	24	23.35	23.26
	CA_4A(4x4)-5B	4	20	20050	1720	1	0	2050	2120	5	10	2476	876.6	5	10	2575	886.5																			

Downlink Carrier Aggregation Scenarios Conducted Power_P-Sensor Off																																				
Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				SCC5				SCC6				Measurement Power		
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
	CA_SB-66A(4x4)-66C(4x4)	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	66536	2120	66	20	67038	2170.2	66	20	67236	2190									24.5	24.04	23.81
	CA_SA-48A(4x4)-48D(4x4)	5	10	20450	829	1	0	2450	874	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8									24.5	24.04	23.94
	CA_SA-48E-66A(4x4)-66A(4x4)	5	10	20450	829	1	0	2450	874	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	66	20	66536	2120	66	20	67036	2170	24.5	24.04	23.91
	CA_7A(4x4)-40A(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39150	2350																					24	23.86	23.81
	CA_7A(4x4)-42A(4x4)	7	20	20850	2510	1	0	2085	2630	42	20	42140	3455																				24	23.86	23.77	
	CA_7A(4x4)-40C(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39150	2350	40	20	39348	2369.8																24	23.86	23.82	
	CA_7A(4x4)-7A(4x4)-46A	7	20	20850	2510	1	0	2085	2630	7	20	3100	2655	46	20	50665	5537.5																24	23.86	23.79	
	CA_7C(4x4)-46A	7	20	20850	2510	1	0	2085	2630	7	20	3152	2660.2	46	20	50665	5537.5																24	23.86	23.83	
	CA_7A(4x4)-7A(4x4)-66A(4x4)	7	20	20850	2510	1	0	2085	2630	7	20	3100	2655	66	20	66786	2145																24	23.86	23.77	
	CA_7A(4x4)-40D(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39051	2340.1	40	20	39249	2359.9	40	20	39447	2379.7												24	23.86	23.82	
	CA_7A(4x4)-46D	7	20	20850	2510	1	0	2085	2630	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8												24	23.86	23.81	
	CA_7A(4x4)-7A(4x4)-46C	7	20	20850	2510	1	0	2085	2630	7	20	3100	2655	46	20	50692	5540.2	46	20	50890	5560												24	23.86	23.79	
	CA_7C(4x4)-46C	7	20	20850	2510	1	0	2085	2630	7	20	3152	2660.2	46	20	50692	5540.2	46	20	50890	5560												24	23.86	23.81	
	CA_7A(4x4)-40E(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	38853	2320.3	40	20	39051	2340.1	40	20	39249	2359.9	40	20	39447	2379.9								24	23.86	23.82	
	CA_7C(4x4)-46D	7	20	20850	2510	1	0	2085	2630	7	20	3152	2660.2	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8								24	23.86	23.78	
	CA_12A-25A(4x4)	12	10	23060	704	1	0	5060	734	25	20	8590	1985																				24.5	23.79	23.73	
	CA_13A-46A-66A(4x4)	13	10	23230	782	1	0	5230	751	46	20	50665	5537.5	66	20	66786	2145																24.5	23.83	23.77	
	CA_13A-46C-66A(4x4)	13	10	23230	782	1	0	5230	751	46	20	50892	5560.2	46	20	51090	5580	66	20	66786	2145												24.5	23.83	23.71	
	CA_13A-48A(4x4)-66B(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	10	66536	2120	66	10	66635	2129.9												24.5	23.83	23.79	
	CA_13A-48A(4x4)-66C(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	20	66536	2120	66	20	66734	2139.8												24.5	23.83	23.75	
	CA_13A-66A(4x4)-66A(4x4)-66A(4x4)	13	10	23230	782	1	0	5230	751	66	20	67036	2170	66	20	66786	2145	66	20	66536	2120												24.5	23.83	23.71	
	CA_13A-48A(4x4)-48C(4x4)-66A(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	66	20	66786	2145								24.5	23.83	23.74	
	CA_13A-48C(4x4)-66B(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55538	3579.8	66	10	66536	2120	66	10	66635	2129.9								24.5	23.83	23.73	
	CA_13A-48C(4x4)-66C(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55538	3579.8	66	20	66536	2120	66	20	66734	2139.8								24.5	23.83	23.78	
	CA_13A-48D(4x4)-66A(4x4)	13	10	23230	782	1	0	5230	751	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	66	20	66786	2145								24.5	23.83	23.76	
	CA_13A-48A(4x4)-48D(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8								24.5	23.83	23.73	
	CA_13A-48C(4x4)-48C(4x4)	13	10	23230	782	1	0	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	48	20	56290	3655	48	20	56488	3674.8								24.5	23.83	23.75	
	CA_13A-48E-66A(4x4)	13	10	23230	782	1	0	5230	751	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	66	20	66786	2145				24.5	23.83	23.74	
	CA_13A-48E-66A(4x4)	13	10	23230	782	1	0	5230	751	48	20	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	66	20	66786	2145				24.5	23.83	23.77	
	CA_25A(4x4)-46A	25	20	26365	1882.5	1	0	8365	1962.5	46	20	50665	5537.5	41	20	40620	2593																24	23.57	23.52	
	CA_25A(4x4)-26A-41A(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	26	15	8865	876.5	41	20	40620	2593																24	23.57	23.51	
	CA_25A(4x4)-25A(4x4)-26A	25	20	26365	1882.5	1	0	8365	1962.5	25	20	8140	1940	26	15	8865	876.5																24	23.57	23.55	
	CA_25A(4x4)-25A(4x4)-41A(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	25	20	8140	1940	41	20	40620	2593																24	23.57	23.47	
	CA_25A(4x4)-46C	25	20	26365	1882.5	1	0	8365	1962.5	46	20	50892	5560.2	46	20	51090	5580																24	23.57	23.53	
	CA_25A(4x4)-25A(4x4)-41C(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	25	20	8140	1940	41	20	39750	2506	41	20	39948	2525.8												24	23.57	23.49	
	CA_25A(4x4)-26A-41C(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	26	15	8865	876.5	41	20	39750	2506	41	20	39948	2525.8												24	23.57	23.44	
	CA_25A(4x4)-25A(4x4)-41D(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	25	20	8140	1940	41	20	39750	2506	41	20	39948	2525.8															

Report No. : BEDV-WTW-P20121079

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				SCC5				SCC6				Measurement Power			
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximum Tx Tune-up Power	Single Carrier Tx Power Without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)	Total
Inter Band	CA_2A(4x4)-46A-46C-66A(4x4)	2	20	18900	1880	1	0	900	1960	66	20	66786	7151	46	20	46862	5160.2	46	20	50492	5520.2	46	20	50690	5540									11.5	11.01	10.86	
	CA_2A(4x4)-5A-48A(4x4)-48C(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	48	20	55340	3560	48	20	55891	3615.1	48	20	50689	3634.9									11.5	11.01	10.88	
	CA_2A(4x4)-5A-48D(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8									11.5	11.01	10.71	
	CA_2A(4x4)-5B-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	883.9	66	20	66536	2120	66	20	67036	2170									11.5	11.01	10.91	
	CA_2A(4x4)-5B-66B(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	883.9	66	20	66536	2120	66	20	66734	2139.8									11.5	11.01	10.84	
	CA_2A(4x4)-5B-66C(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	883.9	66	20	66787	2145.1	66	20	66985	2164.9									11.5	11.01	10.77	
	CA_2C(4x4)-5B-30A(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	5	10	2476	876.8	5	10	2575	886.5	30	10	9820	2355									11.5	11.01	10.76	
	CA_2A(4x4)-12B-66A(4x4)-68A(4x4)	2	20	18900	1880	1	0	900	1960	12	5	5546	732.12	68	20	5546	732.12	68	20	66538	2120	66	20	67038	2170									11.5	11.01	10.83	
	CA_2A(4x4)-7C(4x4)-66A(4x4)-68A(4x4)	2	20	18900	1880	1	0	900	1960	7	20	3011	2645.1	7	20	3199	2684.9	66	20	66536	2120	66	20	67036	2170									11.5	11.01	10.82	
	CA_2A(4x4)-7A(4x4)-7A(4x4)-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	7	20	2850	2630	7	20	3350	2680	66	20	66536	2120	66	20	67036	2170									11.5	11.01	10.72	
	CA_2A(4x4)-2A(4x4)-48D	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	46	20	50492	5520.2	46	20	50690	5540	46	20	50888	5559.8									11.5	11.01	10.71	
	CA_2A(4x4)-2A(4x4)-66A(4x4)-66B(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	66	20	66538	2120	66	10	67187	2185.1	66	10	67286	2195									11.5	11.01	10.68	
	CA_2A(4x4)-2A(4x4)-66A(4x4)-66C(4x4)	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	66	20	66538	2120	66	20	67038	2170.2	66	20	67236	2190									11.5	11.01	10.80	
	CA_2A(4x4)-46C-46C	2	20	18900	1880	1	0	900	1960	46	20	50692	5540.2	46	20	50890	5560	46	20	51412	5885.2	46	20	54340	5905									11.5	11.01	10.74	
	CA_2A(4x4)-48A(4x4)-48C(4x4)	2	20	18900	1880	1	0	900	1960	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8									11.5	11.01	10.74	
	CA_2A(4x4)-48C(4x4)-48C(4x4)	2	20	18900	1880	1	0	900	1960	48	20	55891	3615.1	48	20	56089	3634.9	48	20	56290	3655	48	20	56488	3674.8									11.5	11.01	10.69	
	CA_2A(4x4)-46E-48A-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51081	5577.1	46	20	51259	5596.9	48	20	55780	3603	66	20	66786	2145	11.5	11.01	10.70	
	CA_2A(4x4)-46D-48C-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8	48	20	55340	3560	48	20	55538	3579.8	66	20	66786	2145	11.5	11.01	10.88	
	CA_2A(4x4)-5A-46E-66A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	46	20	50665	5537.5	46	20	50863	5537.3	46	20	51081	5577.1	46	20	51259	5596.9	66	20	66786	2145	11.5	11.01	10.69	
	CA_2A(4x4)-5A-46D-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	46	20	50862	5560.2	46	20	51090	5580	46	20	51288	5599.8	66	20	67038	2170	66	20	66786	2145	11.5	11.01	10.69	
	CA_2A(4x4)-12A-46D-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50862	5560.2	46	20	51080	5580	46	20	51288	5599.8	66	20	67038	2170	66	20	66786	2145	11.5	11.01	10.61	
	CA_2A(4x4)-46A-46D-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	46	20	50780	3603	48	20	55869	3622.8	48	20	56168	3642.6	66	20	66786	2145					11.5	11.01	10.79	
	CA_2A(4x4)-46C-46C-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50862	5560.2	46	20	51090	5580	46	20	55340	3560	48	20	55538	3579.8	66	20	66786	2145					11.5	11.01	10.72	
	CA_2A(4x4)-46D-48A-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50862	5560.2	46	20	51090	5580	46	20	51288	5599.8	48	20	55780	3603	66	20	66786	2145					11.5	11.01	10.78	
	CA_2A(4x4)-46C-48E	2	20	18900	1880	1	0	900	1960	46	20	50862	5560.2	46	20	51090	5580	46	20	55780	3603	48	20	55966	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	11.5	11.01	10.79	
	CA_2A(4x4)-46E-66A(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51081	5577.1	46	20	51259	5596.9	66	20	67036	2170	66	20	66786	2145	11.5	11.01	10.72	
	CA_2A(4x4)-7A(4x4)-7A(4x4)-46E	2	20	18900	1880	1	0	900	1960	7	20	2850	2630	7	20	3350	2680	46	20	50665	5537.5	46	20	51081	5577.1	46	20	51259	5596.9	66	20	66786	2145	11.5	11.01	10.71	
	CA_2A(4x4)-13A-46A-46D	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50665	5537.5	46	20	50492	5520.2	46	20	50690	5540	46	20	50888	5559.8					11.5	11.01	10.78	
	CA_2A(4x4)-13A-46E	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51081	5577.1	46	20	51259	5596.9					11.5	11.01	10.86	
	CA_2A(4x4)-48E(4x4)-66A(4x4)	2	20	18900	1880	1	0	900	1960	48	20	55780	3603	48	20	55966	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	66	20	66786	2145					11.5	11.01	10.83	
	CA_2A(4x4)-7A(4x4)-7A(4x4)-46D	2	20	18900	1880	1	0	900	1960	7	20	2850	2630	7	20	3350	2680	46	20	50862	5560.2	46	20	51090	5580	46	20	51288	5599.8					11.5	11.01	10.91	
	CA_2A(4x4)-46C-48D-66A(4x4)	2	20	18900	1880	1	0	900	1960	46	20	50862	5560.2	46	20	51090	5580	48	20	55780	3603	48	20	55966	3622.8	48	20	56166	3642.6	66	20	66786	2145	11.5	11.01	10.82	
	CA_4A(4x4)-46A(4x4)	4	20	20550	1720	1	0	2050	2120	48	20	55340	3560																						11	10.42	10.35
	CA_4A(4x4)-17A	4	20	20550	1720	1	0	2050	2120	17	10	5790	740																						11	10.42	10.33
	CA_4A(4x4)-46A-46A	4	20	20550	1720	1	0	2050	2120	46	20	46890	5160	46	20	54340	5905																	11	10.42	10.37	
	CA_4A(4x4)-48C(4x4)	4	20	20550	1720	1	0	2050	2120	48	20	55891	3615.1	48	20	56089	3634.9																	11	10.42	10.29	
	CA_4A(4x4)-4A(4x4)-13A	4	20	20550	1720	1	0	2050	2120	4	20	2300	2145	13	10	5230	751																	11	10.42	10.34	
	CA_4A(4x4)-4A(4x4)-71A	4	20	20550	1720	1	0	2050	2120	4	20	2300	2145	71	20	68761	634.5																	11	10.42	10.32	
	CA_4A(4x4)-4A(4x4)-7A(4x4)	4	20	20550	1720	1	0	2050	2120	4	20	2300	2145	7	20	3100	2655																	11	10.42	10.25	
	CA_4A(4x4)-5B	4	20	20550	1720	1	0	2050	2120	5	10	2476	876.6	5	10	2575	886.5																	11	10.42	10.33	
CA_4A(4x4)-4A(4x4)-12A-30A(4x4)	4	20	20550	1720	1	0	2050	2120	4	20	2300	2145	12	10	5095	737.5	30	10	9820	2355													11	10.42	10.37		
CA_4A(4x4)-4A(4x4)-29A-30A(4x4)	4	20																																			

Downlink Carrier Aggregation Scenarios Conducted Power_P-Sensor On																																				
Configure	Combination	PCC							SCC1				SCC2				SCC3				SCC4				SCC5				SCC6				Measurement Power			
		LTE	BW	UL	UL	UL	DL	DL	LTE	BW	DL	DL	LTE	BW	DL	DL	LTE	BW	DL	DL	LTE	BW	DL	DL	LTE	BW	DL	DL	LTE	BW	DL	DL	Maximu m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx	
		Band	[MHz]	Channel	Freq. [MHz]	RB	Offset	Channel	Freq. [MHz]	Band	[MHz]	Channel	Freq. [MHz]	Band	[MHz]	Channel	Freq. [MHz]	Band	[MHz]	Channel	Freq. [MHz]	Band	[MHz]	Channel	Freq. [MHz]	Band	[MHz]	Channel	Freq. [MHz]	Band	[MHz]	Channel			Freq. [MHz]	Total
	CA_5A-48C(4x4)-48C(4x4)	5	10	20450	829	1	0	2450	874	48	20	55891	3615.1	48	20	56089	3634.9	48	20	56290	3655	48	20	56488	3674.8									16	15.74	15.58
	CA_5A-48E(4x4)	5	10	20450	829	1	0	2450	874	48	20	55780	3604	48	20	55978	3623.8	48	20	56176	3643.6	48	20	56374	3663.4									16	15.74	15.55
	CA_5B-66A(4x4)-66B(4x4)	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	66536	2120	66	10	67187	2185.1	66	10	67286	2195									16	15.74	15.52
	CA_5B-66A(4x4)-66C(4x4)	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	66536	2120	66	20	67038	2170.2	66	20	67236	2190									16	15.74	15.61
	CA_5A-48A(4x4)-48D(4x4)	5	10	20450	829	1	0	2450	874	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8									16	15.74	15.63
	CA_5A-48E-66A(4x4)-66A(4x4)	5	10	20450	829	1	0	2450	874	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	66	20	66636	2120	66	20	67036	2170	16	15.74	15.57
	CA_7A(4x4)-40A(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39150	2350																					8.5	8.23	8.11
	CA_7A(4x4)-42A(4x4)	7	20	20850	2510	1	0	2085	2630	42	20	42140	3455																					8.5	8.23	8.13
	CA_7A(4x4)-40C(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39150	2350	40	20	39348	2369.8																	8.5	8.23	8.06
	CA_7A(4x4)-7A(4x4)-46A	7	20	20850	2510	1	0	2085	2630	7	20	3100	2655	46	20	50665	5537.5																	8.5	8.23	8.09
	CA_7C(4x4)-46A	7	20	20850	2510	1	0	2085	2630	7	20	3152	2660.2	46	20	50665	5537.5																	8.5	8.23	8.17
	CA_7A(4x4)-7A(4x4)-66A(4x4)	7	20	20850	2510	1	0	2085	2630	7	20	3100	2655	66	20	66786	2145																	8.5	8.23	8.12
	CA_7A(4x4)-40D(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39051	2340.1	40	20	39249	2359.9	40	20	39447	2379.7													8.5	8.23	8.03
	CA_7A(4x4)-46D	7	20	20850	2510	1	0	2085	2630	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8													8.5	8.23	8.04
	CA_7A(4x4)-7A(4x4)-48C	7	20	20850	2510	1	0	2085	2630	7	20	3100	2655	46	20	50692	5560.2	46	20	50990	5580													8.5	8.23	8.11
	CA_7C(4x4)-46C	7	20	20850	2510	1	0	2085	2630	7	20	3152	2660.2	46	20	50692	5560.2	46	20	50990	5580													8.5	8.23	8.13
	CA_7A(4x4)-40E(4x4)	7	20	20850	2510	1	0	2085	2630	40	20	39853	2320.3	40	20	39051	2340.1	40	20	39249	2359.9	40	20	39447	2379.9									8.5	8.23	8.08
	CA_7C(4x4)-46D	7	20	20850	2510	1	0	2085	2630	7	20	3152	2660.2	46	20	50892	5560.2	46	20	51090	5580	46	20	51288	5599.8									8.5	8.23	8.14
	CA_12A-25A(4x4)	12	10	23060	704	1	0	5060	734	25	20	8590	1985																					16.5	16.18	16.11
	CA_13A-46A-66A(4x4)	13	10	23230	782	1	0	5230	751	46	20	50665	5537.5	66	20	66786	2145																	16	15.84	15.81
	CA_13A-48C-66A(4x4)	13	10	23230	782	1	0	5230	751	46	20	50892	5560.2	46	20	51090	5580	66	20	66786	2145													16	15.84	15.77
	CA_13A-48A(4x4)-66B(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	10	66536	2120	66	10	66635	2129.9													16	15.84	15.69
	CA_13A-48A(4x4)-66C(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	20	66536	2120	66	20	66734	2139.8													16	15.84	15.67
	CA_13A-66A(4x4)-66A(4x4)-66A(4x4)	13	10	23230	782	1	0	5230	751	66	20	67036	2170	66	20	66786	2145	66	20	66536	2120													16	15.84	15.74
	CA_13A-48A(4x4)-48C(4x4)-66A(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	66	20	66786	2145									16	15.84	15.69
	CA_13A-48C(4x4)-66B(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55538	3579.8	66	10	66536	2120	66	10	66635	2129.9									16	15.84	15.66
	CA_13A-48C(4x4)-66C(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55538	3579.8	66	20	66536	2120	66	20	66734	2139.8									16	15.84	15.73
	CA_13A-48C(4x4)-66A(4x4)	13	10	23230	782	1	0	5230	751	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	66	20	66786	2145									16	15.84	15.71
	CA_13A-48A(4x4)-48D(4x4)	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8									16	15.84	15.72
	CA_13A-48C(4x4)-48C(4x4)	13	10	23230	782	1	0	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	48	20	56290	3655	48	20	56488	3674.8									16	15.84	15.74
	CA_13A-48E-66A(4x4)	13	10	23230	782	1	0	5230	751	46	20	50665	5537.5	46	20	50863	5557.3	46	20	51061	5577.1	46	20	51259	5596.9	66	20	66786	2145					16	15.84	15.72
	CA_13A-48E-66A(4x4)	13	10	23230	782	1	0	5230	751	48	20	55780	3603	48	20	55968	3622.8	48	20	56166	3642.8	48	20	56364	3662.4	66	20	66786	2145					16	15.84	15.69
	CA_25A(4x4)-46A	25	20	26365	1882.5	1	0	8365	1962.5	46	20	50665	5537.5																					11.5	11.50	11.41
	CA_25A(4x4)-26A-41A(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	26	15	8865	876.5	41	20	40620	2593																	11.5	11.50	11.35
	CA_25A(4x4)-25A(4x4)-26A	25	20	26365	1882.5	1	0	8365	1962.5	25	20	8140	1940	26	15	8865	876.5																	11.5	11.50	11.37
	CA_25A(4x4)-25A(4x4)-41A(4x4)	25	20	26365	1882.5	1	0	8365	1962.5	25	20	8140	1940	41	20	40620	2593																	11.5	11.50	11.31

WLAN Conducted Power (Full)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	14.92
	6	2437	14.97
	11	2462	14.91
	12	2467	14.95
	13	2472	14.9

WLAN Conducted Power (Full)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	14.93
	6	2437	14.98
	11	2462	14.95
	12	2467	14.92
	13	2472	14.89

WLAN Conducted Power (Full)					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11n HT40	3	2422	14.92	14.89	17.92
	6	2437	14.98	14.91	17.96
	9	2452	14.96	14.91	17.95
	10	2457	14.94	14.88	17.92
	11	2462	14.93	14.92	17.94

WLAN Conducted Power (Full)			
Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	9.68
	39	2441	9.97
	78	2480	10.22
LE	0	2402	9.42
	19	2440	9.31
	39	2480	9.55

WLAN Conducted Power (Full)			
WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	50	5250	13.47

WLAN Conducted Power (Full)			
WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	50	5250	13.41

WLAN Conducted Power (Full)					
WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	50	5250	13.46	13.41	16.45

WLAN Conducted Power (Full)			
WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	106	5530	13.47
	122	5610	13.41
	138	5690	13.45

WLAN Conducted Power (Full)			
WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	106	5530	13.45
	122	5610	13.41
	138	5690	13.39

WLAN Conducted Power (Full)					
WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	106	5530	13.47	13.43	16.46
	122	5610	13.41	13.38	16.41
	138	5690	13.39	13.37	16.39

WLAN Conducted Power (Full)			
WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	155	5775	13.43

WLAN Conducted Power (Full)			
WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	13.43

WLAN Conducted Power (Full)					
WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	155	5775	13.41	13.37	16.4