# Appendix J: Test Data for E-UTRA Band 17

Product Name: Tablet PC
Trade Mark: Bright Life
Test Model: TL11

#### **Environmental Conditions**

Temperature:	22.8° C
Relative Humidity:	53.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Tom.Liu

## **J.1 Conducted Output Power**


Conducted Output Power Test Result (Channel Bandwidth: 5 MHz)						
Modulation Channel	Channal	RB Configuration		Average Power [dBm]	Average Power [dBm]	V . F .
	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	22.36	21.50	PASS
		1	12	21.91	21.13	PASS
		1	24	21.68	20.90	PASS
	LCH	12	0	21.08	20.03	PASS
		12	6	21.12	20.06	PASS
		12	13	20.99	19.91	PASS
		25	0	21.05	20.11	PASS
		1	0	21.79	21.13	PASS
	MCH	1	12	21.71	21.11	PASS
QPSK /		1	24	21.53	20.89	PASS
16QAM		12	0	20.93	19.96	PASS
TOQAW		12	6	20.77	19.81	PASS
		12	13	20.58	19.63	PASS
		25	0	20.77	19.86	PASS
		1	0	21.52	20.49	PASS
	нсн	1	12	21.67	20.69	PASS
		1	24	21.74	20.66	PASS
		12	0	20.60	19.70	PASS
		12	6	20.68	19.78	PASS
		12	13	20.88	19.95	PASS
		25	0	20.79	19.77	PASS


Conducted Output Power Test Result (Channel Bandwidth: 10 MHz)						
Modulation Channel	Channal	RB Configuration		Average Power [dBm]	Average Power [dBm]	) / = ==li = t
	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	22.42	21.43	PASS
		1	24	21.75	20.72	PASS
		1	49	21.69	20.85	PASS
	LCH	25	0	20.81	19.84	PASS
		25	12	20.81	19.87	PASS
		25	25	20.54	19.60	PASS
		50	0	20.68	19.74	PASS
		1	0	22.24	21.41	PASS
		1	24	21.68	20.83	PASS
QPSK /	МСН	1	49	21.77	20.90	PASS
16QAM		25	0	20.88	19.94	PASS
IOQAW		25	12	20.76	19.83	PASS
		25	25	20.72	19.76	PASS
		50	0	20.81	19.86	PASS
		1	0	22.12	21.37	PASS
	нсн	1	24	21.65	20.91	PASS
		1	49	21.83	21.04	PASS
		25	0	21.01	20.07	PASS
		25	12	20.72	19.82	PASS
		25	25	20.87	19.93	PASS
		50	0	20.94	19.95	PASS


#### J.2 Peak-to-Average Ratio


Peak-to Average Ratio Test Result (Channel Bandwidth: 5 MHz)				
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict
		[dB]	[dB]	
	LCH	5.46	<13	PASS
QPSK	MCH	5.54	<13	PASS
	HCH	5.55	<13	PASS
16QAM	LCH	6.28	<13	PASS
	MCH	6.34	<13	PASS
	HCH	6.24	<13	PASS


Peak-to Average Ratio Test Result (Channel Bandwidth: 10 MHz)				
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict
		[dB]	[dB]	verdict
	LCH	5.67	<13	PASS
QPSK	MCH	5.67	<13	PASS
	HCH	5.71	<13	PASS
16QAM	LCH	6.41	<13	PASS
	MCH	6.31	<13	PASS
	HCH	6.36	<13	PASS



































## J.3 26dB Bandwidth and Occupied Bandwidth


EBW & OBW Test Result (Channel Bandwidth: 5 MHz)				
Modulation	Channel	Occupied Bandwidth	26dB Bandwidth	Verdict
		(MHz)	(MHz)	
	LCH	4.4695	4.789	PASS
QPSK	MCH	4.4693	4.781	PASS
	HCH	4.4792	4.825	PASS
16QAM	LCH	4.4629	4.750	PASS
	MCH	4.4747	4.790	PASS
	HCH	4.4727	4.788	PASS


EBW & OBW Test Result (Channel Bandwidth: 10 MHz)				
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
	LCH	8.9177	9.377	PASS
QPSK	MCH	8.9363	9.417	PASS
	HCH	8.9559	9.454	PASS
16QAM	LCH	8.9103	9.440	PASS
	MCH	8.9333	9.443	PASS
	HCH	8.9567	9.480	PASS





































#### J.4 Band Edge
























### J.5 Conducted Spurious Emission


**Channel Bandwidth: 5 MHz** 


















































#### **Channel Bandwidth: 10 MHz**

