

















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-2.67	0.29	-2.38	11	Pass
NVNT	a	5200	Ant1	-4.46	0.29	-4.17	11	Pass
NVNT	a	5240	Ant1	-2.49	0.29	-2.2	11	Pass
NVNT	a	5260	Ant1	-3	0.29	-2.71	11	Pass
NVNT	a	5300	Ant1	-3.85	0.29	-3.56	11	Pass
NVNT	a	5320	Ant1	-2.88	0.29	-2.59	11	Pass
NVNT	a	5500	Ant1	-2.58	0.29	-2.29	11	Pass
NVNT	a	5580	Ant1	-4.12	0.29	-3.83	11	Pass
NVNT	a	5700	Ant1	-5.5	0.29	-5.21	11	Pass
NVNT	a	5180	Ant2	-4.44	0.29	-4.15	11	Pass
NVNT	a	5200	Ant2	-5.08	0.29	-4.79	11	Pass
NVNT	a	5240	Ant2	-4.03	0.29	-3.74	11	Pass
NVNT	a	5260	Ant2	-3.26	0.29	-2.97	11	Pass
NVNT	a	5300	Ant2	-3.96	0.29	-3.67	11	Pass
NVNT	a	5320	Ant2	-4.06	0.29	-3.77	11	Pass
NVNT	a	5500	Ant2	-4.63	0.29	-4.34	11	Pass
NVNT	a	5580	Ant2	-5.15	0.29	-4.86	11	Pass
NVNT	a	5700	Ant2	-6.36	0.29	-6.07	11	Pass
NVNT	n20	5180	Ant1	-2.95	0.31	-2.64	11	Pass
NVNT	n20	5200	Ant1	-3.23	0.31	-2.92	11	Pass
NVNT	n20	5240	Ant1	-4.41	0.31	-4.1	11	Pass
NVNT	n20	5260	Ant1	-2.82	0.31	-2.51	11	Pass
NVNT	n20	5300	Ant1	-3	0.31	-2.69	11	Pass
NVNT	n20	5320	Ant1	-2.46	0.31	-2.15	11	Pass
NVNT	n20	5500	Ant1	-4.42	0.31	-4.11	11	Pass
NVNT	n20	5580	Ant1	-4.73	0.31	-4.42	11	Pass
NVNT	n20	5700	Ant1	-5	0.31	-4.69	11	Pass
NVNT	n20	5180	Ant2	-3.43	0.31	-3.12	11	Pass
NVNT	n20	5200	Ant2	-4.67	0.31	-4.36	11	Pass
NVNT	n20	5240	Ant2	-4.16	0.31	-3.85	11	Pass
NVNT	n20	5260	Ant2	-3.82	0.31	-3.51	11	Pass
NVNT	n20	5300	Ant2	-3.96	0.31	-3.65	11	Pass
NVNT	n20	5320	Ant2	-4.23	0.31	-3.92	11	Pass
NVNT	n20	5500	Ant2	-3.41	0.31	-3.1	11	Pass
NVNT	n20	5580	Ant2	-5.4	0.31	-5.09	11	Pass
NVNT	n20	5700	Ant2	-5.84	0.31	-5.53	11	Pass
NVNT	n20	5180	Ant1	-2.55	0.31	-2.24	11	Pass
NVNT	n20	5180	Ant2	-3.66	0.31	-3.35	11	Pass
NVNT	n20	5180	Sum	-0.06	0.31	0.25	11	Pass
NVNT	n20	5200	Ant1	-5.66	0.31	-5.35	11	Pass
NVNT	n20	5200	Ant2	-3.64	0.31	-3.33	11	Pass
NVNT	n20	5200	Sum	-1.52	0.31	-1.21	11	Pass
NVNT	n20	5240	Ant1	-4.65	0.31	-4.34	11	Pass
NVNT	n20	5240	Ant2	-5.37	0.31	-5.06	11	Pass
NVNT	n20	5240	Sum	-1.98	0.31	-1.67	11	Pass
NVNT	n20	5260	Ant1	-3.47	0.31	-3.16	11	Pass
NVNT	n20	5260	Ant2	-3.76	0.31	-3.45	11	Pass
NVNT	n20	5260	Sum	-0.6	0.31	-0.29	11	Pass
NVNT	n20	5300	Ant1	-3.74	0.31	-3.43	11	Pass
NVNT	n20	5300	Ant2	-4.49	0.31	-4.18	11	Pass



NVNT	n20	5300	Sum	-1.09	0.31	-0.78	11	Pass
NVNT	n20	5320	Ant1	-3.26	0.31	-2.95	11	Pass
NVNT	n20	5320	Ant2	-3.27	0.31	-2.96	11	Pass
NVNT	n20	5320	Sum	-0.25	0.31	0.06	11	Pass
NVNT	n20	5500	Ant1	-3.9	0.31	-3.59	11	Pass
NVNT	n20	5500	Ant2	-4.37	0.31	-4.06	11	Pass
NVNT	n20	5500	Sum	-1.12	0.31	-0.81	11	Pass
NVNT	n20	5580	Ant1	-4.8	0.31	-4.49	11	Pass
NVNT	n20	5580	Ant2	-5.19	0.31	-4.88	11	Pass
NVNT	n20	5580	Sum	-1.98	0.31	-1.67	11	Pass
NVNT	n20	5700	Ant1	-5.43	0.31	-5.12	11	Pass
NVNT	n20	5700	Ant2	-6.03	0.31	-5.72	11	Pass
NVNT	n20	5700	Sum	-2.71	0.31	-2.4	11	Pass
NVNT	n40	5190	Ant1	-7.16	0.59	-6.57	11	Pass
NVNT	n40	5230	Ant1	-8.84	0.6	-8.24	11	Pass
NVNT	n40	5270	Ant1	-7.11	0.6	-6.51	11	Pass
NVNT	n40	5310	Ant1	-7.85	0.6	-7.25	11	Pass
NVNT	n40	5510	Ant1	-7.74	0.6	-7.14	11	Pass
NVNT	n40	5550	Ant1	-9.14	0.6	-8.54	11	Pass
NVNT	n40	5670	Ant1	-8.75	0.6	-8.15	11	Pass
NVNT	n40	5190	Ant2	-8.34	0	-8.34	11	Pass
NVNT	n40	5230	Ant2	-8.83	0.6	-8.23	11	Pass
NVNT	n40	5270	Ant2	-9.12	0.6	-8.52	11	Pass
NVNT	n40	5310	Ant2	-6.77	0.6	-6.17	11	Pass
NVNT	n40	5510	Ant2	-9.15	0.6	-8.55	11	Pass
NVNT	n40	5550	Ant2	-10.56	0.6	-9.96	11	Pass
NVNT	n40	5670	Ant2	-10.65	0.6	-10.05	11	Pass
NVNT	n40	5190	Ant1	-7.02	0.6	-6.42	11	Pass
NVNT	n40	5190	Ant2	-7.92	0.6	-7.32	11	Pass
NVNT	n40	5190	Sum	-4.44	0.6	-3.84	11	Pass
NVNT	n40	5230	Ant1	-7.55	0.6	-6.95	11	Pass
NVNT	n40	5230	Ant2	-8.04	0.6	-7.44	11	Pass
NVNT	n40	5230	Sum	-4.78	0.6	-4.18	11	Pass
NVNT	n40	5270	Ant1	-8.74	0.6	-8.14	11	Pass
NVNT	n40	5270	Ant2	-7.48	0.6	-6.88	11	Pass
NVNT	n40	5270	Sum	-5.05	0.6	-4.45	11	Pass
NVNT	n40	5310	Ant1	-7.6	0.6	-7	11	Pass
NVNT	n40	5310	Ant2	-9.96	0.6	-9.36	11	Pass
NVNT	n40	5310	Sum	-5.61	0.6	-5.01	11	Pass
NVNT	n40	5510	Ant1	-10.16	0.6	-9.56	11	Pass
NVNT	n40	5510	Ant2	-11.03	0.6	-10.43	11	Pass
NVNT	n40	5510	Sum	-7.56	0.6	-6.96	11	Pass
NVNT	n40	5550	Ant1	-9.66	0.6	-9.06	11	Pass
NVNT	n40	5550	Ant2	-11.45	0.6	-10.85	11	Pass
NVNT	n40	5550	Sum	-7.45	0.6	-6.85	11	Pass
NVNT	n40	5670	Ant1	-9.89	0.6	-9.29	11	Pass
NVNT	n40	5670	Ant2	-10.41	0.6	-9.81	11	Pass
NVNT	n40	5670	Sum	-7.13	0.6	-6.53	11	Pass
NVNT	ac80	5210	Ant1	-12.79	1.12	-11.67	11	Pass
NVNT	ac80	5290	Ant1	-15.72	1.12	-14.6	11	Pass
NVNT	ac80	5530	Ant1	-16.64	1.12	-15.52	11	Pass
NVNT	ac80	5610	Ant1	-16.69	1.12	-15.57	11	Pass
NVNT	ac80	5210	Ant2	-16.24	1.12	-15.12	11	Pass
NVNT	ac80	5290	Ant2	-15.84	1.12	-14.72	11	Pass
NVNT	ac80	5530	Ant2	-16.52	1.12	-15.4	11	Pass
NVNT	ac80	5610	Ant2	-18.71	1.12	-17.59	11	Pass



NVNT	ac80	5210	Ant1	-15.2	1.12	-14.08	11	Pass
NVNT	ac80	5210	Ant2	-12.27	1.12	-11.15	11	Pass
NVNT	ac80	5210	Sum	-10.48	1.12	-9.36	11	Pass
NVNT	ac80	5290	Ant1	-15.21	1.12	-14.09	11	Pass
NVNT	ac80	5290	Ant2	-15.1	1.12	-13.98	11	Pass
NVNT	ac80	5290	Sum	-12.14	1.12	-11.02	11	Pass
NVNT	ac80	5530	Ant1	-16.07	1.12	-14.95	11	Pass
NVNT	ac80	5530	Ant2	-17.41	1.12	-16.29	11	Pass
NVNT	ac80	5530	Sum	-13.68	1.12	-12.56	11	Pass
NVNT	ac80	5610	Ant1	-17.12	1.12	-16	11	Pass
NVNT	ac80	5610	Ant2	-18.05	1.12	-16.93	11	Pass
NVNT	ac80	5610	Sum	-14.55	1.12	-13.43	11	Pass
NVNT	ax80	5210	Ant1	-17.03	1.23	-15.8	11	Pass
NVNT	ax80	5290	Ant1	-14.48	1.23	-13.25	11	Pass
NVNT	ax80	5530	Ant1	-15.3	1.23	-14.07	11	Pass
NVNT	ax80	5610	Ant1	-17.98	1.23	-16.75	11	Pass
NVNT	ax80	5210	Ant2	-17.09	1.23	-15.86	11	Pass
NVNT	ax80	5290	Ant2	-16.58	1.23	-15.35	11	Pass
NVNT	ax80	5530	Ant2	-18.12	1.23	-16.89	11	Pass
NVNT	ax80	5610	Ant2	-17.22	1.23	-15.99	11	Pass
NVNT	ax80	5210	Ant1	-15.84	1.23	-14.61	11	Pass
NVNT	ax80	5210	Ant2	-15.88	1.23	-14.65	11	Pass
NVNT	ax80	5210	Sum	-12.85	1.23	-11.62	11	Pass
NVNT	ax80	5290	Ant1	-17.38	1.23	-16.15	11	Pass
NVNT	ax80	5290	Ant2	-17.23	1.23	-16	11	Pass
NVNT	ax80	5290	Sum	-14.29	1.23	-13.06	11	Pass
NVNT	ax80	5530	Ant1	-17.35	1.23	-16.12	11	Pass
NVNT	ax80	5530	Ant2	-16.26	1.23	-15.03	11	Pass
NVNT	ax80	5530	Sum	-13.76	1.23	-12.53	11	Pass
NVNT	ax80	5610	Ant1	-17.35	1.23	-16.12	11	Pass
NVNT	ax80	5610	Ant2	-17.71	1.23	-16.48	11	Pass
NVNT	ax80	5610	Sum	-14.52	1.23	-13.29	11	Pass
Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500k Hz)	Duty Factor (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
NVNT	a	5745	Ant1	-6.89	0.29	-6.6	30	Pass
NVNT	a	5785	Ant1	-5.71	0.29	-5.42	30	Pass
NVNT	a	5825	Ant1	-7.95	0.29	-7.66	30	Pass
NVNT	a	5745	Ant2	-7.91	0.29	-7.62	30	Pass
NVNT	a	5785	Ant2	-8.39	0.29	-8.1	30	Pass
NVNT	a	5825	Ant2	-8.02	0.29	-7.73	30	Pass
NVNT	n20	5745	Ant1	-7.28	0.31	-6.97	30	Pass
NVNT	n20	5785	Ant1	-6.55	0.31	-6.24	30	Pass
NVNT	n20	5825	Ant1	-6.45	0.31	-6.14	30	Pass
NVNT	n20	5745	Ant2	-8.36	0.31	-8.05	30	Pass
NVNT	n20	5785	Ant2	-8.07	0.31	-7.76	30	Pass
NVNT	n20	5825	Ant2	-9.28	0.31	-8.97	30	Pass
NVNT	n20	5745	Ant1	-6.87	0.31	-6.56	30	Pass
NVNT	n20	5745	Ant2	-8.81	0.31	-8.5	30	Pass
NVNT	n20	5745	Sum	-4.72	0.31	-4.41	30	Pass
NVNT	n20	5785	Ant1	-6.72	0.31	-6.41	30	Pass
NVNT	n20	5785	Ant2	-8.02	0.31	-7.71	30	Pass
NVNT	n20	5785	Sum	-4.31	0.31	-4	30	Pass
NVNT	n20	5825	Ant1	-7.73	0.31	-7.42	30	Pass
NVNT	n20	5825	Ant2	-6.91	0.31	-6.6	30	Pass



NVNT	n20	5825	Sum	-4.29	0.31	-3.98	30	Pass
NVNT	n40	5755	Ant1	-11.84	0.6	-11.24	30	Pass
NVNT	n40	5795	Ant1	-11.58	0.6	-10.98	30	Pass
NVNT	n40	5755	Ant2	-12.46	0.6	-11.86	30	Pass
NVNT	n40	5795	Ant2	-12.32	0.6	-11.72	30	Pass
NVNT	n40	5755	Ant1	-11.34	0.6	-10.74	30	Pass
NVNT	n40	5755	Ant2	-10.18	0.6	-9.58	30	Pass
NVNT	n40	5755	Sum	-7.71	0.6	-7.11	30	Pass
NVNT	n40	5795	Ant1	-11.1	0.6	-10.5	30	Pass
NVNT	n40	5795	Ant2	-11.25	0.6	-10.65	30	Pass
NVNT	n40	5795	Sum	-8.16	0.6	-7.56	30	Pass
NVNT	ac80	5775	Ant1	-18.9	1.12	-17.78	30	Pass
NVNT	ac80	5775	Ant2	-18.62	1.12	-17.5	30	Pass
NVNT	ac80	5775	Ant1	-17.98	1.12	-16.86	30	Pass
NVNT	ac80	5775	Ant2	-20.13	1.12	-19.01	30	Pass
NVNT	ac80	5775	Sum	-15.91	1.12	-14.79	30	Pass
NVNT	ax80	5775	Ant1	-18.31	1.23	-17.08	30	Pass
NVNT	ax80	5775	Ant2	-18.76	1.23	-17.53	30	Pass
NVNT	ax80	5775	Ant1	-18.99	1.23	-17.76	30	Pass
NVNT	ax80	5775	Ant2	-20.64	1.23	-19.41	30	Pass
NVNT	ax80	5775	Sum	-16.73	1.23	-15.5	30	Pass

