



DTEN BAR Basic

**Product Guide** 


## **Dimensions**







▲ Do not disassemble the DTEN BAR without the supervision of a DTEN technician. Improper use may be subject to voiding the warranty.

## **Port Diagram**






# **Appliance Mode**







\* For more info about the product, please visit dten.com

## **BYOD Mode**




### Controller








## Quick Set-Up




## Dual- Purpose Mount for TV and Wall

Wall-Mount Bracket







#### FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Operations in the 5.15-5.25GHz band are restricted to indoor usage only.

#### **CE Maintenance**

1. Use careful with the earphone maybe excessive sound pressure from earphones and headphones





- 2. Adapter shall be installed near the equipment and shall be easily accessible.
- 3. EUT Operating temperature range: -15° C to 40° C.
- 4. Adapter: The plug considered as disconnect device of adapter

Power supply and ADP(rating):

Input: 100-240V ~ 50/60Hz 2.5A, Output: 24V, 5A

- 5. The device complies with RF specifications when the device used at 20cm(Bar) and 0mm (Remote control and Dongle) from your body.
- 6. To prevent possible hearing damage. Do not listen at high volume levels for long periods.

#### **Declaration of Conformity**

DTEN Inc hereby declares that thisRugged feature phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. In accordance with Article 10(2) and Article 10(10), This product is allowed to be used in all EU member states.



7. Operations in the 5.15-5.25GHz band are restricted to indoor usage only.

This Frequency the following Member States or the geographical area within a Member State where restrictions on putting into service or requirements for authorization of use exist.

(BE: Belgium, BG: Bulgaria, CZ: Czech Republic, DK: Denmark, DE: Germany, EE: Estonia, IE: Ireland, EL: Greece, ES: Spain, FR: France, HR: Croatia, IT: Italy, CY: Cyprus, LV: Latvia, LT: Lithuania, LU: Luxembourg, HU: Hungary, MT: Malta, NL: Netherlands, AT: Austria, PL: Poland, PT: Portugal, RO: Romania, SI: Slovenia, SK: Slovakia, FI: Finland, SE: Sweden, UK: United Kingdom)

