

Test Report No.60376684 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 60376684 001Appendix D)

Contents


Spurious Emissions, Bandedge for BLE 1M.....	2
Spurious Emissions, Bandedge for BLE 2M.....	14
Spurious Emissions, TX Mode, 9kHz-30MHz for BLE 2M.....	26
Spurious Emissions, TX Mode, 30MHz-1GHz for BLE 2M.....	28
Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 1M.....	30
Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 2M.....	36

Spurious Emissions, Bandedge for BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2355.37	45.40	8.23	37.17	74.00	-28.60	109	37	Peak	Horizontal	
2 *	2402.00	86.91	49.76	37.15	74.00	12.91	109	37	Peak	Horizontal	
3	2802.12	47.68	9.55	38.13	74.00	-26.32	109	37	Peak	Horizontal	




Date: 2020-05-25

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.82	45.90	8.76	37.14	74.00	-28.10	400	346	Peak	Vertical	
2 *	2402.00	94.19	57.04	37.15	74.00	20.19	400	346	Peak	Vertical	
3	2802.12	47.60	9.47	38.13	74.00	-26.40	400	346	Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.12	34.05	-3.09	37.14	54.00	-19.95	109	37	Average	Horizontal	
2 *	2402.00	85.99	48.84	37.15	54.00	31.99	109	37	Average	Horizontal	
3	2783.00	36.12	-1.99	38.11	54.00	-17.88	109	37	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.77	34.10	-3.04	37.14	54.00	-19.90	400	346	Average	Vertical	
2 *	2402.00	93.23	56.08	37.15	54.00	39.23	400	346	Average	Vertical	
3	2861.59	35.86	-2.22	38.08	54.00	-18.14	400	346	Average	Vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2355.55	45.46	8.29	37.17	74.00	-28.54	100	48	Peak	Horizontal	
2 *	2440.00	88.53	51.18	37.35	74.00	14.53	100	48	Peak	Horizontal	
3	2709.96	48.15	10.37	37.78	74.00	-25.85	100	48	Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.13	45.02	7.87	37.15	74.00	-28.98	387	349	Peak	Vertical	
2 *	2440.00	94.79	57.44	37.35	74.00	20.79	387	349	Peak	Vertical	
3	2787.25	47.11	9.00	38.11	74.00	-26.89	387	349	Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2362.16	34.39	-2.78	37.17	54.00	-19.61	100	48	Average	Horizontal	
2 *	2440.00	87.57	50.22	37.35	54.00	33.57	100	48	Average	Horizontal	
3	2768.08	35.96	-2.13	38.09	54.00	-18.04	100	48	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.36	34.80	-2.34	37.14	54.00	-19.20	387	349	Average	Vertical	
2 *	2440.00	93.97	56.62	37.35	54.00	39.97	387	349	Average	Vertical	
3	2794.39	36.08	-2.04	38.12	54.00	-17.92	387	349	Average	Vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2363.22	46.58	9.42	37.16	74.00	-27.42	100	49	Peak	Horizontal	
2 *	2480.00	87.96	50.40	37.56	74.00	13.96	100	49	Peak	Horizontal	
3	2789.08	48.43	10.32	38.11	74.00	-25.57	100	49	Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2313.25	45.46	8.33	37.13	74.00	-28.54	380	19	Peak	Vertical	
2 *	2480.00	93.29	55.73	37.56	74.00	19.29	380	19	Peak	Vertical	
3	2793.86	47.64	9.52	38.12	74.00	-26.36	380	19	Peak	Vertical	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2384.16	34.18	-2.97	37.15	54.00	-19.82	100	49	Average	Horizontal	
2 *	2480.00	87.13	49.57	37.56	54.00	33.13	100	49	Average	Horizontal	
3	2788.02	35.97	-2.14	38.11	54.00	-18.03	100	49	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2384.10	34.63	-2.52	37.15	54.00	-19.37	380	19	Average	Vertical	
2 *	2480.00	92.40	54.84	37.56	54.00	38.40	380	19	Average	Vertical	
3	2815.87	36.03	-2.09	38.12	54.00	-17.97	380	19	Average	Vertical	

Spurious Emissions, Bandedge for BLE 2M


2402MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2331.95	44.94	7.79	37.15	74.00	-29.06	110	37	Peak	Horizontal	
2 *	2402.00	86.96	49.81	37.15	74.00	12.96	110	37	Peak	Horizontal	
3	2786.90	47.76	9.65	38.11	74.00	-26.24	110	37	Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2360.50	45.71	8.54	37.17	74.00	-28.29	400	346	Peak	Vertical	
2 *	2402.00	94.25	57.10	37.15	74.00	20.25	400	346	Peak	Vertical	
3	2658.57	47.34	9.77	37.57	74.00	-26.66	400	346	Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2362.39	34.09	-3.08	37.17	54.00	-19.91	110	37	Average	Horizontal	
2 *	2402.00	84.55	47.40	37.15	54.00	30.55	110	37	Average	Horizontal	
3	2861.65	36.03	-2.05	38.08	54.00	-17.97	110	37	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2354.96	34.24	-2.93	37.17	54.00	-19.76	400	346	Average	Vertical	
2 *	2402.00	91.70	54.55	37.15	54.00	37.70	400	346	Average	Vertical	
3	2792.09	36.10	-2.02	38.12	54.00	-17.90	400	346	Average	Vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2322.92	45.96	8.82	37.14	74.00	-28.04	100	47	Peak	Horizontal	
2 *	2440.00	88.45	51.10	37.35	74.00	14.45	100	47	Peak	Horizontal	
3	2705.54	48.84	11.10	37.74	74.00	-25.16	100	47	Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.24	46.47	9.33	37.14	74.00	-27.53	394	19	Peak	Vertical	
2 *	2440.00	94.65	57.30	37.35	74.00	20.65	394	19	Peak	Vertical	
3	2820.41	47.95	9.84	38.11	74.00	-26.05	394	19	Peak	Vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.41	34.35	-2.80	37.15	54.00	-19.65	100	47	Average	Horizontal	
2 *	2440.00	85.63	48.28	37.35	54.00	31.63	100	47	Average	Horizontal	
3	2785.30	36.17	-1.94	38.11	54.00	-17.83	100	47	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2359.15	34.54	-2.63	37.17	54.00	-19.46	394	19	Average	Vertical	
2 *	2440.00	91.93	54.58	37.35	54.00	37.93	394	19	Average	Vertical	
3	2785.19	36.11	-2.00	38.11	54.00	-17.89	394	19	Average	Vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.16	45.89	8.74	37.15	74.00	-28.11	100	49	Peak	Horizontal	
2 *	2480.00	87.81	50.25	37.56	74.00	13.81	100	49	Peak	Horizontal	
3	2852.09	47.96	9.87	38.09	74.00	-26.04	100	49	Peak	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2361.45	46.73	9.56	37.17	74.00	-27.27	381	20	Peak	Vertical	
2 *	2480.00	93.30	55.74	37.56	74.00	19.30	381	20	Peak	Vertical	
3	2855.10	48.40	10.32	38.08	74.00	-25.60	381	20	Peak	Vertical	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2365.81	34.22	-2.94	37.16	54.00	-19.78	100	49	Average	Horizontal	
2 *	2480.00	85.16	47.60	37.56	54.00	31.16	100	49	Average	Horizontal	
3	2483.56	36.41	-1.16	37.57	54.00	-17.59	100	49	Average	Horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2384.05	34.50	-2.65	37.15	54.00	-19.50	381	20	Average	Vertical	
2 *	2480.00	90.70	53.14	37.56	54.00	36.70	381	20	Average	Vertical	
3	2483.56	38.44	0.87	37.57	54.00	-15.56	381	20	Average	Vertical	

Spurious Emissions, TX Mode, 9kHz-30MHz for BLE 2M


2480MHz



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	83.04	3.60	79.44	128.08	-45.04	100	157	QP	vertical	
2	0.03	71.72	0.44	71.28	118.97	-47.25	100	341	QP	vertical	
3	0.06	61.33	-1.72	63.05	111.38	-50.05	100	258	QP	vertical	
4	0.08	59.93	-1.35	61.28	109.57	-49.64	100	288	QP	vertical	
5	0.11	56.18	-2.33	58.51	106.56	-50.38	100	270	QP	vertical	
6	0.14	53.70	-3.35	57.05	104.80	-51.10	100	190	QP	vertical	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.22	66.16	13.36	52.80	100.69	-34.53	100	178	QP	vertical	
2	6.02	52.37	14.01	38.36	69.50	-17.13	100	265	QP	vertical	
3	12.11	50.18	12.87	37.31	69.50	-19.32	100	61	QP	vertical	
4	18.53	52.94	16.30	36.64	69.50	-16.56	100	67	QP	vertical	
5	22.84	49.54	13.91	35.63	69.50	-19.96	100	234	QP	vertical	
6	29.34	51.22	13.12	38.10	69.50	-18.28	100	39	QP	vertical	

Spurious Emissions, TX Mode, 30MHz-1GHz for BLE 2M

2480MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-26

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	46.10	25.67	31.79	-6.12	40.00	-14.33	300	20	QP	horizontal	
2	143.49	28.32	34.72	-6.40	43.50	-15.18	200	313	QP	horizontal	
3	231.57	32.97	40.36	-7.39	46.00	-13.03	100	160	QP	horizontal	
4	299.95	34.88	39.73	-4.85	46.00	-11.12	100	130	QP	horizontal	
5	540.03	31.10	32.21	-1.11	46.00	-14.90	200	36	QP	horizontal	
6	843.83	37.31	33.89	3.42	46.00	-8.69	100	253	QP	horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	47.07	33.70	39.74	-6.04	40.00	-6.30	100	141	QP	vertical	
2	143.49	29.55	35.95	-6.40	43.50	-13.95	100	221	QP	vertical	
3	243.11	31.14	37.91	-6.77	46.00	-14.86	300	183	QP	vertical	
4	305.58	29.71	34.49	-4.78	46.00	-16.29	300	187	QP	vertical	
5	754.01	32.05	29.64	2.41	46.00	-13.95	301	360	QP	vertical	
6	843.83	34.86	31.44	3.42	46.00	-11.14	200	48	QP	vertical	

Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 1M

2402MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	40.13	49.57	-9.44	74.00	-33.87	201	0	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	41.14	50.58	-9.44	74.00	-32.86	400	360	Peak	vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	40.17	49.48	-9.31	74.00	-33.83	300	310	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	40.92	50.23	-9.31	74.00	-33.08	300	166	Peak	vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-25

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	40.24	49.37	-9.13	74.00	-33.76	300	320	Peak	horizontal	



Date: 2020-05-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	40.50	49.63	-9.13	74.00	-33.50	100	162	Peak	vertical	

Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 2M

2402MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	39.20	48.64	-9.44	74.00	-34.80	100	284	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	38.81	48.25	-9.44	74.00	-35.19	100	160	Peak	vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	39.26	48.57	-9.31	74.00	-34.74	300	306	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	39.49	48.80	-9.31	74.00	-34.51	300	147	Peak	vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-25

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	40.83	49.96	-9.13	74.00	-33.17	115	360	Peak	horizontal	



Date: 2020-05-25

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	39.86	48.99	-9.13	74.00	-34.14	200	185	Peak	vertical	