


WIFI 5.2G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	91.16	0.4
NVNT	a	5200	Ant1	91.03	0.41
NVNT	a	5240	Ant1	91.16	0.4
NVNT	ac20	5180	Ant1	89.68	0.47
NVNT	ac20	5200	Ant1	89.69	0.47
NVNT	ac20	5240	Ant1	89.81	0.47
NVNT	ac40	5190	Ant1	81.26	0.9
NVNT	ac40	5230	Ant1	81.51	0.89
NVNT	ac80	5210	Ant1	69.7	1.57
NVNT	n20	5180	Ant1	89.68	0.47
NVNT	n20	5200	Ant1	89.65	0.47
NVNT	n20	5240	Ant1	89.67	0.47
NVNT	n40	5190	Ant1	81.93	0.87
NVNT	n40	5230	Ant1	82	0.86


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.618	0.4	10.018	24	Pass
NVNT	a	5200	Ant1	9.229	0.41	9.639	24	Pass
NVNT	a	5240	Ant1	9.536	0.4	9.936	24	Pass
NVNT	ac20	5180	Ant1	9.998	0.47	10.468	24	Pass
NVNT	ac20	5200	Ant1	9.707	0.47	10.177	24	Pass
NVNT	ac20	5240	Ant1	9.849	0.47	10.319	24	Pass
NVNT	ac40	5190	Ant1	10.557	0.9	11.457	24	Pass
NVNT	ac40	5230	Ant1	9.643	0.89	10.533	24	Pass
NVNT	ac80	5210	Ant1	9.583	1.57	11.153	24	Pass
NVNT	n20	5180	Ant1	9.933	0.47	10.403	24	Pass
NVNT	n20	5200	Ant1	9.665	0.47	10.135	24	Pass
NVNT	n20	5240	Ant1	9.75	0.47	10.22	24	Pass
NVNT	n40	5190	Ant1	10.444	0.87	11.314	24	Pass
NVNT	n40	5230	Ant1	9.737	0.86	10.597	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	23.293	Pass
NVNT	a	5200	Ant1	22.991	Pass
NVNT	a	5240	Ant1	24.361	Pass
NVNT	ac20	5180	Ant1	24.764	Pass
NVNT	ac20	5200	Ant1	23.778	Pass
NVNT	ac20	5240	Ant1	23.07	Pass
NVNT	ac40	5190	Ant1	43.037	Pass
NVNT	ac40	5230	Ant1	41.005	Pass
NVNT	ac80	5210	Ant1	82.886	Pass
NVNT	n20	5180	Ant1	24.449	Pass
NVNT	n20	5200	Ant1	25.499	Pass
NVNT	n20	5240	Ant1	25.665	Pass
NVNT	n40	5190	Ant1	48.513	Pass
NVNT	n40	5230	Ant1	42.496	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.522
NVNT	a	5200	Ant1	16.509
NVNT	a	5240	Ant1	16.533
NVNT	ac20	5180	Ant1	17.623
NVNT	ac20	5200	Ant1	17.614
NVNT	ac20	5240	Ant1	17.628
NVNT	ac40	5190	Ant1	36.299
NVNT	ac40	5230	Ant1	36.292
NVNT	ac80	5210	Ant1	75.65
NVNT	n20	5180	Ant1	17.615
NVNT	n20	5200	Ant1	17.61
NVNT	n20	5240	Ant1	17.637
NVNT	n40	5190	Ant1	36.295
NVNT	n40	5230	Ant1	36.318


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.699	11	Pass
NVNT	a	5200	Ant1	-1.245	11	Pass
NVNT	a	5240	Ant1	-0.886	11	Pass
NVNT	ac20	5180	Ant1	-0.901	11	Pass
NVNT	ac20	5200	Ant1	-1.092	11	Pass
NVNT	ac20	5240	Ant1	-1.015	11	Pass
NVNT	ac40	5190	Ant1	-3.109	11	Pass
NVNT	ac40	5230	Ant1	-3.957	11	Pass
NVNT	ac80	5210	Ant1	-6.923	11	Pass
NVNT	n20	5180	Ant1	-0.52	11	Pass
NVNT	n20	5200	Ant1	-1.095	11	Pass
NVNT	n20	5240	Ant1	-1.016	11	Pass
NVNT	n40	5190	Ant1	-3.785	11	Pass
NVNT	n40	5230	Ant1	-4.274	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-36.86	-27	Pass
NVNT	a	5240	Ant1	-46.51	-27	Pass
NVNT	ac20	5180	Ant1	-35.04	-27	Pass
NVNT	ac20	5240	Ant1	-46.73	-27	Pass
NVNT	ac40	5190	Ant1	-32.06	-27	Pass
NVNT	ac40	5230	Ant1	-55.76	-27	Pass
NVNT	ac80	5210	Ant1	-47.45	-27	Pass
NVNT	n20	5180	Ant1	-33.29	-27	Pass
NVNT	n20	5240	Ant1	-46.81	-27	Pass
NVNT	n40	5190	Ant1	-32.35	-27	Pass
NVNT	n40	5230	Ant1	-45.86	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-32.45	-27	Pass
NVNT	a	5200	Ant1	-31.78	-27	Pass
NVNT	a	5240	Ant1	-32.08	-27	Pass
NVNT	ac20	5180	Ant1	-41.39	-27	Pass
NVNT	ac20	5200	Ant1	-42.05	-27	Pass
NVNT	ac20	5240	Ant1	-42.2	-27	Pass
NVNT	ac40	5190	Ant1	-41.93	-27	Pass
NVNT	ac40	5230	Ant1	-41.8	-27	Pass
NVNT	ac80	5210	Ant1	-41.83	-27	Pass
NVNT	n20	5180	Ant1	-32.02	-27	Pass
NVNT	n20	5200	Ant1	-30.59	-27	Pass
NVNT	n20	5240	Ant1	-32.33	-27	Pass
NVNT	n40	5190	Ant1	-32.33	-27	Pass
NVNT	n40	5230	Ant1	-31.73	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




WIFI 5.3G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	91.06	0.41
NVNT	a	5280	Ant1	91.15	0.4
NVNT	a	5320	Ant1	91.15	0.4
NVNT	ac20	5260	Ant1	89.79	0.47
NVNT	ac20	5280	Ant1	89.69	0.47
NVNT	ac20	5320	Ant1	89.68	0.47
NVNT	ac40	5270	Ant1	81.41	0.89
NVNT	ac40	5310	Ant1	81.32	0.9
NVNT	ac80	5290	Ant1	68.97	1.61
NVNT	n20	5260	Ant1	89.59	0.48
NVNT	n20	5280	Ant1	89.65	0.47
NVNT	n20	5320	Ant1	89.69	0.47
NVNT	n40	5270	Ant1	80.54	0.94
NVNT	n40	5310	Ant1	81.94	0.86


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1



Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.623	0.41	11.033	24	Pass
NVNT	a	5280	Ant1	9.733	0.4	10.133	24	Pass
NVNT	a	5320	Ant1	9.718	0.4	10.118	24	Pass
NVNT	ac20	5260	Ant1	10.729	0.47	11.199	24	Pass
NVNT	ac20	5280	Ant1	10.028	0.47	10.498	24	Pass
NVNT	ac20	5320	Ant1	10.021	0.47	10.491	24	Pass
NVNT	ac40	5270	Ant1	9.953	0.89	10.843	24	Pass
NVNT	ac40	5310	Ant1	9.825	0.9	10.725	24	Pass
NVNT	ac80	5290	Ant1	8.991	1.61	10.601	24	Pass
NVNT	n20	5260	Ant1	10.735	0.48	11.215	24	Pass
NVNT	n20	5280	Ant1	9.979	0.47	10.449	24	Pass
NVNT	n20	5320	Ant1	9.952	0.47	10.422	24	Pass
NVNT	n40	5270	Ant1	9.919	0.94	10.859	24	Pass
NVNT	n40	5310	Ant1	9.631	0.86	10.491	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	23.943	Pass
NVNT	a	5280	Ant1	22.804	Pass
NVNT	a	5320	Ant1	24.694	Pass
NVNT	ac20	5260	Ant1	26.772	Pass
NVNT	ac20	5280	Ant1	27.578	Pass
NVNT	ac20	5320	Ant1	25.547	Pass
NVNT	ac40	5270	Ant1	48.029	Pass
NVNT	ac40	5310	Ant1	41.766	Pass
NVNT	ac80	5290	Ant1	84.033	Pass
NVNT	n20	5260	Ant1	23.712	Pass
NVNT	n20	5280	Ant1	24.606	Pass
NVNT	n20	5320	Ant1	27.049	Pass
NVNT	n40	5270	Ant1	42.918	Pass
NVNT	n40	5310	Ant1	45.84	Pass


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.54
NVNT	a	5280	Ant1	16.559
NVNT	a	5320	Ant1	16.569
NVNT	ac20	5260	Ant1	17.626
NVNT	ac20	5280	Ant1	17.639
NVNT	ac20	5320	Ant1	17.617
NVNT	ac40	5270	Ant1	36.239
NVNT	ac40	5310	Ant1	36.189
NVNT	ac80	5290	Ant1	75.51
NVNT	n20	5260	Ant1	17.642
NVNT	n20	5280	Ant1	17.629
NVNT	n20	5320	Ant1	17.624
NVNT	n40	5270	Ant1	36.269
NVNT	n40	5310	Ant1	36.201


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5280MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ac80 5290MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5280MHz Ant1




OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	0.247	11	Pass
NVNT	a	5280	Ant1	-0.795	11	Pass
NVNT	a	5320	Ant1	-0.713	11	Pass
NVNT	ac20	5260	Ant1	0.095	11	Pass
NVNT	ac20	5280	Ant1	-0.315	11	Pass
NVNT	ac20	5320	Ant1	-0.654	11	Pass
NVNT	ac40	5270	Ant1	-3.778	11	Pass
NVNT	ac40	5310	Ant1	-2.756	11	Pass
NVNT	ac80	5290	Ant1	-6.288	11	Pass
NVNT	n20	5260	Ant1	0.023	11	Pass
NVNT	n20	5280	Ant1	-0.733	11	Pass
NVNT	n20	5320	Ant1	-0.51	11	Pass
NVNT	n40	5270	Ant1	-3.561	11	Pass
NVNT	n40	5310	Ant1	-3.163	11	Pass


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5280MHz Ant1




PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5280MHz Ant1



PSD NVNT n20 5320MHz Ant1



PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1

