


## 5.2G WIFI


### Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	91.13	0.4
NVNT	a	5200	Ant1	91.16	0.4
NVNT	a	5240	Ant1	91.15	0.4
NVNT	ac20	5180	Ant1	90.57	0.43
NVNT	ac20	5200	Ant1	90.61	0.43
NVNT	ac20	5240	Ant1	90.61	0.43
NVNT	ac40	5190	Ant1	82.52	0.83
NVNT	ac40	5230	Ant1	82.85	0.82
NVNT	ac80	5210	Ant1	71.13	1.48
NVNT	n20	5180	Ant1	90.09	0.45
NVNT	n20	5200	Ant1	90.77	0.42
NVNT	n20	5240	Ant1	90.12	0.45
NVNT	n40	5190	Ant1	82.93	0.81
NVNT	n40	5230	Ant1	82.08	0.86


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1






**Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.494	0.4	9.894	24	Pass
NVNT	a	5200	Ant1	8.761	0.4	9.161	24	Pass
NVNT	a	5240	Ant1	9.032	0.4	9.432	24	Pass
NVNT	ac20	5180	Ant1	9.697	0.43	10.127	24	Pass
NVNT	ac20	5200	Ant1	9.238	0.43	9.668	24	Pass
NVNT	ac20	5240	Ant1	9.57	0.43	10	24	Pass
NVNT	ac40	5190	Ant1	8.867	0.83	9.697	24	Pass
NVNT	ac40	5230	Ant1	8.839	0.82	9.659	24	Pass
NVNT	ac80	5210	Ant1	7.63	1.48	9.11	24	Pass
NVNT	n20	5180	Ant1	9.29	0.45	9.74	24	Pass
NVNT	n20	5200	Ant1	9.142	0.42	9.562	24	Pass
NVNT	n20	5240	Ant1	9.523	0.45	9.973	24	Pass
NVNT	n40	5190	Ant1	8.761	0.81	9.571	24	Pass
NVNT	n40	5230	Ant1	8.665	0.86	9.525	24	Pass


**-26dB Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	22.096	0.5	Pass
NVNT	a	5200	Ant1	24.757	0.5	Pass
NVNT	a	5240	Ant1	25.171	0.5	Pass
NVNT	ac20	5180	Ant1	26.518	0.5	Pass
NVNT	ac20	5200	Ant1	26.594	0.5	Pass
NVNT	ac20	5240	Ant1	24.77	0.5	Pass
NVNT	ac40	5190	Ant1	43.666	0.5	Pass
NVNT	ac40	5230	Ant1	48.251	0.5	Pass
NVNT	ac80	5210	Ant1	84.929	0.5	Pass
NVNT	n20	5180	Ant1	26.35	0.5	Pass
NVNT	n20	5200	Ant1	25.611	0.5	Pass
NVNT	n20	5240	Ant1	27.609	0.5	Pass
NVNT	n40	5190	Ant1	42.404	0.5	Pass
NVNT	n40	5230	Ant1	45.164	0.5	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1







Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.52
NVNT	a	5200	Ant1	16.548
NVNT	a	5240	Ant1	16.552
NVNT	ac20	5180	Ant1	17.601
NVNT	ac20	5200	Ant1	17.573
NVNT	ac20	5240	Ant1	17.619
NVNT	ac40	5190	Ant1	36.026
NVNT	ac40	5230	Ant1	36.265
NVNT	ac80	5210	Ant1	75.458
NVNT	n20	5180	Ant1	17.565
NVNT	n20	5200	Ant1	17.572
NVNT	n20	5240	Ant1	17.605
NVNT	n40	5190	Ant1	35.974
NVNT	n40	5230	Ant1	36.256


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1






**Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-1.179	0.4	-0.779	11	Pass
NVNT	a	5200	Ant1	-1.999	0.4	-1.599	11	Pass
NVNT	a	5240	Ant1	-1.576	0.4	-1.176	11	Pass
NVNT	ac20	5180	Ant1	-1.101	0.43	-0.671	11	Pass
NVNT	ac20	5200	Ant1	-1.673	0.43	-1.243	11	Pass
NVNT	ac20	5240	Ant1	-1.29	0.43	-0.86	11	Pass
NVNT	ac40	5190	Ant1	-4.816	0.83	-3.986	11	Pass
NVNT	ac40	5230	Ant1	-4.61	0.82	-3.79	11	Pass
NVNT	ac80	5210	Ant1	-8.534	1.48	-7.054	11	Pass
NVNT	n20	5180	Ant1	-1.445	0.45	-0.995	11	Pass
NVNT	n20	5200	Ant1	-1.443	0.42	-1.023	11	Pass
NVNT	n20	5240	Ant1	-1.249	0.45	-0.799	11	Pass
NVNT	n40	5190	Ant1	-5.373	0.81	-4.563	11	Pass
NVNT	n40	5230	Ant1	-5.18	0.86	-4.32	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1







**Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.86	-27	Pass
NVNT	a	5240	Ant1	-46.74	-27	Pass
NVNT	ac20	5180	Ant1	-33.78	-27	Pass
NVNT	ac20	5240	Ant1	-47.14	-27	Pass
NVNT	ac40	5190	Ant1	-32.94	-27	Pass
NVNT	ac40	5230	Ant1	-56.11	-27	Pass
NVNT	ac80	5210	Ant1	-47.45	-27	Pass
NVNT	n20	5180	Ant1	-36.94	-27	Pass
NVNT	n20	5240	Ant1	-47.05	-27	Pass
NVNT	n40	5190	Ant1	-33.44	-27	Pass
NVNT	n40	5230	Ant1	-46.89	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




**Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-31.84	-27	Pass
NVNT	a	5200	Ant1	-32.27	-27	Pass
NVNT	a	5240	Ant1	-31.98	-27	Pass
NVNT	ac20	5180	Ant1	-41.92	-27	Pass
NVNT	ac20	5200	Ant1	-41.93	-27	Pass
NVNT	ac20	5240	Ant1	-42.12	-27	Pass
NVNT	ac40	5190	Ant1	-41.24	-27	Pass
NVNT	ac40	5230	Ant1	-40.99	-27	Pass
NVNT	ac80	5210	Ant1	-42.12	-27	Pass
NVNT	n20	5180	Ant1	-32.33	-27	Pass
NVNT	n20	5200	Ant1	-32.49	-27	Pass
NVNT	n20	5240	Ant1	-32.4	-27	Pass
NVNT	n40	5190	Ant1	-32.42	-27	Pass
NVNT	n40	5230	Ant1	-31.87	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission



Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission







Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission



Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




# 5.3G WIFI


## Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	91.16	0.4
NVNT	a	5280	Ant1	91.16	0.4
NVNT	a	5320	Ant1	91.18	0.4
NVNT	ac20	5260	Ant1	90.62	0.43
NVNT	ac20	5280	Ant1	90.62	0.43
NVNT	ac20	5320	Ant1	90.6	0.43
NVNT	ac40	5270	Ant1	82.83	0.82
NVNT	ac40	5310	Ant1	82.99	0.81
NVNT	ac80	5290	Ant1	71.14	1.48
NVNT	n20	5260	Ant1	90.4	0.44
NVNT	n20	5280	Ant1	90.77	0.42
NVNT	n20	5320	Ant1	90.9	0.41
NVNT	n40	5270	Ant1	83.36	0.79
NVNT	n40	5310	Ant1	83.36	0.79


Duty Cycle NVNT a 5260MHz Ant1



Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1







Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1




**Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	9.373	0.4	9.773	24	Pass
NVNT	a	5280	Ant1	9.052	0.4	9.452	24	Pass
NVNT	a	5320	Ant1	9.363	0.4	9.763	24	Pass
NVNT	ac20	5260	Ant1	9.495	0.43	9.925	24	Pass
NVNT	ac20	5280	Ant1	9.339	0.43	9.769	24	Pass
NVNT	ac20	5320	Ant1	9.56	0.43	9.99	24	Pass
NVNT	ac40	5270	Ant1	8.662	0.82	9.482	24	Pass
NVNT	ac40	5310	Ant1	8.274	0.81	9.084	24	Pass
NVNT	ac80	5290	Ant1	8.002	1.48	9.482	24	Pass
NVNT	n20	5260	Ant1	9.583	0.44	10.023	24	Pass
NVNT	n20	5280	Ant1	9.394	0.42	9.814	24	Pass
NVNT	n20	5320	Ant1	9.513	0.41	9.923	24	Pass
NVNT	n40	5270	Ant1	8.647	0.79	9.437	24	Pass
NVNT	n40	5310	Ant1	8.227	0.79	9.017	24	Pass


**-26dB Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	24.775	0.5	Pass
NVNT	a	5280	Ant1	23.682	0.5	Pass
NVNT	a	5320	Ant1	22.967	0.5	Pass
NVNT	ac20	5260	Ant1	25.336	0.5	Pass
NVNT	ac20	5280	Ant1	26.135	0.5	Pass
NVNT	ac20	5320	Ant1	25.188	0.5	Pass
NVNT	ac40	5270	Ant1	46.054	0.5	Pass
NVNT	ac40	5310	Ant1	45.43	0.5	Pass
NVNT	ac80	5290	Ant1	82.886	0.5	Pass
NVNT	n20	5260	Ant1	27.955	0.5	Pass
NVNT	n20	5280	Ant1	24.835	0.5	Pass
NVNT	n20	5320	Ant1	24.621	0.5	Pass
NVNT	n40	5270	Ant1	44.7	0.5	Pass
NVNT	n40	5310	Ant1	42.691	0.5	Pass

-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1







-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.559
NVNT	a	5280	Ant1	16.571
NVNT	a	5320	Ant1	16.514
NVNT	ac20	5260	Ant1	17.6
NVNT	ac20	5280	Ant1	17.597
NVNT	ac20	5320	Ant1	17.585
NVNT	ac40	5270	Ant1	36.208
NVNT	ac40	5310	Ant1	36.221
NVNT	ac80	5290	Ant1	75.404
NVNT	n20	5260	Ant1	17.598
NVNT	n20	5280	Ant1	17.6
NVNT	n20	5320	Ant1	17.593
NVNT	n40	5270	Ant1	36.208
NVNT	n40	5310	Ant1	36.157


OBW NVNT a 5260MHz Ant1



OBW NVNT a 5280MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT ac20 5260MHz Ant1







OBW NVNT ac20 5280MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ac80 5290MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5280MHz Ant1




OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-1.258	0.4	-0.858	11	Pass
NVNT	a	5280	Ant1	-1.259	0.4	-0.859	11	Pass
NVNT	a	5320	Ant1	-1.276	0.4	-0.876	11	Pass
NVNT	ac20	5260	Ant1	-1.367	0.43	-0.937	11	Pass
NVNT	ac20	5280	Ant1	-0.883	0.43	-0.453	11	Pass
NVNT	ac20	5320	Ant1	-0.865	0.43	-0.435	11	Pass
NVNT	ac40	5270	Ant1	-4.992	0.82	-4.172	11	Pass
NVNT	ac40	5310	Ant1	-4.836	0.81	-4.026	11	Pass
NVNT	ac80	5290	Ant1	-7.407	1.48	-5.927	11	Pass
NVNT	n20	5260	Ant1	-1.237	0.44	-0.797	11	Pass
NVNT	n20	5280	Ant1	-1.22	0.42	-0.8	11	Pass
NVNT	n20	5320	Ant1	-0.956	0.41	-0.546	11	Pass
NVNT	n40	5270	Ant1	-4.399	0.79	-3.609	11	Pass
NVNT	n40	5310	Ant1	-5.2	0.79	-4.41	11	Pass


PSD NVNT a 5260MHz Ant1



PSD NVNT a 5280MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT ac20 5260MHz Ant1







PSD NVNT ac20 5280MHz Ant1




PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1



PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1



**Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-46.25	-27	Pass
NVNT	a	5320	Ant1	-35.36	-27	Pass
NVNT	ac20	5260	Ant1	-53.49	-27	Pass
NVNT	ac20	5320	Ant1	-32.42	-27	Pass
NVNT	ac40	5270	Ant1	-53.95	-27	Pass
NVNT	ac40	5310	Ant1	-32.24	-27	Pass
NVNT	ac80	5290	Ant1	-46.23	-27	Pass
NVNT	n20	5260	Ant1	-46.59	-27	Pass
NVNT	n20	5320	Ant1	-32.51	-27	Pass
NVNT	n40	5270	Ant1	-46.74	-27	Pass
NVNT	n40	5310	Ant1	-33.08	-27	Pass


Band Edge NVNT a 5260MHz Low Ant1



Band Edge NVNT a 5320MHz High Ant1



Band Edge NVNT ac20 5260MHz Low Ant1



Band Edge NVNT ac20 5320MHz High Ant1