



U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.375	56.70	3.51	68.2	11.50	Peak	174.00	150	Horizontal	Pass
2	5650.000	54.98	3.72	68.2	13.22	Peak	303.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.36	3.42	68.3	13.94	Peak	360.00	200	Horizontal	Pass
2	5936.625	57.23	3.30	68.2	10.97	Peak	124.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.000	60.88	3.28	68.2	7.32	Peak	301.00	200	Horizontal	Pass
2	5650.000	57.63	3.72	68.2	10.57	Peak	301.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.69	3.42	68.3	12.61	Peak	0.00	150	Horizontal	Pass
2	5927.325	58.05	3.61	68.2	10.15	Peak	289.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.500	57.01	3.40	68.2	11.19	Peak	106.00	200	Horizontal	Pass
2	5650.000	54.97	3.72	68.2	13.23	Peak	306.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.21	3.42	68.3	13.09	Peak	345.00	100	Horizontal	Pass
2	5946.450	57.22	3.51	68.2	10.98	Peak	332.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.375	59.60	3.36	68.2	8.60	Peak	294.00	100	Horizontal	Pass
2	5650.000	59.06	3.72	68.2	9.14	Peak	294.00	150	Horizontal	Pass


U-NII-3 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.56	3.42	68.3	13.74	Peak	269.00	100	Horizontal	Pass
2	5999.850	57.15	4.67	68.2	11.05	Peak	59.00	100	Horizontal	Pass




U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.000	59.08	3.51	68.2	9.12	Peak	264.00	150	Horizontal	Pass
2	5650.000	54.69	3.72	68.2	13.51	Peak	164.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.11	3.42	68.3	10.19	Peak	70.00	100	Horizontal	Pass
2	5925.075	62.37	3.37	68.2	5.83	Peak	267.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.750	56.50	3.21	68.2	11.70	Peak	89.00	200	Horizontal	Pass
2	5650.000	54.54	3.72	68.2	13.66	Peak	103.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.48	3.42	68.3	12.82	Peak	300.00	200	Horizontal	Pass
2	5999.175	56.69	4.96	68.2	11.51	Peak	101.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.312	61.86	3.60	68.2	6.34	Peak	295.00	150	Horizontal	Pass
2	5650.000	60.88	3.72	68.2	7.32	Peak	298.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.10	3.42	68.3	13.20	Peak	323.00	200	Horizontal	Pass
2	5927.175	57.54	3.65	68.2	10.66	Peak	298.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.500	61.50	3.49	68.2	6.70	Peak	271.00	200	Horizontal	Pass
2	5650.000	58.89	3.72	68.2	9.31	Peak	272.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.82	3.42	68.3	11.48	Peak	262.00	200	Horizontal	Pass
2	5938.500	62.15	3.56	68.2	6.05	Peak	262.00	100	Horizontal	Pass




**Antenna 1**

**U-NII-1 11a Low Channel**



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.375	55.61	3.11	74.0	18.39	Peak	9.00	200	Horizontal	Pass
1**	5135.375	45.12	3.11	54.0	8.88	AV	9.00	200	Horizontal	Pass
2	5150.000	53.69	2.86	74.0	20.31	Peak	262.00	200	Horizontal	Pass
2**	5150.000	44.44	2.86	54.0	9.56	AV	262.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.34	3.30	74.0	17.66	Peak	125.00	100	Horizontal	Pass
1**	5350.055	45.80	3.30	54.0	8.20	AV	125.00	100	Horizontal	Pass
2	5377.115	57.32	3.06	74.0	16.68	Peak	315.00	150	Horizontal	Pass
2**	5377.115	45.57	3.06	54.0	8.43	AV	315.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.250	56.15	3.21	74.0	17.85	Peak	200.00	100	Horizontal	Pass
1**	5127.250	44.70	3.21	54.0	9.30	AV	200.00	100	Horizontal	Pass
2	5150.000	54.02	2.86	74.0	19.98	Peak	293.00	200	Horizontal	Pass
2**	5150.000	44.57	2.86	54.0	9.43	AV	293.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.29	3.32	74.0	17.71	Peak	198.00	150	Horizontal	Pass
1**	5350.000	46.01	3.32	54.0	7.99	AV	198.00	150	Horizontal	Pass
2	5356.215	57.06	2.90	74.0	16.94	Peak	127.00	200	Horizontal	Pass
2**	5356.215	45.77	2.90	54.0	8.23	AV	127.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.550	55.67	2.96	74.0	18.33	Peak	174.00	100	Horizontal	Pass
1**	5076.550	44.40	2.96	54.0	9.60	AV	174.00	100	Horizontal	Pass
2	5150.000	54.82	2.86	74.0	19.18	Peak	328.00	100	Horizontal	Pass
2**	5150.000	44.74	2.86	54.0	9.26	AV	328.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	3.32	74.0	17.96	Peak	166.00	200	Horizontal	Pass
1**	5350.000	46.01	3.32	54.0	7.99	AV	166.00	200	Horizontal	Pass
2	5397.410	57.18	3.17	74.0	16.82	Peak	144.00	100	Horizontal	Pass
2**	5397.410	45.31	3.17	54.0	8.69	AV	144.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.050	56.23	3.13	74.0	17.77	Peak	71.00	100	Horizontal	Pass
1**	5135.050	44.83	3.13	54.0	9.17	AV	71.00	100	Horizontal	Pass
2	5150.000	54.09	2.86	74.0	19.91	Peak	163.00	150	Horizontal	Pass
2**	5150.000	44.65	2.86	54.0	9.35	AV	163.00	150	Horizontal	Pass


U-NII-1 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.82	3.30	74.0	18.18	Peak	78.00	150	Horizontal	Pass
1**	5350.055	45.67	3.30	54.0	8.33	AV	78.00	150	Horizontal	Pass
2	5353.025	57.07	3.23	74.0	16.93	Peak	149.00	200	Horizontal	Pass
2**	5353.025	45.90	3.23	54.0	8.10	AV	149.00	200	Horizontal	Pass




U-NII-1 11ac40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	56.11	2.93	74.0	17.89	Peak	184.00	150	Horizontal	Pass
1**	5146.100	44.78	2.93	54.0	9.22	AV	184.00	150	Horizontal	Pass
2	5150.000	53.63	2.86	74.0	20.37	Peak	345.00	200	Horizontal	Pass
2**	5150.000	44.66	2.86	54.0	9.34	AV	345.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.67	3.30	74.0	18.33	Peak	74.00	100	Horizontal	Pass
1**	5350.055	45.74	3.30	54.0	8.26	AV	74.00	100	Horizontal	Pass
2	5355.500	56.97	2.95	74.0	17.03	Peak	62.00	150	Horizontal	Pass
2**	5355.500	45.80	2.95	54.0	8.20	AV	62.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4972.225	55.93	2.40	74.0	18.07	Peak	311.00	100	Horizontal	Pass
1**	4972.225	43.97	2.40	54.0	10.03	AV	311.00	100	Horizontal	Pass
2	5150.000	53.71	2.86	74.0	20.29	Peak	67.00	200	Horizontal	Pass
2**	5150.000	45.09	2.86	54.0	8.91	AV	67.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.17	3.30	74.0	17.83	Peak	324.00	150	Horizontal	Pass
1**	5350.055	45.85	3.30	54.0	8.15	AV	324.00	150	Horizontal	Pass
2	5383.330	57.01	2.96	74.0	16.99	Peak	360.00	200	Horizontal	Pass
2**	5383.330	45.58	2.96	54.0	8.42	AV	360.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.900	55.95	2.67	74.0	18.05	Peak	36.00	100	Horizontal	Pass
1**	5114.900	44.48	2.67	54.0	9.52	AV	36.00	100	Horizontal	Pass
2	5150.000	53.74	2.86	74.0	20.26	Peak	296.00	100	Horizontal	Pass
2**	5150.000	44.59	2.86	54.0	9.41	AV	296.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.58	3.30	74.0	18.42	Peak	275.00	100	Horizontal	Pass
1**	5350.055	45.60	3.30	54.0	8.40	AV	275.00	100	Horizontal	Pass
2	5377.665	57.15	3.11	74.0	16.85	Peak	103.00	100	Horizontal	Pass
2**	5377.665	45.68	3.11	54.0	8.32	AV	103.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.650	55.91	3.09	74.0	18.09	Peak	173.00	200	Horizontal	Pass
1**	5124.650	44.60	3.09	54.0	9.40	AV	173.00	200	Horizontal	Pass
2	5150.000	54.17	2.86	74.0	19.83	Peak	51.00	100	Horizontal	Pass
2**	5150.000	44.67	2.86	54.0	9.33	AV	51.00	100	Horizontal	Pass


U-NII-1 11ax40(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.90	3.30	74.0	18.10	Peak	0.00	100	Horizontal	Pass
1**	5350.055	45.79	3.30	54.0	8.21	AV	0.00	100	Horizontal	Pass
2	5386.630	57.02	2.97	74.0	16.98	Peak	160.00	100	Horizontal	Pass
2**	5386.630	45.45	2.97	54.0	8.55	AV	160.00	100	Horizontal	Pass




U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.975	56.07	3.16	74.0	17.93	Peak	0.00	200	Horizontal	Pass
1**	5124.975	44.83	3.16	54.0	9.17	AV	0.00	200	Horizontal	Pass
2	5150.000	54.56	2.86	74.0	19.44	Peak	344.00	100	Horizontal	Pass
2**	5150.000	45.00	2.86	54.0	9.00	AV	344.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.43	3.30	74.0	17.57	Peak	64.00	200	Horizontal	Pass
1**	5350.055	45.80	3.30	54.0	8.20	AV	64.00	200	Horizontal	Pass
2	5375.465	57.39	2.87	74.0	16.61	Peak	40.00	150	Horizontal	Pass
2**	5375.465	45.64	2.87	54.0	8.36	AV	40.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.625	57.60	3.48	68.2	10.60	Peak	360.00	200	Horizontal	Pass
2	5650.000	55.34	3.72	68.2	12.86	Peak	10.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.60	3.42	68.3	13.70	Peak	360.00	150	Horizontal	Pass
2	5993.100	56.92	4.72	68.2	11.28	Peak	57.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.000	56.62	3.46	68.2	11.58	Peak	310.00	200	Horizontal	Pass
2	5650.000	56.38	3.72	68.2	11.82	Peak	37.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.28	3.42	68.3	13.02	Peak	264.00	150	Horizontal	Pass
2	5999.550	56.76	4.78	68.2	11.44	Peak	357.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.375	58.35	3.30	68.2	9.85	Peak	81.00	150	Horizontal	Pass
2	5650.000	55.16	3.72	68.2	13.04	Peak	305.00	100	Horizontal	Pass


U-NII-3 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.21	3.42	68.3	13.09	Peak	32.00	200	Horizontal	Pass
2	5926.650	58.05	3.58	68.2	10.15	Peak	60.00	150	Horizontal	Pass




U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.062	56.68	3.50	68.2	11.52	Peak	140.00	150	Horizontal	Pass
2	5650.000	55.60	3.72	68.2	12.60	Peak	155.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.42	3.42	68.3	13.88	Peak	78.00	200	Horizontal	Pass
2	5926.200	57.28	3.77	68.2	10.92	Peak	266.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.563	59.88	3.45	68.2	8.32	Peak	86.00	150	Horizontal	Pass
2	5650.000	57.86	3.72	68.2	10.34	Peak	290.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.71	3.42	68.3	13.59	Peak	94.00	100	Horizontal	Pass
2	5927.700	57.23	3.55	68.2	10.97	Peak	47.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.000	61.04	3.35	68.2	7.16	Peak	87.00	100	Horizontal	Pass
2	5650.000	59.08	3.72	68.2	9.12	Peak	91.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	60.40	3.42	68.3	7.90	Peak	296.00	100	Horizontal	Pass
2	5928.300	65.09	3.45	68.2	3.11	Peak	58.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.000	56.35	3.70	68.2	11.85	Peak	233.00	100	Horizontal	Pass
2	5650.000	54.33	3.72	68.2	13.87	Peak	10.00	200	Horizontal	Pass


U-NII-3 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.53	3.42	68.3	13.77	Peak	328.00	200	Horizontal	Pass
2	5941.575	56.78	3.46	68.2	11.42	Peak	83.00	150	Horizontal	Pass




U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.250	61.19	3.64	68.2	7.01	Peak	83.00	200	Horizontal	Pass
2	5650.000	58.66	3.72	68.2	9.54	Peak	117.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.83	3.42	68.3	13.47	Peak	72.00	100	Horizontal	Pass
2	5944.050	57.92	3.58	68.2	10.28	Peak	10.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.625	63.58	3.41	68.2	4.62	Peak	86.00	100	Horizontal	Pass
2	5650.000	60.96	3.72	68.2	7.24	Peak	94.00	150	Horizontal	Pass


U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	63.53	3.42	68.3	4.77	Peak	61.00	200	Horizontal	Pass
2	5938.875	63.33	3.62	68.2	4.87	Peak	264.00	100	Horizontal	Pass


**MIMO**

**U-NII-1 11n20 Low Channel**




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.050	55.73	2.84	74.0	18.27	Peak	88.00	100	Horizontal	Pass
1**	5096.050	44.40	2.84	54.0	9.60	AV	88.00	100	Horizontal	Pass
2	5150.000	53.98	2.86	74.0	20.02	Peak	85.00	100	Horizontal	Pass
2**	5150.000	44.68	2.86	54.0	9.32	AV	85.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.16	3.30	74.0	17.84	Peak	118.00	200	Horizontal	Pass
1**	5350.055	45.64	3.30	54.0	8.36	AV	118.00	200	Horizontal	Pass
2	5379.590	57.02	3.14	74.0	16.98	Peak	337.00	150	Horizontal	Pass
2**	5379.590	45.84	3.14	54.0	8.16	AV	337.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.100	55.76	3.11	74.0	18.24	Peak	276.00	100	Horizontal	Pass
1**	5133.100	44.62	3.11	54.0	9.38	AV	276.00	100	Horizontal	Pass
2	5150.000	54.49	2.86	74.0	19.51	Peak	264.00	100	Horizontal	Pass
2**	5150.000	44.61	2.86	54.0	9.39	AV	264.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.44	3.32	74.0	18.56	Peak	167.00	150	Horizontal	Pass
1**	5350.000	45.90	3.32	54.0	8.10	AV	167.00	150	Horizontal	Pass
2	5380.360	56.77	3.13	74.0	17.23	Peak	238.00	200	Horizontal	Pass
2**	5380.360	45.59	3.13	54.0	8.41	AV	238.00	200	Horizontal	Pass




U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5066.800	55.65	3.06	74.0	18.35	Peak	127.00	100	Horizontal	Pass
1**	5066.800	44.74	3.06	54.0	9.26	AV	127.00	100	Horizontal	Pass
2	5150.000	55.41	2.86	74.0	18.59	Peak	81.00	150	Horizontal	Pass
2**	5150.000	44.67	2.86	54.0	9.33	AV	81.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.86	3.30	74.0	18.14	Peak	271.00	200	Horizontal	Pass
1**	5350.055	45.76	3.30	54.0	8.24	AV	271.00	200	Horizontal	Pass
2	5350.990	56.96	3.20	74.0	17.04	Peak	264.00	150	Horizontal	Pass
2**	5350.990	45.61	3.20	54.0	8.39	AV	264.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.650	55.67	2.95	74.0	18.33	Peak	161.00	150	Horizontal	Pass
1**	5098.650	44.43	2.95	54.0	9.57	AV	161.00	150	Horizontal	Pass
2	5150.000	54.88	2.86	74.0	19.12	Peak	263.00	200	Horizontal	Pass
2**	5150.000	44.85	2.86	54.0	9.15	AV	263.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.11	3.30	74.0	18.89	Peak	15.00	200	Horizontal	Pass
1**	5350.055	45.59	3.30	54.0	8.41	AV	15.00	200	Horizontal	Pass
2	5368.095	57.39	2.71	74.0	16.61	Peak	11.00	200	Horizontal	Pass
2**	5368.095	45.32	2.71	54.0	8.68	AV	11.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	55.84	3.04	74.0	18.16	Peak	342.00	200	Horizontal	Pass
1**	5146.750	44.96	3.04	54.0	9.04	AV	342.00	200	Horizontal	Pass
2	5150.000	53.88	2.86	74.0	20.12	Peak	123.00	150	Horizontal	Pass
2**	5150.000	44.94	2.86	54.0	9.06	AV	123.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.49	3.30	74.0	18.51	Peak	96.00	200	Horizontal	Pass
1**	5350.055	45.84	3.30	54.0	8.16	AV	96.00	200	Horizontal	Pass
2	5371.285	57.19	2.70	74.0	16.81	Peak	307.00	150	Horizontal	Pass
2**	5371.285	45.51	2.70	54.0	8.49	AV	307.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.325	55.67	3.16	74.0	18.33	Peak	255.00	100	Horizontal	Pass
1**	5137.325	44.92	3.16	54.0	9.08	AV	255.00	100	Horizontal	Pass
2	5150.000	54.60	2.86	74.0	19.40	Peak	67.00	100	Horizontal	Pass
2**	5150.000	44.51	2.86	54.0	9.49	AV	67.00	100	Horizontal	Pass


U-NII-1 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.55	3.30	74.0	16.45	Peak	139.00	150	Horizontal	Pass
1**	5350.055	45.92	3.30	54.0	8.08	AV	139.00	150	Horizontal	Pass
2	5358.415	57.18	2.85	74.0	16.82	Peak	212.00	150	Horizontal	Pass
2**	5358.415	45.55	2.85	54.0	8.45	AV	212.00	150	Horizontal	Pass




U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5105.800	56.15	2.63	74.0	17.85	Peak	78.00	100	Horizontal	Pass
1**	5105.800	44.37	2.63	54.0	9.63	AV	78.00	100	Horizontal	Pass
2	5150.000	54.05	2.86	74.0	19.95	Peak	237.00	100	Horizontal	Pass
2**	5150.000	44.70	2.86	54.0	9.30	AV	237.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.93	3.32	74.0	18.07	Peak	99.00	150	Horizontal	Pass
1**	5350.000	46.11	3.32	54.0	7.89	AV	99.00	150	Horizontal	Pass
2	5350.990	57.68	3.20	74.0	16.32	Peak	346.00	150	Horizontal	Pass
2**	5350.990	45.69	3.20	54.0	8.31	AV	346.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.300	56.58	2.85	74.0	17.42	Peak	303.00	200	Horizontal	Pass
1**	5138.300	44.74	2.85	54.0	9.26	AV	303.00	200	Horizontal	Pass
2	5150.000	54.60	2.86	74.0	19.40	Peak	261.00	150	Horizontal	Pass
2**	5150.000	45.01	2.86	54.0	8.99	AV	261.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.56	3.32	74.0	17.44	Peak	324.00	100	Horizontal	Pass
1**	5350.000	45.73	3.32	54.0	8.27	AV	324.00	100	Horizontal	Pass
2	5377.500	56.87	3.11	74.0	17.13	Peak	264.00	200	Horizontal	Pass
2**	5377.500	45.81	3.11	54.0	8.19	AV	264.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.875	56.23	3.46	68.2	11.97	Peak	181.00	100	Horizontal	Pass
2	5650.000	54.79	3.72	68.2	13.41	Peak	293.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.47	3.42	68.3	13.83	Peak	217.00	100	Horizontal	Pass
2	5995.200	57.06	4.71	68.2	11.14	Peak	96.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.375	56.81	3.60	68.2	11.39	Peak	1.00	200	Horizontal	Pass
2	5650.000	55.11	3.72	68.2	13.09	Peak	238.00	100	Horizontal	Pass


U-NII-3 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.69	3.42	68.3	13.61	Peak	69.00	200	Horizontal	Pass
2	5939.850	57.85	3.65	68.2	10.35	Peak	150.00	150	Horizontal	Pass




U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.750	56.61	3.26	68.2	11.59	Peak	294.00	200	Horizontal	Pass
2	5650.000	55.27	3.72	68.2	12.93	Peak	122.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.37	3.42	68.3	12.93	Peak	73.00	200	Horizontal	Pass
2	5932.800	57.04	3.69	68.2	11.16	Peak	56.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.250	56.49	3.31	68.2	11.71	Peak	11.00	150	Horizontal	Pass
2	5650.000	55.27	3.72	68.2	12.93	Peak	76.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.30	3.42	68.3	13.00	Peak	125.00	200	Horizontal	Pass
2	5994.525	57.94	4.70	68.2	10.26	Peak	274.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.063	65.07	3.51	68.2	3.13	Peak	295.00	150	Horizontal	Pass
2	5650.000	62.03	3.72	68.2	6.17	Peak	295.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.53	3.42	68.3	9.77	Peak	291.00	200	Horizontal	Pass
2	5932.650	63.68	3.66	68.2	4.52	Peak	330.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.438	56.81	3.83	68.2	11.39	Peak	181.00	150	Horizontal	Pass
2	5650.000	55.07	3.72	68.2	13.13	Peak	327.00	100	Horizontal	Pass


U-NII-3 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.79	3.42	68.3	13.51	Peak	42.00	100	Horizontal	Pass
2	5934.600	57.27	3.45	68.2	10.93	Peak	278.00	100	Horizontal	Pass




U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.625	57.11	3.41	68.2	11.09	Peak	303.00	100	Horizontal	Pass
2	5650.000	54.77	3.72	68.2	13.43	Peak	233.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.59	3.42	68.3	12.71	Peak	0.00	100	Horizontal	Pass
2	5980.500	57.26	4.19	68.2	10.94	Peak	157.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.687	64.96	3.32	68.2	3.04	Peak	295.00	100	Horizontal	Pass
2	5650.000	61.96	3.72	68.2	6.24	Peak	93.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.87	3.42	68.3	10.43	Peak	289.00	200	Horizontal	Pass
2	5927.325	64.83	3.61	68.2	3.37	Peak	264.00	150	Horizontal	Pass


## ANNEX A TEST SETUP PHOTOS

### 1 Radiated Test Photo

Below 30MHz




30MHz-1GHz




Close-up



Above 1GHz



Close-up



## 2 Conducted Test Photo

Conducted Test




### 3 Conducted Emissions

Test Photo 1



Test Photo 2






## ANNEX B EUT EXTERNAL PHOTOS


FRONT VIEW OF EUT




REAR VIEW OF EUT




LEFT VIEW OF EUT



RIGHT VIEW OF EUT




TOP VIEW OF EUT



BOTTOM VIEW OF EUT



CLOSE-UP




Accessory-USB Cable




# ANNEX C EUT INTERNAL PHOTOS


EUT UNCOVER VIEW 1




MAIN BOARD TOP VIEW



MAIN BOARD REAR VIEW



ANTENNA



## Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--