


裁切线 辅助线
 压痕线 牙刀
 V槽线 画线
 半穿刀

■ 外表面视图 □ 内表面视图

版本	变更描述	变更日期	结构	平面
A01	初始发行	2021.8.10	无	何艳芳
A02	增加Telec认证	2021.8.16	无	何艳芳
A03	更改产品名称，删除通透模式	2021.8.18	无	何艳芳




UGREEN


HiTune X6
Hybrid Active Noise-Cancelling Earbuds

Model: WS118 P/N: 90242


01 - Fully Charge Before First Use




02 - Wear and Adjust




03 - Bluetooth Connection




04 - Fix Bluetooth Pairing or Connection Problems




05 - Music Control




06 - Answer/End a Call




07 - Noise-Cancellation Control



08 - Voice Assistant



09 - EQ Switch



Specifications

Product Name	HiTune X6 Hybrid Active Noise-Cancelling Earbuds
Model	WS118
Bluetooth Version	Bluetooth 5.1
Bluetooth Profiles	HSP, HFP, AVRCP, A2DP
Bluetooth Frequency	2400MHz-2483.5MHz
Bluetooth Range	10 m (32.8 ft)
Codecs	AAC, SBC
Frequency Response	20 Hz-20kHz
Charging Case Battery	Li-Po
Charging Case Input	5V = 400mA
Charging Case Output	5V = 100mA
Charging Port	USB-C
Charge Earbuds	1.5 hrs
Charge Charging Case	2 hrs
Operating Time	6 hours of music playback with single charging 26 hours of music playback with charging case

* Statistics regarding the earbud battery life are supplied by UGREEN lab, tested at 80% volume in SBC Codec.

Important WEEE Information

This symbol on the product(s) and / or accompanying documents indicates that, under the new Directive 2012/19/EU on waste electrical and electronic equipment (WEEE), product(s) used electrical and electronic equipment (WEEE) should not be mixed with general household waste. For proper treatment, recovery and recycling, please take this product(s) to designated collection points where it will be accepted free of charge.

Disposing of this product correctly will help save valuable resources and prevent any potential negative effects on human health and the environment, which could otherwise arise from inappropriate waste handling.

Please contact your local authority for further details of your nearest designated collection point.

Penalties may be applicable for incorrect disposal of this waste, in accordance with your national legislation.

For professional users in the European Union
If you wish to discard electrical and electronic equipment (EEE), please contact your dealer or supplier for further information.

For disposal in countries outside of the European Union
This symbol is only valid in the European Union (EU). If you wish to discard this product please contact your local authorities or dealer and ask for the correct method of disposal.

Warranty Information
A limited 2-year warranty applies to all UGREEN products purchased from UGREEN official store or authorized sellers. Please feel free to contact us if you run into any problems.

FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference; and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If the equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Plug the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device(s) be used in portable exposure condition without restriction.

IC

EN

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference; (2) this device must accept any interference, including interference that may cause undesired operation of the device.

FR

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage; et
 (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

L'appareil a été évalué pour répondre aux exigences générales d'exposition aux RF. L'appareil peut être utilisé dans des conditions d'exposition portable sans restriction.

FCC ID: 2AQ15-WS118
 IC: 26850-WS118
 CAN ICES-003(B) / NMB-003(B)

217-210287

备注:

1. 材质: 80G哑粉纸
2. 印刷颜色: 四色印刷+一专 PANTONE356C
3. 成型方式: 风琴折
4. 成型尺寸: 65x90mm
5. 展开尺寸: 390x90mm
6. 尺寸公差: ±1mm
7. 印刷偏位: ≤0.5mm
8. 符合ROHS标准

SELECT	TOL.		V		EPS	EPE	EPP	BAG	CTN	LABEL	SCALE 1:1	UGREEN 绿联 深圳市绿联科技有限公司			
0~6	0.05	0.05	0.10							0.20	SHEET 1/1	物料名称: WS118 90242说明书			
6~30	0.10	0.15	0.20	0.50	0.50	0.50	3.00			0.20	UNIT mm	产品名称	料号	项目工程师	核准
30~120	0.15	0.20	0.30	0.50	0.50	0.50	5.00	1.00	0.30			HiTune X6 真无线蓝牙耳机	0104.0203.BB.90242.00	周远	曾李同
120~300	0.20	0.30	0.40	1.00	1.00	1.00	10.00	1.00	0.30						
300~450	0.25	0.40	0.50	2.00	2.00	2.00	15.00	2.00	0.50						
450~600	0.30	0.50	0.60	3.00	3.00	3.00	20.00	3.00	0.80						
DRAFT TOLERANCE			± 0.20*		CRITICAL DIM. MARK				*						