

Videndum Media Solutions Spa

Product Manual

Product Name: Magnetic Wireless Charger

Product Model: JB01811-BWW

1.Read this manual;

2.Pay attention to all warnings;

3.Do not use this product in wet and direct sunlight;

4.Do not use near any heat source, such as radiators, compressors, etc.;

5.Non-professionals do not open the shell, to prevent electric shock;

6.The maximum ambient temperature of this product is 35°C;

7.This product is suitable for elevation 2000m

8.Rated electrical parameters:

Input: DC 5V/2.4A,9V/2A, 12V1.5A

Output: Maximum output power 15W

9. Do not throw this electronic device into the trash when discarding. To minimize pollution and ensure utmost protection of the global



environment, please recycle it: 



This unit is for indoor use only:

Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The distance between user and products should be no less than 20cm

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.