






Report Number Test Site :SAC 3 :TERF2209001659ER

**Operation Mode** :CAT-M1 B4 **Test Date** :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

**EUT Pol** :H Plane Antenna Pol. :Vertical

**Test Frequency** :1753.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63.950	-69.77	-61.27	-7.71	-0.79	-13.00	-56.77
101.780	-81.13	-71.77	-8.33	-1.03	-13.00	-68.13
156.100	-76.00	-70.53	-4.24	-1.23	-13.00	-63.00
213.330	-81.58	-78.96	-1.11	-1.50	-13.00	-68.58
321.970	-82.09	-79.14	-1.21	-1.75	-13.00	-69.09
605.210	-72.79	-69.46	-0.69	-2.64	-13.00	-59.79
3507.000	-43.99	-50.15	12.57	-6.41	-13.00	-30.99
5260.500	-52.29	-57.31	13.12	-8.10	-13.00	-39.29
7014.000	-45.97	-47.49	10.97	-9.45	-13.00	-32.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:SAC 3

Page: 97 of 127



Report Number

**Test Site** 


**Operation Mode** :CAT-M1 B4 **Test Date** :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

:TERF2209001659ER

**EUT Pol** :H Plane Antenna Pol. :Horizontal

**Test Frequency** :1753.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-75.30	-67.14	-7.35	-0.81	-13.00	-62.30
94.020	-83.06	-74.30	-7.77	-1.00	-13.00	-70.06
155.130	-71.09	-65.56	-4.31	-1.22	-13.00	-58.09
291.900	-83.83	-80.59	-1.46	-1.78	-13.00	-70.83
450.010	-81.47	-78.18	-1.06	-2.23	-13.00	-68.47
605.210	-75.93	-72.60	-0.69	-2.64	-13.00	-62.93
3507.000	-39.72	-45.88	12.57	-6.41	-13.00	-26.72
5260.500	-31.63	-36.65	13.12	-8.10	-13.00	-18.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 98 of 127




Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B5 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Vertical

Test Frequency :825.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63.950	-69.11	-60.61	-7.71	-0.79	-13.00	-56.11
103.720	-81.52	-72.20	-8.28	-1.04	-13.00	-68.52
156.100	-76.42	-70.96	-4.24	-1.23	-13.00	-63.42
212.360	-80.84	-78.14	-1.19	-1.50	-13.00	-67.84
572.230	-76.47	-72.98	-0.78	-2.71	-13.00	-63.47
605.210	-72.52	-69.19	-0.69	-2.64	-13.00	-59.52
1651.000	-34.36	-39.89	9.90	-4.37	-13.00	-21.36
2476.500	-33.18	-38.37	10.61	-5.41	-13.00	-20.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ltd.
 No.134,Wu Kung Ro

 台灣檢驗科技股份有限公司
 t (886-2) 2299-3279





Page: 99 of 127


Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B5 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :825.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
47.460	-77.51	-62.81	-14.02	-0.69	-13.00	-64.51
94.990	-83.54	-74.67	-7.87	-1.00	-13.00	-70.54
158.040	-71.42	-66.13	-4.05	-1.25	-13.00	-58.42
289.960	-84.65	-81.40	-1.48	-1.77	-13.00	-71.65
467.470	-82.03	-78.62	-1.03	-2.37	-13.00	-69.03
605.210	-76.58	-73.25	-0.69	-2.64	-13.00	-63.58
1651.000	-28.81	-34.34	9.90	-4.37	-13.00	-15.81
2476.500	-55.34	-60.53	10.61	-5.41	-13.00	-42.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Page: 100 of 127


Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B5 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Vertical

Test Frequency :836.5 MHz Engineer :Nick Lin



le Limit Margin
ss
dBm dB
-13.00 -57.03
.3 -13.00 -63.18
-13.00 -68.32
55 -13.00 -68.84
-13.00 -64.86
·4 -13.00 -60.71
-13.00 -19.96
-13.00 -29.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 101 of 127




Report Number Test Site :SAC 3 :TERF2209001659ER

**Operation Mode** :CAT-M1 B5 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

**EUT Pol** :H Plane Antenna Pol. :Horizontal

:836.5 MHz **Test Frequency** Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
00.050	<b>=</b> 0.40				40.00	22.42
63.950	-76.40	-67.90	-7.71	-0.79	-13.00	-63.40
93.050	-83.56	-74.91	-7.66	-0.99	-13.00	-70.56
157.070	-75.49	-70.24	-4.01	-1.24	-13.00	-62.49
213.330	-84.14	-81.53	-1.11	-1.50	-13.00	-71.14
293.840	-85.76	-82.52	-1.44	-1.80	-13.00	-72.76
605.210	-78.46	-75.13	-0.69	-2.64	-13.00	-65.46
1673.000	-27.88	-33.43	9.95	-4.40	-13.00	-14.88
2509.500	-43.03	-48.31	10.74	-5.46	-13.00	-30.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 102 of 127




Report Number Test Site :SAC 3 :TERF2209001659ER

**Operation Mode** :CAT-M1 B5 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

**EUT Pol** :H Plane Antenna Pol. :Vertical :847.5 MHz **Test Frequency** Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
00.050		04.00			40.00	
63.950	-69.79	-61.30	-7.71	-0.79	-13.00	-56.79
90.140	-81.62	-73.39	-7.24	-0.98	-13.00	-68.62
151.250	-76.22	-70.31	-4.73	-1.17	-13.00	-63.22
188.110	-79.58	-76.70	-1.44	-1.44	-13.00	-66.58
239.520	-82.55	-79.10	-1.80	-1.64	-13.00	-69.55
605.210	-73.61	-70.28	-0.69	-2.64	-13.00	-60.61
1695.000	-29.55	-35.11	9.99	-4.43	-13.00	-16.55
2542.500	-32.50	-37.89	10.87	-5.48	-13.00	-19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 103 of 127




Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B5 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :847.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
0.4.000	75.05	07.00	7.40	0.00	40.00	00.05
64.920	-75.65	-67.36	-7.49	-0.80	-13.00	-62.65
94.990	-84.09	-75.22	-7.87	-1.00	-13.00	-71.09
148.340	-71.58	-65.36	-5.03	-1.19	-13.00	-58.58
210.420	-83.49	-80.64	-1.35	-1.50	-13.00	-70.49
529.550	-80.57	-77.66	-0.84	-2.07	-13.00	-67.57
605.210	-76.84	-73.52	-0.69	-2.64	-13.00	-63.84
1695.000	-25.98	-31.54	9.99	-4.43	-13.00	-12.98
2542.500	-55.00	-60.39	10.87	-5.48	-13.00	-42.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No



Page: 104 of 127




Report Number Test Site :SAC 3 :TERF2209001659ER

**Operation Mode** :CAT-M1 B12 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

**EUT Pol** :H Plane Antenna Pol. :Vertical

:700.5 MHz **Test Frequency** Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
64.920	-69.57	-61.28	-7.49	-0.80	-13.00	-56.57
103.720	-79.79	-70.47	-8.28	-1.04	-13.00	-66.79
141.550	-71.74	-64.73	-5.71	-1.30	-13.00	-58.74
165.800	-77.24	-72.74	-3.22	-1.29	-13.00	-64.24
211.390	-81.12	-78.35	-1.27	-1.50	-13.00	-68.12
605.210	-73.45	-70.12	-0.69	-2.64	-13.00	-60.45
1401.000	-34.18	-38.07	7.91	-4.02	-13.00	-21.18
2101.500	-39.85	-44.84	9.88	-4.89	-13.00	-26.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 105 of 127




Report Number Test Site :SAC 3 :TERF2209001659ER

**Operation Mode** :CAT-M1 B12 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

Antenna Pol. **EUT Pol** :H Plane :Horizontal

:700.5 MHz **Test Frequency** Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
64.920	-75.59	-67.30	-7.49	-0.80	-13.00	-62.59
92.080	-83.75	-75.30	-7.47	-0.99	-13.00	-70.75
156.100	-72.09	-66.62	-4.24	-1.23	-13.00	-59.09
206.540	-82.90	-79.88	-1.53	-1.49	-13.00	-69.90
385.020	-82.73	-79.46	-1.22	-2.06	-13.00	-69.73
605.210	-76.18	-72.85	-0.69	-2.64	-13.00	-63.18
1401.000	-29.14	-33.03	7.91	-4.02	-13.00	-16.14
2101.500	-47.05	-52.04	9.88	-4.89	-13.00	-34.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 106 of 127




Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B12 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Vertical

Test Frequency :707.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63.950	-69.97	-61.47	-7.71	-0.79	-13.00	-56.97
103.720	-80.08	-70.76	-8.28	-1.04	-13.00	-67.08
156.100	-75.73	-70.27	-4.24	-1.23	-13.00	-62.73
212.360	-81.61	-78.91	-1.19	-1.50	-13.00	-68.61
537.310	-78.18	-74.90	-1.01	-2.27	-13.00	-65.18
605.210	-73.55	-70.22	-0.69	-2.64	-13.00	-60.55
1415.000	-33.85	-37.81	7.99	-4.03	-13.00	-20.85
2122.500	-40.29	-45.03	9.67	-4.93	-13.00	-27.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 107 of 127




Report Number Test Site :SAC 3 :TERF2209001659ER

**Operation Mode** :CAT-M1 B12 **Test Date** :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

**EUT Pol** :H Plane Antenna Pol. :Horizontal

**Test Frequency** :707.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
64.920	-75.46	-67.17	-7.49	-0.80	-13.00	-62.46
94.020	-82.35	-73.59	-7.77	-1.00	-13.00	-69.35
155.130	-72.35	-66.82	-4.31	-1.22	-13.00	-59.35
212.360	-82.28	-79.58	-1.19	-1.50	-13.00	-69.28
399.570	-82.06	-78.29	-1.58	-2.19	-13.00	-69.06
605.210	-76.52	-73.20	-0.69	-2.64	-13.00	-63.52
1415.000	-29.91	-33.87	7.99	-4.03	-13.00	-16.91
2122.500	-49.28	-54.02	9.67	-4.93	-13.00	-36.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 108 of 127




Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B12 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :714.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
64.920	-70.26	-61.97	-7.49	-0.80	-13.00	-57.26
103.720	-80.07	-70.75	-8.28	-1.04	-13.00	-67.07
156.100	-76.00	-70.53	-4.24	-1.23	-13.00	-63.00
211.390	-80.64	-77.87	-1.27	-1.50	-13.00	-67.64
530.520	-78.08	-75.15	-0.85	-2.08	-13.00	-65.08
605.210	-73.65	-70.33	-0.69	-2.64	-13.00	-60.65
1429.000	-37.69	-41.71	8.08	-4.05	-13.00	-24.69
2143.500	-34.58	-39.08	9.46	-4.97	-13.00	-21.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No





Page: 109 of 127


Report Number :TERF2209001659ER Test Site :SAC 3

Operation Mode :CAT-M1 B12 Test Date :2022-09-19

Test Mode :Tx Temp./Humi. :24.6/67

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :714.5 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63.950	-75.20	-66.70	-7.71	-0.79	-13.00	-62.20
92.080	-83.28	-74.83	-7.47	-0.99	-13.00	-70.28
156.100	-71.55	-66.09	-4.24	-1.23	-13.00	-58.55
207.510	-83.28	-80.30	-1.49	-1.49	-13.00	-70.28
449.040	-81.20	-77.87	-1.10	-2.24	-13.00	-68.20
605.210	-77.16	-73.84	-0.69	-2.64	-13.00	-64.16
1429.000	-32.40	-36.42	8.08	-4.05	-13.00	-19.40
2143.500	-50.78	-55.28	9.46	-4.97	-13.00	-37.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 110 of 127


# 11 FREQUENCY STABILITY MEASUREMENT

## **Standard Applicable**

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

#### 11.2 **Test Set-up**





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

#### 11.3 **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.sqs.com.tw

SGS Taiwan Ltd.



Page: 111 of 127



## **Measurement Result**

Note: The battery is rated 3.6V dc.

#### 11.4.1 Cat M1

Reference Freq.:		M1 B2 Mid nannel	1880.0000	MHz 10M QPSK CH 18900		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
	Fre	eq. ERROR vs. V	DLTAGE			
4.14	25	1879.999995	-0.0028			
3.6	25	1880.000004	0.0019			
3.06	25	1879.999998	-0.0012	+/- 2.5 ppm		
2.5 (End Point)	25	1880.000006	0.0031	, =10 <b>FF</b>		
	ı	req. ERROR vs.	Temp.			
3.6	-30	1880.000008	0.0041			
3.6	-20	1879.999991	-0.0046			
3.6	-10	1880.000002	0.0009			
3.6	0	1879.999992	-0.0042			
3.6	10	1879.999990	-0.0051	+/- 2.5 ppm		
3.6	20	1880.000005	0.0028			
3.6	30	1879.999996	-0.0022			
3.6	40	1879.999995	-0.0024			
3.6	50	1880.000001	0.0006			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



SGS

Page: 112 of 127

Reference Freq.:	_	M1 B4 Mid hannel	1732.5000	MHz 10M QPSK CH 20175			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit			
	Fre	eq. ERROR vs. V	LTAGE	-			
4.14	25	1732.500007	0.0038				
3.6	25	1732.499996	-0.0023				
3.06	25	1732.499991	-0.0054	+/- 2.5 ppm			
2.5 (End Point)	25	1732.499995	-0.0027				
·	F	req. ERROR vs.	Гетр.				
3.6	-30	1732.499993	-0.0040				
3.6	-20	1732.500001	0.0007				
3.6	-10	1732.499993	-0.0040				
3.6	0	1732.499990	-0.0056				
3.6	10	1732.499998	-0.0012	+/- 2.5 ppm			
3.6	20	1732.500004	0.0025				
3.6	30	1732.499992	-0.0046				
3.6	40	1732.499996	-0.0023	1			
3.6	50	1732.499993	-0.0039				
Reference Freq.:		M1 B5 Mid hannel	836.5000	MHz 10M QPSK CH 20525			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit			
		eq. ERROR vs. Vo	DLTAGE				
4.14	25	836.500009	0.0103				
3.6	25	836.499995	-0.0065				
3.06	25	836.500003	0.0039	+/- 2.5 ppm			
2.5 (End Point)	25	836.499992	-0.0097				
	<u> </u>	req. ERROR vs.	Temp.				
3.6	-30	836.500002	0.0029				
3.6	-20	836.500002	0.0028				
3.6	-10	836.499990	-0.0116				
3.6	0	836.499993	-0.0081				
3.6	10	836.499996	-0.0049	+/- 2.5 ppm			
3.6	20	836.499998	-0.0022				
3.6	30	836.499992	-0.0095				
3.6	40	836.500010	0.0119				
3.6	50	836.500004	0.0049				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



SGS

Page: 113 of 127

Reference Freq.:	_	11 B12 Mid nannel	707.5000	MHz 10M QPSK CH 23095			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit			
	Fre	eq. ERROR vs. V	OLTAGE				
4.14	25	707.499996	-0.0057				
3.6	25	707.499999	-0.0007				
3.06	25	707.500008	0.0109	+/- 2.5 ppm			
2.5 (End Point)	25	707.499990	-0.0139	- 7 7 7			
	F	req. ERROR vs.	Temp.				
3.6	-30	707.499999	-0.0009				
3.6	-20	707.499995	-0.0077				
3.6	-10	707.500006	0.0082				
3.6	0	707.500003	0.0036				
3.6	10	707.499990	-0.0141	+/- 2.5 ppm			
3.6	20	707.500003	0.0041				
3.6	30	707.499997	-0.0037				
3.6	40	707.500004	0.0059				
3.6	50	707.499993	-0.0100				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 114 of 127

12 PEAK TO AVERAGE RATIO

## **Standard Applicable**

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

#### 12.2 Test SET-UP



### 12.3 Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 115 of 127



## **Measurement Result**

#### 12.4.1 Cat M1

	CAT-M1 BAND 2									
Channel bandwidth: 1.4MHz				Cha	annel band	width: 3MH	Ηz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)				
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1850.7	18607	6.32	13	1851.5	18615	6.29	13			
1880.0	18900	8.00	13	1880.0	18900	5.08	13			
1909.3	19193	7.25	13	1908.5	19185	6.74	13			

CAT-M1 BAND 2										
Channel bandwidth: 5MHz				Cha	nnel band	width: 10M	Hz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1852.5	18625	7.11	13	1855.0	18650	6.10	13			
1880.0	18900	6.55	13	1880.0	18900	6.39	13			
1907.5	19175	10.04	13	1905.0	19150	6.58	13			

	CAT-M1 BAND 2									
Cha	Channel bandwidth: 15MHz				nnel band	width: 20M	Hz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1857.5	18675	5.86	13	1860.0	18700	5.79	13			
1880.0	18900	6.03	13	1880.0	18900	5.97	13			
1902.5	19125	6.10	13	1900.0	19100	6.05	13			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 116 of 127



	CAT-M1 BAND 4									
Chai	Channel bandwidth: 1.4MHz				annel band	width: 3MF	-lz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1710.7	19957	6.39	13	1711.5	19965	6.13	13			
1732.5	20175	6.32	13	1732.5	20175	6.09	13			
1754.3	20393	6.97	13	1753.5	20385	6.82	13			

	CAT-M1 BAND 4									
Channel bandwidth: 5MHz				Cha	nnel band	width: 10M	Hz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1712.5	19975	5.94	13	1715.0	20000	6.04	13			
1732.5	20175	5.93	13	1732.5	20175	6.00	13			
1752.5	20375	7.52	13	1750.0	20350	6.25	13			

	CAT-M1 BAND 4									
Cha	Channel bandwidth: 15MHz				nnel band	width: 20M	Hz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1717.5	20025	7.56	13	1720.0	20050	5.72	13			
1732.5	20175	7.47	13	1732.5	20175	5.67	13			
1747.5	20325	7.52	13	1745.0	20300	5.66	13			

	CAT-M1 BAND 5									
Chai	Channel bandwidth: 1.4MHz				annel band	width: 3MH	Ηz			
Freq.	СН	PAPR	APR (dB) Freq.		PAPR	(dB)				
(MHz)	СП	16QAM	Limit	(MHz)	CH	16QAM	Limit			
824.7	20407	6.15	13	825.5	20415	5.95	13			
836.5	20525	6.20	13	836.5	20525	6.06	13			
848.3	20643	6.31	13	847.5	20635	6.14	13			

CAT-M1 BAND 5								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)		
(MHz)		16QAM	Limit	(MHz)	СП	16QAM	Limit	
826.5	20425	5.96	13	829.0	20450	5.85	13	
836.5	20525	6.06	13	836.5	20525	5.91	13	
846.5	20625	7.83	13	844.0	20600	5.99	13	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 117 of 127

CAT-M1 BAND 12									
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)		16QAM	Limit	(MHz)		16QAM	Limit		
699.7	23017	6.79	13	700.5	23025	6.09	13		
707.5	23095	7.16	13	707.5	23095	6.74	13		
715.3	23173	6.83	13	714.5	23165	7.40	13		

CAT-M1 BAND 12								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)		
(MHz)		16QAM	Limit	(MHz)		16QAM	Limit	
701.5	23035	7.36	13	704.0	23060	5.89	13	
707.5	23095	7.56	13	707.5	23095	5.87	13	
713.5	23155	6.01	13	711.0	23130	5.84	13	

Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


f (886-2) 2298-0488




Page: 118 of 127




Band12\_1.4MHz\_16QAM\_RB6\_0\_CH23017




Band12\_1.4MHz\_16QAM\_RB6\_0\_CH23095




Band12 1.4MHz 16QAM RB6 0 CH23173




Band12 10MHz 16QAM RB6 0 CH23060



Band12\_10MHz\_16QAM\_RB6\_0\_CH23095



Band12 10MHz 16QAM RB6 0 CH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 119 of 127




Band12 3MHz 16QAM RB6 0 CH23025




Band12\_3MHz\_16QAM\_RB6\_0\_CH23095




Band12 3MHz 16QAM RB6 0 CH23165




Band12 5MHz 16QAM RB6 0 CH23035



Band12\_5MHz\_16QAM\_RB6\_0\_CH23095



Band12\_5MHz\_16QAM\_RB6\_0\_CH23155



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 120 of 127




Band2 1.4MHz 16QAM RB6 0 CH18607




Band2\_1.4MHz\_16QAM\_RB6\_0\_CH18900




Band2 1.4MHz 16QAM RB6 0 CH19193




Band2\_10MHz\_16QAM\_RB6\_0\_CH18650



Band2 10MHz 16QAM RB6 0 CH18900



Band2 10MHz 16QAM RB6 0 CH19150



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.




Page: 121 of 127








Band2\_15MHz\_16QAM\_RB6\_0\_CH18900




Band2 15MHz 16QAM RB6 0 CH19125



Band2 20MHz 16QAM RB6 0 CH18700



Band2\_20MHz\_16QAM\_RB6\_0\_CH18900



Band2\_20MHz\_16QAM\_RB6\_0\_CH19100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 122 of 127




Band2 3MHz 16QAM RB6 0 CH18615



Band2\_3MHz\_16QAM\_RB6\_0\_CH18900




Band2\_3MHz\_16QAM\_RB6\_0\_CH19185




Band2 5MHz 16QAM RB6 0 CH18625



Band2\_5MHz\_16QAM\_RB6\_0\_CH18900



Band2\_5MHz\_16QAM\_RB6\_0\_CH19175



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 123 of 127








Band4\_1.4MHz\_16QAM\_RB6\_0\_CH20175




Band4 1.4MHz 16QAM RB6 0 CH20393



Band4\_10MHz\_16QAM\_RB6\_0\_CH20000



Band4\_10MHz\_16QAM\_RB6\_0\_CH20175



Band4\_10MHz\_16QAM\_RB6\_0\_CH20350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 124 of 127









## Band4\_15MHz\_16QAM\_RB6\_0\_CH20175




Band4 15MHz 16QAM RB6 0 CH20325




Band4 20MHz 16QAM RB6 0 CH20050



Band4\_20MHz\_16QAM\_RB6\_0\_CH20175



Band4 20MHz 16QAM RB6 0 CH20300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 125 of 127









Band4 3MHz 16QAM RB6 0 CH20175




Band4 3MHz 16QAM RB6 0 CH20385




Band4 5MHz 16QAM RB6 0 CH19975



Band4 5MHz 16QAM RB6 0 CH20175



Band4 5MHz 16QAM RB6 0 CH20375



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 126 of 127




Band5 1.4MHz 16QAM RB6 0 CH20407









Band5 1.4MHz 16QAM RB6 0 CH20643




Band5\_10MHz\_16QAM\_RB6\_0\_CH20450



Band5 10MHz 16QAM RB6 0 CH20525



Band5 10MHz 16QAM RB6 0 CH20600



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 127 of 127









Band5\_3MHz\_16QAM\_RB6\_0\_CH20525




Band5\_3MHz\_16QAM\_RB6\_0\_CH20635




Band5 5MHz 16QAM RB6 0 CH20425



Band5\_5MHz\_16QAM\_RB6\_0\_CH20525



Band5\_5MHz\_16QAM\_RB6\_0\_CH20625



# ~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.