

# **CC-Antenna-DK2 and Antenna Measurements Summary**

Richard Wallace

## **ABSTRACT**

The purpose of the antenna development kit (CC-Antenna-DK2) is to ease the decision of which type of low-cost antenna can be implemented as well as give an estimation of the performance that can be achieved.

## **Contents**

|            |                                |    |
|------------|--------------------------------|----|
| 1          | Introduction.....              | 13 |
| 2          | CC-Antenna-DK2.....            | 13 |
| 3          | Conclusion .....               | 51 |
| 4          | References .....               | 52 |
| Appendix A | CTIA Measurement Reports ..... | 53 |

## **List of Figures**

|    |                                                                                    |    |
|----|------------------------------------------------------------------------------------|----|
| 1  | CC-Antenna-DK2 Panel .....                                                         | 14 |
| 2  | CC-Antenna-DK2 Board Showing Metal Layers, Solder Paste, Silkscreen and v-Cut..... | 14 |
| 3  | Top Metal Layer and Contour .....                                                  | 15 |
| 4  | Bottom Metal Layer and Contour .....                                               | 15 |
| 5  | JSC-JS Cable (MXJA01JA1200) Provided With the CC-Antenna-DK2 .....                 | 15 |
| 6  | JSC-SMA Low-Cost Cable Provided With the CC-Antenna-DK2 .....                      | 16 |
| 7  | Insertion Loss of MXFR01JA3000 Low-Cost Cable .....                                | 16 |
| 8  | CC-Antenna-DK2 Board #9 Connected to a CC1350 SensorTag Rev 1.3.x.....             | 16 |
| 9  | Connecting to a Launchpad .....                                                    | 16 |
| 10 | Board #1 – CR2032 Dual-Band 868 MHz and 2.4 GHz PCB Antenna .....                  | 17 |
| 11 | Impedance Measurement With No Matching Components.....                             | 18 |
| 12 | SWR Measurements of Board #1 - Single-Band Configuration 2.4 GHz .....             | 19 |
| 13 | SWR Measurements of Board #1 - Dual-Band Configuration 868 MHz and 2.4 GHz .....   | 20 |
| 14 | Board #2 – Compact 2.4 GHz PCB Antenna.....                                        | 21 |
| 15 | Impedance and SWR Measurement With No Matching Components .....                    | 21 |
| 16 | Board #3 - Fractus Dual-Band 868 MHz and 2.4 GHz Chip Antenna.....                 | 22 |
| 17 | SWR Measurements of Board #3.....                                                  | 23 |
| 18 | Board #4: 433-510 MHz PCB Antenna.....                                             | 24 |
| 19 | Impedance Measurement With No Matching Components.....                             | 24 |
| 20 | SWR Measurements of Board #4 - Single-Band Configuration 433 MHz .....             | 25 |
| 21 | SWR Measurements of Board #4 - Single-Band Configuration 470-510 MHz.....          | 26 |
| 22 | Board #5: 2.4 GHz Antenna Diversity .....                                          | 27 |
| 23 | Impedance Measurement With No Matching Components.....                             | 27 |
| 24 | 5A - SWR Measurements .....                                                        | 27 |
| 25 | Impedance Measurement With No Matching Components.....                             | 28 |
| 26 | 5B - SWR Measurements .....                                                        | 28 |
| 27 | Board #6: Compact PCB Antenna .....                                                | 29 |

All trademarks are the property of their respective owners.

## 2.1.2 Board #2: Compact 2.4 GHz PCB Antenna



Figure 14. Board #2 – Compact 2.4 GHz PCB Antenna

Table 6. PCB Size and BOM for Board #2

| Size                 | Width (mm)  | Height (mm) |
|----------------------|-------------|-------------|
| PCB Board            | 35          | 44          |
| GND                  | 26          | 34          |
| Reference Designator | Part Number | Value       |
| Z6                   | RK73Z1ETTP  | 0 $\Omega$  |
| Z7                   | DNM         | —           |




Figure 15. Impedance and SWR Measurement With No Matching Components

## A.2 Board #2: Compact 2.4 GHz PCB Antenna

### A.2.1 2.40 GHz

**Table 64. Board #2: OTA Evaluation Results (2.40 GHz)**

| Test Description     | Test Result                               |
|----------------------|-------------------------------------------|
| Total Radiated Power | -1.96 dBm                                 |
| Peak EIRP            | 2.67 dBm                                  |
| Directivity          | 4.63 dBi                                  |
| Efficiency           | -1.96 dB                                  |
| Efficiency           | 63.62 %                                   |
| Peak Gain            | 2.67 dBi                                  |
| NHPRP 45°            | -3.81 dBm                                 |
| NHPRP 45°/TRP        | -1.85 dB                                  |
| NHPRP 45°/TRP        | 65.30%                                    |
| NHPRP 30°            | -5.64 dBm                                 |
| NHPRP 30°/TRP        | -3.68 dB                                  |
| NHPRP 30°/TRP        | 42.89%                                    |
| NHPRP 22.5°          | -6.91 dBm                                 |
| NHPRP 22.5°/TRP      | -4.95 dB                                  |
| NHPRP 22.5°/TRP      | 32.00%                                    |
| UHRP                 | -5.36 dBm                                 |
| UHRP/TRP             | -3.40 dB                                  |
| UHRP/TRP             | 45.75%                                    |
| LHRP                 | -4.62 dBm                                 |
| LHRP/TRP             | -2.66 dB                                  |
| LHRP /TRP            | 54.25%                                    |
| PGRP (0-120°)        | -3.63 dBm                                 |
| PGRP/TRP             | -1.67 dB                                  |
| PGRP/TRP             | 68.15%                                    |
| Front/Back Ratio     | 4.81                                      |
| PhiBW                | 91.1°                                     |
| PhiBW Up             | 40.6°                                     |
| PhiBW Down           | 50.6°                                     |
| ThetaBW              | 30.3°                                     |
| ThetaBW Up           | 13.8°                                     |
| ThetaBW Down         | 16.5°                                     |
| Boresight Phi        | 105°                                      |
| Boresight Theta      | 150°                                      |
| Maximum Power        | 2.67 dBm                                  |
| Minimum Power        | -12.21 dBm                                |
| Average Power        | -1.78 dBm                                 |
| Max/Min Ratio        | 14.88 dB                                  |
| Max/Avg Ratio        | 4.44 dB                                   |
| Min/Avg Ratio        | -10.43 dB                                 |
| Worst Single Value   | -21.64 dBm                                |
| Worst Position       | Azi = 255°; Elev = 105°; Pol = Horizontal |
| Best Single Value    | 2.23 dBm                                  |
| Best Position        | Azi = 0°; Elev = 135°; Pol = Vertical     |

**Table 65. Board #2: RP\_2400.000\_tot**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | -2.5    | -0.68    | -0.38    | 1.07     | -0.99    | -0.34    | -0.22    | -0.4         | 0.48         | 2.56         | -1.49        | -3.14        | -1.66        |
| 15             | -2.55   | -0.78    | 0.25     | 0.38     | -0.84    | -2.53    | -0.75    | 0.26         | 1.51         | 0.27         | -1.64        | -4           | -2.28        |
| 30             | -2.19   | -0.99    | 0.08     | -2.92    | -1.64    | -2       | -2.55    | -1           | 0.85         | -2.25        | -0.41        | -4.67        | -2.79        |
| 45             | -1.89   | -1.32    | -2.06    | -5.25    | -5.92    | -1.14    | -0.15    | -2.27        | -4.67        | 1.22         | -0.87        | -3.81        | -3.05        |
| 60             | -1.99   | -1.95    | -4.15    | -4.6     | -4.77    | -3.27    | -1.14    | -0.9         | -2.2         | 1.6          | -0.02        | -2.48        | -2.25        |
| 75             | -2.05   | -2.26    | -4.2     | -3.84    | -1.9     | -2.25    | -4.79    | -3.83        | -0.83        | 0.28         | 1.55         | -0.89        | -1.7         |
| 90             | -1.59   | -2.37    | -3.1     | -3.37    | -1.13    | -1.98    | -6.72    | -10.4        | -3.47        | 0.09         | 2.34         | -0.29        | -1.9         |
| 105            | -1.57   | -2.75    | -2.13    | -2.23    | -1.44    | -3.71    | -7.59    | -6.77        | -5.35        | 0.21         | 2.67         | -0.59        | -1.78        |
| 120            | -1.84   | -3.35    | -1.85    | -1.68    | -2.06    | -4.25    | -4.72    | -3.15        | -3.19        | -0.19        | 2.36         | -0.92        | -1.16        |
| 135            | -1.85   | -3.23    | -1.37    | -1.32    | -2.55    | -3.47    | -1.25    | -0.55        | -1.73        | -1.11        | 1.04         | -1.54        | -1.1         |
| 150            | -1.65   | -2.82    | -0.76    | -0.81    | -3.24    | -3.58    | -0.05    | 1.12         | -1.4         | -0.86        | -0.91        | -2.73        | -1.27        |
| 165            | -1.3    | -2.12    | -0.25    | -0.4     | -2.42    | -5.47    | -1.98    | 0.92         | -3.48        | 0.41         | -0.69        | -4.1         | -1.56        |
| 180            | -1.36   | -1.84    | 0.05     | 0.03     | -0.21    | -4.32    | -4.97    | -3.04        | -4.11        | -1.23        | 0.29         | -4.61        | -1.64        |
| 195            | -1.98   | -2.41    | -0.7     | -0.02    | 0.13     | -2.6     | -1.62    | -3.47        | -7.52        | -8.79        | -1.98        | -4.17        | -1.81        |
| 210            | -2.29   | -3.57    | -2.15    | -1.8     | -1.31    | -1.94    | -1.2     | -2.95        | -7.6         | -5.16        | -7.24        | -3.48        | -2.37        |
| 225            | -2.28   | -4.34    | -3.46    | -6.77    | -3.45    | -4.22    | -6.28    | -6.83        | -4.15        | -2.95        | -4.24        | -3.82        | -2.76        |
| 240            | -2.35   | -3.72    | -3.81    | -10.56   | -5.55    | -9.93    | -8.66    | -9.89        | -6.3         | -3.67        | -1.41        | -4.81        | -2.22        |
| 255            | -2.47   | -3.06    | -3.62    | -9.29    | -10.87   | -7.9     | -6.08    | -8.95        | -7.68        | -4.53        | -0.57        | -5.35        | -1.2         |
| 270            | -2.89   | -3.12    | -3.26    | -7.16    | -12.21   | -7.97    | -8.29    | -4.86        | -2.51        | -3.63        | -0.64        | -6.39        | -0.71        |
| 285            | -2.9    | -2.97    | -2.15    | -4.74    | -6.66    | -9.42    | -10.24   | -4.57        | -0.13        | -1.36        | -0.29        | -6.3         | -0.35        |
| 300            | -2.26   | -2.23    | -0.83    | -3.02    | -3.19    | -5.64    | -6.22    | -4.43        | 0.51         | -0.15        | 0.54         | -5.69        | -0.28        |
| 315            | -2.64   | -1.47    | 0.26     | -1.24    | -0.66    | -2.24    | -2       | -4.15        | 0.54         | 0.4          | 1.49         | -5.31        | -0.53        |
| 330            | -2.59   | -0.67    | 0.46     | -0.82    | 1.08     | -1.63    | -0.4     | -3.03        | 0.23         | 0.16         | 1.92         | -4.43        | -1.02        |
| 345            | -2.64   | -0.59    | -0.17    | -0.66    | 1.52     | -1       | -0.87    | -1.99        | 0.67         | 0.87         | 1.18         | -4.25        | -1.39        |
| 360            | -2.5    | -0.68    | -0.38    | 1.07     | -0.99    | -0.34    | -0.22    | -0.4         | 0.48         | 2.56         | -1.49        | -3.14        | -1.66        |

**Table 66. Board #2: RP\_2400.000\_hor**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | -11.9   | -12.18   | -11.87   | -14.98   | -11.88   | -15.6    | -9.79    | -9.21        | -9.63        | -8.75        | -12.13       | -15.08       | -12.39       |
| 15             | -7.9    | -7.5     | -10.68   | -12.87   | -14.55   | -20.21   | -14.17   | -10.14       | -7.36        | -12.59       | -9.27        | -17.29       | -8.81        |
| 30             | -4.97   | -5.24    | -9.21    | -14.34   | -21.06   | -14.65   | -17.64   | -15.47       | -8.91        | -10.17       | -8.3         | -8.5         | -6.13        |
| 45             | -3.2    | -4.03    | -7.4     | -13.26   | -13.73   | -10.45   | -10.76   | -15.34       | -12.3        | -7.82        | -4.39        | -4.44        | -3.93        |
| 60             | -2.41   | -3.63    | -5.99    | -8.23    | -7.72    | -9.42    | -6.68    | -13.49       | -7.76        | -4.51        | -0.51        | -2.57        | -2.52        |
| 75             | -2.18   | -3.03    | -4.47    | -4.94    | -3.42    | -7.28    | -11.15   | -18.53       | -6.27        | -1.3         | 1.49         | -1.38        | -2.06        |
| 90             | -2.19   | -2.84    | -3.41    | -3.96    | -2.37    | -5.99    | -13.97   | -15.35       | -6.82        | 0.01         | 1.88         | -1.65        | -2.6         |
| 105            | -3.24   | -3.7     | -3.71    | -4       | -3.22    | -6.95    | -13.28   | -17.4        | -8.33        | -0.43        | 1.25         | -3.54        | -3.73        |
| 120            | -5.71   | -5.68    | -4.8     | -5.23    | -5.08    | -9.64    | -11.82   | -14.26       | -12.47       | -2.37        | -0.35        | -6.35        | -5.07        |
| 135            | -8.92   | -9.87    | -6.3     | -6.82    | -8.25    | -15.24   | -9.39    | -13.65       | -20.01       | -7.31        | -3.74        | -11.38       | -7.14        |
| 150            | -12.48  | -17.16   | -8.64    | -8.25    | -10.35   | -14.99   | -9.27    | -13.78       | -9.8         | -13.87       | -9.05        | -17.63       | -10.04       |
| 165            | -19.23  | -14.18   | -13.95   | -11.89   | -9.85    | -11.23   | -11.51   | -12.85       | -9.45        | -12.97       | -10.7        | -13.56       | -13.8        |
| 180            | -13.53  | -8.92    | -10.99   | -9.61    | -12.85   | -10.05   | -9.79    | -13.04       | -11.45       | -17.7        | -8.6         | -10.28       | -11.13       |
| 195            | -9.01   | -6.46    | -5.2     | -5.57    | -10.58   | -10.63   | -11.9    | -8.75        | -13.39       | -13.06       | -9.48        | -8.66        | -6.93        |
| 210            | -6.23   | -6.02    | -3.39    | -5.29    | -4.42    | -8.11    | -17.14   | -9.7         | -13.08       | -7.64        | -11.71       | -7.69        | -4.85        |
| 225            | -4.19   | -5.9     | -3.9     | -7.61    | -3.76    | -8.11    | -13.2    | -12.62       | -7.71        | -6.59        | -6.81        | -7.35        | -3.7         |
| 240            | -3.15   | -4.96    | -5.46    | -11.92   | -7.12    | -11.08   | -10.36   | -13.93       | -7.34        | -5.82        | -2.87        | -7.05        | -2.87        |
| 255            | -2.67   | -3.91    | -5.66    | -12.86   | -16.41   | -12.98   | -10.6    | -21.64       | -14.7        | -5.34        | -0.97        | -6.59        | -2.26        |
| 270            | -3.37   | -3.66    | -4.31    | -9.71    | -16.49   | -14.9    | -12.05   | -12.98       | -15.71       | -5.75        | -0.73        | -7.09        | -2.51        |
| 285            | -4.41   | -3.6     | -3.24    | -8.39    | -13.16   | -15.51   | -12.65   | -10.25       | -10.06       | -7.81        | -1.51        | -6.79        | -3.31        |
| 300            | -5.02   | -3.68    | -3.1     | -9.44    | -13.7    | -16.45   | -11.39   | -9.26        | -7.7         | -11.05       | -3.15        | -6.69        | -4.38        |
| 315            | -7.33   | -5.54    | -5.09    | -13.94   | -14.88   | -15.46   | -10.78   | -9.86        | -6.87        | -15.35       | -5.35        | -7.07        | -6.76        |
| 330            | -10.94  | -9.08    | -8.58    | -20.15   | -16.44   | -11.66   | -9.53    | -10.4        | -6.86        | -14.51       | -8.64        | -6.37        | -10.67       |
| 345            | -18.91  | -13.78   | -14.44   | -19.62   | -16.03   | -11.53   | -6.68    | -10.26       | -7.98        | -10.79       | -17.66       | -7.33        | -16.81       |
| 360            | -11.9   | -12.18   | -11.87   | -14.98   | -11.88   | -15.6    | -9.79    | -9.21        | -9.63        | -8.75        | -12.13       | -15.08       | -12.39       |

**Table 67. Board #2: RP\_2400.000\_ver**

| Azimuth (deg) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105° (dB) | 120° (dB) | 135° (dB) | 150° (dB) | 165° (dB) | 180° (dB) |
|---------------|---------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 0             | -3.03   | -1       | -0.7     | 0.96     | -1.36    | -0.47    | -0.73    | -1.02     | 0.04      | 2.23      | -1.88     | -3.43     | -2.04     |
| 15            | -4.05   | -1.82    | -0.11    | 0.17     | -1.03    | -2.6     | -0.96    | -0.16     | 0.91      | 0.03      | -2.46     | -4.2      | -3.37     |
| 30            | -5.44   | -3.03    | -0.46    | -3.24    | -1.69    | -2.24    | -2.69    | -1.16     | 0.36      | -3.02     | -1.19     | -6.99     | -5.5      |
| 45            | -7.76   | -4.65    | -3.56    | -6       | -6.7     | -1.68    | -0.55    | -2.49     | -5.49     | 0.65      | -3.43     | -12.48    | -10.4     |
| 60            | -12.34  | -6.88    | -8.76    | -7.07    | -7.83    | -4.48    | -2.56    | -1.14     | -3.61     | 0.38      | -9.71     | -19.31    | -14.45    |
| 75            | -17.44  | -10.14   | -16.4    | -10.32   | -7.21    | -3.89    | -5.94    | -3.98     | -2.29     | -4.89     | -17.19    | -10.63    | -12.68    |
| 90            | -10.47  | -12.34   | -14.75   | -12.33   | -7.21    | -4.18    | -7.63    | -12.07    | -6.16     | -17.23    | -7.67     | -5.97     | -10.13    |
| 105           | -6.53   | -9.81    | -7.27    | -6.96    | -6.17    | -6.5     | -8.95    | -7.16     | -8.4      | -8.4      | -2.88     | -3.65     | -6.19     |
| 120           | -4.13   | -7.16    | -4.92    | -4.21    | -5.06    | -5.73    | -5.67    | -3.5      | -3.74     | -4.22     | -0.96     | -2.39     | -3.42     |
| 135           | -2.8    | -4.29    | -3.06    | -2.75    | -3.92    | -3.76    | -1.97    | -0.77     | -1.79     | -2.3      | -0.72     | -2.01     | -2.34     |
| 150           | -2.02   | -2.98    | -1.53    | -1.67    | -4.18    | -3.9     | -0.61    | 0.98      | -2.07     | -1.08     | -1.64     | -2.88     | -1.89     |
| 165           | -1.37   | -2.4     | -0.44    | -0.72    | -3.29    | -6.81    | -2.49    | 0.74      | -4.75     | 0.2       | -1.14     | -4.62     | -1.83     |
| 180           | -1.63   | -2.79    | -0.3     | -0.47    | -0.45    | -5.67    | -6.7     | -3.5      | -5        | -1.33     | -0.31     | -5.98     | -2.16     |
| 195           | -2.94   | -4.59    | -2.61    | -1.44    | -0.25    | -3.34    | -2.05    | -5        | -8.82     | -10.82    | -2.83     | -6.07     | -3.41     |
| 210           | -4.53   | -7.23    | -8.2     | -4.37    | -4.22    | -3.13    | -1.31    | -3.99     | -9.04     | -8.78     | -9.16     | -5.56     | -5.98     |
| 225           | -6.77   | -9.54    | -13.55   | -14.33   | -15.07   | -6.51    | -7.27    | -8.16     | -6.68     | -5.41     | -7.74     | -6.37     | -9.85     |
| 240           | -10.12  | -9.78    | -8.82    | -16.27   | -10.73   | -16.26   | -13.57   | -12.07    | -13.01    | -7.75     | -6.87     | -8.76     | -10.83    |
| 255           | -15.86  | -10.56   | -7.89    | -11.81   | -12.29   | -9.51    | -7.98    | -9.19     | -8.64     | -12.22    | -11.2     | -11.39    | -7.86     |
| 270           | -12.65  | -12.4    | -9.96    | -10.69   | -14.24   | -8.96    | -10.66   | -5.59     | -2.73     | -7.76     | -17.34    | -14.63    | -5.42     |
| 285           | -8.22   | -11.69   | -8.68    | -7.19    | -7.77    | -10.64   | -13.95   | -5.93     | -0.6      | -2.48     | -6.42     | -15.99    | -3.4      |
| 300           | -5.54   | -7.72    | -4.75    | -4.14    | -3.59    | -6.02    | -7.79    | -6.16     | -0.2      | -0.51     | -1.88     | -12.54    | -2.41     |
| 315           | -4.45   | -3.63    | -1.24    | -1.48    | -0.83    | -2.46    | -2.61    | -5.51     | -0.33     | 0.28      | 0.48      | -10.09    | -1.72     |
| 330           | -3.27   | -1.35    | -0.12    | -0.87    | 1        | -2.08    | -0.96    | -3.9      | -0.72     | 0.01      | 1.53      | -8.87     | -1.52     |
| 345           | -2.75   | -0.8     | -0.34    | -0.72    | 1.44     | -1.4     | -2.19    | -2.69     | 0.04      | 0.56      | 1.12      | -7.19     | -1.52     |
| 360           | -3.03   | -1       | -0.7     | 0.96     | -1.36    | -0.47    | -0.73    | -1.02     | 0.04      | 2.23      | -1.88     | -3.43     | -2.04     |




Figure 100. Board #2 (2.40 GHz): Theta = 0, Phi = 0




Figure 101. Board #2 (2.40 GHz): Theta = 180, Phi = 0




Figure 102. Board #2 (2.40 GHz): Theta = 90, Phi = 0




Figure 103. Board #2 (2.40 GHz): Theta = 90, Phi = 180




Figure 104. Board #2 (2.40 GHz): Theta = 90, Phi = 270




Figure 105. Board #2 (2.40 GHz): Theta = 90, Phi = 90

**A.2.2 2.44 GHz**
**Table 68. Board #2: OTA Evaluation Results (2.44 GHz)**

| Test Description     | Test Result                              |
|----------------------|------------------------------------------|
| Total Radiated Power | -2.06 dBm                                |
| Peak EIRP            | 2.78 dBm                                 |
| Directivity          | 4.84 dBi                                 |
| Efficiency           | -2.06 dB                                 |
| Efficiency           | 62.30 %                                  |
| Peak Gain            | 2.78 dBi                                 |
| NHPRP 45°            | -4.02 dBm                                |
| NHPRP 45° / TRP      | -1.96 dB                                 |
| NHPRP 45° / TRP      | 63.68 %                                  |
| NHPRP 30°            | -5.85 dBm                                |
| NHPRP 30° / TRP      | -3.80 dB                                 |
| NHPRP 30° / TRP      | 41.71 %                                  |
| NHPRP 22.5°          | -7.15 dBm                                |
| NHPRP 22.5° / TRP    | -5.09 dB                                 |
| NHPRP 22.5° / TRP    | 30.97 %                                  |
| UHRP                 | -5.52 dBm                                |
| UHRP / TRP           | -3.47 dB                                 |
| UHRP / TRP           | 45.03 %                                  |
| LHRP                 | -4.65 dBm                                |
| LHRP / TRP           | -2.60 dB                                 |
| LHRP / TRP           | 54.97 %                                  |
| PGRP (0-120°)        | -3.80 dBm                                |
| PGRP / TRP           | -1.74 dB                                 |
| PGRP / TRP           | 66.93 %                                  |
| Front/Back Ratio     | 7.63                                     |
| PhiBW                | 121.5°                                   |
| PhiBW Up             | 44.7°                                    |
| PhiBW Down           | 76.8°                                    |
| ThetaBW              | 43.3°                                    |
| ThetaBW Up           | 29.8°                                    |
| ThetaBW Down         | 13.6°                                    |
| Boresight Phi        | 105°                                     |
| Boresight Theta      | 150°                                     |
| Maximum Power        | 2.78 dBm                                 |
| Minimum Power        | -14.52 dBm                               |
| Average Power        | -1.66 dBm                                |
| Max/Min Ratio        | 17.30 dB                                 |
| Max/Avg Ratio        | 4.44 dB                                  |
| Min/Avg Ratio        | -12.86 dB                                |
| Worst Single Value   | -21.71 dBm                               |
| Worst Position       | Azi = 270°; Elev = 60°; Pol = Horizontal |
| Best Single Value    | 2.13 dBm                                 |
| Best Position        | Azi = 90°; Elev = 150°; Pol = Horizontal |

**Table 69. Board #2: RP\_2440.000\_tot**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | -1.86   | -0.49    | 0.34     | -0.59    | -1.22    | -0.73    | -1.31    | -2.79        | -0.13        | 0.74         | -1.68        | -3.42        | -1.74        |
| 15             | -1.1    | -0.49    | -0.36    | -0.85    | -2.32    | -3.69    | -1.83    | -1.46        | -0.26        | -1.59        | -2.78        | -2.69        | -0.86        |
| 30             | -0.57   | -1.11    | -0.43    | -2.28    | -1.8     | -5.6     | -4.21    | -2.28        | 0.86         | -5.91        | 0.14         | -1.54        | 0            |
| 45             | -0.61   | -2.06    | -0.64    | -3.95    | -2.39    | -1.79    | 0.47     | -2.79        | -3.02        | -0.5         | 1.35         | -0.95        | 0.33         |
| 60             | -1.16   | -2.58    | -1.52    | -3.96    | -3.36    | -4       | -1.47    | 0.66         | -2.76        | 1.93         | 1.18         | -0.79        | 0.69         |
| 75             | -1.36   | -3.04    | -2.75    | -3.19    | -1.89    | -3.6     | -5.66    | -1.29        | -1.1         | 1.36         | 1.65         | -0.58        | 0.13         |
| 90             | -1.32   | -3.67    | -3.04    | -2.24    | -0.82    | -3.28    | -6.19    | -7.42        | -3.86        | 0.29         | 2.46         | 0            | -0.51        |
| 105            | -1.32   | -4.1     | -2.19    | -1.72    | -0.3     | -3.89    | -6.39    | -10.85       | -7.06        | -0.54        | 2.78         | 0.26         | -0.23        |
| 120            | -0.74   | -2.74    | -1.22    | -1.37    | -0.21    | -3.87    | -4.48    | -6.48        | -5.73        | -1.59        | 2.17         | -0.21        | -0.12        |
| 135            | 0.14    | -1.68    | -0.48    | -0.48    | -1.38    | -3.37    | -2.1     | -1.5         | -2.08        | -1.78        | 0.78         | -1.34        | -0.45        |
| 150            | 0.35    | -1.49    | 0.17     | 0.01     | -2.34    | -4.5     | -1.8     | 0.63         | -1.14        | 0.26         | -0.24        | -2.3         | -0.66        |
| 165            | -0.14   | -1.37    | 0.01     | 0.65     | -0.56    | -5.51    | -4.88    | 0.31         | -2.82        | 1.04         | 0.41         | -2.63        | -0.29        |
| 180            | -1.1    | -1.9     | -1.21    | 0.95     | 0.78     | -3.34    | -7       | -5.56        | -3.74        | -2.36        | 0.02         | -2.79        | 0.27         |
| 195            | -2.02   | -3.3     | -2.92    | -0.31    | -0.65    | -1.78    | -1.37    | -3.92        | -8.37        | -12.15       | -3.74        | -2.74        | -0.36        |
| 210            | -2.39   | -3.95    | -4.67    | -3.64    | -4.49    | -3.12    | -2.49    | -2.26        | -5.1         | -4.04        | -6.3         | -2.98        | -1.41        |
| 225            | -2.79   | -3.59    | -5.41    | -8.52    | -5.87    | -6.14    | -9.92    | -6.2         | -2.75        | -4.43        | -1.99        | -4.23        | -1.38        |
| 240            | -2.8    | -3.28    | -5.83    | -6.47    | -8.17    | -5.48    | -9.58    | -11.13       | -7.22        | -4.5         | 0.04         | -4.85        | -1.07        |
| 255            | -2.45   | -2.79    | -6.18    | -5.83    | -13.59   | -6.61    | -7.86    | -10.24       | -4.63        | -2.7         | 0.39         | -5.58        | -0.67        |
| 270            | -2.16   | -2.05    | -5.75    | -6.76    | -14.52   | -7.6     | -8.54    | -4           | -0.82        | -1.89        | 0.51         | -6.38        | -0.46        |
| 285            | -2.17   | -2.07    | -4.85    | -5.59    | -7.4     | -8.09    | -7.41    | -2.32        | 0.49         | -1.35        | 0.71         | -7.15        | -0.31        |
| 300            | -2.55   | -1.82    | -2.58    | -2.59    | -4.68    | -4.05    | -4.34    | -2.6         | 0.59         | -0.94        | 1.22         | -6.03        | -0.01        |
| 315            | -2.19   | -1.18    | -0.87    | -1.49    | -3.16    | -0.83    | -1.53    | -2.52        | 0.28         | -0.86        | 1.9          | -4.55        | 0.02         |
| 330            | -2.33   | -1.03    | 0.18     | -1.47    | -1.43    | -0.23    | 0.38     | -2.78        | 0.19         | -0.29        | 2.5          | -3.58        | -0.1         |
| 345            | -2.66   | -0.6     | 0.49     | -1.71    | 0.01     | -1.4     | 0.07     | -1.85        | 0.8          | 0.15         | 2.21         | -3.62        | -0.73        |
| 360            | -1.86   | -0.49    | 0.34     | -0.59    | -1.22    | -0.73    | -1.31    | -2.79        | -0.13        | 0.74         | -1.68        | -3.42        | -1.74        |

**Table 70. Board #2: RP\_2440.000\_hor**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | -10.99  | -10.89   | -10.33   | -13.56   | -10.94   | -21.57   | -10.78   | -10.06       | -10.04       | -9.92        | -13.64       | -15.08       | -12.31       |
| 15             | -6.62   | -6.88    | -8.61    | -11.39   | -11.02   | -18.3    | -14.62   | -9.8         | -9.11        | -13.17       | -11.27       | -16.67       | -8.14        |
| 30             | -3.57   | -5.36    | -8.03    | -9.43    | -17.2    | -16.17   | -15.26   | -11.56       | -9.72        | -10.99       | -8.84        | -7.65        | -3.92        |
| 45             | -2.36   | -4.86    | -7       | -9.41    | -12.06   | -13.79   | -9.06    | -9.56        | -13.61       | -7.56        | -4.24        | -3.48        | -1.43        |
| 60             | -1.88   | -4.22    | -5.07    | -6.74    | -6.75    | -11.77   | -10.06   | -12.64       | -8.77        | -4.2         | -0.29        | -1.48        | -0.35        |
| 75             | -1.46   | -3.73    | -3.59    | -3.8     | -3.41    | -8.41    | -11.43   | -17.22       | -6.23        | -1.06        | 1.59         | -0.67        | -0.5         |
| 90             | -1.66   | -4.2     | -3.25    | -2.91    | -2.14    | -7.16    | -10.67   | -12.26       | -6.53        | 0.08         | 2.13         | -0.93        | -0.97        |
| 105            | -2.7    | -5.81    | -3.32    | -3.56    | -2.44    | -8.69    | -12.83   | -12.23       | -8.35        | -0.75        | 1.65         | -2.07        | -1.14        |
| 120            | -4.2    | -7.69    | -3.97    | -5.6     | -4.41    | -13.64   | -16.13   | -13.57       | -14.02       | -3.08        | 0.1          | -4.14        | -2.02        |
| 135            | -6.36   | -11.14   | -5.92    | -7       | -9.57    | -17.43   | -13.96   | -14.12       | -14.09       | -9.02        | -3.21        | -7.52        | -3.82        |
| 150            | -10.17  | -19.52   | -9.21    | -8.51    | -11.43   | -12.17   | -9.71    | -12.97       | -7.6         | -20.12       | -8.57        | -14.51       | -6.82        |
| 165            | -15.82  | -14.63   | -11.12   | -9.24    | -9.27    | -10.96   | -10.09   | -11.25       | -7.16        | -13.55       | -11.97       | -16.95       | -10.38       |
| 180            | -15.56  | -9.46    | -8.4     | -6.73    | -9.55    | -11.08   | -13.77   | -12.29       | -12.58       | -16.59       | -9.06        | -10.7        | -10.47       |
| 195            | -11.32  | -7.81    | -5.66    | -4.4     | -7.78    | -9.71    | -10.95   | -8.42        | -15.01       | -13.45       | -9.2         | -7.92        | -7.96        |
| 210            | -7.88   | -6.96    | -5.47    | -4.99    | -6.03    | -7.75    | -11.51   | -10.02       | -13.3        | -7.88        | -9.24        | -6.97        | -5.36        |
| 225            | -5.39   | -5.87    | -7.85    | -9.16    | -6.21    | -7.4     | -17.22   | -13.53       | -8.45        | -7.45        | -4.94        | -7.34        | -3.14        |
| 240            | -3.68   | -4.57    | -9.97    | -15.24   | -10.09   | -9.52    | -10.81   | -16.23       | -8.52        | -5.83        | -1.63        | -7.71        | -2           |
| 255            | -2.64   | -3.21    | -7.99    | -11.35   | -17.36   | -11.97   | -8.98    | -19.49       | -12.12       | -4.18        | 0.03         | -7.49        | -1.35        |
| 270            | -2.45   | -2.2     | -6.06    | -8.9     | -21.71   | -10.27   | -9.21    | -10.54       | -12.47       | -4.27        | 0.27         | -6.87        | -1.33        |
| 285            | -3.15   | -2.77    | -6.09    | -8.94    | -20.44   | -10.27   | -8.42    | -6.57        | -8.93        | -6.09        | -0.37        | -7.61        | -2.38        |
| 300            | -5.31   | -4.2     | -6.81    | -9.86    | -19.35   | -9.41    | -7.55    | -5.4         | -6.54        | -9.23        | -1.28        | -7.48        | -4.09        |
| 315            | -7.15   | -5.78    | -7.79    | -12.39   | -19.96   | -9.11    | -6.69    | -5.29        | -6.09        | -13.25       | -3.31        | -8           | -6.61        |
| 330            | -10.58  | -10.47   | -13.88   | -17.17   | -20.62   | -9.59    | -6.13    | -7.66        | -7.02        | -15.15       | -6.67        | -8.45        | -9.25        |
| 345            | -17.38  | -18.14   | -19.73   | -17.48   | -17.95   | -11.28   | -6.3     | -9.28        | -8.29        | -11.52       | -14.78       | -8.63        | -12.73       |
| 360            | -10.99  | -10.89   | -10.33   | -13.56   | -10.94   | -21.57   | -10.78   | -10.06       | -10.04       | -9.92        | -13.64       | -15.08       | -12.31       |

**Table 71. Board #2: RP\_2440.000\_ver**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | -2.43   | -0.9     | -0.04    | -0.81    | -1.71    | -0.76    | -1.83    | -3.69        | -0.59        | 0.35         | -1.97        | -3.72        | -2.14        |
| 15             | -2.53   | -1.62    | -1.06    | -1.25    | -2.95    | -3.84    | -2.07    | -2.15        | -0.87        | -1.9         | -3.44        | -2.87        | -1.77        |
| 30             | -3.6    | -3.15    | -1.26    | -3.21    | -1.92    | -5.99    | -4.56    | -2.82        | 0.46         | -7.52        | -0.45        | -2.76        | -2.25        |
| 45             | -5.41   | -5.28    | -1.78    | -5.41    | -2.88    | -2.08    | -0.05    | -3.82        | -3.42        | -1.45        | -0.06        | -4.51        | -4.43        |
| 60             | -9.31   | -7.6     | -4.04    | -7.21    | -6.01    | -4.79    | -2.11    | 0.45         | -4.01        | 0.71         | -4.22        | -9.16        | -6.02        |
| 75             | -17.76  | -11.36   | -10.34   | -12.02   | -7.21    | -5.35    | -7       | -1.4         | -2.69        | -2.34        | -16.77       | -17.63       | -8.54        |
| 90             | -12.6   | -13.12   | -16.32   | -10.74   | -6.63    | -5.56    | -8.1     | -9.16        | -7.24        | -12.91       | -8.89        | -7.12        | -10.53       |
| 105            | -6.99   | -8.98    | -8.6     | -6.34    | -4.4     | -5.64    | -7.51    | -16.49       | -12.95       | -13.87       | -3.62        | -3.56        | -7.43        |
| 120            | -3.34   | -4.41    | -4.5     | -3.43    | -2.29    | -4.35    | -4.79    | -7.42        | -6.42        | -6.96        | -2.03        | -2.45        | -4.61        |
| 135            | -0.96   | -2.2     | -1.95    | -1.57    | -2.09    | -3.54    | -2.39    | -1.74        | -2.36        | -2.68        | -1.42        | -2.54        | -3.14        |
| 150            | -0.06   | -1.56    | -0.37    | -0.65    | -2.92    | -5.32    | -2.57    | 0.44         | -2.25        | 0.22         | -0.93        | -2.57        | -1.87        |
| 165            | -0.26   | -1.58    | -0.34    | 0.18     | -1.19    | -6.96    | -6.43    | -0.01        | -4.81        | 0.89         | 0.15         | -2.8         | -0.73        |
| 180            | -1.26   | -2.74    | -2.13    | 0.14     | 0.35     | -4.14    | -8.03    | -6.6         | -4.35        | -2.52        | -0.55        | -3.56        | -0.12        |
| 195            | -2.57   | -5.2     | -6.23    | -2.45    | -1.59    | -2.55    | -1.88    | -5.82        | -9.44        | -18.05       | -5.19        | -4.3         | -1.19        |
| 210            | -3.83   | -6.95    | -12.44   | -9.36    | -9.76    | -4.96    | -3.07    | -3.06        | -5.81        | -6.36        | -9.38        | -5.19        | -3.64        |
| 225            | -6.26   | -7.5     | -9.08    | -17.16   | -17.11   | -12.13   | -10.82   | -7.09        | -4.11        | -7.43        | -5.07        | -7.14        | -6.17        |
| 240            | -10.13  | -9.19    | -7.95    | -7.09    | -12.64   | -7.65    | -15.64   | -12.74       | -13.09       | -10.3        | -4.92        | -8.01        | -8.22        |
| 255            | -16.09  | -13.15   | -10.86   | -7.27    | -15.96   | -8.1     | -14.28   | -10.78       | -5.48        | -8.09        | -10.57       | -10.07       | -9.04        |
| 270            | -14.02  | -16.99   | -17.25   | -10.85   | -15.44   | -10.97   | -16.98   | -5.08        | -1.13        | -5.64        | -12.04       | -16.06       | -7.89        |
| 285            | -9.11   | -10.31   | -10.89   | -8.28    | -7.62    | -12.14   | -14.24   | -4.36        | -0.04        | -3.13        | -5.86        | -17.17       | -4.53        |
| 300            | -5.83   | -5.56    | -4.64    | -3.49    | -4.83    | -5.54    | -7.16    | -5.83        | -0.34        | -1.64        | -2.38        | -11.5        | -2.16        |
| 315            | -3.87   | -3.03    | -1.86    | -1.86    | -3.25    | -1.53    | -3.11    | -5.79        | -0.86        | -1.12        | 0.34         | -7.16        | -1.04        |
| 330            | -3.03   | -1.55    | 0        | -1.59    | -1.48    | -0.77    | -0.72    | -4.49        | -0.73        | -0.43        | 1.94         | -5.3         | -0.67        |
| 345            | -2.81   | -0.67    | 0.45     | -1.83    | -0.06    | -1.87    | -1.07    | -2.71        | 0.23         | -0.16        | 2.12         | -5.26        | -1.01        |
| 360            | -2.43   | -0.9     | -0.04    | -0.81    | -1.71    | -0.76    | -1.83    | -3.69        | -0.59        | 0.35         | -1.97        | -3.72        | -2.14        |




Figure 106. Board #2 (2.44 GHz): Theta = 0, Phi = 0




Figure 107. Board #2 (2.44 GHz): Theta = 180, Phi = 0




Figure 108. Board #2 (2.44 GHz): Theta = 90, Phi = 0




Figure 109. Board #2 (2.44 GHz): Theta = 90, Phi = 180




Figure 110. Board #2 (2.44 GHz): Theta = 90, Phi = 270




Figure 111. Board #2 (2.44 GHz): Theta = 90, Phi = 90

**A.2.3 2.48 GHz**
**Table 72. Board #2: OTA Evaluation Results (2.48 GHz)**

| Test Description     | Test Result                              |
|----------------------|------------------------------------------|
| Total Radiated Power | -1.46 dBm                                |
| Peak EIRP            | 3.14 dBm                                 |
| Directivity          | 4.61 dBi                                 |
| Efficiency           | -1.46 dB                                 |
| Efficiency           | 71.40 %                                  |
| Peak Gain            | 3.14 dBi                                 |
| NHPRP 45°            | -3.25 dBm                                |
| NHPRP 45° / TRP      | -1.79 dB                                 |
| NHPRP 45° / TRP      | 66.24 %                                  |
| NHPRP 30°            | -4.94 dBm                                |
| NHPRP 30° / TRP      | -3.48 dB                                 |
| NHPRP 30° / TRP      | 44.88 %                                  |
| NHPRP 22.5°          | -6.14 dBm                                |
| NHPRP 22.5° / TRP    | -4.68 dB                                 |
| NHPRP 22.5° / TRP    | 34.06 %                                  |
| UHRP                 | -4.17 dBm                                |
| UHRP / TRP           | -2.71 dB                                 |
| UHRP / TRP           | 53.56 %                                  |
| LHRP                 | -4.79 dBm                                |
| LHRP / TRP           | -3.33 dB                                 |
| LHRP / TRP           | 46.44 %                                  |
| PGRP (0-120°)        | -2.75 dBm                                |
| PGRP / TRP           | -1.29 dB                                 |
| PGRP / TRP           | 74.30 %                                  |
| Front/Back Ratio     | 3.40                                     |
| PhiBW                | 80.0°                                    |
| PhiBW Up             | 38.5°                                    |
| PhiBW Down           | 41.4°                                    |
| ThetaBW              | 90.4°                                    |
| ThetaBW Up           | 60.4°                                    |
| ThetaBW Down         | 30.0°                                    |
| Boresight Phi        | 345°                                     |
| Boresight Theta      | 30°                                      |
| Maximum Power        | 3.14 dBm                                 |
| Minimum Power        | -13.65 dBm                               |
| Average Power        | -1.21 dBm                                |
| Max/Min Ratio        | 16.79 dB                                 |
| Max/Avg Ratio        | 4.35 dB                                  |
| Min/Avg Ratio        | -12.44 dB                                |
| Worst Single Value   | -21.69 dBm                               |
| Worst Position       | Azi = 345°; Elev = 60°; Pol = Horizontal |
| Best Single Value    | 3.12 dBm                                 |
| Best Position        | Azi = 345°; Elev = 30°; Pol = Vertical   |

**Table 73. Board #2: RP\_2480.000\_tot**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | 0.94    | 0.87     | 1.77     | 0.5      | 1.3      | 0.72     | -2.49    | -6.52        | -2.66        | 0.16         | -1.39        | -2.06        | -0.56        |
| 15             | 0.31    | 0.5      | 0.41     | 1.89     | -0.44    | 0.93     | 0.3      | -3.91        | -2.35        | 0.43         | -2.71        | -1.17        | -0.37        |
| 30             | -0.53   | -0.58    | -0.06    | 2.31     | 1.06     | -3.39    | -1.6     | 0.83         | 1.16         | -3.61        | 0.09         | -1.18        | -0.45        |
| 45             | -1.44   | -1.57    | -0.58    | -0.16    | -0.75    | -1.22    | 0.47     | -0.3         | -1.64        | -0.6         | 1.07         | -2.26        | -0.19        |
| 60             | -2.08   | -2.57    | -2.75    | -2.29    | -4.46    | -2.92    | -0.11    | 1.62         | -4.16        | 2.12         | 0.1          | -2.52        | -0.65        |
| 75             | -1.82   | -3.5     | -3.77    | -3.1     | -3.16    | -3.64    | -1.91    | 0.66         | -0.85        | 1.33         | 0.19         | -2.07        | -1.64        |
| 90             | -2.03   | -4.06    | -3.66    | -3.38    | -0.97    | -1.43    | -2.57    | -2.63        | -1.59        | 0.05         | 1.32         | -1.19        | -1.06        |
| 105            | -2.02   | -3.37    | -3.12    | -2.65    | 0.21     | -1.12    | -2.12    | -3.92        | -3.45        | -0.89        | 1.94         | -1.03        | -0.66        |
| 120            | -0.79   | -3.06    | -1.24    | -0.66    | 0.24     | -1.43    | -0.57    | -0.97        | -3.03        | -1.03        | 1.52         | -1.41        | -0.45        |
| 135            | 0.42    | -2.6     | 0.01     | 0.27     | -0.67    | -1.76    | 0.41     | 0.98         | -1.47        | -0.66        | 0.2          | -2.03        | -0.08        |
| 150            | 0.65    | -1.13    | 0.54     | 1.15     | -1.68    | -1.99    | 0.33     | 1.08         | -2.22        | 0.29         | -0.84        | -2.83        | 0.76         |
| 165            | 0.02    | -0.83    | 0.76     | 2.07     | 0.09     | -1.9     | -1.72    | -1.66        | -3.79        | -0.16        | -0.26        | -3.29        | 1.27         |
| 180            | -0.36   | -1.55    | 0.09     | 2.56     | 1.65     | -1       | -2.73    | -8.12        | -4.47        | -7.38        | -0.47        | -4.54        | 0.69         |
| 195            | -0.44   | -2.15    | -1.84    | 1.86     | 0.56     | 0.44     | 0.49     | -2.69        | -10.46       | -8.05        | -4.02        | -4.7         | -0.23        |
| 210            | -1.19   | -2.57    | -3.12    | -1.34    | -2.7     | -0.39    | -2.68    | -4.85        | -3.47        | -2.95        | -6.22        | -4.88        | -0.88        |
| 225            | -1.65   | -2.93    | -3.19    | -5.76    | -5.85    | -5.56    | -10.96   | -8.92        | -3.32        | -4.7         | -1.65        | -5.23        | -1.31        |
| 240            | -1.83   | -3.03    | -3.42    | -4.74    | -10.8    | -4.79    | -6.28    | -13.26       | -7.18        | -4.19        | -0.18        | -6.04        | -1.26        |
| 255            | -1.84   | -3.43    | -3.77    | -3.14    | -13.65   | -4.87    | -9.47    | -9.24        | -3.99        | -2.43        | -0.53        | -7.23        | -1.37        |
| 270            | -1.79   | -3.44    | -2.82    | -3.68    | -9.11    | -8.95    | -10.88   | -5.89        | -0.97        | -2.11        | -0.39        | -7.28        | -0.8         |
| 285            | -1.15   | -2.59    | -1.54    | -3.24    | -5.42    | -7.49    | -6.36    | -4.62        | -0.11        | -2.74        | 0.27         | -6.41        | -0.5         |
| 300            | -0.43   | -2.2     | -0.18    | -1.61    | -3.97    | -3.29    | -3.96    | -4.74        | -0.25        | -2.71        | 1.03         | -5.68        | -0.26        |
| 315            | 0.03    | -0.97    | 1.2      | 0.08     | -2.72    | -0.73    | -2.53    | -4.95        | -0.54        | -2.54        | 1.49         | -5.29        | -0.4         |
| 330            | 0.93    | 0.34     | 2.66     | 1.4      | -1.36    | 1.33     | -0.25    | -6.21        | -1.65        | -2.79        | 1.68         | -4.74        | -1.02        |
| 345            | 1.35    | 1.18     | 3.14     | 1.09     | 0.33     | 1.02     | 0.35     | -6.65        | -2.42        | -2.86        | 1.31         | -3.77        | -1.13        |
| 360            | 0.94    | 0.87     | 1.77     | 0.5      | 1.3      | 0.72     | -2.49    | -6.52        | -2.66        | 0.16         | -1.39        | -2.06        | -0.56        |

**Table 74. Board #2: RP\_2480.000\_hor**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | -10.89  | -12.83   | -10.51   | -13.66   | -9.52    | -13.86   | -10.31   | -10.16       | -12.09       | -6.57        | -12.85       | -11.29       | -17.12       |
| 15             | -8.29   | -8.35    | -8.05    | -11      | -8.49    | -14.74   | -13.75   | -7.35        | -9.65        | -7.11        | -9.99        | -19.9        | -10.72       |
| 30             | -6.26   | -5.83    | -6.11    | -8.58    | -13.28   | -20.37   | -15.62   | -8.47        | -6.45        | -7.01        | -9.9         | -11.26       | -5.78        |
| 45             | -4.55   | -4.28    | -5.36    | -8.28    | -10.27   | -12.66   | -12.69   | -9.59        | -8.83        | -6.36        | -7.13        | -6.29        | -3.64        |
| 60             | -2.88   | -3.42    | -4.73    | -6.34    | -7.22    | -7.22    | -9.69    | -16.47       | -8.34        | -5.11        | -2.62        | -3.34        | -2.7         |
| 75             | -2      | -3.69    | -4.13    | -4.39    | -4.5     | -5.67    | -7.05    | -15.62       | -6.69        | -2.61        | -0.12        | -2.21        | -2.5         |
| 90             | -2.47   | -4.77    | -3.99    | -3.64    | -2.09    | -4.27    | -8.43    | -10.7        | -7.15        | -1.1         | 1.12         | -2.16        | -1.76        |
| 105            | -3.73   | -5.9     | -4.93    | -4.85    | -2.15    | -4.83    | -10.33   | -11.4        | -8.13        | -1.41        | 1.05         | -2.91        | -1.38        |
| 120            | -4.23   | -8.58    | -6.22    | -5.88    | -4.84    | -8.08    | -13.09   | -15.62       | -13.62       | -4.19        | -0.93        | -4.56        | -2.06        |
| 135            | -5.12   | -13.96   | -7.62    | -7.34    | -8.11    | -18.45   | -15.73   | -16.49       | -14.51       | -10.31       | -5.25        | -7.24        | -3.88        |
| 150            | -8.44   | -21.41   | -10.59   | -11.08   | -10.55   | -11.47   | -12.78   | -13.08       | -8.6         | -18.04       | -12.29       | -11.46       | -7.06        |
| 165            | -15.31  | -12.71   | -12.28   | -9.63    | -11.46   | -8.76    | -10.03   | -8.87        | -8.66        | -14.21       | -13.27       | -14.62       | -10.93       |
| 180            | -19.91  | -8.65    | -6.87    | -4.65    | -10.54   | -14.75   | -14.09   | -11.7        | -13.08       | -21.08       | -10.1        | -12.4        | -15.77       |
| 195            | -11.54  | -7.27    | -4.49    | -2.67    | -5.34    | -7.68    | -19.06   | -11.96       | -17.25       | -12.61       | -10.73       | -9.61        | -11.24       |
| 210            | -6.82   | -6.39    | -4.62    | -3.28    | -3.8     | -5.35    | -11.17   | -9.47        | -11.55       | -8.92        | -11.1        | -8.17        | -6.33        |
| 225            | -4.14   | -5.41    | -6.21    | -6.53    | -6.78    | -6.26    | -12.33   | -11.64       | -8.06        | -7.87        | -5.79        | -7.72        | -3.67        |
| 240            | -2.66   | -4.26    | -6.39    | -8.81    | -16.08   | -10.58   | -16.05   | -14.86       | -10.88       | -5.61        | -2.29        | -8.26        | -1.97        |
| 255            | -2.01   | -3.88    | -4.79    | -5.79    | -16.65   | -17.76   | -15.71   | -20.65       | -14.51       | -4.56        | -1.07        | -9.17        | -1.56        |
| 270            | -2.03   | -3.58    | -3.24    | -3.98    | -11.99   | -10.94   | -14.78   | -12.48       | -12.7        | -4.71        | -0.94        | -8.18        | -1.2         |
| 285            | -2.21   | -3.25    | -2.42    | -4.12    | -10.02   | -8.83    | -11.56   | -7.19        | -9.24        | -5.74        | -1.69        | -7.02        | -1.76        |
| 300            | -3.16   | -4.84    | -3.71    | -5.5     | -11.34   | -8.88    | -9.6     | -5.61        | -6.65        | -8.43        | -2.7         | -7.78        | -3.25        |
| 315            | -5.47   | -6.76    | -5.82    | -8.94    | -13.69   | -10.26   | -8.98    | -6.13        | -5.98        | -11.79       | -4.2         | -8.32        | -5.28        |
| 330            | -9.09   | -10.37   | -9.47    | -16.66   | -18.1    | -12.57   | -7.56    | -8.9         | -7.71        | -13.33       | -7.34        | -9.78        | -9.26        |
| 345            | -15.06  | -16.35   | -20.36   | -20.65   | -21.69   | -12.06   | -8.03    | -12.82       | -10.16       | -10.77       | -14.4        | -9.29        | -13.91       |
| 360            | -10.89  | -12.83   | -10.51   | -13.66   | -9.52    | -13.86   | -10.31   | -10.16       | -12.09       | -6.57        | -12.85       | -11.29       | -17.12       |

**Table 75. Board #2: RP\_2480.000\_ver**

| Azimuth<br>(°) | 0° (dB) | 15° (dB) | 30° (dB) | 45° (dB) | 60° (dB) | 75° (dB) | 90° (dB) | 105°<br>(dB) | 120°<br>(dB) | 135°<br>(dB) | 150°<br>(dB) | 165°<br>(dB) | 180°<br>(dB) |
|----------------|---------|----------|----------|----------|----------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| 0              | 0.65    | 0.68     | 1.51     | 0.33     | 0.93     | 0.57     | -3.28    | -8.99        | -3.19        | -0.88        | -1.72        | -2.61        | -0.65        |
| 15             | -0.34   | -0.11    | -0.26    | 1.66     | -1.18    | 0.81     | 0.13     | -6.53        | -3.25        | -0.41        | -3.61        | -1.23        | -0.79        |
| 30             | -1.89   | -2.12    | -1.3     | 1.94     | 0.9      | -3.48    | -1.78    | 0.28         | 0.33         | -6.26        | -0.37        | -1.63        | -1.96        |
| 45             | -4.34   | -4.9     | -2.34    | -0.88    | -1.26    | -1.54    | 0.26     | -0.84        | -2.56        | -1.94        | 0.36         | -4.44        | -2.8         |
| 60             | -9.84   | -10.08   | -7.09    | -4.46    | -7.73    | -4.94    | -0.62    | 1.55         | -6.26        | 1.21         | -3.21        | -10.14       | -4.9         |
| 75             | -15.69  | -17.31   | -14.83   | -9       | -8.93    | -7.92    | -3.49    | 0.56         | -2.16        | -0.92        | -11.44       | -17.05       | -9.12        |
| 90             | -12.21  | -12.28   | -14.93   | -15.78   | -7.41    | -4.63    | -3.87    | -3.36        | -3.01        | -6.3         | -12.26       | -8.16        | -9.36        |
| 105            | -6.9    | -6.91    | -7.8     | -6.65    | -3.57    | -3.53    | -2.83    | -4.77        | -5.26        | -10.34       | -5.4         | -5.57        | -8.81        |
| 120            | -3.41   | -4.49    | -2.9     | -2.22    | -1.37    | -2.49    | -0.82    | -1.12        | -3.43        | -3.89        | -2.13        | -4.29        | -5.53        |
| 135            | -1      | -2.93    | -0.82    | -0.56    | -1.54    | -1.85    | 0.31     | 0.9          | -1.69        | -1.15        | -1.26        | -3.58        | -2.42        |
| 150            | 0.08    | -1.17    | 0.19     | 0.88     | -2.29    | -2.51    | 0.12     | 0.91         | -3.35        | 0.23         | -1.16        | -3.47        | -0.02        |
| 165            | -0.11   | -1.12    | 0.54     | 1.76     | -0.23    | -2.9     | -2.42    | -2.58        | -5.5         | -0.34        | -0.48        | -3.63        | 1            |
| 180            | -0.4    | -2.49    | -0.88    | 1.65     | 1.37     | -1.18    | -3.06    | -10.64       | -5.11        | -7.57        | -0.97        | -5.32        | 0.59         |
| 195            | -0.79   | -3.74    | -5.24    | -0.02    | -0.73    | -0.29    | 0.44     | -3.24        | -11.49       | -9.93        | -5.07        | -6.38        | -0.59        |
| 210            | -2.58   | -4.9     | -8.45    | -5.76    | -9.21    | -2.07    | -3.34    | -6.69        | -4.21        | -4.22        | -7.93        | -7.63        | -2.34        |
| 225            | -5.25   | -6.55    | -6.2     | -13.63   | -13.01   | -13.85   | -16.62   | -12.25       | -5.1         | -7.55        | -3.76        | -8.84        | -5.08        |
| 240            | -9.42   | -9.11    | -6.47    | -6.9     | -12.33   | -6.12    | -6.76    | -18.36       | -9.6         | -9.75        | -4.32        | -10.02       | -9.47        |
| 255            | -16.02  | -13.55   | -10.57   | -6.54    | -16.67   | -5.1     | -10.65   | -9.56        | -4.39        | -6.55        | -9.86        | -11.65       | -15.01       |
| 270            | -14.41  | -18.41   | -13.19   | -15.41   | -12.25   | -13.31   | -13.15   | -6.96        | -1.27        | -5.56        | -9.67        | -14.57       | -11.42       |
| 285            | -7.78   | -11.12   | -8.91    | -10.59   | -7.27    | -13.24   | -7.92    | -8.11        | -0.67        | -5.75        | -4.14        | -15.19       | -6.48        |
| 300            | -3.73   | -5.62    | -2.73    | -3.9     | -4.84    | -4.7     | -5.34    | -12.18       | -1.37        | -4.06        | -1.36        | -9.84        | -3.3         |
| 315            | -1.41   | -2.3     | 0.24     | -0.5     | -3.08    | -1.24    | -3.64    | -11.18       | -2.01        | -3.09        | 0.12         | -8.28        | -2.1         |
| 330            | 0.47    | -0.05    | 2.38     | 1.33     | -1.45    | 1.15     | -1.15    | -9.57        | -2.89        | -3.19        | 1.1          | -6.37        | -1.72        |
| 345            | 1.25    | 1.1      | 3.12     | 1.06     | 0.3      | 0.8      | -0.33    | -7.85        | -3.22        | -3.62        | 1.2          | -5.2         | -1.36        |
| 360            | 0.65    | 0.68     | 1.51     | 0.33     | 0.93     | 0.57     | -3.28    | -8.99        | -3.19        | -0.88        | -1.72        | -2.61        | -0.65        |




Figure 112. Board #2 (2.48 GHz): Theta = 0, Phi = 0




Figure 113. Board #2 (2.48 GHz): Theta = 180, Phi = 0




Figure 114. Board #2 (2.48 GHz): Theta = 90, Phi = 0




Figure 115. Board #2 (2.48 GHz): Theta = 90, Phi = 180




Figure 116. Board #2 (2.48 GHz): Theta = 90, Phi = 270




Figure 117. Board #2 (2.48 GHz): Theta = 90, Phi = 90