

## Appendix B

### RF Test Data for BT V4.1(LE) (Conducted Measurement)

**Product Name:** Meat it Smart cooking thermometer

**Trade Mark:** N/A


**Test Model:** 74300

#### Environmental Conditions

Temperature:	23.3 ° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Tom.Liu
Supervised by:	Jayden.Zhuo


#### B.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




### B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	1.165	30	PASS
BT LE	MCH	2.269	30	PASS
BT LE	HCH	1.832	30	PASS




HCH



### B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-12.812	8	PASS
BT LE	MCH	-12.760	8	PASS
BT LE	HCH	-13.018	8	PASS


Test Graphs	
LCH	<p>Keysight Spectrum Analyzer - Swept SA</p> <p>Marker 1 2.401979000000 GHz</p> <p>Ref Offset 7.01 dB Ref 0.00 dBm</p> <p>Mkr1 2.401 979 GHz -12.812 dBm</p> <p>Center 2.4020000 GHz #Res BW 3.0 kHz</p> <p>#VBW 10 kHz Sweep 105.5 ms (1001 pts)</p> <p>Span 1.000 MHz</p>
MCH	<p>Keysight Spectrum Analyzer - Swept SA</p> <p>Marker 1 2.439979000000 GHz</p> <p>Ref Offset 7.01 dB Ref 0.00 dBm</p> <p>Mkr1 2.439 979 GHz -12.760 dBm</p> <p>Center 2.4400000 GHz #Res BW 3.0 kHz</p> <p>#VBW 10 kHz Sweep 105.5 ms (1001 pts)</p> <p>Span 1.000 MHz</p>





**B.4 6dB Bandwidth**

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.7013	≥0.5	PASS
BT LE	MCH	0.6993	≥0.5	PASS
BT LE	HCH	0.6925	≥0.5	PASS

**Test Graphs**

LCH	<p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 09:48:29 AM Jul 27, 2018</p> <p style="font-size: small; margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHld: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain:Low #Atten: 30 dB Radio Device: BTS</p>	Frequency														
		Center Freq 2.402000000 GHz														
	<p style="font-size: x-small; margin: 0;">Center 2.402 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p>	CF Step 300.000 kHz Auto Man														
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">7.45 dBm</td> </tr> <tr> <td style="text-align: center; font-weight: bold;">1.0482 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>7.751 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>701.3 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-6.00 dB</td> </tr> </table>	Occupied Bandwidth	Total Power	7.45 dBm	1.0482 MHz			Transmit Freq Error	7.751 kHz	OBW Power	x dB Bandwidth	701.3 kHz	x dB			-6.00 dB
Occupied Bandwidth	Total Power	7.45 dBm														
1.0482 MHz																
Transmit Freq Error	7.751 kHz	OBW Power														
x dB Bandwidth	701.3 kHz	x dB														
		-6.00 dB														


MCH	<p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 09:52:09 AM Jul 27, 2018</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHld: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain:Low #Atten: 30 dB Radio Device: BTS</p>	Frequency														
		Center Freq 2.440000000 GHz														
	<p style="font-size: x-small; margin: 0;">Center 2.44 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p>	CF Step 300.000 kHz Auto Man														
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">8.55 dBm</td> </tr> <tr> <td style="text-align: center; font-weight: bold;">1.0468 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>7.696 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>699.3 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-6.00 dB</td> </tr> </table>	Occupied Bandwidth	Total Power	8.55 dBm	1.0468 MHz			Transmit Freq Error	7.696 kHz	OBW Power	x dB Bandwidth	699.3 kHz	x dB			-6.00 dB
Occupied Bandwidth	Total Power	8.55 dBm														
1.0468 MHz																
Transmit Freq Error	7.696 kHz	OBW Power														
x dB Bandwidth	699.3 kHz	x dB														
		-6.00 dB														



### B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.397	-45.281	-19.603	PASS
BT LE	MCH	1.466	-44.949	-18.534	PASS
BT LE	HCH	1.036	-45.443	-18.964	PASS


BT LE\_LCH\_Graphs






BT LE MCH Graphs

Pref/BT LE/MCH



Frequency	
Auto Tune	
Center Freq	2.440000000 GHz
Start Freq	2.438700000 GHz
Stop Freq	2.441300000 GHz
CF Step	260.000 kHz
	Auto Man
Freq Offset	0 Hz


Puw/BT LE/MCH




Frequency	
Auto Tune	
Center Freq	12.515000000 GHz
Start Freq	30.000000 MHz
Stop Freq	25.000000000 GHz
CF Step	2.497000000 GHz
	Auto Man
Freq Offset	0 Hz

BT LE HCH Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



**B.6 Band-edge for RF Conducted Emissions**

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.568	-51.038	-19.43	PASS
BT LE	HCH	1.294	-51.250	-18.71	PASS

Test Graphs

LCH

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.402 249 GHz	0.568 dBm			
2	N	1	f	2.400 000 GHz	-53.467 dBm			
3	N	1	f	2.390 000 GHz	-54.421 dBm			
4	N	1	f	2.377 563 GHz	-51.038 dBm			

Frequency

Auto Tune

Center Freq  
2.35700000 GHz

Start Freq  
2.31000000 GHz

Stop Freq  
2.40400000 GHz

CF Step  
9.400000 MHz

Freq Offset  
0 Hz

HCH

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.479 999 25 GHz	1.294 dBm			
2	N	1	f	2.483 500 00 GHz	-52.039 dBm			
3	N	1	f	2.500 000 00 GHz	-53.214 dBm			
4	N	1	f	2.483 997 75 GHz	-51.250 dBm			

Frequency

Auto Tune

Center Freq  
2.48900000 GHz

Start Freq  
2.47800000 GHz

Stop Freq  
2.50000000 GHz


CF Step  
2.200000 MHz

Freq Offset  
0 Hz


## B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-44.44	2.0	0	52.79	PEAK	74	PASS
		Ant1	2310.0	-54.63	2.0	0	42.60	AV	54	PASS
		Ant1	2390.0	-43.46	2.0	0	53.77	PEAK	74	PASS
		Ant1	2390.0	-54.50	2.0	0	42.73	AV	54	PASS
	2480	Ant1	2483.5	-41.14	2.0	0	56.09	PEAK	74	PASS
		Ant1	2483.5	-54.04	2.0	0	43.19	AV	54	PASS
		Ant1	2500.0	-44.66	2.0	0	52.57	PEAK	74	PASS
		Ant1	2500.0	-54.01	2.0	0	43.22	AV	54	PASS


Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_AV



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_AV

