

TEST REPORT

Product : MOBILE PHONE
Trade mark : ROKIT
Model/Type reference : IO Pro
Serial Number : N/A
Report Number : EED32K00215408
FCC ID : 2AQNZ-IOPRO
Date of Issue : Aug. 30, 2018
Test Standards : 47 CFR Part 2
47 CFR Part 22 subpart H
Test result : PASS

Prepared for:

ROKIT Corp Limited

**ROK House, Kingswood Business Park, Holyhead Road, Albrighton,
Wolverhampton, United Kingdom, WV73AU**

Prepared by:

**Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385**

Tested by:

Peter

Peter (Test Project)

Compiled by:

Tom - chen

Tom chen (Project Engineer)

Reviewed by:

Kevin Yang

Kevin yang (Reviewer)

Approved by:

Sheek Luo

Sheek Luo (Lab supervisor)

Date:

Aug. 30, 2018

Report Seal

Check No.:3096342807



2 Version

Version No.	Date	Description
00	Aug. 30, 2018	Original

3 Test Summary

LTE Band 5			
Test Item	Test Requirement	Test method	Result
Conducted output power	Part 2.1046(a)/Part 22.913(a)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Effective Radiated Power of Transmitter(ERP)	Part 2.1046(a)/Part 22.913(a)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
99%&26dB Occupied Bandwidth	Part 2.1049(h)	Part 22.917(b) &KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	Part 2.1051/Part 22.917(a)	Part 22.917(b) &KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 22.917(a)(b)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	Part 2.1053/ Part 2.1057/ Part 22.917(a)(b)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Frequency stability	Part 2.1055/ Part 22.355	TIA-603-E-2016&KDB 971168 D01v03r01	PASS

Remark:

The tested samples and the sample information are provided by the client.

Tx: In this whole report Tx (or tx) means Transmitter.

Rx: In this whole report Rx (or rx) means Receiver.

RF: In this whole report RF means Radiated Frequency.

CH: In this whole report CH means channel.

Volt: In this whole report Volt means Voltage.

Temp: In this whole report Temp means Temperature.

Humid: In this whole report Humid means humidity.

Press: In this whole report Press means Pressure.

N/A: In this whole report not application

4 Content

1 COVER PAGE	1
2 VERSION	2
3 TEST SUMMARY	3
4 CONTENT	4
5 TEST REQUIREMENT	5
5.1 TEST SETUP.....	5
5.1.1 For Radiated Emissions test setup.....	5
5.2 TEST ENVIRONMENT.....	5
5.3 TEST CONDITION.....	5
6 GENERAL INFORMATION	6
6.1 CLIENT INFORMATION.....	6
6.2 GENERAL DESCRIPTION OF EUT.....	6
6.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD.....	7
6.4 DESCRIPTION OF SUPPORT UNITS.....	7
6.5 TEST LOCATION.....	7
6.6 DEVIATION FROM STANDARDS.....	7
6.7 ABNORMALITIES FROM STANDARD CONDITIONS.....	7
6.8 OTHER INFORMATION REQUESTED BY THE CUSTOMER.....	7
6.9 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2).....	8
7 EQUIPMENT LIST	9
8 RADIO TECHNICAL REQUIREMENTS SPECIFICATION	11
APPENDIX A) CONDUCTED OUTPUT POWER AND EFFECTIVE (ISOTROPIC) RADIATED POWER.....	12
APPENDIX B) 26DB BANDWIDTH AND OCCUPIED BANDWIDTH.....	18
APPENDIX C) BAND EDGE.....	28
APPENDIX D) CONDUCTED SPURIOUS EMISSION.....	66
APPENDIX E) FREQUENCY STABILITY.....	234
APPENDIX F) FIELD STRENGTH OF SPURIOUS RADIATION.....	241
PHOTOGRAPHS OF TEST SETUP	266
PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS	267

5 Test Requirement

5.1 Test setup

5.1.1 For Radiated Emissions test setup

Radiated Emissions setup:




Figure 1.30MHz to 1GHz




Figure 2. above 1GHz




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz

5.2 Test Environment

Operating Environment:	
Temperature:	25.0 °C
Humidity:	56 % RH
Atmospheric Pressure:	1010mbar

5.3 Test Condition

Test channel:

LTE

Test Mode	Test Frequency ID	Bandwidth (MHz)	Number [UL]	Frequency of Uplink(MHz)	Number [DL]	Frequency of Downlink(MHz)
LTE band 5 TX:824–849 MHz RX: 869–894MHz	Low Range	1.4	20407	824.7	2407	869.7
		3	20415	825.5	2415	870.5
		5	20425	826.5	2425	871.5
		10	20450	829	2450	874
	Mid Range	1.4/3/5/10	20525	836.5	2525	881.5
	High Range	1.4	20643	848.3	2643	893.3
		3	20635	847.5	2635	892.5
		5	20625	846.5	2625	891.5
		10	20600	844	2600	889

6 General Information

6.1 Client Information

Applicant:	ROKIT Corp Limited
Address of Applicant:	ROK House, Kingswood Business Park, Holyhead Road, Albrighton, Wolverhampton, United Kingdom, WV73AU
Manufacturer:	ROKIT Corp Limited
Address of Manufacturer:	ROK House, Kingswood Business Park, Holyhead Road, Albrighton, Wolverhampton, United Kingdom, WV73AU
Factory:	Shenzhen Newsun Technology Co., Ltd
Address of Factory:	5th Floor, A1 Building, Zhongtai Information Technology Industrial Park, No. 2 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen, China

6.2 General Description of EUT

Product Name:	MOBILE PHONE
Model No.(EUT):	IO Pro
Trade mark:	ROKIT
EUT Supports Radios application:	<p>BT4.0, 2.1+EDR: 2402MHz to 2480MHz</p> <p>WiFi: IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz</p> <p>IEEE 802.11n(HT40): 2422MHz to 2452MHz</p> <p>GPS: 1559MHz to 1610MHz</p> <p>GSM/GPRS/EDGE 850:</p> <p>Tx:824.20 -848.80MHz; Rx: 869.20 – 893.80MHz</p> <p>GSM/GPRS/EDGE 1900:</p> <p>Tx:1850.20 – 1909.80MHz; Rx:1930.20 – 1989.80MHz</p> <p>CDMA BC0:</p> <p>Tx:824-849MHz; Rx:869-894MHz</p> <p>CDMA BC1:</p> <p>Tx:1850-1910MHz; Rx:1930-1990MHz</p> <p>CDMA BC10:</p> <p>TX:817.25-823.975MHz, RX:862.25-868.975MHz</p> <p>1xEVDO BC0:</p> <p>Tx:824-849MHz; Rx:869-894MHz</p> <p>1xEVDO BC0:</p> <p>Tx:1850-1910MHz; Rx:1930-1990MHz</p> <p>1xEVDO BC0:</p> <p>TX:817.25-823.975MHz, RX:862.25-868.975MHz</p> <p>WCDMA/HSDPA/HSUPA/HSPA+(Down Link) Band V:</p> <p>Tx:826.40 -846.60MHz; Rx: 871.40 – 891.60MHz</p> <p>WCDMA/HSDPA/HSUPA/HSPA+(Down Link) Band IV:</p> <p>Tx:1710-1755MHz; Rx: 2110-2155MHz</p> <p>WCDMA/HSDPA/HSUPA/HSPA+(Down Link) Band II:</p> <p>Tx:1852.40 – 1907.60MHz; Rx:1932.40 – 1987.60MHz</p> <p>LTE Band 2:</p> <p>TX:1850MHz to 1910MHz RX:1930MHz to 1990MHz.</p> <p>LTE Band 4:</p> <p>TX:1710MHz to 1755MHz RX:2110MHz to 2155MHz.</p> <p>LTE Band 5:</p> <p>TX:824MHz to 849MHz RX:869MHz to 894MHz.</p>

	LTE Band 12: TX:698MHz to 716MHz RX:729MHz to 746MHz. LTE Band 17: TX:704MHz to 716MHz RX:734MHz to 746MHz.
Power Supply:	DC 5V by USB port
	Li-ion Battery 3.85V, 3850mAh, 14.822Wh
Firmware version:	MOLY.LR12A.R2.MP.V36.9(manufacturer declare)
Hardware version:	V0(manufacturer declare)
USB cable:	100cm(shielded)
Sample Received Date:	Aug. 08, 2018
Sample tested Date:	Aug. 08, 2018 to Aug. 29, 2018

6.3 Product Specification subjective to this standard

Frequency Band:	LTE Band 5: TX: 824 MHz – 849 MHz RX: 869 MHz – 894MHz
Modulation Type:	QPSK, 16QAM
Sample Type:	mobile production
Antenna Type:	MONOPOLE
Antenna Gain:	-5dBi
Test Voltage:	DC 3.85V

6.4 Description of Support Units

The EUT has been tested independently.

6.5 Test Location

All tests were performed at:

Centre Testing International Group Co., Ltd
 Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China
 Telephone: +86 (0) 755 33683668 Fax:+86 (0) 755 33683385

No tests were sub-contracted.
 FCC Designation No.: CN1164

6.6 Deviation from Standards

None.

6.7 Abnormalities from Standard Conditions

None.

6.8 Other Information Requested by the Customer

None.

6.9 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	7.9 x 10 ⁻⁸
2	RF power, conducted	0.31dB (30MHz-1GHz)
		0.57dB (1GHz-18GHz)
3	Radiated Spurious emission test	4.5dB (30MHz-1GHz)
		4.8dB (1GHz-12.75GHz)
4	Conduction emission	3.6dB (9kHz to 150kHz)
		3.2dB (150kHz to 30MHz)
5	Temperature test	0.64°C
6	Humidity test	2.8%
7	DC power voltages	0.025%

7 Equipment List

Communication RF test system					
Equipment	Manufacturer	Model No.	Serial Number	Cal. Date (mm-dd-yyyy)	Cal. Due date (mm-dd-yyyy)
Spectrum Analyzer	Agilent	E4440A	MY46185649	11-16-2017	11-15-2018
Signal Generator	Agilent	E4438C	MY45095744	03-13-2018	03-12-2019
Communication test set	Agilent	E5515C	GB47050534	03-16-2018	03-15-2019
Signal Generator	Keysight	E8257D	MY53401106	03-13-2018	03-12-2019
Communication test set	R&S	CMW500	152394	03-16-2018	03-15-2019
High-pass filter	Sinoscite	FL3CX03WG18 NM12-0398-002	---	01-10-2018	01-09-2019
High-pass filter	MICRO-TRONICS	SPA-F-63029-4	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX01CA09C L12-0395-001	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX01CA08C L12-0393-001	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX02CA04C L12-0396-002	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX02CA03C L12-0394-001	---	01-10-2018	01-09-2019
DC Power	Keysight	E3642A	MY54426112	03-13-2018	03-12-2019
DC Power	Keysight	E3642A	MY54426115	03-13-2018	03-12-2019
PC-2	Lenovo	R4960d	---	01-10-2018	01-09-2019
PC-3	Lenovo	R4960d	---	01-10-2018	01-09-2019
RF control unit	JS Tonscend	JS0806-1	158060004	03-13-2018	03-12-2019
DC power Box	JS Tonscend	JS0806-4	158060007	03-13-2018	03-12-2019
LTE Automatic test software	JS Tonscend	JS1120-1	---	03-30-2018	03-29-2019
WCDMA Automatic test software	JS Tonscend	JS1120-3	---	03-30-2018	03-29-2019
GSM Automatic test software	JS Tonscend	JS1120-3	---	03-30-2018	03-29-2019

3M Semi/full-anechoic Chamber					
Equipment	Manufacturer	Model No.	Serial Number	Cal. date (mm-dd-yyyy)	Cal. Due date (mm-dd-yyyy)
3M Chamber & Accessory Equipment	TDK	SAC-3	---	06-04-2016	06-03-2019
TRILOG Broadband Antenna	Schwarzbeck	VULB9163	9163-401	04-26-2018	04-25-2019
TRILOG Broadband Antenna	Schwarzbeck	VULB9163	9163-618	07-30-2018	07-29-2019
Microwave Preamplifier	Agilent	8449B	3008A02425	08-21-2018	08-20-2019
Microwave Preamplifier	Tonscend	EMC051845SE	980380	01-19-2018	01-18-2019
Horn Antenna	Schwarzbeck	BBHA 9120D	9120D-1869	04-25-2018	04-23-2021
Double ridge horn antenna	A.H.SYSTEMS	SAS-574	6042	06-05-2018	06-04-2021
Pre-amplifier	A.H.SYSTEMS	PAP-1840-60	6041	06-05-2018	06-04-2021
Loop Antenna	ETS	6502	00071730	06-22-2017	06-21-2019
Spectrum Analyzer	R&S	FSP40	100416	05-11-2018	05-10-2019
Receiver	R&S	ESCI	100435	05-25-2018	05-24-2019
Multi device Controller	maturio	NCD/070/10711 112	---	01-10-2018	01-09-2019
LISN	schwarzbeck	NNBM8125	81251547	05-11-2018	05-10-2019
LISN	schwarzbeck	NNBM8125	81251548	05-11-2018	05-10-2019
Signal Generator	Agilent	E4438C	MY45095744	03-13-2018	03-12-2019
Signal Generator	Keysight	E8257D	MY53401106	03-13-2018	03-12-2019
Temperature/ Humidity Indicator	TAYLOR	1451	1905	05-02-2018	05-01-2019
Communication test set	Agilent	E5515C	GB47050534	03-16-2018	03-15-2019
Cable line	Fulai(7M)	SF106	5219/6A	01-10-2018	01-09-2019
Cable line	Fulai(6M)	SF106	5220/6A	01-10-2018	01-09-2019
Cable line	Fulai(3M)	SF106	5216/6A	01-10-2018	01-09-2019
Cable line	Fulai(3M)	SF106	5217/6A	01-10-2018	01-09-2019
Communication test set	R&S	CMW500	104466	02-05-2018	02-04-2019
High-pass filter	Sinoscite	FL3CX03WG18 NM12-0398-002	---	01-10-2018	01-09-2019
High-pass filter	MICRO-TRONICS	SPA-F-63029-4	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX01CA09 CL12-0395-001	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX01CA08 CL12-0393-001	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX02CA04 CL12-0396-002	---	01-10-2018	01-09-2019
band rejection filter	Sinoscite	FL5CX02CA03 CL12-0394-001	---	01-10-2018	01-09-2019

8 Radio Technical Requirements Specification

Reference documents for testing:

No.	Identity	Document Title
1	PART 22 (2015)	PART 22 – PUBLIC MOBILE SERVICES Subpart H – Cellular Radiotelephone Service
2	PART 24 (2015)	PART 24 – PERSONAL COMMUNICATIONS SERVICES Subpart E – Broadband PCS
3	PART 27 (2015)	PART 27 – MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES Subpart C – Technical Standards
3	PART 2 (2015)	Frequency allocations and radio treaty matters; general rules and regulations
4	TIA-603-E-2016	Land Mobile FM or PM -Communications Equipment -Measurement and Performance Standards
5	KDB971168 D01	KDB971168 D01 Power Meas License Digital Systems v03r01

Test Results List:

Test Requirement	Test method	Test item	Verdict	Note
Part 2.1046(a)/Part 22.913(a)	TIA-603-E-2016& KDB 971168 D01v03r01	Conducted output power	PASS	Appendix A)
Part 2.1046(a)/Part 22.913(a)	TIA-603-E-2016& KDB 971168 D01v03r01	Effective Radiated Power of Transmitter(ERP)	PASS	Appendix A)
Part 2.1049(h)	Part 22.917(b) &KDB 971168 D01v03r01	99% &26dBOccupied Bandwidth	PASS	Appendix B)
Part 2.1051/Part 22.917(a)/	Part 22.917(b) &KDB 971168 D01v03r01	Band Edge at antenna terminals	PASS	Appendix C)
Part 2.1051/ Part 2.1057/ Part 22.917(a)(b)/	TIA-603-E-2016& KDB 971168 D01v03r01	Spurious emissions at antenna terminals	PASS	Appendix D)
Part 2.1055/ Part 22.355	TIA-603-E-2016& KDB 971168 D01v03r01	Frequency stability	PASS	Appendix E)
Part 2.1053/ Part 2.1057/ Part 22.917(a)(b)	TIA-603-E-2016& KDB 971168 D01v03r01	Field strength of spurious radiation	PASS	Appendix F)

Appendix A) Conducted Output Power and Effective (Isotropic) Radiated Power

<p>Description of the Conducted Output Power Measurement and ERP/EIRP Measurement:</p>	<p>A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.</p> <p>According to KDB 412172 D01 Power Approach $EIRP = P_T + G_T - L_c$, $ERP = EIRP - 2.15$, where P_T = transmitter output power in dBm G_T = gain of the transmitting antenna in dBi L_c = signal attenuation in the connecting cable between the transmitter and antenna in dB</p>				
<p>Measurement Procedure:</p>	<ol style="list-style-type: none"> 1. The transmitter output port was connected to the system simulator. 2. Set EUT at maximum power through the system simulator. 3. Select lowest, middle, and highest channels for each band and different modulation. 4. Measure and record the power level from the system simulator. 				
<p>Limit:</p>	<table border="1"> <tr> <td data-bbox="437 891 619 936">Mode</td> <td data-bbox="624 891 1075 936">LTE band 5</td> </tr> <tr> <td data-bbox="437 943 619 987">Limit</td> <td data-bbox="624 943 1075 987">38.45dBm</td> </tr> </table>	Mode	LTE band 5	Limit	38.45dBm
Mode	LTE band 5				
Limit	38.45dBm				

$G_T - L_C = -5\text{dB}$

Channel Bandwidth: 1.4 MHz

Channel Bandwidth: 1.4 MHz							
Modulation	Channel	RB Configuration		Average Power [dBm]	ERP [dBm]	Verdict	
		Size	Offset				
QPSK	LCH	1	0	23.98	16.83	PASS	
		1	3	24.07	16.92	PASS	
		1	5	23.99	16.84	PASS	
		3	0	24.10	16.95	PASS	
		3	2	24.09	16.94	PASS	
		3	3	24.12	16.97	PASS	
		6	0	23.00	15.85	PASS	
		MCH	1	0	24.04	16.89	PASS
	1		3	24.18	17.03	PASS	
	1		5	24.00	16.85	PASS	
	3		0	24.17	17.02	PASS	
	3		2	24.17	17.02	PASS	
	3		3	24.18	17.03	PASS	
	6		0	23.08	15.93	PASS	
	HCH		1	0	24.06	16.91	PASS
		1	3	24.15	17.00	PASS	
		1	5	24.07	16.92	PASS	
		3	0	24.20	17.05	PASS	
		3	2	24.22	17.07	PASS	
		3	3	24.19	17.04	PASS	
		6	0	23.09	15.94	PASS	
		16QAM	LCH	1	0	23.09	15.94
	1			3	23.30	16.15	PASS
	1			5	23.17	16.02	PASS
3	0			24.11	16.96	PASS	
3	2			24.10	16.95	PASS	
3	3			24.09	16.94	PASS	
6	0			22.06	14.91	PASS	
MCH	1			0	23.18	16.03	PASS
	1		3	23.35	16.20	PASS	
	1		5	23.14	15.99	PASS	
	3		0	24.18	17.03	PASS	

HCH	3	2	24.16	17.01	PASS
	3	3	24.15	17.00	PASS
	6	0	22.15	15.00	PASS
	1	0	23.19	16.04	PASS
	1	3	23.41	16.26	PASS
	1	5	23.18	16.03	PASS
	3	0	24.19	17.04	PASS
	3	2	24.20	17.05	PASS
	3	3	24.20	17.05	PASS
	6	0	22.15	15.00	PASS

Channel Bandwidth: 3 MHz

Channel Bandwidth: 3 MHz							
Modulation	Channel	RB Configuration		Average Power [dBm]	ERP [dBm]	Verdict	
		Size	Offset				
QPSK	LCH	1	0	24.05	16.90	PASS	
		1	7	24.08	16.93	PASS	
		1	14	24.04	16.89	PASS	
		8	0	23.06	15.91	PASS	
		8	4	23.03	15.88	PASS	
		8	7	23.04	15.89	PASS	
		15	0	23.04	15.89	PASS	
	MCH	1	0	24.13	16.98	PASS	
		1	7	24.11	16.96	PASS	
		1	14	24.10	16.95	PASS	
		8	0	23.15	16.00	PASS	
		8	4	23.12	15.97	PASS	
		8	7	23.12	15.97	PASS	
		15	0	23.14	15.99	PASS	
	HCH	1	0	24.14	16.99	PASS	
		1	7	24.12	16.97	PASS	
		1	14	24.12	16.97	PASS	
		8	0	23.15	16.00	PASS	
		8	4	23.17	16.02	PASS	
		8	7	23.13	15.98	PASS	
		15	0	23.14	15.99	PASS	
	16QAM	LCH	1	0	23.24	16.09	PASS
			1	7	23.22	16.07	PASS

		1	14	23.22	16.07	PASS
		8	0	23.07	15.92	PASS
		8	4	23.03	15.88	PASS
		8	7	23.09	15.94	PASS
		15	0	22.10	14.95	PASS
	MCH	1	0	23.31	16.16	PASS
		1	7	23.26	16.11	PASS
		1	14	23.27	16.12	PASS
		8	0	23.11	15.96	PASS
		8	4	23.17	16.02	PASS
		8	7	23.13	15.98	PASS
		15	0	22.13	14.98	PASS
		HCH	1	0	23.37	16.22
	1		7	23.30	16.15	PASS
	1		14	23.30	16.15	PASS
	8		0	23.14	15.99	PASS
	8		4	23.14	15.99	PASS
	8		7	23.17	16.02	PASS
	15		0	22.21	15.06	PASS

Channel Bandwidth: 5 MHz

Channel Bandwidth: 5 MHz						
Modulation	Channel	RB Configuration		Average Power [dBm]	ERP [dBm]	Verdict
		Size	Offset			
QPSK	LCH	1	0	24.03	16.88	PASS
		1	12	24.13	16.98	PASS
		1	24	24.04	16.89	PASS
		12	0	23.07	15.92	PASS
		12	6	23.05	15.90	PASS
		12	13	23.02	15.87	PASS
		25	0	23.08	15.93	PASS
	MCH	1	0	24.11	16.96	PASS
		1	12	24.23	17.08	PASS
		1	24	24.06	16.91	PASS
		12	0	23.13	15.98	PASS
		12	6	23.13	15.98	PASS
		12	13	23.18	16.03	PASS
		25	0	23.18	16.03	PASS

16QAM	HCH	1	0	24.12	16.97	PASS	
		1	12	24.27	17.12	PASS	
		1	24	24.09	16.94	PASS	
		12	0	23.25	16.10	PASS	
		12	6	23.20	16.05	PASS	
		12	13	23.11	15.96	PASS	
		25	0	23.20	16.05	PASS	
	16QAM	LCH	1	0	23.08	15.93	PASS
			1	12	23.18	16.03	PASS
			1	24	23.06	15.91	PASS
			12	0	23.07	15.92	PASS
			12	6	23.05	15.9	PASS
			12	13	23.00	15.85	PASS
			25	0	22.15	15.00	PASS
16QAM		MCH	1	0	23.15	16.00	PASS
			1	12	23.21	16.06	PASS
			1	24	23.08	15.93	PASS
			12	0	23.09	15.94	PASS
			12	6	23.10	15.95	PASS
			12	13	23.18	16.03	PASS
			25	0	22.21	15.06	PASS
	HCH	1	0	23.17	16.02	PASS	
		1	12	23.25	16.10	PASS	
		1	24	23.08	15.93	PASS	
		12	0	23.21	16.06	PASS	
		12	6	23.24	16.09	PASS	
		12	13	23.11	15.96	PASS	
		25	0	22.28	15.13	PASS	

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz						
Modulation	Channel	RB Configuration		Average Power [dBm]	ERP [dBm]	Verdict
		Size	Offset			
QPSK	LCH	1	0	24.02	16.87	PASS
		1	24	24.17	17.02	PASS
		1	49	24.06	16.91	PASS
		25	0	23.22	16.07	PASS
		25	12	23.22	16.07	PASS

16QAM	MCH	25	25	23.09	15.94	PASS	
		50	0	23.12	15.97	PASS	
		1	0	24.12	16.97	PASS	
		1	24	24.24	17.09	PASS	
		1	49	24.06	16.91	PASS	
		25	0	23.17	16.02	PASS	
		25	12	23.20	16.05	PASS	
		25	25	23.32	16.17	PASS	
		50	0	23.19	16.04	PASS	
		HCH	1	0	24.11	16.96	PASS
	1		24	24.25	17.10	PASS	
	1		49	24.09	16.94	PASS	
	25		0	23.22	16.07	PASS	
	25		12	23.26	16.11	PASS	
	25		25	23.10	15.95	PASS	
	50		0	23.14	15.99	PASS	
	LCH	1	0	23.28	16.13	PASS	
		1	24	23.57	16.42	PASS	
		1	49	23.25	16.10	PASS	
		25	0	23.22	16.07	PASS	
		25	12	23.21	16.06	PASS	
		25	25	23.08	15.93	PASS	
		50	0	22.11	14.96	PASS	
		MCH	1	0	23.28	16.13	PASS
			1	24	23.40	16.25	PASS
			1	49	23.27	16.12	PASS
			25	0	23.18	16.03	PASS
			25	12	23.20	16.05	PASS
25			25	23.28	16.13	PASS	
50			0	22.21	15.06	PASS	
HCH	1	0	23.28	16.13	PASS		
	1	24	23.57	16.42	PASS		
	1	49	23.27	16.12	PASS		
	25	0	23.27	16.12	PASS		
	25	12	23.25	16.10	PASS		
	25	25	23.08	15.93	PASS		
	50	0	22.14	14.99	PASS		

Appendix B) 26dB Bandwidth and Occupied Bandwidth

Test Result

Channel Bandwidth: 1.4 MHz

Channel Bandwidth: 1.4 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	6	0	1.0744	1.244	PASS
	MCH	6	0	1.0774	1.253	PASS
	HCH	6	0	1.0731	1.240	PASS
16QAM	LCH	6	0	1.0816	1.267	PASS
	MCH	6	0	1.0778	1.269	PASS
	HCH	6	0	1.0797	1.268	PASS

Channel Bandwidth: 3 MHz

Channel Bandwidth: 3 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	15	0	2.6743	2.838	PASS
	MCH	15	0	2.6776	2.854	PASS
	HCH	15	0	2.6752	2.862	PASS
16QAM	LCH	15	0	2.6662	2.837	PASS
	MCH	15	0	2.6699	2.853	PASS
	HCH	15	0	2.6711	2.876	PASS

Channel Bandwidth: 5 MHz


Channel Bandwidth: 5 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	25	0	4.4775	5.040	PASS
	MCH	25	0	4.4963	5.098	PASS
	HCH	25	0	4.4916	5.079	PASS
16QAM	LCH	25	0	4.4737	4.997	PASS
	MCH	25	0	4.4784	5.035	PASS
	HCH	25	0	4.4755	4.994	PASS


Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	50	0	8.9426	10.013	PASS
	MCH	50	0	8.9429	9.957	PASS
	HCH	50	0	8.9406	9.892	PASS
16QAM	LCH	50	0	8.9380	9.831	PASS
	MCH	50	0	8.9344	9.662	PASS
	HCH	50	0	8.9299	9.851	PASS


Test Graphs


Channel Bandwidth: 1.4 MHz







Channel Bandwidth: 3 MHz







Channel Bandwidth: 5 MHz





Channel Bandwidth: 10 MHz














Appendix C) Band Edge




Test Graphs




Channel Bandwidth: 1.4 MHz
















































Channel Bandwidth: 3 MHz
















































Channel Bandwidth: 5 MHz




















































































Appendix D) Conducted Spurious Emission
Test Graphs
Channel Bandwidth: 1.4 MHz

