


Test Mode : TX 2402MHz _CH00_1Mbps

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	22.34	33.88	56.22	74.00	-17.78	Peak	
2	2390.0000	11.85	33.88	45.73	54.00	-8.27	AVG	
3	2402.0000	60.84	33.95	94.79	74.00	20.79	Peak	No Limit
4 *	2402.0000	48.74	33.95	82.69	54.00	28.69	AVG	No Limit

Test Mode : TX 2402MHz _CH00_1Mbps


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4803.1320	34.16	4.77	38.93	74.00	-35.07	Peak	
2 *	4805.0150	22.88	4.77	27.65	54.00	-26.35	AVG	

Test Mode : TX 2441MHz _CH39_1Mbps


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4882.6180	33.56	5.10	38.66	74.00	-35.34	Peak	
2 *	4884.3870	22.63	5.11	27.74	54.00	-26.26	AVG	

Test Mode : TX 2441MHz _CH39_1Mbps

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2440.8500	61.42	34.17	95.59	74.00	21.59	Peak	No Limit
2 *	2441.0000	49.78	34.17	83.95	54.00	29.95	AVG	No Limit

Test Mode : TX 2480MHz _CH78_1Mbps


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4958.6480	34.30	5.42	39.72	74.00	-34.28	Peak	
2 *	4960.1850	23.91	5.43	29.34	54.00	-24.66	AVG	

Test Mode : TX 2480MHz _CH78_1Mbps

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2479.8500	60.65	34.39	95.04	74.00	21.04	Peak	No Limit
2 *	2480.0000	49.02	34.39	83.41	54.00	29.41	AVG	No Limit
3	2483.5000	23.05	34.41	57.46	74.00	-16.54	Peak	
4	2483.5000	12.21	34.41	46.62	54.00	-7.38	AVG	

Test Mode : TX 2480MHz _CH78_1Mbps


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4959.6080	35.08	5.43	40.51	74.00	-33.49	Peak	
2 *	4959.8450	23.56	5.43	28.99	54.00	-25.01	AVG	

Test Mode : TX 2402MHz _CH00_3Mbps

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	22.76	33.88	56.64	74.00	-17.36	Peak	
2	2390.0000	11.92	33.88	45.80	54.00	-8.20	AVG	
3	2402.0000	70.26	33.95	104.21	74.00	30.21	Peak	No Limit
4 *	2402.0000	56.35	33.95	90.30	54.00	36.30	AVG	No Limit

Test Mode : TX 2402MHz _CH00_3Mbps


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4801.5600	33.26	4.76	38.02	74.00	-35.98	Peak	
2 *	4806.1950	22.84	4.78	27.62	54.00	-26.38	AVG	

Test Mode : TX 2402MHz _CH00_3Mbps

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	22.39	33.88	56.27	74.00	-17.73	Peak	
2	2390.0000	11.86	33.88	45.74	54.00	-8.26	AVG	
3 *	2402.0000	45.55	33.95	79.50	54.00	25.50	AVG	No Limit
4	2402.0500	59.40	33.95	93.35	74.00	19.35	Peak	No Limit

Test Mode : TX 2402MHz _CH00_3Mbps


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4805.5780	22.68	4.78	27.46	54.00	-26.54	AVG	
2	4806.1370	34.04	4.78	38.82	74.00	-35.18	Peak	

Test Mode : TX 2441MHz _CH39_3Mbps


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2440.7500	69.70	34.17	103.87	74.00	29.87	Peak	No Limit
2 *	2441.0000	56.04	34.17	90.21	54.00	36.21	AVG	No Limit

Test Mode : TX 2441MHz _CH39_3Mbps


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4882.1850	33.88	5.10	38.98	74.00	-35.02	Peak	
2 *	4883.5170	22.79	5.11	27.90	54.00	-26.10	AVG	

Test Mode : TX 2441MHz _CH39_3Mbps

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2441.0000	45.96	34.17	80.13	54.00	26.13	AVG	No Limit
2	2441.0500	59.62	34.17	93.79	74.00	19.79	Peak	No Limit

Test Mode : TX 2441MHz _CH39_3Mbps


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4882.7850	33.30	5.10	38.40	74.00	-35.60	Peak	
2 *	4883.3820	22.61	5.11	27.72	54.00	-26.28	AVG	

Test Mode : TX 2480MHz _CH78_3Mbps

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2480.0000	54.44	34.39	88.83	54.00	34.83	AVG	No Limit
2	2480.1000	68.08	34.40	102.48	74.00	28.48	Peak	No Limit
3	2483.5000	22.95	34.41	57.36	74.00	-16.64	Peak	
4	2483.5000	12.34	34.41	46.75	54.00	-7.25	AVG	

Test Mode : TX 2480MHz _CH78_3Mbps


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4959.8800	23.66	5.43	29.09	54.00	-24.91	AVG	
2	4961.8000	34.62	5.44	40.06	74.00	-33.94	Peak	

Test Mode : TX 2480MHz _CH78_3Mbps

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2479.9500	59.00	34.39	93.39	74.00	19.39	Peak	No Limit
2 *	2480.0000	45.26	34.39	79.65	54.00	25.65	AVG	No Limit
3	2483.5000	22.90	34.41	57.31	74.00	-16.69	Peak	
4	2483.5000	12.22	34.41	46.63	54.00	-7.37	AVG	

Test Mode : TX 2480MHz _CH78_3Mbps

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4960.6650	23.40	5.43	28.83	54.00	-25.17	AVG	
2	4961.8150	35.66	5.44	41.10	74.00	-32.90	Peak	

ATTACHMENT E - NUMBER OF HOPPING CHANNEL

Test Mode **Hopping Mode_1Mbps**


Number of Hopping Channel 79



Date: 28.OCT.2016 20:33:28

Test Mode **Hopping Mode_3Mbps**

Number of Hopping Channel 79




Date: 28.OCT.2016 21:05:01

ATTACHMENT F - AVERAGE TIME OF OCCUPANCY

Test Mode :	TX Mode_1Mbps
-------------	---------------


Data Packet	Frequency (MHz)	Pulse Duration (ms)	Dwell Time (s)	Limits (s)	Test Result
DH5	2402	2.9200	0.3115	0.4000	Pass
DH3	2402	1.6600	0.2656	0.4000	Pass
DH1	2402	0.3850	0.1232	0.4000	Pass
DH5	2441	2.9200	0.3115	0.4000	Pass
DH3	2441	1.6600	0.2656	0.4000	Pass
DH1	2441	0.3850	0.1232	0.4000	Pass
DH5	2480	2.8800	0.3072	0.4000	Pass
DH3	2480	1.6600	0.2656	0.4000	Pass
DH1	2480	0.3850	0.1232	0.4000	Pass

CH00-DH1




Date: 28.OCT.2016 20:22:37

CH00-DH3




Date: 28.OCT.2016 20:41:48

CH00-DH5




Date: 28.OCT.2016 20:42:48

CH39-DH1




Date: 28.OCT.2016 20:21:33

CH78-DH1




Date: 28.OCT.2016 20:22:49

CH78-DH3



Date: 28.OCT.2016 20:41:12

CH78-DH5




Date: 28.OCT.2016 20:44:39

Test Mode :	TX Mode_3Mbps
-------------	---------------


Data Packet	Frequency	Pulse Duration(ms)	Dwell Time(s)	Limits(s)	Test Result
DH5	2402	2.8800	0.3072	0.4000	Pass
DH3	2402	1.6400	0.2624	0.4000	Pass
DH1	2402	0.3900	0.1248	0.4000	Pass
DH5	2441	2.8800	0.3072	0.4000	Pass
DH3	2441	1.6400	0.2624	0.4000	Pass
DH1	2441	0.3900	0.1248	0.4000	Pass
DH5	2480	2.8800	0.3072	0.4000	Pass
DH3	2480	1.6400	0.2624	0.4000	Pass
DH1	2480	0.3900	0.1248	0.4000	Pass

CH00-DH5




Date: 28.OCT.2016 21:13:30

CH39-DH1




Date: 28.OCT.2016 20:54:11

CH39-DH3




Date: 28.OCT.2016 21:11:29

CH39-DH5




Date: 28.OCT.2016 21:13:45

CH78-DH1




Date: 28.OCT.2016 20:53:42

CH78-DH3



Date: 28.OCT.2016 21:12:38

CH78-DH5




Date: 28.OCT.2016 21:14:04

ATTACHMENT G - HOPPING CHANNEL SEPARATION MEASUREMENT

Test Mode : Hopping on _1Mbps

Frequency (MHz)	Channel Separation (MHz)	2/3 of 20dB Bandwidth (MHz)	Test Result
2402	1.002	0.629	Pass
2441	0.999	0.603	Pass
2480	0.999	0.629	Pass



Date: 28.OCT.2016 20:26:21

CH39



Date: 28.OCT.2016 20:28:30


CH78



Date: 28.OCT.2016 20:30:39


Test Mode : Hopping on _3Mbps

Frequency (MHz)	Channel Separation (MHz)	2/3 of 20dB Bandwidth (MHz)	Test Result
2402	0.990	0.840	Pass
2441	1.008	0.835	Pass
2480	0.995	0.844	Pass




Date: 28.OCT.2016 20:57:49

CH39



Date: 28.OCT.2016 21:00:01

CH78




Date: 28.OCT.2016 21:02:13

ATTACHMENT H - BANDWIDTH


Test Mode : TX Mode _1Mbps

Frequency (MHz)	20dB Bandwidth (MHz)	99% Occupied BW (MHz)	Test Result
2402	0.943	0.836	Pass
2441	0.905	0.828	Pass
2480	0.944	0.852	Pass



Date: 28.OCT.2016 20:12:55

CH39



Date: 28.OCT.2016 20:15:43

CH78




Date: 28.OCT.2016 20:19:01

Test Mode : TX Mode_3Mbps


Frequency (MHz)	20dB Bandwidth (MHz)	99% Occupied BW (MHz)	Test Result
2402	1.260	1.156	Pass
2441	1.252	1.156	Pass
2480	1.266	1.160	Pass

CH00




Date: 28.OCT.2016 20:48:48

CH39



Date: 28.OCT.2016 20:50:35

CH78



Date: 28.OCT.2016 20:51:23

ATTACHMENT I - PEAK OUTPUT POWER


Test Mode : TX Mode _1Mbps

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
2402	3.48	0.0022	30.00	1.00	Pass
2441	3.24	0.0021	30.00	1.00	Pass
2480	3.16	0.0021	30.00	1.00	Pass




Date: 28.OCT.2016 20:07:35

CH39



Date: 28.OCT.2016 20:10:19

CH78



Date: 28.OCT.2016 20:10:57