

FCC RF EXPOSURE REPORT

For

Data Concentrator Unit

MODEL NUMBER: AJ102

FCC ID: 2AQPUAJ102

REPORT NUMBER: 4788510969.1-5

ISSUE DATE: July 31, 2018


Prepared for

Lin Man Power Technology Inc., No.6 3rd street, Meridian Industrial Complex Balibago, Sta. Rosa City, Laguna, Philippine.

Prepared by

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch Room 101, Building 10, Innovation Technology Park, Song Shan Lake Hi tech Development Zone, Dongguan, 523808, China

> Tel: +86 769 33817100 Fax: +86 769 33244054 Website: www.ul.com





Revision History

Rev.	Issue Date	Revisions	Revised By
	07/31/2018	Initial Issue	



TABLE OF CONTENTS

1.	ATTESTATION OF TEST RESULTS	. 4
2.	TEST METHODOLOGY	. 5
3.	FACILITIES AND ACCREDITATION	. 5
4	REQUIREMENT	6



1. ATTESTATION OF TEST RESULTS

Applicant Information	ilaa	cant	Inform	ation
-----------------------	------	------	--------	-------

Company Name: Lin Man Power Technology Inc.,

Address: No.6 3rd street, Meridian Industrial Complex Balibago, Sta. Rosa

City, Laguna, Philippine.

Manufacturer Information

Company Name: Lin Man Power Technology Inc.,

Address: No.6 3rd street, Meridian Industrial Complex Balibago, Sta. Rosa

City, Laguna, Philippine.

EUT Description

Product Name Data Concentrator Unit

Brand Name ENERTEK Model Name AJ102

FCC ID 2AQPUAJ102

Date Tested July 9, 2018~ July 25, 2018

APPLICABLE STANDARDS

STANDARD

TEST RESULTS

FCC 47CFR§2.1091

Complies

Tested By:	Check By:		
Jacky Jang	Shemylies		
Jacky Jiang Engineer Project Associate	Shawn Wen Laboratory Leader		

Approved By:

Stephen Guo

Laboratory Manager



2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091.

3. FACILITIES AND ACCREDITATION

	A2LA (Certificate No.: 4102.01)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	has been assessed and proved to be in compliance with A2LA.
	FCC (FCC Designation No.: CN1187)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	Has been recognized to perform compliance testing on equipment subject
	to the Commission's Delcaration of Conformity (DoC) and Certification
	rules
A comp ditation	IC(Company No.: 21320)
Accreditation	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
Certificate	has been registered and fully described in a report filed with ISED. The
	Company Number is 21320.
	VCCI (Registration No.: G-20019, R-20004, C-20012 and T-20011)
	UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch.
	has been assessed and proved to be in compliance with VCCI, the
	Membership No. is 3793.
	Facility Name:
	Chamber D, the VCCI registration No. is G-20019 and R-20004
	Shielding Room B, the VCCI registration No. is C-20012 and T-20011

Note 1: All tests measurement facilities use to collect the measurement data are located at Building 10, Innovation Technology Park, Song Shan Lake Hi tech Development Zone, Dongguan, 523808, China

Note 2: The test anechoic chamber in UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch had been calibrated and compared to the open field sites and the test anechoic chamber is shown to be equivalent to or worst case from the open field site.



4. REQUIREMENT

LIMIT AND CALCULATION METHOD

Systems operating under the provisions of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as mobile device whereby a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit shall comply with.

Limits for General Population/Uncontrolled Exposure

RF EXPOSURE LIMIT

Frequency Range (MHz)	E-field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm²)	Averaging Time E ², H ² or S (Minutes)
0.3 1.34	614	1.63	(100)*	30
1.34 30	824/f	2.19/f	(180/f ²)*	30
30 300	27.5	0.073	0.2	30
300 1500			f/1500	30
1500 100,000			1.0	30

CALCULATION METHOD

S=PG/4πR²

Where:

S=power density

P=power input to antenna

G=power gain of the antenna in the direction of interest relative to an isotropic radiator

R=distance to the center of radiation of the antenna



CALCULATED RESULTS

UMTS Mode						
Frequency	Output Power	Output Power	Power Density	Limit	Test Result	
MHz	dBm	mW	mW/cm ²	mW/cm ²	1	
824-849	25	316.23	0.099	0.567	Complies	

Lora Mode						
Frequency	Output Power	Output Power	Power Density	Limit	Test Result	
MHz	dBm	mW	mW/cm ²	mW/cm ²	1	
915.25- 917.75	15	31.62	0.0099	0.612	Complies	

Note: 1. Antenna Gain=2.0dBi (Numeric 1.58), π =3.141.

- 2. The Power comes from turn up power which declared by customer.
- 3. The minimum separation distance of the device is greater than 20 cm.
- 4. Calculate by WORST-CASE mode.
- 5. The UMTS antenna and Lora antenna can't work simultaneously.

END OF REPORT