




## Z Axis Scan





## System Performance Check Data (1800MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-04

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1800
Channels	Middle
Signal	CW
Frequency (MHz)	1800.000
Relative permittivity	41.28
Conductivity (S/m)	1.37
Probe	SN 04/22 EPGO364
ConvF	1.95
Crest factor:	1:1




**Maximum location: X=5.00, Y=2.00 ; SAR Peak: 5.87 W/kg**

SAR 10g (W/Kg)	2.034
SAR 1g (W/Kg)	3.701



### Z Axis Scan





## System Performance Check Data (1800MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-07

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1800
Channels	Middle
Signal	CW
Frequency (MHz)	1800.000
Relative permittivity	39.91
Conductivity (S/m)	1.43
Probe	SN 04/22 EPGO364
ConvF	1.95
Crest factor:	1:1




**Maximum location: X=5.00, Y=3.00 ; SAR Peak: 5.91 W/kg**

SAR 10g (W/Kg)	2.070
SAR 1g (W/Kg)	3.635



### Z Axis Scan





## System Performance Check Data (1800MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-08

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1800
Channels	Middle
Signal	CW
Frequency (MHz)	1800.000
Relative permittivity	40.57
Conductivity (S/m)	1.45
Probe	SN 04/22 EPGO364
ConvF	1.95
Crest factor:	1:1




**Maximum location: X=5.00, Y=3.00 ; SAR Peak: 5.76 W/kg**

SAR 10g (W/Kg)	2.057
SAR 1g (W/Kg)	3.668



### Z Axis Scan





## System Performance Check Data (1900MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2024-07-12

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1900
Channels	Middle
Signal	CW
Frequency (MHz)	1900.000
Relative permittivity	40.79
Conductivity (S/m)	1.41
Probe	SN 04/22 EPGO364
ConvF	2.25
Crest factor:	1:1




**Maximum location: X=0.00, Y=1.00 ; SAR Peak: 8.52 W/kg**

SAR 10g (W/Kg)	2.101
SAR 1g (W/Kg)	4.095





## Z Axis Scan





## System Performance Check Data (1900MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-09

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1900
Channels	Middle
Signal	CW
Frequency (MHz)	1900.000
Relative permittivity	40.96
Conductivity (S/m)	1.45
Probe	SN 04/22 EPGO364
ConvF	2.25
Crest factor:	1:1




**Maximum location: X=2.00, Y=0.00 ; SAR Peak: 6.15 W/kg**

SAR 10g (W/Kg)	1.995
SAR 1g (W/Kg)	3.708



### Z Axis Scan





## System Performance Check Data (1900MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-10

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1900
Channels	Middle
Signal	CW
Frequency (MHz)	1900.000
Relative permittivity	40.85
Conductivity (S/m)	1.35
Probe	SN 04/22 EPGO364
ConvF	2.25
Crest factor:	1:1




**Maximum location: X=2.00, Y=1.00 ; SAR Peak: 6.01 W/kg**

SAR 10g (W/Kg)	2.020
SAR 1g (W/Kg)	3.714



### Z Axis Scan





## System Performance Check Data (2450MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-11

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2450
Channels	Middle
Signal	CW
Frequency (MHz)	2450.000
Relative permittivity	39.65
Conductivity (S/m)	1.77
Probe	SN 04/22 EPGO364
ConvF	2.33
Crest factor:	1:1




**Maximum location: X=2.00, Y=3.00 ; SAR Peak: 9.36 W/kg**

SAR 10g (W/Kg)	2.276
SAR 1g (W/Kg)	5.062



### Z Axis Scan





## System Performance Check Data (2600MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-12

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2600
Channels	Middle
Signal	CW
Frequency (MHz)	2600.000
Relative permittivity	39.47
Conductivity (S/m)	1.95
Probe	SN 04/22 EPGO364
ConvF	2.36
Crest factor:	1:1




**Maximum location: X=1.00, Y=1.00 ; SAR Peak: 8.65 W/kg**

SAR 10g (W/Kg)	2.438
SAR 1g (W/Kg)	5.177





### Z Axis Scan





## System Performance Check Data (2600MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-10-13

### Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2600
Channels	Middle
Signal	CW
Frequency (MHz)	2600.000
Relative permittivity	39.94
Conductivity (S/m)	1.99
Probe	SN 04/22 EPGO364
ConvF	2.36
Crest factor:	1:1




**Maximum location: X=1.00, Y=1.00 ; SAR Peak: 8.64 W/kg**

SAR 10g (W/Kg)	2.447
SAR 1g (W/Kg)	5.213



### Z Axis Scan






## Appendix B. SAR Test Plots

Plot 1:

Test Date	2024-07-11
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	GSM850
Signal	TDMA (GSM)
Frequency	848.8
SAR 10g (W/Kg)	0.216
SAR 1g (W/Kg)	0.302

Maximum location: X=-40.00, Y=-40.00 ; SAR Peak: 0.52 W/kg






**Plot 2:**

Test Date	2024-07-11
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	GPRS850
Signal	TDMA (GPRS)
Frequency	848.8
SAR 10g (W/Kg)	0.224
SAR 1g (W/Kg)	0.361

Maximum location: X=3.00, Y=9.00 ; SAR Peak: 0.63 W/kg






Plot 3:

Test Date	2024-07-12
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	GSM1900
Signal	TDMA (GSM)
Frequency	1909.8
SAR 10g (W/Kg)	0.235
SAR 1g (W/Kg)	0.467

Maximum location: X=-16.00, Y=0.00 ; SAR Peak: 0.84 W/kg






**Plot 4:**

Test Date	2024-07-12
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	GPRS1900
Signal	TDMA (GPRS)
Frequency	1880
SAR 10g (W/Kg)	0.058
SAR 1g (W/Kg)	0.148

Maximum location: X=-6.00, Y=47.00 ; SAR Peak: 0.31 W/kg






Plot 5:

Test Date	2024-07-12
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1852.4
SAR 10g (W/Kg)	0.198
SAR 1g (W/Kg)	0.413

Maximum location: X=-8.00, Y=-1.00 ; SAR Peak: 0.80 W/kg








**Plot 6:**

Test Date	2024-07-12
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1852.4
SAR 10g (W/Kg)	0.082
SAR 1g (W/Kg)	0.169


Maximum location: X=8.00, Y=8.00 ; SAR Peak: 0.40 W/kg



Plot 7:

Test Date	2023-10-07
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1752.4
SAR 10g (W/Kg)	0.384
SAR 1g (W/Kg)	0.722

Maximum location: X=-24.00, Y=8.00 ; SAR Peak: 1.31 W/kg






Plot 8:

Test Date	2023-10-07
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1752.4
SAR 10g (W/Kg)	0.207
SAR 1g (W/Kg)	0.358

Maximum location: X=3.00, Y=29.00 ; SAR Peak: 0.60 W/kg






**Plot 9:**

Test Date	2024-07-11
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 5 (850)
Signal	WCDMA
Frequency	846.6
SAR 10g (W/Kg)	0.118
SAR 1g (W/Kg)	0.191

Maximum location: X=-48.00, Y=-40.00 ; SAR Peak: 0.35 W/kg






**Plot 10:**

Test Date	2024-07-11
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 5 (850)
Signal	WCDMA
Frequency	846.6
SAR 10g (W/Kg)	0.137
SAR 1g (W/Kg)	0.271


Maximum location: X=16.00, Y=9.00 ; SAR Peak: 0.53 W/kg



**Plot 11:**

Test Date	2024-07-12
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1880
SAR 10g (W/Kg)	0.218
SAR 1g (W/Kg)	0.431

Maximum location: X=-10.00, Y=-2.00 ; SAR Peak: 0.79 W/kg








**Plot 12:**

Test Date	2024-07-12
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1880
SAR 10g (W/Kg)	0.117
SAR 1g (W/Kg)	0.230

Maximum location: X=16.00, Y=56.00 ; SAR Peak: 0.39 W/kg






**Plot 13:**

Test Date	2023-10-04
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.398
SAR 1g (W/Kg)	0.707

Maximum location: X=-18.00, Y=-23.00 ; SAR Peak: 0.10 W/kg








**Plot 14:**

Test Date	2023-10-04
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 4
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.215
SAR 1g (W/Kg)	0.354

Maximum location: X=1.00, Y=32.00 ; SAR Peak: 0.58 W/kg






**Plot 15:**

Test Date	2024-07-11
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	844
SAR 10g (W/Kg)	0.200
SAR 1g (W/Kg)	0.321

Maximum location: X=-47.00, Y=-41.00 ; SAR Peak: 0.53 W/kg






**Plot 16:**

Test Date	2024-07-11
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 5
Signal	LTE FDD
Frequency	844
SAR 10g (W/Kg)	0.191
SAR 1g (W/Kg)	0.347

Maximum location: X=15.00, Y=25.00 ; SAR Peak: 0.50 W/kg






**Plot 17:**

Test Date	2023-10-12
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2560
SAR 10g (W/Kg)	0.109
SAR 1g (W/Kg)	0.182

Maximum location: X=-54.00, Y=-57.00 ; SAR Peak: 0.35 W/kg






**Plot 18:**

Test Date	2023-10-12
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2560
SAR 10g (W/Kg)	0.148
SAR 1g (W/Kg)	0.295


Maximum location: X=-8.00, Y=8.00 ; SAR Peak: 0.48 W/kg



**Plot 19:**

Test Date	2023-09-30
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.145
SAR 1g (W/Kg)	0.204

Maximum location: X=-63.00, Y=-37.00 ; SAR Peak: 0.39 W/kg








**Plot 20:**

Test Date	2023-09-30
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 12
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.219
SAR 1g (W/Kg)	0.352

Maximum location: X=0.00, Y=-24.00 ; SAR Peak: 0.49 W/kg






**Plot 21:**

Test Date	2023-09-24
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	710
SAR 10g (W/Kg)	0.158
SAR 1g (W/Kg)	0.224

Maximum location: X=-57.00, Y=-39.00 ; SAR Peak: 0.35 W/kg








**Plot 22:**

Test Date	2023-09-24
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 17
Signal	LTE FDD
Frequency	710
SAR 10g (W/Kg)	0.270
SAR 1g (W/Kg)	0.400


Maximum location: X=-6.00, Y=0.00 ; SAR Peak: 0.54 W/kg



**Plot 23:**

Test Date	2023-10-13
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2680
SAR 10g (W/Kg)	0.072
SAR 1g (W/Kg)	0.124

Maximum location: X=-49.00, Y=-23.00 ; SAR Peak: 0.27 W/kg






**Plot 24:**

Test Date	2023-10-13
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2680
SAR 10g (W/Kg)	0.139
SAR 1g (W/Kg)	0.265


Maximum location: X=7.00, Y=-37.00 ; SAR Peak: 0.50 W/kg



**Plot 25:**

Test Date	2023-10-08
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1770
SAR 10g (W/Kg)	0.412
SAR 1g (W/Kg)	0.758

Maximum location: X=-18.00, Y=-1.00 ; SAR Peak: 1.43 W/kg






**Plot 26:**

Test Date	2023-10-08
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1770
SAR 10g (W/Kg)	0.263
SAR 1g (W/Kg)	0.416

Maximum location: X=2.00, Y=49.00 ; SAR Peak: 0.68 W/kg






**Plot 27:**

Test Date	2023-09-24
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 71
Signal	LTE FDD
Frequency	680.5
SAR 10g (W/Kg)	0.110
SAR 1g (W/Kg)	0.191

Maximum location: X=-50.00, Y=-17.00 ; SAR Peak: 0.35 W/kg








**Plot 28:**

Test Date	2023-09-24
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 71
Signal	LTE FDD
Frequency	680.5
SAR 10g (W/Kg)	0.197
SAR 1g (W/Kg)	0.335

Maximum location: X=0.00, Y=-25.00 ; SAR Peak: 0.53 W/kg






**Plot 29:**

Test Date	2023-10-11
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	ISM
Signal	IEEE 802.11 b
Frequency	2412
SAR 10g (W/Kg)	0.093
SAR 1g (W/Kg)	0.168

Maximum location: X=-8.00, Y=-9.00 ; SAR Peak: 0.37 W/kg








**Plot 30:**

Test Date	2023-10-11
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	ISM
Signal	IEEE 802.11 b
Frequency	2412
SAR 10g (W/Kg)	0.072
SAR 1g (W/Kg)	0.123

Maximum location: X=9.00, Y=23.00 ; SAR Peak: 0.38 W/kg






**Plot 31:**

Test Date	2023-10-11
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	Bluetooth
Signal	Bluetooth
Frequency	2441
SAR 10g (W/Kg)	0.072
SAR 1g (W/Kg)	0.114

Maximum location: X=-80.00, Y=-62.00 ; SAR Peak: 0.27 W/kg






**Plot 32:**

Test Date	2023-10-11
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Bluetooth
Signal	Bluetooth
Frequency	2441
SAR 10g (W/Kg)	0.057
SAR 1g (W/Kg)	0.103

Maximum location: X=16.00, Y=8.00 ; SAR Peak: 0.17 W/kg






**Plot 33:**

Test Date	2024.07-12
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1905
SAR 10g (W/Kg)	0.449
SAR 1g (W/Kg)	0.916

Maximum location: X=-31.00, Y=-2.00 ; SAR Peak: 1.63 W/kg






**Plot 34:**

Test Date	2024-07-12
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 25
Signal	LTE FDD
Frequency	1905
SAR 10g (W/Kg)	0.136
SAR 1g (W/Kg)	0.276


Maximum location: X=8.00, Y=48.00 ; SAR Peak: 0.53 W/kg



**Plot 35:**

Test Date	2024-07-11
Area Scan	sam_direct_droit2_surf8mm.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	836.5
SAR 10g (W/Kg)	0.180
SAR 1g (W/Kg)	0.266

Maximum location: X=-42.00, Y=-31.00 ; SAR Peak: 0.41 W/kg








**Plot 36:**

Test Date	
Area Scan	surf_sam_plan.txt
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 26
Signal	LTE FDD
Frequency	836.5
SAR 10g (W/Kg)	0.194
SAR 1g (W/Kg)	0.305

Maximum location: X=8.00, Y=8.00 ; SAR Peak: 0.54 W/kg





## **Appendix C. Probe Calibration and Dipole Calibration Report**

Refer the appendix Calibration Report.

\*\*\*\*\*END OF THE REPORT\*\*\*\*\*