

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	20.60	1.29	21.89	<=30	Pass		
			2	20.60	1.29	21.89	<=30	Pass		
			5	20.65	1.29	21.94	<=30	Pass		
		3	0	20.38	1.29	21.67	<=30	Pass		
			2	20.41	1.29	21.70	<=30	Pass		
			3	20.49	1.29	21.78	<=30	Pass		
		6	0	19.51	1.29	20.80	<=30	Pass		
		1745	1	0	20.94	1.29	22.23	<=30	Pass	
				2	20.88	1.29	22.17	<=30	Pass	
	5			20.88	1.29	22.17	<=30	Pass		
	3		0	20.80	1.29	22.09	<=30	Pass		
			2	20.94	1.29	22.23	<=30	Pass		
	3		3	20.87	1.29	22.16	<=30	Pass		
	6	0	19.83	1.29	21.12	<=30	Pass			
	1779.3	1	0	20.90	1.29	22.19	<=30	Pass		
			2	21.01	1.29	22.30	<=30	Pass		
			5	20.98	1.29	22.27	<=30	Pass		
		3	0	20.93	1.29	22.22	<=30	Pass		
			2	20.91	1.29	22.20	<=30	Pass		
			3	20.95	1.29	22.24	<=30	Pass		
		6	0	19.98	1.29	21.27	<=30	Pass		
		16QAM	1710.7	1	0	19.90	1.29	21.19	<=30	Pass
					2	19.85	1.29	21.14	<=30	Pass
	5				19.98	1.29	21.27	<=30	Pass	
3	0			19.56	1.29	20.85	<=30	Pass		
	2			19.57	1.29	20.86	<=30	Pass		
	3			19.54	1.29	20.83	<=30	Pass		
6	0			18.78	1.29	20.07	<=30	Pass		
1745	1			0	20.86	1.29	22.15	<=30	Pass	
				2	20.90	1.29	22.19	<=30	Pass	
			5	20.94	1.29	22.23	<=30	Pass		
	3		0	19.31	1.29	20.60	<=30	Pass		
			2	19.26	1.29	20.55	<=30	Pass		
	3		3	19.28	1.29	20.57	<=30	Pass		
6	0		18.97	1.29	20.26	<=30	Pass			
1779.3	1		0	20.19	1.29	21.48	<=30	Pass		
			2	20.19	1.29	21.48	<=30	Pass		
			5	20.16	1.29	21.45	<=30	Pass		
	3		0	19.77	1.29	21.06	<=30	Pass		
			2	19.79	1.29	21.08	<=30	Pass		
			3	19.78	1.29	21.07	<=30	Pass		
	6		0	19.14	1.29	20.43	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTN								
----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	20.32	1.29	21.61	<=30	Pass		
			7	20.42	1.29	21.71	<=30	Pass		
			14	20.42	1.29	21.71	<=30	Pass		
		8	0	19.40	1.29	20.69	<=30	Pass		
			4	19.47	1.29	20.76	<=30	Pass		
			7	19.58	1.29	20.87	<=30	Pass		
		15	0	19.50	1.29	20.79	<=30	Pass		
		1745	1	0	21.10	1.29	22.39	<=30	Pass	
				7	21.10	1.29	22.39	<=30	Pass	
	14			21.09	1.29	22.38	<=30	Pass		
	8		0	19.78	1.29	21.07	<=30	Pass		
			4	19.83	1.29	21.12	<=30	Pass		
			7	19.91	1.29	21.20	<=30	Pass		
	15		0	19.89	1.29	21.18	<=30	Pass		
	1778.5		1	0	20.95	1.29	22.24	<=30	Pass	
				7	21.00	1.29	22.29	<=30	Pass	
		14		20.99	1.29	22.28	<=30	Pass		
		8	0	20.04	1.29	21.33	<=30	Pass		
			4	20.06	1.29	21.35	<=30	Pass		
			7	20.10	1.29	21.39	<=30	Pass		
		15	0	20.03	1.29	21.32	<=30	Pass		
		16QAM	1711.5	1	0	19.88	1.29	21.17	<=30	Pass
					7	19.91	1.29	21.20	<=30	Pass
	14				19.86	1.29	21.15	<=30	Pass	
	8			0	18.74	1.29	20.03	<=30	Pass	
				4	18.82	1.29	20.11	<=30	Pass	
				7	18.77	1.29	20.06	<=30	Pass	
15	0			18.61	1.29	19.90	<=30	Pass		
1745	1			0	20.59	1.29	21.88	<=30	Pass	
				7	20.56	1.29	21.85	<=30	Pass	
			14	20.53	1.29	21.82	<=30	Pass		
	8		0	19.11	1.29	20.40	<=30	Pass		
			4	19.14	1.29	20.43	<=30	Pass		
			7	19.12	1.29	20.41	<=30	Pass		
	15		0	18.91	1.29	20.20	<=30	Pass		
	1778.5		1	0	21.16	1.29	22.45	<=30	Pass	
				7	21.05	1.29	22.34	<=30	Pass	
14				21.11	1.29	22.40	<=30	Pass		
8			0	19.37	1.29	20.66	<=30	Pass		
			4	19.35	1.29	20.64	<=30	Pass		
			7	19.29	1.29	20.58	<=30	Pass		
15			0	19.24	1.29	20.53	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	20.31	1.29	21.60	<=30	Pass
			13	20.41	1.29	21.70	<=30	Pass
			24	20.43	1.29	21.72	<=30	Pass
		12	0	19.39	1.29	20.68	<=30	Pass
			6	19.46	1.29	20.75	<=30	Pass
			13	19.40	1.29	20.69	<=30	Pass

16QAM	1745	25	0	19.42	1.29	20.71	<=30	Pass		
		1	0	20.62	1.29	21.91	<=30	Pass		
			13	20.68	1.29	21.97	<=30	Pass		
			24	20.64	1.29	21.93	<=30	Pass		
			0	19.73	1.29	21.02	<=30	Pass		
		12	6	19.87	1.29	21.16	<=30	Pass		
			13	19.72	1.29	21.01	<=30	Pass		
			25	0	19.73	1.29	21.02	<=30	Pass	
		1777.5	1	0	20.98	1.29	22.27	<=30	Pass	
	13			20.96	1.29	22.25	<=30	Pass		
	24			20.99	1.29	22.28	<=30	Pass		
	12		0	19.97	1.29	21.26	<=30	Pass		
			6	20.01	1.29	21.30	<=30	Pass		
			13	19.91	1.29	21.20	<=30	Pass		
	25		0	19.98	1.29	21.27	<=30	Pass		
	16QAM		1712.5	1	0	19.40	1.29	20.69	<=30	Pass
					13	19.36	1.29	20.65	<=30	Pass
		24			19.41	1.29	20.70	<=30	Pass	
		12		0	18.57	1.29	19.86	<=30	Pass	
				6	18.56	1.29	19.85	<=30	Pass	
				13	18.64	1.29	19.93	<=30	Pass	
		25		0	18.68	1.29	19.97	<=30	Pass	
		1745		1	0	20.50	1.29	21.79	<=30	Pass
					13	20.54	1.29	21.83	<=30	Pass
24			20.60		1.29	21.89	<=30	Pass		
12			0	19.02	1.29	20.31	<=30	Pass		
			6	19.01	1.29	20.30	<=30	Pass		
			13	19.05	1.29	20.34	<=30	Pass		
25			0	18.92	1.29	20.21	<=30	Pass		
1777.5			1	0	20.65	1.29	21.94	<=30	Pass	
				13	20.67	1.29	21.96	<=30	Pass	
		24		20.68	1.29	21.97	<=30	Pass		
		12	0	19.12	1.29	20.41	<=30	Pass		
			6	19.08	1.29	20.37	<=30	Pass		
			13	19.10	1.29	20.39	<=30	Pass		
		25	0	19.19	1.29	20.48	<=30	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1715	1	0	20.46	1.29	21.75	<=30	Pass	
			25	20.49	1.29	21.78	<=30	Pass	
			49	20.54	1.29	21.83	<=30	Pass	
		25	0	19.45	1.29	20.74	<=30	Pass	
			13	19.55	1.29	20.84	<=30	Pass	
			25	19.49	1.29	20.78	<=30	Pass	
		50	0	19.57	1.29	20.86	<=30	Pass	
		1745	1	0	20.82	1.29	22.11	<=30	Pass
				25	20.82	1.29	22.11	<=30	Pass
	49			20.83	1.29	22.12	<=30	Pass	
	25		0	19.75	1.29	21.04	<=30	Pass	
			13	19.81	1.29	21.10	<=30	Pass	
			25	19.87	1.29	21.16	<=30	Pass	
	50		0	19.74	1.29	21.03	<=30	Pass	

16QAM	1775	1	0	21.05	1.29	22.34	<=30	Pass	
			25	21.08	1.29	22.37	<=30	Pass	
			49	21.11	1.29	22.40	<=30	Pass	
		25	0	19.93	1.29	21.22	<=30	Pass	
			13	19.89	1.29	21.18	<=30	Pass	
			25	19.87	1.29	21.16	<=30	Pass	
		50	0	20.02	1.29	21.31	<=30	Pass	
		1715	1	0	20.11	1.29	21.40	<=30	Pass
				25	20.12	1.29	21.41	<=30	Pass
	49			20.11	1.29	21.40	<=30	Pass	
	25			0	18.57	1.29	19.86	<=30	Pass
				13	18.64	1.29	19.93	<=30	Pass
				25	18.63	1.29	19.92	<=30	Pass
	50		0	18.66	1.29	19.95	<=30	Pass	
	1745		1	0	19.99	1.29	21.28	<=30	Pass
25				20.16	1.29	21.45	<=30	Pass	
49				20.15	1.29	21.44	<=30	Pass	
25			0	18.95	1.29	20.24	<=30	Pass	
			13	19.01	1.29	20.30	<=30	Pass	
			25	19.02	1.29	20.31	<=30	Pass	
50			0	18.95	1.29	20.24	<=30	Pass	
1775			1	0	20.43	1.29	21.72	<=30	Pass
				25	20.47	1.29	21.76	<=30	Pass
	49			20.41	1.29	21.70	<=30	Pass	
	25		0	19.21	1.29	20.50	<=30	Pass	
		13	19.24	1.29	20.53	<=30	Pass		
		25	19.25	1.29	20.54	<=30	Pass		
	50	0	19.13	1.29	20.42	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	20.41	1.29	21.70	<=30	Pass		
			38	20.47	1.29	21.76	<=30	Pass		
			74	20.60	1.29	21.89	<=30	Pass		
		36	0	19.43	1.29	20.72	<=30	Pass		
			18	19.52	1.29	20.81	<=30	Pass		
			39	19.48	1.29	20.77	<=30	Pass		
		75	0	19.54	1.29	20.83	<=30	Pass		
		1745	1	0	20.65	1.29	21.94	<=30	Pass	
				38	20.76	1.29	22.05	<=30	Pass	
	74			20.85	1.29	22.14	<=30	Pass		
	36		0	19.66	1.29	20.95	<=30	Pass		
			18	19.76	1.29	21.05	<=30	Pass		
			39	19.86	1.29	21.15	<=30	Pass		
	75		0	19.84	1.29	21.13	<=30	Pass		
	1772.5		1	0	20.74	1.29	22.03	<=30	Pass	
				38	20.94	1.29	22.23	<=30	Pass	
		74		20.88	1.29	22.17	<=30	Pass		
		36	0	19.93	1.29	21.22	<=30	Pass		
			18	19.83	1.29	21.12	<=30	Pass		
			39	19.98	1.29	21.27	<=30	Pass		
		75	0	19.85	1.29	21.14	<=30	Pass		
		16QAM	1717.5	1	0	20.59	1.29	21.88	<=30	Pass

		36	38	20.71	1.29	22.00	<=30	Pass		
			74	20.73	1.29	22.02	<=30	Pass		
			0	18.59	1.29	19.88	<=30	Pass		
			18	18.62	1.29	19.91	<=30	Pass		
			39	18.60	1.29	19.89	<=30	Pass		
	1745	75	1	0	18.66	1.29	19.95	<=30	Pass	
				0	20.17	1.29	21.46	<=30	Pass	
				38	20.23	1.29	21.52	<=30	Pass	
				74	20.27	1.29	21.56	<=30	Pass	
				0	19.00	1.29	20.29	<=30	Pass	
	1772.5	36	1	18	19.04	1.29	20.33	<=30	Pass	
				39	19.02	1.29	20.31	<=30	Pass	
				0	18.98	1.29	20.27	<=30	Pass	
				0	20.72	1.29	22.01	<=30	Pass	
				38	20.69	1.29	21.98	<=30	Pass	
		75	36	1	74	20.74	1.29	22.03	<=30	Pass
					0	19.08	1.29	20.37	<=30	Pass
					18	19.18	1.29	20.47	<=30	Pass
					39	19.12	1.29	20.41	<=30	Pass
					0	19.15	1.29	20.44	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	20.41	1.29	21.70	<=30	Pass		
			50	20.54	1.29	21.83	<=30	Pass		
			99	20.70	1.29	21.99	<=30	Pass		
		50	1	0	19.43	1.29	20.72	<=30	Pass	
				25	19.47	1.29	20.76	<=30	Pass	
				50	19.51	1.29	20.80	<=30	Pass	
		100	1	0	19.52	1.29	20.81	<=30	Pass	
				0	20.76	1.29	22.05	<=30	Pass	
				50	20.91	1.29	22.20	<=30	Pass	
	1745	1	1	99	21.02	1.29	22.31	<=30	Pass	
				0	19.67	1.29	20.96	<=30	Pass	
				25	19.79	1.29	21.08	<=30	Pass	
		50	1	50	19.75	1.29	21.04	<=30	Pass	
				0	19.85	1.29	21.14	<=30	Pass	
				0	20.66	1.29	21.95	<=30	Pass	
		1770	1	1	50	20.63	1.29	21.92	<=30	Pass
					99	20.76	1.29	22.05	<=30	Pass
					0	19.87	1.29	21.16	<=30	Pass
	50		1	25	19.99	1.29	21.28	<=30	Pass	
				50	19.92	1.29	21.21	<=30	Pass	
				0	19.91	1.29	21.20	<=30	Pass	
	16QAM		1720	1	0	20.13	1.29	21.42	<=30	Pass
					50	20.30	1.29	21.59	<=30	Pass
					99	20.38	1.29	21.67	<=30	Pass
50		1		0	18.73	1.29	20.02	<=30	Pass	
				25	18.79	1.29	20.08	<=30	Pass	
				50	18.84	1.29	20.13	<=30	Pass	
1745		1	0	18.68	1.29	19.97	<=30	Pass		
			0	20.39	1.29	21.68	<=30	Pass		
			50	20.51	1.29	21.80	<=30	Pass		

		50	99	20.62	1.29	21.91	<=30	Pass
			0	18.89	1.29	20.18	<=30	Pass
			25	18.88	1.29	20.17	<=30	Pass
			50	18.96	1.29	20.25	<=30	Pass
			100	0	18.91	1.29	20.20	<=30
	1770	1	0	20.64	1.29	21.93	<=30	Pass
			50	20.63	1.29	21.92	<=30	Pass
			99	20.70	1.29	21.99	<=30	Pass
		50	0	19.13	1.29	20.42	<=30	Pass
			25	19.15	1.29	20.44	<=30	Pass
			50	19.13	1.29	20.42	<=30	Pass
		100	0	19.01	1.29	20.30	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	1710.7	6	0	20	3.27	9.599	0.0056	-2.5 to 2.5	Pass			
					3.85	-22.974	-0.0134	-2.5 to 2.5	Pass			
					4.43	-38.524	-0.0225	-2.5 to 2.5	Pass			
				-30	3.85	-21.071	-0.0123	-2.5 to 2.5	Pass			
					-20	3.85	-44.589	-0.0261	-2.5 to 2.5	Pass		
						-10	3.85	-17.667	-0.0103	-2.5 to 2.5	Pass	
				0	3.85	-28.896	-0.0169	-2.5 to 2.5	Pass			
				10	3.85	-29.554	-0.0173	-2.5 to 2.5	Pass			
				30	3.85	-28.467	-0.0166	-2.5 to 2.5	Pass			
				40	3.85	-30.556	-0.0179	-2.5 to 2.5	Pass			
				50	3.85	-33.860	-0.0198	-2.5 to 2.5	Pass			
				1745	6	0	20	3.27	26.808	0.0154	-2.5 to 2.5	Pass
								3.85	23.689	0.0136	-2.5 to 2.5	Pass
								4.43	20.084	0.0115	-2.5 to 2.5	Pass
							-30	3.85	11.716	0.0067	-2.5 to 2.5	Pass
	-20	3.85	11.358					0.0065	-2.5 to 2.5	Pass		
		-10	3.85					8.898	0.0051	-2.5 to 2.5	Pass	
	0	3.85	11.473				0.0066	-2.5 to 2.5	Pass			
	10	3.85	5.951				0.0034	-2.5 to 2.5	Pass			
	30	3.85	5.651				0.0032	-2.5 to 2.5	Pass			
	40	3.85	0.029				0.0000	-2.5 to 2.5	Pass			
	50	3.85	2.060				0.0012	-2.5 to 2.5	Pass			
	1779.3	6	0				20	3.27	16.422	0.0092	-2.5 to 2.5	Pass
								3.85	11.015	0.0062	-2.5 to 2.5	Pass
								4.43	12.517	0.0070	-2.5 to 2.5	Pass
							-30	3.85	9.098	0.0051	-2.5 to 2.5	Pass
				-20	3.85	11.115		0.0062	-2.5 to 2.5	Pass		
					-10	3.85		1.159	0.0007	-2.5 to 2.5	Pass	
				0	3.85	1.545	0.0009	-2.5 to 2.5	Pass			
				10	3.85	-6.237	-0.0035	-2.5 to 2.5	Pass			
30				3.85	-6.981	-0.0039	-2.5 to 2.5	Pass				
40				3.85	-3.834	-0.0022	-2.5 to 2.5	Pass				
50				3.85	0.372	0.0002	-2.5 to 2.5	Pass				

16QAM	1710.7	6	0	20	3.27	-19.226	-0.0112	-2.5 to 2.5	Pass				
					3.85	-38.080	-0.0223	-2.5 to 2.5	Pass				
					4.43	-12.331	-0.0072	-2.5 to 2.5	Pass				
				-30	3.85	-26.364	-0.0154	-2.5 to 2.5	Pass				
					-20	3.85	-41.628	-0.0243	-2.5 to 2.5	Pass			
					-10	3.85	-18.554	-0.0108	-2.5 to 2.5	Pass			
				1745	6	0	20	3.85	-24.219	-0.0142	-2.5 to 2.5	Pass	
								10	3.85	-30.799	-0.0180	-2.5 to 2.5	Pass
								30	3.85	-37.336	-0.0218	-2.5 to 2.5	Pass
	40	3.85	-42.729				-0.0250	-2.5 to 2.5	Pass				
		50	3.85				-29.941	-0.0175	-2.5 to 2.5	Pass			
		-30	3.27				-2.074	-0.0012	-2.5 to 2.5	Pass			
	3.85		0.014				0.0000	-2.5 to 2.5	Pass				
	4.43		1.602				0.0009	-2.5 to 2.5	Pass				
	1779.3	6	0				-20	3.85	3.533	0.0020	-2.5 to 2.5	Pass	
				-10	3.85	-0.529		-0.0003	-2.5 to 2.5	Pass			
				0	3.85	0.744		0.0004	-2.5 to 2.5	Pass			
				10	3.85	1.831	0.0010	-2.5 to 2.5	Pass				
					30	3.85	-1.774	-0.0010	-2.5 to 2.5	Pass			
					40	3.85	0.715	0.0004	-2.5 to 2.5	Pass			
				50	3.85	4.635	0.0027	-2.5 to 2.5	Pass				
					3.85	-0.916	-0.0005	-2.5 to 2.5	Pass				
					20	3.27	-1.817	-0.0010	-2.5 to 2.5	Pass			
	3.85	2.003	0.0011	-2.5 to 2.5		Pass							
	4.43	-9.041	-0.0051	-2.5 to 2.5		Pass							
				-30	3.85	-8.068	-0.0045	-2.5 to 2.5	Pass				
					-20	3.85	-3.591	-0.0020	-2.5 to 2.5	Pass			
-10					3.85	-5.479	-0.0031	-2.5 to 2.5	Pass				
0				3.85	-1.559	-0.0009	-2.5 to 2.5	Pass					
				10	3.85	-7.153	-0.0040	-2.5 to 2.5	Pass				
				30	3.85	-8.740	-0.0049	-2.5 to 2.5	Pass				
40				3.85	-7.467	-0.0042	-2.5 to 2.5	Pass					
				50	3.85	-10.085	-0.0057	-2.5 to 2.5	Pass				
				3.85	-10.085	-0.0057	-2.5 to 2.5	Pass					

2.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	1711.5	15	0	20	3.27	2.189	0.0013	-2.5 to 2.5	Pass				
					3.85	-16.451	-0.0096	-2.5 to 2.5	Pass				
					4.43	-28.467	-0.0166	-2.5 to 2.5	Pass				
				-30	3.85	-10.901	-0.0064	-2.5 to 2.5	Pass				
					-20	3.85	-26.464	-0.0155	-2.5 to 2.5	Pass			
					-10	3.85	-23.432	-0.0137	-2.5 to 2.5	Pass			
				1745	15	0	0	3.85	-34.847	-0.0204	-2.5 to 2.5	Pass	
								10	3.85	-34.590	-0.0202	-2.5 to 2.5	Pass
								30	3.85	-13.218	-0.0077	-2.5 to 2.5	Pass
	40	3.85	-24.991				-0.0146	-2.5 to 2.5	Pass				
		50	3.85				-42.801	-0.0250	-2.5 to 2.5	Pass			
		20	3.27				3.405	0.0020	-2.5 to 2.5	Pass			
	3.85		5.851	0.0034	-2.5 to 2.5	Pass							
	4.43		4.177	0.0024	-2.5 to 2.5	Pass							
	-30	3.85	0.229	0.0001	-2.5 to 2.5	Pass							
		-20	3.85	4.635	0.0027	-2.5 to 2.5	Pass						
		-10	3.85	2.375	0.0014	-2.5 to 2.5	Pass						
	0	3.85	-3.033	-0.0017	-2.5 to 2.5	Pass							

				10	3.85	-4.621	-0.0026	-2.5 to 2.5	Pass	
				30	3.85	-4.034	-0.0023	-2.5 to 2.5	Pass	
				40	3.85	2.975	0.0017	-2.5 to 2.5	Pass	
				50	3.85	-0.615	-0.0004	-2.5 to 2.5	Pass	
	1778.5	15	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass	
					3.85	-3.448	-0.0019	-2.5 to 2.5	Pass	
					4.43	-3.676	-0.0021	-2.5 to 2.5	Pass	
				-30	3.85	-8.483	-0.0048	-2.5 to 2.5	Pass	
				-20	3.85	-5.021	-0.0028	-2.5 to 2.5	Pass	
				-10	3.85	-7.939	-0.0045	-2.5 to 2.5	Pass	
				0	3.85	-5.879	-0.0033	-2.5 to 2.5	Pass	
				10	3.85	-5.178	-0.0029	-2.5 to 2.5	Pass	
				30	3.85	-0.801	-0.0005	-2.5 to 2.5	Pass	
				40	3.85	5.007	0.0028	-2.5 to 2.5	Pass	
				50	3.85	1.531	0.0009	-2.5 to 2.5	Pass	
				16QAM	1711.5	15	0	20	3.27	-28.281
	3.85	-43.831	-0.0256						-2.5 to 2.5	Pass
	4.43	5.665	0.0033						-2.5 to 2.5	Pass
	-30	3.85	1.130					0.0007	-2.5 to 2.5	Pass
	-20	3.85	-7.725					-0.0045	-2.5 to 2.5	Pass
-10	3.85	-14.191	-0.0083					-2.5 to 2.5	Pass	
0	3.85	-14.749	-0.0086					-2.5 to 2.5	Pass	
10	3.85	-15.135	-0.0088					-2.5 to 2.5	Pass	
30	3.85	-21.157	-0.0124					-2.5 to 2.5	Pass	
40	3.85	-25.063	-0.0146					-2.5 to 2.5	Pass	
50	3.85	-21.629	-0.0126					-2.5 to 2.5	Pass	
1745	15	0	20					3.27	-4.063	-0.0023
					3.85	-1.001	-0.0006	-2.5 to 2.5	Pass	
					4.43	2.418	0.0014	-2.5 to 2.5	Pass	
			-30		3.85	-6.351	-0.0036	-2.5 to 2.5	Pass	
			-20		3.85	-1.631	-0.0009	-2.5 to 2.5	Pass	
			-10		3.85	-4.234	-0.0024	-2.5 to 2.5	Pass	
			0		3.85	-7.410	-0.0042	-2.5 to 2.5	Pass	
			10		3.85	-2.017	-0.0012	-2.5 to 2.5	Pass	
			30		3.85	1.359	0.0008	-2.5 to 2.5	Pass	
			40		3.85	4.005	0.0023	-2.5 to 2.5	Pass	
			50		3.85	8.368	0.0048	-2.5 to 2.5	Pass	
			1778.5		15	0	20	3.27	2.203	0.0012
3.85	3.419	0.0019						-2.5 to 2.5	Pass	
4.43	1.645	0.0009						-2.5 to 2.5	Pass	
-30	3.85	0.157					0.0001	-2.5 to 2.5	Pass	
-20	3.85	-0.572					-0.0003	-2.5 to 2.5	Pass	
-10	3.85	5.293					0.0030	-2.5 to 2.5	Pass	
0	3.85	0.143					0.0001	-2.5 to 2.5	Pass	
10	3.85	6.523					0.0037	-2.5 to 2.5	Pass	
30	3.85	2.303					0.0013	-2.5 to 2.5	Pass	
40	3.85	1.259					0.0007	-2.5 to 2.5	Pass	
50	3.85	2.232		0.0013			-2.5 to 2.5	Pass		

2.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	10.815	0.0063	-2.5 to 2.5	Pass
					3.85	0.544	0.0003	-2.5 to 2.5	Pass
					4.43	-4.020	-0.0023	-2.5 to 2.5	Pass

				-30	3.85	1.073	0.0006	-2.5 to 2.5	Pass
				-20	3.85	11.830	0.0069	-2.5 to 2.5	Pass
				-10	3.85	16.408	0.0096	-2.5 to 2.5	Pass
				0	3.85	13.876	0.0081	-2.5 to 2.5	Pass
				10	3.85	24.204	0.0141	-2.5 to 2.5	Pass
				30	3.85	24.333	0.0142	-2.5 to 2.5	Pass
				40	3.85	35.162	0.0205	-2.5 to 2.5	Pass
				50	3.85	32.187	0.0188	-2.5 to 2.5	Pass
	1745	25	0	20	3.27	14.477	0.0083	-2.5 to 2.5	Pass
					3.85	2.103	0.0012	-2.5 to 2.5	Pass
					4.43	-0.658	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-7.782	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-8.583	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	-11.158	-0.0064	-2.5 to 2.5	Pass
				0	3.85	-4.520	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-8.512	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-1.688	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-3.648	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-3.347	-0.0019	-2.5 to 2.5	Pass
				1777.5	25	0	20	3.27	23.603
	3.85	12.531	0.0070					-2.5 to 2.5	Pass
	4.43	18.482	0.0104					-2.5 to 2.5	Pass
	-30	3.85	16.165				0.0091	-2.5 to 2.5	Pass
	-20	3.85	21.272				0.0120	-2.5 to 2.5	Pass
	-10	3.85	17.452				0.0098	-2.5 to 2.5	Pass
	0	3.85	15.922				0.0090	-2.5 to 2.5	Pass
	10	3.85	12.231				0.0069	-2.5 to 2.5	Pass
	30	3.85	22.416				0.0126	-2.5 to 2.5	Pass
40	3.85	26.979	0.0152				-2.5 to 2.5	Pass	
50	3.85	-3.920	-0.0022				-2.5 to 2.5	Pass	
16QAM	1712.5	25	0				20	3.27	39.482
				3.85	31.242	0.0182		-2.5 to 2.5	Pass
				4.43	32.787	0.0191		-2.5 to 2.5	Pass
				-30	3.85	35.262	0.0206	-2.5 to 2.5	Pass
				-20	3.85	38.366	0.0224	-2.5 to 2.5	Pass
				-10	3.85	5.507	0.0032	-2.5 to 2.5	Pass
				0	3.85	3.905	0.0023	-2.5 to 2.5	Pass
				10	3.85	-2.532	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
				40	3.85	2.346	0.0014	-2.5 to 2.5	Pass
				50	3.85	2.975	0.0017	-2.5 to 2.5	Pass
				1745	25	0	20	3.27	-9.913
	3.85	1.731	0.0010					-2.5 to 2.5	Pass
	4.43	2.446	0.0014					-2.5 to 2.5	Pass
	-30	3.85	2.604				0.0015	-2.5 to 2.5	Pass
	-20	3.85	-2.961				-0.0017	-2.5 to 2.5	Pass
	-10	3.85	-5.236				-0.0030	-2.5 to 2.5	Pass
	0	3.85	-3.505				-0.0020	-2.5 to 2.5	Pass
	10	3.85	-4.792				-0.0027	-2.5 to 2.5	Pass
	30	3.85	-6.638				-0.0038	-2.5 to 2.5	Pass
	40	3.85	-13.275				-0.0076	-2.5 to 2.5	Pass
	50	3.85	-15.020				-0.0086	-2.5 to 2.5	Pass
	1777.5	25	0				20	3.27	-3.462
				3.85	-6.137	-0.0035		-2.5 to 2.5	Pass
				4.43	-3.777	-0.0021		-2.5 to 2.5	Pass
				-30	3.85	-10.228	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-13.433	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	-20.156	-0.0113	-2.5 to 2.5	Pass
				0	3.85	-22.974	-0.0129	-2.5 to 2.5	Pass

				10	3.85	-19.083	-0.0107	-2.5 to 2.5	Pass
				30	3.85	-26.550	-0.0149	-2.5 to 2.5	Pass
				40	3.85	-32.129	-0.0181	-2.5 to 2.5	Pass
				50	3.85	-30.184	-0.0170	-2.5 to 2.5	Pass

2.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1715	50	0	20	3.27	33.116	0.0193	-2.5 to 2.5	Pass	
					3.85	1.745	0.0010	-2.5 to 2.5	Pass	
					4.43	-30.398	-0.0177	-2.5 to 2.5	Pass	
				-30	3.85	-18.067	-0.0105	-2.5 to 2.5	Pass	
					-20	3.85	-5.035	-0.0029	-2.5 to 2.5	Pass
						-10	3.85	-17.095	-0.0100	-2.5 to 2.5
				0	3.85	-20.485	-0.0119	-2.5 to 2.5	Pass	
					10	3.85	-23.632	-0.0138	-2.5 to 2.5	Pass
				30	3.85	-23.990	-0.0140	-2.5 to 2.5	Pass	
	40	3.85	-14.133	-0.0082	-2.5 to 2.5	Pass				
	50	3.85	-21.186	-0.0124	-2.5 to 2.5	Pass				
	1745	50	0	20	3.27	6.723	0.0039	-2.5 to 2.5	Pass	
					3.85	5.622	0.0032	-2.5 to 2.5	Pass	
					4.43	-6.280	-0.0036	-2.5 to 2.5	Pass	
				-30	3.85	-16.694	-0.0096	-2.5 to 2.5	Pass	
					-20	3.85	-19.569	-0.0112	-2.5 to 2.5	Pass
						-10	3.85	-16.394	-0.0094	-2.5 to 2.5
				0	3.85	-13.433	-0.0077	-2.5 to 2.5	Pass	
					10	3.85	-9.241	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-19.956	-0.0114	-2.5 to 2.5	Pass	
	40	3.85	-18.754	-0.0107	-2.5 to 2.5	Pass				
	50	3.85	-8.726	-0.0050	-2.5 to 2.5	Pass				
	1775	50	0	20	3.27	9.871	0.0056	-2.5 to 2.5	Pass	
					3.85	0.701	0.0004	-2.5 to 2.5	Pass	
					4.43	-5.865	-0.0033	-2.5 to 2.5	Pass	
				-30	3.85	0.944	0.0005	-2.5 to 2.5	Pass	
					-20	3.85	5.221	0.0029	-2.5 to 2.5	Pass
-10						3.85	10.428	0.0059	-2.5 to 2.5	Pass
0				3.85	15.979	0.0090	-2.5 to 2.5	Pass		
				10	3.85	22.073	0.0124	-2.5 to 2.5	Pass	
30				3.85	25.377	0.0143	-2.5 to 2.5	Pass		
40	3.85	21.458	0.0121	-2.5 to 2.5	Pass					
50	3.85	18.296	0.0103	-2.5 to 2.5	Pass					
16QAM	1715	50	0	20	3.27	-11.587	-0.0068	-2.5 to 2.5	Pass	
					3.85	-8.798	-0.0051	-2.5 to 2.5	Pass	
					4.43	-4.749	-0.0028	-2.5 to 2.5	Pass	
				-30	3.85	-6.781	-0.0040	-2.5 to 2.5	Pass	
					-20	3.85	-4.735	-0.0028	-2.5 to 2.5	Pass
						-10	3.85	-1.559	-0.0009	-2.5 to 2.5
				0	3.85	-3.891	-0.0023	-2.5 to 2.5	Pass	
					10	3.85	-4.206	-0.0025	-2.5 to 2.5	Pass
				30	3.85	2.360	0.0014	-2.5 to 2.5	Pass	
	40	3.85	15.693	0.0092	-2.5 to 2.5	Pass				
	50	3.85	17.452	0.0102	-2.5 to 2.5	Pass				
	1745	50	0	20	3.27	-8.869	-0.0051	-2.5 to 2.5	Pass	
					3.85	-10.586	-0.0061	-2.5 to 2.5	Pass	
					4.43	-8.125	-0.0047	-2.5 to 2.5	Pass	

				-30	3.85	-22.631	-0.0130	-2.5 to 2.5	Pass
				-20	3.85	-24.433	-0.0140	-2.5 to 2.5	Pass
				-10	3.85	-25.120	-0.0144	-2.5 to 2.5	Pass
				0	3.85	-25.620	-0.0147	-2.5 to 2.5	Pass
				10	3.85	-30.842	-0.0177	-2.5 to 2.5	Pass
				30	3.85	3.362	0.0019	-2.5 to 2.5	Pass
				40	3.85	0.157	0.0001	-2.5 to 2.5	Pass
	50	3.85	-7.224	-0.0041	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	27.437	0.0155	-2.5 to 2.5	Pass
					3.85	21.672	0.0122	-2.5 to 2.5	Pass
					4.43	24.848	0.0140	-2.5 to 2.5	Pass
				-30	3.85	22.159	0.0125	-2.5 to 2.5	Pass
				-20	3.85	9.012	0.0051	-2.5 to 2.5	Pass
				-10	3.85	14.048	0.0079	-2.5 to 2.5	Pass
0				3.85	15.750	0.0089	-2.5 to 2.5	Pass	
10	3.85	3.090	0.0017	-2.5 to 2.5	Pass				
30	3.85	-2.203	-0.0012	-2.5 to 2.5	Pass				
40	3.85	5.364	0.0030	-2.5 to 2.5	Pass				
50	3.85	5.794	0.0033	-2.5 to 2.5	Pass				

2.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	3.791	0.0022	-2.5 to 2.5	Pass
					3.85	-33.860	-0.0197	-2.5 to 2.5	Pass
					4.43	-2.131	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-21.143	-0.0123	-2.5 to 2.5	Pass
				-20	3.85	-7.496	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-7.524	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-29.755	-0.0173	-2.5 to 2.5	Pass
				10	3.85	3.905	0.0023	-2.5 to 2.5	Pass
				30	3.85	-6.123	-0.0036	-2.5 to 2.5	Pass
	40	3.85	-20.642	-0.0120	-2.5 to 2.5	Pass			
	50	3.85	-28.095	-0.0164	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	11.101	0.0064	-2.5 to 2.5	Pass
					3.85	9.828	0.0056	-2.5 to 2.5	Pass
					4.43	5.379	0.0031	-2.5 to 2.5	Pass
				-30	3.85	3.490	0.0020	-2.5 to 2.5	Pass
				-20	3.85	8.998	0.0052	-2.5 to 2.5	Pass
				-10	3.85	3.247	0.0019	-2.5 to 2.5	Pass
				0	3.85	3.376	0.0019	-2.5 to 2.5	Pass
				10	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				30	3.85	5.693	0.0033	-2.5 to 2.5	Pass
	40	3.85	2.460	0.0014	-2.5 to 2.5	Pass			
	50	3.85	4.578	0.0026	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	2.103	0.0012	-2.5 to 2.5	Pass
					3.85	-1.101	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.715	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.516	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-3.304	-0.0019	-2.5 to 2.5	Pass
-10				3.85	-6.952	-0.0039	-2.5 to 2.5	Pass	
0				3.85	-7.396	-0.0042	-2.5 to 2.5	Pass	
10				3.85	-6.838	-0.0039	-2.5 to 2.5	Pass	
30				3.85	-7.367	-0.0042	-2.5 to 2.5	Pass	
40	3.85	-13.418	-0.0076	-2.5 to 2.5	Pass				

16QAM	1717.5	75	0	50	3.85	-10.128	-0.0057	-2.5 to 2.5	Pass
				20	3.27	-30.785	-0.0179	-2.5 to 2.5	Pass
					3.85	-7.052	-0.0041	-2.5 to 2.5	Pass
					4.43	-3.705	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-3.061	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-3.519	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-13.404	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-10.586	-0.0062	-2.5 to 2.5	Pass
				10	3.85	-8.483	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-10.386	-0.0060	-2.5 to 2.5	Pass
	40	3.85	-12.360	-0.0072	-2.5 to 2.5	Pass			
	50	3.85	-11.787	-0.0069	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	6.123	0.0035	-2.5 to 2.5	Pass
					3.85	4.821	0.0028	-2.5 to 2.5	Pass
					4.43	3.490	0.0020	-2.5 to 2.5	Pass
				-30	3.85	5.207	0.0030	-2.5 to 2.5	Pass
				-20	3.85	3.848	0.0022	-2.5 to 2.5	Pass
				-10	3.85	-2.847	-0.0016	-2.5 to 2.5	Pass
				0	3.85	9.527	0.0055	-2.5 to 2.5	Pass
				10	3.85	6.151	0.0035	-2.5 to 2.5	Pass
				30	3.85	2.732	0.0016	-2.5 to 2.5	Pass
				40	3.85	6.824	0.0039	-2.5 to 2.5	Pass
	50	3.85	8.469	0.0049	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	-8.941	-0.0050	-2.5 to 2.5	Pass
					3.85	-5.450	-0.0031	-2.5 to 2.5	Pass
					4.43	-5.350	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-11.287	-0.0064	-2.5 to 2.5	Pass
				-20	3.85	-9.713	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-6.280	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-5.908	-0.0033	-2.5 to 2.5	Pass
10				3.85	-10.643	-0.0060	-2.5 to 2.5	Pass	
30				3.85	-9.828	-0.0055	-2.5 to 2.5	Pass	
40				3.85	-8.855	-0.0050	-2.5 to 2.5	Pass	
50	3.85	-9.570	-0.0054	-2.5 to 2.5	Pass				

2.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	20.499	0.0119	-2.5 to 2.5	Pass
					3.85	-16.251	-0.0094	-2.5 to 2.5	Pass
					4.43	-15.821	-0.0092	-2.5 to 2.5	Pass
				-30	3.85	-31.757	-0.0185	-2.5 to 2.5	Pass
				-20	3.85	-27.752	-0.0161	-2.5 to 2.5	Pass
				-10	3.85	-23.475	-0.0136	-2.5 to 2.5	Pass
				0	3.85	-3.362	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-9.384	-0.0055	-2.5 to 2.5	Pass
				30	3.85	-13.533	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-27.266	-0.0159	-2.5 to 2.5	Pass
	50	3.85	-30.355	-0.0176	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	9.384	0.0054	-2.5 to 2.5	Pass
					3.85	-0.715	-0.0004	-2.5 to 2.5	Pass
					4.43	1.087	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-8.225	-0.0047	-2.5 to 2.5	Pass
-20				3.85	-1.345	-0.0008	-2.5 to 2.5	Pass	
-10	3.85	4.349	0.0025	-2.5 to 2.5	Pass				

				0	3.85	-0.029	0.0000	-2.5 to 2.5	Pass				
				10	3.85	4.263	0.0024	-2.5 to 2.5	Pass				
				30	3.85	5.379	0.0031	-2.5 to 2.5	Pass				
				40	3.85	-6.666	-0.0038	-2.5 to 2.5	Pass				
				50	3.85	1.302	0.0007	-2.5 to 2.5	Pass				
	1770	100	0	20	3.27	7.911	0.0045	-2.5 to 2.5	Pass				
					3.85	0.000	0.0000	-2.5 to 2.5	Pass				
					4.43	-3.862	-0.0022	-2.5 to 2.5	Pass				
				-30	3.85	-8.483	-0.0048	-2.5 to 2.5	Pass				
				-20	3.85	-4.177	-0.0024	-2.5 to 2.5	Pass				
				-10	3.85	-5.035	-0.0028	-2.5 to 2.5	Pass				
				0	3.85	-5.178	-0.0029	-2.5 to 2.5	Pass				
				10	3.85	-4.678	-0.0026	-2.5 to 2.5	Pass				
				30	3.85	-3.119	-0.0018	-2.5 to 2.5	Pass				
				40	3.85	-4.020	-0.0023	-2.5 to 2.5	Pass				
				50	3.85	-2.031	-0.0011	-2.5 to 2.5	Pass				
				16QAM	1720	100	0	20	3.27	-29.998	-0.0174	-2.5 to 2.5	Pass
									3.85	-29.540	-0.0172	-2.5 to 2.5	Pass
									4.43	-27.523	-0.0160	-2.5 to 2.5	Pass
-30	3.85	-31.829	-0.0185					-2.5 to 2.5	Pass				
-20	3.85	-30.684	-0.0178					-2.5 to 2.5	Pass				
-10	3.85	-28.696	-0.0167					-2.5 to 2.5	Pass				
0	3.85	-30.842	-0.0179					-2.5 to 2.5	Pass				
10	3.85	-33.760	-0.0196					-2.5 to 2.5	Pass				
30	3.85	-33.474	-0.0195					-2.5 to 2.5	Pass				
40	3.85	-31.557	-0.0183					-2.5 to 2.5	Pass				
50	3.85	-33.016	-0.0192					-2.5 to 2.5	Pass				
1745	100	0	20					3.27	-1.588	-0.0009	-2.5 to 2.5	Pass	
								3.85	1.545	0.0009	-2.5 to 2.5	Pass	
								4.43	-0.973	-0.0006	-2.5 to 2.5	Pass	
			-30					3.85	-2.117	-0.0012	-2.5 to 2.5	Pass	
			-20		3.85	-4.807	-0.0028	-2.5 to 2.5	Pass				
			-10		3.85	0.143	0.0001	-2.5 to 2.5	Pass				
			0		3.85	4.964	0.0028	-2.5 to 2.5	Pass				
			10		3.85	1.731	0.0010	-2.5 to 2.5	Pass				
			30		3.85	0.343	0.0002	-2.5 to 2.5	Pass				
			40		3.85	-0.529	-0.0003	-2.5 to 2.5	Pass				
			50		3.85	-2.360	-0.0014	-2.5 to 2.5	Pass				
			1770		100	0	20	3.27	-5.050	-0.0029	-2.5 to 2.5	Pass	
								3.85	-3.934	-0.0022	-2.5 to 2.5	Pass	
								4.43	-4.420	-0.0025	-2.5 to 2.5	Pass	
							-30	3.85	-3.619	-0.0020	-2.5 to 2.5	Pass	
-20	3.85	-13.547					-0.0077	-2.5 to 2.5	Pass				
-10	3.85	-7.854					-0.0044	-2.5 to 2.5	Pass				
0	3.85	-8.426					-0.0048	-2.5 to 2.5	Pass				
10	3.85	-8.569					-0.0048	-2.5 to 2.5	Pass				
30	3.85	-5.450		-0.0031			-2.5 to 2.5	Pass					
40	3.85	-6.409		-0.0036			-2.5 to 2.5	Pass					
50	3.85	-5.221		-0.0029			-2.5 to 2.5	Pass					

3. Modulation Characteristics

3.1 Test Result

3.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

3.1.5 B66_15MHz



Band: 66 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

3.1.6 B66_20MHz



Band: 66 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 B66_1.4MHz



3.2.2 B66_3MHz



3.2.3 B66_5MHz


Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation

FDD Freq.: 1745.0 MHz Ref. Level: 38.50 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 3 / AllRDY

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
QPSK

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection EstablishedRRC State: Connected

Go To LocalShow Remote Screen


Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation

FDD Freq.: 1745.0 MHz Ref. Level: 38.50 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 3 / AllRDY

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
16-QAM

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection EstablishedRRC State: Connected

Go To LocalShow Remote Screen

3.2.4 B66_10MHz


Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation
RDY

FDD Freq.: 1745.0 MHz Ref. Level: 37.90 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 3 / AllRF Settings

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
QPSK

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection Established
RRC State: ConnectedGo To Local Show Remote Screen


Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation
RDY

FDD Freq.: 1745.0 MHz Ref. Level: 37.90 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 3 / AllRF Settings

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
16-QAM

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection Established
RRC State: ConnectedGo To Local Show Remote Screen

3.2.5 B66_15MHz

Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 38.00 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count

20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 38.00 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count

20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

3.2.6 B66_20MHz

Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 38.60 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**

PS: Connection Established

RRC State: Connected

Go To Local
Show Remote Screen

Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 38.60 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**

PS: Connection Established

RRC State: Connected

Go To Local
Show Remote Screen

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.105	/	Pass
		1745	6	0	1.115	/	Pass
		1779.3	6	0	1.116	/	Pass
	16QAM	1710.7	6	0	1.107	/	Pass
		1745	6	0	1.106	/	Pass
		1779.3	6	0	1.120	/	Pass
3	QPSK	1711.5	15	0	2.750	/	Pass
		1745	15	0	2.768	/	Pass
		1778.5	15	0	2.763	/	Pass
	16QAM	1711.5	15	0	2.763	/	Pass
		1745	15	0	2.741	/	Pass
		1778.5	15	0	2.775	/	Pass
5	QPSK	1712.5	25	0	4.538	/	Pass
		1745	25	0	4.539	/	Pass
		1777.5	25	0	4.575	/	Pass
	16QAM	1712.5	25	0	4.534	/	Pass
		1745	25	0	4.546	/	Pass
		1777.5	25	0	4.582	/	Pass
10	QPSK	1715	50	0	9.080	/	Pass
		1745	50	0	9.070	/	Pass
		1775	50	0	9.043	/	Pass
	16QAM	1715	50	0	9.054	/	Pass
		1745	50	0	9.092	/	Pass
		1775	50	0	9.013	/	Pass
15	QPSK	1717.5	75	0	13.610	/	Pass
		1745	75	0	13.593	/	Pass
		1772.5	75	0	13.595	/	Pass
	16QAM	1717.5	75	0	13.636	/	Pass
		1745	75	0	13.594	/	Pass
		1772.5	75	0	13.621	/	Pass
20	QPSK	1720	100	0	18.132	/	Pass
		1745	100	0	18.151	/	Pass
		1770	100	0	18.161	/	Pass
	16QAM	1720	100	0	18.149	/	Pass
		1745	100	0	18.138	/	Pass
		1770	100	0	18.115	/	Pass



4.1.2 Band66_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.275	/	Pass
		1745	6	0	1.271	/	Pass
		1779.3	6	0	1.277	/	Pass


	16QAM	1710.7	6	0	1.273	/	Pass
		1745	6	0	1.273	/	Pass
		1779.3	6	0	1.270	/	Pass
3	QPSK	1711.5	15	0	3.108	/	Pass
		1745	15	0	3.109	/	Pass
		1778.5	15	0	3.089	/	Pass
	16QAM	1711.5	15	0	3.124	/	Pass
		1745	15	0	3.104	/	Pass
		1778.5	15	0	3.102	/	Pass
5	QPSK	1712.5	25	0	5.030	/	Pass
		1745	25	0	5.051	/	Pass
		1777.5	25	0	5.048	/	Pass
	16QAM	1712.5	25	0	5.039	/	Pass
		1745	25	0	5.065	/	Pass
		1777.5	25	0	5.050	/	Pass
10	QPSK	1715	50	0	10.059	/	Pass
		1745	50	0	10.012	/	Pass
		1775	50	0	10.057	/	Pass
	16QAM	1715	50	0	10.083	/	Pass
		1745	50	0	10.110	/	Pass
		1775	50	0	9.651	/	Pass
15	QPSK	1717.5	75	0	15.124	/	Pass
		1745	75	0	15.107	/	Pass
		1772.5	75	0	15.212	/	Pass
	16QAM	1717.5	75	0	15.214	/	Pass
		1745	75	0	15.205	/	Pass
		1772.5	75	0	15.150	/	Pass
20	QPSK	1720	100	0	20.064	/	Pass
		1745	100	0	20.219	/	Pass
		1770	100	0	19.858	/	Pass
	16QAM	1720	100	0	20.084	/	Pass
		1745	100	0	20.032	/	Pass
		1770	100	0	20.097	/	Pass

4.2 Test Graph


4.2.1 Band66_OBW




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV





Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2.2 Band66_XDB




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	5.98	<=13	Pass
	1745	6	0	5.67	<=13	Pass
	1779.3	6	0	5.39	<=13	Pass
16QAM	1710.7	6	0	6.67	<=13	Pass
	1745	6	0	6.50	<=13	Pass
	1779.3	6	0	6.10	<=13	Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	5.90	<=13	Pass
	1745	15	0	5.74	<=13	Pass
	1778.5	15	0	5.39	<=13	Pass
16QAM	1711.5	15	0	6.74	<=13	Pass
	1745	15	0	6.49	<=13	Pass
	1778.5	15	0	6.13	<=13	Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.88	<=13	Pass
	1745	25	0	5.68	<=13	Pass
	1777.5	25	0	5.41	<=13	Pass
16QAM	1712.5	25	0	5.87	<=13	Pass
	1745	25	0	5.67	<=13	Pass
	1777.5	25	0	5.41	<=13	Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.93	<=13	Pass
	1745	50	0	5.76	<=13	Pass
	1775	50	0	5.51	<=13	Pass
16QAM	1715	50	0	6.62	<=13	Pass
	1745	50	0	6.46	<=13	Pass

	1775	50	0	6.22	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B66_15MHz



Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	6.28	<=13	Pass
	1745	75	0	6.03	<=13	Pass
	1772.5	75	0	5.80	<=13	Pass
16QAM	1717.5	75	0	6.29	<=13	Pass
	1745	75	0	6.03	<=13	Pass
	1772.5	75	0	5.79	<=13	Pass

5.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.94	<=13	Pass
	1745	100	0	5.84	<=13	Pass
	1770	100	0	5.66	<=13	Pass
16QAM	1720	100	0	6.64	<=13	Pass
	1745	100	0	6.47	<=13	Pass
	1770	100	0	6.37	<=13	Pass

5.2 Test Graph


5.2.1 B66_1.4MHz




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV





Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




5.2.2 B66_3MHz




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV





Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




5.2.3 B66_5MHz




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV





Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




5.2.4 B66_10MHz




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV





Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




5.2.5 B66_15MHz




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV





Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




5.2.6 B66_20MHz




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass

		25	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1777.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1775	1	0	Refer To Test Graph	Pass
	49			Refer To Test Graph	Pass	
	50	0	Refer To Test Graph	Pass		
16QAM	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1775	1	0	Refer To Test Graph	Pass
	49			Refer To Test Graph	Pass	
	50	0	Refer To Test Graph	Pass		

6.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1772.5	1	0	Refer To Test Graph	Pass
	74			Refer To Test Graph	Pass	
	75	0	Refer To Test Graph	Pass		
16QAM	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1772.5	1	0	Refer To Test Graph	Pass
	74			Refer To Test Graph	Pass	
	75	0	Refer To Test Graph	Pass		



6.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1770	1	0	Refer To Test Graph	Pass
	99			Refer To Test Graph	Pass	
	100	0	Refer To Test Graph	Pass		
16QAM	1720	1	0	Refer To Test Graph	Pass	


		100	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1770	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B66_1.4MHz




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.003	/	1	1780.002	-38.60	-13	Pass
1780	1781.5	0.003	/	2	1781.319	-56.70	-13	Pass

Band66 1.4MHz QPSK HCH 1779.3MHz RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.013	/	1	1780.000	-32.47	-13	Pass
1780	1781.5	0.013	/	2	1781.434	-42.84	-13	Pass


Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.995	-43.80	-13	Pass
1709	1710	0.013	/	2	1709.985	-32.11	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.011	-39.31	-13	Pass
1781	1781.5	1	/	2	1781.500	-58.99	-13	Pass


Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.013	/	/	/	/	/	/
1780	1781	0.013	/	1	1780.012	-33.53	-13	Pass
1781	1781.5	1	/	2	1781.011	-43.60	-13	Pass

6.2.2 B66_3MHz


Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-24.53	-13	Pass
1709	1710	0.033	/	2	1709.994	-26.00	-13	Pass
1710	1713	0.033	/	/	/	/	/	/


Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1707.906	-34.57	-13	Pass
1709	1710	0.003	/	2	1709.997	-26.79	-13	Pass
1710	1713	0.003	/	/	/	/	/	/


Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTV



Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-24.99	-13	Pass
1709	1710	0.033	/	2	1710.000	-25.71	-13	Pass
1710	1713	0.033	/	/	/	/	/	/


Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_14_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




6.2.3 B66_5MHz


Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTV



Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-25.32	-13	Pass
1709	1710	0.051	/	2	1710.000	-32.52	-13	Pass
1710	1715	0.051	/	/	/	/	/	/


Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV



6.2.4 B66_10MHz


Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.497	-27.75	-13	Pass
1709	1710	0.003	/	2	1709.993	-48.41	-13	Pass
1710	1720	0.003	/	/	/	/	/	/


2024-07-23 22:17:35

Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




2024-07-23 22:17:47

Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.440	-27.86	-13	Pass
1709	1710	0.11	/	2	1709.980	-32.86	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTV



Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.495	-27.68	-13	Pass
1709	1710	0.003	/	2	1709.993	-47.42	-13	Pass
1710	1720	0.003	/	/	/	/	/	/

2024-07-23 22:19:32

Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Ant: Ant1
 Start: 30 MHz
 Stop: 10 GHz
 RBW: 1 MHz
 VBW: 3 MHz
 Detector: RMS
 TraceType: Average
 AverageCount: 30
 SweepPoint: 8001
 SweepTime: 17.07 ms
 Sweep: Single


Marker:
 1 1741.101 MHz
 -44.55 dBm

2024-07-23 22:19:41

Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-28.12	-13	Pass
1709	1710	0.11	/	2	1709.960	-32.85	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTV





Band66_10MHz_16QAM_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




6.2.5 B66_15MHz




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1707.750	-28.92	-13	Pass
1709	1710	0.16	/	2	1710.000	-34.85	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




6.2.6 B66_20MHz


Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-31.68	-13	Pass
1709	1710	0.22	/	2	1710.000	-35.72	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTV



Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.490	-44.00	-13	Pass
1709	1710	0.003	/	2	1709.995	-45.77	-13	Pass
1710	1730	0.003	/	/	/	/	/	/


2024-07-23 22:30:54

Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




2024-07-23 22:31:03

Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-31.02	-13	Pass
1709	1710	0.22	/	2	1709.600	-34.65	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTV



Band66_20MHz_16QAM_HCH_1770MHz_RB_1_99_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1262	0.0261	ppm	1M12G7D	27L	21.01
66	1.4	1710.7	1779.3	0.1242	0.0250	ppm	1M12W7D	27L	20.94
66	3	1711.5	1778.5	0.1288	0.0250	ppm	2M77G7D	27L	21.10
66	3	1711.5	1778.5	0.1306	0.0256	ppm	2M77W7D	27L	21.16
66	5	1712.5	1777.5	0.1256	0.0205	ppm	4M58G7D	27L	20.99
66	5	1712.5	1777.5	0.1169	0.0231	ppm	4M58W7D	27L	20.68
66	10	1715	1775	0.1291	0.0193	ppm	9M08G7D	27L	21.11
66	10	1715	1775	0.1114	0.0177	ppm	9M09W7D	27L	20.47
66	15	1717.5	1772.5	0.1242	0.0197	ppm	13M6G7D	27L	20.94
66	15	1717.5	1772.5	0.1186	0.0179	ppm	13M6W7D	27L	20.74
66	20	1720	1770	0.1265	0.0185	ppm	18M2G7D	27L	21.02
66	20	1720	1770	0.1175	0.0196	ppm	18M1W7D	27L	20.70

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1698	0.0261	ppm	1M12G7D	27L	22.30
66	1.4	1710.7	1779.3	0.1671	0.0250	ppm	1M12W7D	27L	22.23
66	3	1711.5	1778.5	0.1734	0.0250	ppm	2M77G7D	27L	22.39
66	3	1711.5	1778.5	0.1758	0.0256	ppm	2M77W7D	27L	22.45
66	5	1712.5	1777.5	0.1690	0.0205	ppm	4M58G7D	27L	22.28
66	5	1712.5	1777.5	0.1574	0.0231	ppm	4M58W7D	27L	21.97
66	10	1715	1775	0.1738	0.0193	ppm	9M08G7D	27L	22.40
66	10	1715	1775	0.1500	0.0177	ppm	9M09W7D	27L	21.76
66	15	1717.5	1772.5	0.1671	0.0197	ppm	13M6G7D	27L	22.23
66	15	1717.5	1772.5	0.1596	0.0179	ppm	13M6W7D	27L	22.03
66	20	1720	1770	0.1702	0.0185	ppm	18M2G7D	27L	22.31
66	20	1720	1770	0.1581	0.0196	ppm	18M1W7D	27L	21.99