


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	932.593	-54.97	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.13	-13	Pass	830
1830	1920	1	RMS	1850.25	22.78	60	Pass	601
1920	3000	1	RMS	2666.691	-39.31	-13	Pass	1080
3000	12000	1	RMS	7401.489	-40.24	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.37	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.2	-13	Pass	2985
30	1000	0.1	RMS	913.991	-54.94	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.13	-13	Pass	830
1830	1920	1	RMS	1851.15	22.8	60	Pass	601
1920	3000	1	RMS	2666.691	-39.32	-13	Pass	1080
3000	12000	1	RMS	7404.489	-38.94	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.51	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.48	-13	Pass	2985
30	1000	0.1	RMS	958.896	-54.91	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.1	-13	Pass	830
1830	1920	1	RMS	1850.25	21.88	60	Pass	601
1920	3000	1	RMS	2667.692	-39.23	-13	Pass	1080
3000	12000	1	RMS	7401.489	-40.78	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.41	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.86	-13	Pass	2985
30	1000	0.1	RMS	983.398	-55.11	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.12	-13	Pass	830
1830	1920	1	RMS	1851.15	21.91	60	Pass	601
1920	3000	1	RMS	2671.696	-39.32	-13	Pass	1080
3000	12000	1	RMS	7404.489	-40.2	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.37	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.62	-13	Pass	2985
30	1000	0.1	RMS	886.388	-54.98	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.09	-13	Pass	830
1830	1920	1	RMS	1879.5	22.82	60	Pass	601
1920	3000	1	RMS	2668.693	-39.29	-13	Pass	1080
3000	12000	1	RMS	7518.502	-40.82	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.35	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	994.699	-54.93	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.09	-13	Pass	830
1830	1920	1	RMS	1880.4	22.87	60	Pass	601
1920	3000	1	RMS	2667.692	-39.32	-13	Pass	1080
3000	12000	1	RMS	5641.293	-40.64	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.47	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.88	-13	Pass	2985
30	1000	0.1	RMS	933.493	-54.84	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.12	-13	Pass	830
1830	1920	1	RMS	1879.5	21.87	60	Pass	601
1920	3000	1	RMS	2664.69	-39.34	-13	Pass	1080
3000	12000	1	RMS	7518.502	-42.21	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.36	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.7	-13	Pass	2985
30	1000	0.1	RMS	977.598	-54.89	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.12	-13	Pass	830
1830	1920	1	RMS	1880.4	21.93	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	5641.293	-41.45	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.35	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.7	-13	Pass	2985
30	1000	0.1	RMS	881.988	-54.85	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.14	-13	Pass	830
1830	1920	1	RMS	1908.9	22.55	60	Pass	601
1920	3000	1	RMS	2673.698	-39.33	-13	Pass	1080
3000	12000	1	RMS	5726.303	-37.85	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.39	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.83	-13	Pass	2985
30	1000	0.1	RMS	907.59	-54.8	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.12	-13	Pass	830
1830	1920	1	RMS	1909.8	23	60	Pass	601
1920	3000	1	RMS	2669.694	-39.21	-13	Pass	1080
3000	12000	1	RMS	5729.303	-36.91	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.46	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.19	-13	Pass	2985
30	1000	0.1	RMS	865.086	-55.08	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.11	-13	Pass	830
1830	1920	1	RMS	1908.9	21.72	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	5726.303	-38.92	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.38	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.87	-13	Pass	2985
30	1000	0.1	RMS	893.189	-54.91	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.15	-13	Pass	830
1830	1920	1	RMS	1909.8	22.16	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	5729.303	-38.13	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.13	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	1000	0.1	RMS	970.897	-54.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.11	-13	Pass	830
1830	1920	1	RMS	1850.25	22.66	60	Pass	601
1920	3000	1	RMS	2664.69	-39.23	-13	Pass	1080
3000	12000	1	RMS	7400.489	-40.37	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.27	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.75	-13	Pass	2985
30	1000	0.1	RMS	983.498	-54.96	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.11	-13	Pass	830
1830	1920	1	RMS	1852.8	22.65	60	Pass	601
1920	3000	1	RMS	2666.691	-39.21	-13	Pass	1080
3000	12000	1	RMS	7411.49	-40.46	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.24	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.42	-13	Pass	2985
30	1000	0.1	RMS	996.1	-54.95	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.13	-13	Pass	830
1830	1920	1	RMS	1850.25	21.84	60	Pass	601
1920	3000	1	RMS	2671.696	-39.31	-13	Pass	1080
3000	12000	1	RMS	7400.489	-40.85	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.32	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.95	-13	Pass	2985
30	1000	0.1	RMS	920.092	-54.97	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.13	-13	Pass	830
1830	1920	1	RMS	1852.8	21.9	60	Pass	601
1920	3000	1	RMS	2666.691	-39.31	-13	Pass	1080
3000	12000	1	RMS	7411.49	-41.45	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.15	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.3	-13	Pass	2985
30	1000	0.1	RMS	923.392	-55.06	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.04	-13	Pass	830
1830	1920	1	RMS	1878.75	22.7	60	Pass	601
1920	3000	1	RMS	2668.693	-39.35	-13	Pass	1080
3000	12000	1	RMS	5636.293	-41.08	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.24	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	1000	0.1	RMS	984.798	-54.84	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.06	-13	Pass	830
1830	1920	1	RMS	1881.3	22.78	60	Pass	601
1920	3000	1	RMS	2669.694	-39.34	-13	Pass	1080
3000	12000	1	RMS	7525.503	-41.36	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.35	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.94	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41.82	-13	Pass	2985
30	1000	0.1	RMS	937.294	-54.56	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.13	-13	Pass	830
1830	1920	1	RMS	1878.75	21.74	60	Pass	601
1920	3000	1	RMS	2674.699	-39.34	-13	Pass	1080
3000	12000	1	RMS	5636.293	-42.39	-13	Pass	9000
12000	20000	1	RMS	19842.98	-29.25	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.78	-13	Pass	2985
30	1000	0.1	RMS	994.499	-54.89	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.12	-13	Pass	830
1830	1920	1	RMS	1881.3	21.85	60	Pass	601
1920	3000	1	RMS	2669.694	-39.29	-13	Pass	1080
3000	12000	1	RMS	7525.503	-42.54	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.2	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.87	-13	Pass	2985
30	1000	0.1	RMS	993.199	-54.84	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.1	-13	Pass	830
1830	1920	1	RMS	1907.25	22.32	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	5721.302	-39.55	-13	Pass	9000
12000	20000	1	RMS	19840.98	-29.42	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.41	-13	Pass	2985
30	1000	0.1	RMS	889.789	-54.7	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.1	-13	Pass	830
1830	1920	1	RMS	1909.8	22.8	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	5729.303	-36.99	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.26	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.99	-13	Pass	2985
30	1000	0.1	RMS	897.089	-54.88	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.13	-13	Pass	830
1830	1920	1	RMS	1907.25	21.33	60	Pass	601
1920	3000	1	RMS	2666.691	-39.37	-13	Pass	1080
3000	12000	1	RMS	5721.302	-40.66	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.31	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.18	-13	Pass	2985
30	1000	0.1	RMS	896.589	-54.63	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.15	-13	Pass	830
1830	1920	1	RMS	1909.8	22.02	60	Pass	601
1920	3000	1	RMS	2665.69	-39.3	-13	Pass	1080
3000	12000	1	RMS	5729.303	-37.75	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.35	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.12	-13	Pass	2985
30	1000	0.1	RMS	915.291	-54.75	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.13	-13	Pass	830
1830	1920	1	RMS	1850.4	22.55	60	Pass	601
1920	3000	1	RMS	2532.567	-38.67	-13	Pass	1080
3000	12000	1	RMS	7401.489	-39.04	-13	Pass	9000
12000	20000	1	RMS	19839.98	-29.32	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.99	-13	Pass	2985
30	1000	0.1	RMS	996.8	-54.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.14	-13	Pass	830
1830	1920	1	RMS	1854.6	22.59	60	Pass	601
1920	3000	1	RMS	2668.693	-39.28	-13	Pass	1080
3000	12000	1	RMS	7418.491	-39.48	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.26	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.8	-13	Pass	2985
30	1000	0.1	RMS	996	-54.86	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.15	-13	Pass	830
1830	1920	1	RMS	1850.4	21.69	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	7401.489	-40.06	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.33	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.24	-13	Pass	2985
30	1000	0.1	RMS	946.695	-55.01	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.1	-13	Pass	830
1830	1920	1	RMS	1854.6	21.73	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	7418.491	-40.94	-13	Pass	9000
12000	20000	1	RMS	19841.98	-29.32	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	1000	0.1	RMS	965.796	-55.11	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.13	-13	Pass	830
1830	1920	1	RMS	1877.85	22.69	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	7511.501	-40.75	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.35	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.49	-13	Pass	2985
30	1000	0.1	RMS	930.593	-54.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.09	-13	Pass	830
1830	1920	1	RMS	1882.2	22.74	60	Pass	601
1920	3000	1	RMS	2668.693	-39.29	-13	Pass	1080
3000	12000	1	RMS	7528.503	-40.06	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.3	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.5	-13	Pass	2985
30	1000	0.1	RMS	952.795	-54.95	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.09	-13	Pass	830
1830	1920	1	RMS	1877.85	21.87	60	Pass	601
1920	3000	1	RMS	2669.694	-39.28	-13	Pass	1080
3000	12000	1	RMS	7511.501	-41.64	-13	Pass	9000
12000	20000	1	RMS	19842.98	-29.41	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	997.5	-54.91	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.08	-13	Pass	830
1830	1920	1	RMS	1882.2	21.93	60	Pass	601
1920	3000	1	RMS	2672.697	-39.3	-13	Pass	1080
3000	12000	1	RMS	7528.503	-40.95	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.26	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.39	-13	Pass	2985
30	1000	0.1	RMS	981.398	-54.85	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.09	-13	Pass	830
1830	1920	1	RMS	1905.3	22.07	60	Pass	601
1920	3000	1	RMS	2674.699	-39.34	-13	Pass	1080
3000	12000	1	RMS	5716.302	-39.55	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.41	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	1000	0.1	RMS	988.999	-54.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.12	-13	Pass	830
1830	1920	1	RMS	1909.65	22.86	60	Pass	601
1920	3000	1	RMS	2670.695	-39.35	-13	Pass	1080
3000	12000	1	RMS	5729.303	-37.27	-13	Pass	9000
12000	20000	1	RMS	19840.98	-29.34	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.94	-13	Pass	2985
30	1000	0.1	RMS	987.899	-55.05	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.11	-13	Pass	830
1830	1920	1	RMS	1905.3	21.34	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	5716.302	-40.41	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.24	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.87	-13	Pass	2985
30	1000	0.1	RMS	951.495	-54.94	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.1	-13	Pass	830
1830	1920	1	RMS	1909.65	22.21	60	Pass	601
1920	3000	1	RMS	2661.687	-39.36	-13	Pass	1080
3000	12000	1	RMS	5729.303	-38.86	-13	Pass	9000
12000	20000	1	RMS	19857.982	-29.31	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.33	-13	Pass	2985
30	1000	0.1	RMS	994.799	-55.18	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.14	-13	Pass	830
1830	1920	1	RMS	1850.55	22.46	60	Pass	601
1920	3000	1	RMS	2670.695	-39.32	-13	Pass	1080
3000	12000	1	RMS	7402.489	-39.22	-13	Pass	9000
12000	20000	1	RMS	19839.98	-29.38	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.42	-13	Pass	2985
30	1000	0.1	RMS	993.399	-54.8	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.14	-13	Pass	830
1830	1920	1	RMS	1859.4	22.41	60	Pass	601
1920	3000	1	RMS	2668.693	-39.34	-13	Pass	1080
3000	12000	1	RMS	7437.493	-40.01	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.29	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.08	-13	Pass	2985
30	1000	0.1	RMS	882.188	-54.82	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.11	-13	Pass	830
1830	1920	1	RMS	1850.55	21.62	60	Pass	601
1920	3000	1	RMS	2663.689	-39.31	-13	Pass	1080
3000	12000	1	RMS	7402.489	-40.3	-13	Pass	9000
12000	20000	1	RMS	19842.98	-29.26	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.31	-13	Pass	2985
30	1000	0.1	RMS	992.299	-54.82	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.16	-13	Pass	830
1830	1920	1	RMS	1859.4	21.64	60	Pass	601
1920	3000	1	RMS	2667.692	-39.37	-13	Pass	1080
3000	12000	1	RMS	7437.493	-40.21	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.38	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.86	-13	Pass	2985
30	1000	0.1	RMS	996.4	-54.91	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.14	-13	Pass	830
1830	1920	1	RMS	1875.6	22.5	60	Pass	601
1920	3000	1	RMS	2670.695	-39.3	-13	Pass	1080
3000	12000	1	RMS	7502.5	-40.37	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.45	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.42	-13	Pass	2985
30	1000	0.1	RMS	918.492	-55.12	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.13	-13	Pass	830
1830	1920	1	RMS	1884.45	22.65	60	Pass	601
1920	3000	1	RMS	2670.695	-39.28	-13	Pass	1080
3000	12000	1	RMS	7537.504	-40.22	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.27	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.44	-13	Pass	2985
30	1000	0.1	RMS	884.488	-54.93	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.13	-13	Pass	830
1830	1920	1	RMS	1875.6	21.59	60	Pass	601
1920	3000	1	RMS	2669.694	-39.23	-13	Pass	1080
3000	12000	1	RMS	7502.5	-41.92	-13	Pass	9000
12000	20000	1	RMS	19843.98	-29.21	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.53	-13	Pass	2985
30	1000	0.1	RMS	905.99	-55.09	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.07	-13	Pass	830
1830	1920	1	RMS	1884.45	21.73	60	Pass	601
1920	3000	1	RMS	2667.692	-39.27	-13	Pass	1080
3000	12000	1	RMS	7537.504	-40.73	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.34	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.28	-13	Pass	2985
30	1000	0.1	RMS	993.499	-55.12	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.13	-13	Pass	830
1830	1920	1	RMS	1900.65	22.07	60	Pass	601
1920	3000	1	RMS	2672.697	-39.3	-13	Pass	1080
3000	12000	1	RMS	7602.511	-40.41	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.25	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.36	-13	Pass	2985
30	1000	0.1	RMS	885.988	-55.1	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.14	-13	Pass	830
1830	1920	1	RMS	1909.35	22.32	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	5728.303	-38.43	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.34	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	930.093	-54.73	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.1	-13	Pass	830
1830	1920	1	RMS	1900.65	21.21	60	Pass	601
1920	3000	1	RMS	2671.696	-39.3	-13	Pass	1080
3000	12000	1	RMS	7602.511	-41.58	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.34	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	1000	0.1	RMS	896.989	-54.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.13	-13	Pass	830
1830	1920	1	RMS	1909.35	21.45	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	5728.303	-38.5	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.29	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.13	-13	Pass	2985
30	1000	0.1	RMS	906.19	-54.92	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.01	-13	Pass	830
1830	1920	1	RMS	1850.85	22.57	60	Pass	601
1920	3000	1	RMS	2670.695	-39.31	-13	Pass	1080
3000	12000	1	RMS	7403.489	-39.17	-13	Pass	9000
12000	20000	1	RMS	19843.98	-29.38	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.45	-13	Pass	2985
30	1000	0.1	RMS	998.6	-54.98	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.07	-13	Pass	830
1830	1920	1	RMS	1864.2	22.6	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	7456.495	-40.29	-13	Pass	9000
12000	20000	1	RMS	19855.982	-29.27	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.01	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41.98	-13	Pass	2985
30	1000	0.1	RMS	883.388	-54.68	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.83	-13	Pass	830
1830	1920	1	RMS	1850.85	21.83	60	Pass	601
1920	3000	1	RMS	2666.691	-39.34	-13	Pass	1080
3000	12000	1	RMS	7403.489	-39.95	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.27	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.15	-13	Pass	2985
30	1000	0.1	RMS	997.3	-54.66	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.09	-13	Pass	830
1830	1920	1	RMS	1864.2	21.83	60	Pass	601
1920	3000	1	RMS	2664.69	-39.33	-13	Pass	1080
3000	12000	1	RMS	7456.495	-41.38	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.37	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42	-13	Pass	2985
30	1000	0.1	RMS	891.389	-54.97	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.14	-13	Pass	830
1830	1920	1	RMS	1873.35	22.63	60	Pass	601
1920	3000	1	RMS	2668.693	-39.33	-13	Pass	1080
3000	12000	1	RMS	7493.499	-39.87	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.37	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.48	-13	Pass	2985
30	1000	0.1	RMS	987.099	-54.88	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.1	-13	Pass	830
1830	1920	1	RMS	1886.7	22.91	60	Pass	601
1920	3000	1	RMS	2669.694	-39.29	-13	Pass	1080
3000	12000	1	RMS	7546.505	-40.05	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.24	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.7	-13	Pass	2985
30	1000	0.1	RMS	990.899	-54.99	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.15	-13	Pass	830
1830	1920	1	RMS	1873.35	21.71	60	Pass	601
1920	3000	1	RMS	2667.692	-39.28	-13	Pass	1080
3000	12000	1	RMS	7493.499	-41.17	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.47	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.36	-13	Pass	2985
30	1000	0.1	RMS	864.886	-54.83	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.12	-13	Pass	830
1830	1920	1	RMS	1886.7	21.97	60	Pass	601
1920	3000	1	RMS	2667.692	-39.27	-13	Pass	1080
3000	12000	1	RMS	7546.505	-41.36	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.47	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.4	-13	Pass	2985
30	1000	0.1	RMS	904.49	-55.07	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.15	-13	Pass	830
1830	1920	1	RMS	1895.85	22.37	60	Pass	601
1920	3000	1	RMS	2669.694	-39.31	-13	Pass	1080
3000	12000	1	RMS	7583.509	-40.62	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.33	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.23	-13	Pass	2985
30	1000	0.1	RMS	887.788	-54.8	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.12	-13	Pass	830
1830	1920	1	RMS	1909.2	22.47	60	Pass	601
1920	3000	1	RMS	2673.698	-39.31	-13	Pass	1080
3000	12000	1	RMS	5727.303	-38.43	-13	Pass	9000
12000	20000	1	RMS	19835.979	-29.3	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	1000	0.1	RMS	974.697	-54.56	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.15	-13	Pass	830
1830	1920	1	RMS	1895.85	21.62	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	7583.509	-41.09	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.34	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	1000	0.1	RMS	967.997	-54.95	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.09	-13	Pass	830
1830	1920	1	RMS	1909.2	21.68	60	Pass	601
1920	3000	1	RMS	2670.695	-39.35	-13	Pass	1080
3000	12000	1	RMS	5727.303	-39.08	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.36	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	907.891	-54.86	-13	Pass	9700
1000	1830	1	RMS	1822.992	-44.13	-13	Pass	830
1830	1920	1	RMS	1851.15	22.59	60	Pass	601
1920	3000	1	RMS	2666.691	-39.32	-13	Pass	1080
3000	12000	1	RMS	7404.489	-39.23	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.32	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.27	-13	Pass	2985
30	1000	0.1	RMS	990.999	-55.13	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.12	-13	Pass	830
1830	1920	1	RMS	1868.85	22.54	60	Pass	601
1920	3000	1	RMS	2672.697	-39.27	-13	Pass	1080
3000	12000	1	RMS	7475.497	-40.47	-13	Pass	9000
12000	20000	1	RMS	19841.98	-29.34	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.87	-13	Pass	2985
30	1000	0.1	RMS	897.489	-54.86	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.09	-13	Pass	830
1830	1920	1	RMS	1851.15	21.82	60	Pass	601
1920	3000	1	RMS	2672.697	-39.27	-13	Pass	1080
3000	12000	1	RMS	7404.489	-39.82	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.3	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	904.19	-54.59	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.13	-13	Pass	830
1830	1920	1	RMS	1868.85	21.75	60	Pass	601
1920	3000	1	RMS	2672.697	-39.31	-13	Pass	1080
3000	12000	1	RMS	7475.497	-41.3	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.37	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.31	-13	Pass	2985
30	1000	0.1	RMS	909.991	-54.73	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.14	-13	Pass	830
1830	1920	1	RMS	1871.1	22.68	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	7484.498	-39.93	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.21	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.17	-13	Pass	2985
30	1000	0.1	RMS	916.191	-54.94	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.08	-13	Pass	830
1830	1920	1	RMS	1888.95	22.66	60	Pass	601
1920	3000	1	RMS	2671.696	-39.3	-13	Pass	1080
3000	12000	1	RMS	7555.506	-40.71	-13	Pass	9000
12000	20000	1	RMS	19855.982	-29.32	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.42	-13	Pass	2985
30	1000	0.1	RMS	945.894	-54.84	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.16	-13	Pass	830
1830	1920	1	RMS	1871.1	21.7	60	Pass	601
1920	3000	1	RMS	2671.696	-39.36	-13	Pass	1080
3000	12000	1	RMS	7484.498	-40.95	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.31	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.07	-13	Pass	2985
30	1000	0.1	RMS	924.392	-55	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.07	-13	Pass	830
1830	1920	1	RMS	1888.95	21.75	60	Pass	601
1920	3000	1	RMS	2672.697	-39.35	-13	Pass	1080
3000	12000	1	RMS	7555.506	-41.54	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.3	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.6	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.07	-13	Pass	2985
30	1000	0.1	RMS	997.5	-54.93	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.14	-13	Pass	830
1830	1920	1	RMS	1891.05	22.48	60	Pass	601
1920	3000	1	RMS	2660.686	-39.32	-13	Pass	1080
3000	12000	1	RMS	7564.507	-40.59	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.45	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.35	-13	Pass	2985
30	1000	0.1	RMS	905.79	-54.9	-13	Pass	9700
1000	1830	1	RMS	1748.902	-44.16	-13	Pass	830
1830	1920	1	RMS	1908.9	22.43	60	Pass	601
1920	3000	1	RMS	2663.689	-39.3	-13	Pass	1080
3000	12000	1	RMS	5726.303	-39.33	-13	Pass	9000
12000	20000	1	RMS	19842.98	-29.31	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.92	-13	Pass	2985
30	1000	0.1	RMS	962.696	-55.08	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.16	-13	Pass	830
1830	1920	1	RMS	1891.05	21.58	60	Pass	601
1920	3000	1	RMS	2669.694	-39.29	-13	Pass	1080
3000	12000	1	RMS	7564.507	-42.02	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.4	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.01	-13	Pass	2985
30	1000	0.1	RMS	922.892	-54.86	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.16	-13	Pass	830
1830	1920	1	RMS	1908.9	21.46	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	5726.303	-40.22	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.36	-13	Pass	8000



END