



6.2.2 15k_SISO_10MHz_NTNV




n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-31.65	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16871.800	-48.31	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1715MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.1	/	1	1708.435	-21.58	-13	Pass
1720	1720	0.1	/	/	/	/	/	/


n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1715MHz Inner 1RB Left



n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1602.700	-56.72	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3480.100	-43.54	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1783.959	-31.41	-13	Pass

n66 15kHz SISO NTVN 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	922.643	-57.53	-13	Pass

n66 15kHz SISO NTVN 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1613.200	-56.86	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-36.04	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.10039	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1784.190	-16.94	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1783.652	-30.95	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.003	/	1	1709.995	-36.31	-13	Pass
1720	1720	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	797.876	-57.53	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-32.23	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16882.300	-48.06	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.10025	CHP	1	1708.480	-18.24	-13	Pass
1720	1720	0.10025	CHP	/	/	/	/	/

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.003	/	1	1708.495	-41.88	-13	Pass
1720	1720	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	799.816	-57.52	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1588.000	-56.59	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3480.100	-44.07	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.001	-33.02	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	936.707	-57.43	-13	Pass

n66 15kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1567.000	-56.99	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-35.91	-13	Pass


n66 15kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Outer Full



n66 15kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Inner 1RB Right




n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.003	/	1	1709.993	-37.67	-13	Pass
1720	1720	0.003	/	/	/	/	/	/

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	912.094	-57.56	-13	Pass

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-33.05	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16836.100	-48.23	-13	Pass

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.15	/	1	1708.225	-18.73	-13	Pass
1720	1720	0.15	/	/	/	/	/	/

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.003	/	1	1706.183	-42.71	-13	Pass
1720	1720	0.003	/	/	/	/	/	/

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	945.680	-57.45	-13	Pass

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1674.100	-56.97	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3480.100	-45.92	-13	Pass

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.003	-36.21	-13	Pass

n66 15kHz SISO NTV 10MHz CP-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	820.914	-57.57	-13	Pass

n66 15kHz SISO NTV 10MHz CP-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1627.900	-57.05	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-35.95	-13	Pass

n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1775MHz Outer Full



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.15	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.415	-13.02	-13	Pass


n66 15kHz SISO NTN 10MHz CP-OFDM QPSK 1775MHz Inner 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1783.674	-36.31	-13	Pass


6.2.3 15k_SISO_15MHz_NTNV

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1717.5MHz_Edge_1RB_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.003	/	1	1709.997	-36.18	-13	Pass
1725	1725	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1717.5MHz_Edge_1RB_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	880.084	-57.53	-13	Pass

n66 15kHz SISO NTV 15MHz DFT-s-OFDM PI/2 BPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-32.83	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16911.700	-48.17	-13	Pass

n66 15kHz SISO NTV 15MHz DFT-s-OFDM PI/2 BPSK 1717.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.15	/	1	1708.500	-20.26	-13	Pass
1725	1725	0.15	/	/	/	/	/	/

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1717.5MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.003	/	1	1708.500	-41.47	-13	Pass
1725	1725	0.003	/	/	/	/	/	/

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	932.949	-57.54	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1672.000	-56.81	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3475.900	-45.20	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.005	-34.17	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	931.009	-57.47	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1642.600	-56.79	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1793.800	-37.06	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.15	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.020	-19.54	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-37.49	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.003	/	1	1709.997	-36.52	-13	Pass
1725	1725	0.003	/	/	/	/	/	/

n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	823.096	-57.50	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1695.100	-34.28	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16918.000	-48.15	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.2	/	1	1708.500	-17.22	-13	Pass
1725	1725	0.2	/	/	/	/	/	/

n66 15kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1717.5MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.003	/	1	1709.985	-41.50	-13	Pass
1725	1725	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	784.539	-57.53	-13	Pass

n66 15kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1695.100	-56.58	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3475.900	-44.80	-13	Pass

n66 15kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.003	-33.97	-13	Pass


n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1772.5MHz Edge 1RB Right



n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1772.5MHz Edge 1RB Right




n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1772.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.18	/	/	/	/	/	/
1780	1785	1	CHP	1	1782.220	-15.92	-13	Pass

n66 15kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1772.5MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-37.61	-13	Pass

n66 15kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Edge 1RB Left



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.003	/	1	1709.993	-38.20	-13	Pass
1725	1725	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	927.977	-57.57	-13	Pass

n66 15kHz SISO NTN 15MHz CP-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1695.100	-36.36	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16915.900	-48.24	-13	Pass

n66 15kHz SISO NTN 15MHz CP-OFDM QPSK 1717.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.22	/	1	1707.880	-18.23	-13	Pass
1725	1725	0.22	/	/	/	/	/	/

n66 15kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.003	/	1	1709.990	-41.91	-13	Pass
1725	1725	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 15MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	948.711	-57.65	-13	Pass

n66 15kHz SISO NTN 15MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1638.400	-56.71	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3475.900	-45.76	-13	Pass

n66 15kHz SISO NTN 15MHz CP-OFDM QPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.003	-35.45	-13	Pass

n66 15kHz SISO NTV 15MHz CP-OFDM QPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	922.158	-57.65	-13	Pass

n66 15kHz SISO NTV 15MHz CP-OFDM QPSK 1772.5MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1592.200	-56.98	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1793.800	-37.72	-13	Pass


n66 15kHz SISO NTN 15MHz CP-OFDM QPSK 1772.5MHz Outer Full



2024-09-12 14:15:04

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.22	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.240	-14.48	-13	Pass


n66 15kHz SISO NTN 15MHz CP-OFDM QPSK 1772.5MHz Inner 1RB Right




2024-09-12 14:18:33

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-37.72	-13	Pass

6.2.4 15k_SISO_20MHz_NTNV




n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1690.900	-38.04	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3421.300	-47.96	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1720MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.2	/	1	1708.500	-20.51	-13	Pass
1730	1730	0.2	/	/	/	/	/	/

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1720MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.003	/	1	1708.500	-41.79	-13	Pass
1730	1730	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	932.464	-57.49	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-40.32	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1795.900	-43.70	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.003	-37.76	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	937.556	-57.50	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1558.600	-56.86	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1798.000	-37.20	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.025	-21.12	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-37.62	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.003	/	1	1709.994	-40.00	-13	Pass
1730	1730	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	962.170	-57.51	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1690.900	-37.11	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16884.400	-48.32	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.27	/	1	1708.500	-17.91	-13	Pass
1730	1730	0.27	/	/	/	/	/	/

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.003	/	1	1708.500	-41.94	-13	Pass
1730	1730	0.003	/	/	/	/	/	/

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	939.254	-57.51	-13	Pass

n66 15kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-38.05	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1795.900	-44.67	-13	Pass

n66 15kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-37.25	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	948.347	-57.35	-13	Pass

n66 15kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1663.600	-56.84	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1798.000	-35.18	-13	Pass


n66 15kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1770MHz Outer Full



n66 15kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1770MHz Inner 1RB Right




n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.003	/	1	1709.991	-40.99	-13	Pass
1730	1730	0.003	/	/	/	/	/	/

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	793.875	-57.38	-13	Pass

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1690.900	-40.27	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16899.100	-47.94	-13	Pass

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.3	/	1	1708.400	-18.12	-13	Pass
1730	1730	0.3	/	/	/	/	/	/

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.003	/	1	1708.500	-43.01	-13	Pass
1730	1730	0.003	/	/	/	/	/	/

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	813.275	-57.42	-13	Pass

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-40.40	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1795.900	-46.25	-13	Pass

n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-38.45	-13	Pass

n66 15kHz SISO NTVN 20MHz CP-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	895.119	-57.50	-13	Pass

n66 15kHz SISO NTVN 20MHz CP-OFDM QPSK 1770MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1588.000	-56.88	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1798.000	-38.87	-13	Pass


n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1770MHz Outer Full



2024-09-12 15:23:50

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.3	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.250	-15.94	-13	Pass


n66 15kHz SISO NTN 20MHz CP-OFDM QPSK 1770MHz Inner 1RB Right




2024-09-12 15:28:02

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-38.35	-13	Pass

6.2.5 15k_SISO_40MHz_NTNV




n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-46.56	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-36.30	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.43	/	1	1708.465	-21.24	-13	Pass
1750	1750	0.43	/	/	/	/	/	/

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-40.05	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66 15kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	793.875	-57.47	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1686.700	-48.62	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1802.200	-39.15	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-38.08	-13	Pass


n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right



n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right




n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.220	-28.32	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-38.46	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-38.38	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.783	-57.45	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1690.900	-45.89	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-36.64	-13	Pass

n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.43	/	1	1707.925	-19.35	-13	Pass
1750	1750	0.43	/	/	/	/	/	/

n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-38.77	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	944.467	-57.62	-13	Pass


n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right




n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right



n66 15kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right




n66 15kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.005	-24.35	-13	Pass

n66 15kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-38.61	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-39.27	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	918.399	-57.47	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-46.99	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-37.81	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.62	/	1	1709.995	-13.88	-13	Pass
1750	1750	0.62	/	/	/	/	/	/

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0027	/	1	1708.499	-39.71	-13	Pass
1750	1750	0.0027	/	/	/	/	/	/

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	806.727	-57.58	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1686.700	-50.08	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1802.200	-43.17	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-38.11	-13	Pass

n66 15kHz SISO NTV 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	806.364	-57.50	-13	Pass

n66 15kHz SISO NTV 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-35.16	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1785.400	-47.36	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.51	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.005	-20.06	-13	Pass

n66 15kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0027	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-38.37	-13	Pass

6.2.6 30k_SISO_10MHz_NTNV




n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-33.83	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16850.800	-48.03	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1715MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.1	/	1	1706.005	-21.90	-13	Pass
1720	1720	0.1	/	/	/	/	/	/

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1715MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.0054	CHP	1	1707.491	-39.34	-13	Pass
1720	1720	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	796.421	-57.40	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1588.000	-56.81	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3482.200	-45.58	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-35.80	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	798.967	-57.60	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1577.500	-56.83	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-35.17	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.11	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.010	-16.78	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 1775MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1782.417	-36.88	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.0054	CHP	1	1709.993	-40.50	-13	Pass
1720	1720	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	784.418	-57.53	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-32.27	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16836.100	-48.08	-13	Pass

n66 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.12	/	1	1708.435	-18.23	-13	Pass
1720	1720	0.12	/	/	/	/	/	/

n66 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1715MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.0054	CHP	1	1707.616	-40.97	-13	Pass
1720	1720	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	819.337	-57.51	-13	Pass

n66 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1630.000	-56.85	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3482.200	-44.92	-13	Pass

n66 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-36.49	-13	Pass

n66 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	808.061	-57.47	-13	Pass

n66 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1613.200	-56.81	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-35.22	-13	Pass

n66 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.13	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.010	-13.49	-13	Pass

n66 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1775MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-34.80	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.0054	CHP	1	1706.652	-41.51	-13	Pass
1720	1720	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	802.362	-57.64	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-33.74	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16884.400	-48.23	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1715MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.13	/	1	1708.480	-19.43	-13	Pass
1720	1720	0.13	/	/	/	/	/	/

n66 30kHz SISO NTNv 10MHz CP-OFDM QPSK 1715MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1720	0.0054	CHP	1	1707.494	-40.71	-13	Pass
1720	1720	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTNv 10MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	824.430	-57.63	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-56.94	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3482.200	-47.57	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-35.81	-13	Pass

n66 30kHz SISO NTV 10MHz CP-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	844.072	-57.48	-13	Pass

n66 30kHz SISO NTV 10MHz CP-OFDM QPSK 1775MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1602.700	-56.90	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-38.43	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1775MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.13	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.010	-13.04	-13	Pass

n66 30kHz SISO NTN 10MHz CP-OFDM QPSK 1775MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-34.57	-13	Pass

6.2.7 30k_SISO_15MHz_NTNV




n66 30kHz SISO NTV 15MHz DFT-s-OFDM PI/2 BPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-33.11	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3421.300	-48.12	-13	Pass

n66 30kHz SISO NTV 15MHz DFT-s-OFDM PI/2 BPSK 1717.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.15	/	1	1708.500	-23.42	-13	Pass
1725	1725	0.15	/	/	/	/	/	/

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1717.5MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.0054	CHP	1	1709.990	-41.04	-13	Pass
1725	1725	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	936.586	-57.49	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1655.200	-56.64	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3475.900	-45.75	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1780.020	-33.52	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	929.433	-57.39	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1699.300	-56.80	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1791.700	-36.13	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.15	/	/	/	/	/	/
1780	1785	1	CHP	1	1784.500	-20.43	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM PI/2 BPSK 1772.5MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.002	-35.83	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.0054	CHP	1	1709.990	-36.97	-13	Pass
1725	1725	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	942.649	-57.61	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-33.60	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16855.000	-48.05	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1717.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.2	/	1	1708.500	-18.07	-13	Pass
1725	1725	0.2	/	/	/	/	/	/

n66 30kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1717.5MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.0054	CHP	1	1709.993	-41.00	-13	Pass
1725	1725	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	823.945	-57.59	-13	Pass

n66 30kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1678.300	-56.68	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3475.900	-45.52	-13	Pass

n66 30kHz SISO NTV 15MHz DFT-s-OFDM QPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1780.017	-34.94	-13	Pass

n66 30kHz SISO NTNv 15MHz DFT-s-OFDM QPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	930.888	-57.38	-13	Pass

n66 30kHz SISO NTNv 15MHz DFT-s-OFDM QPSK 1772.5MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1602.700	-56.91	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1791.700	-36.17	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1772.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.2	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.020	-15.63	-13	Pass

n66 30kHz SISO NTN 15MHz DFT-s-OFDM QPSK 1772.5MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.002	-35.21	-13	Pass

n66 30kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.0054	CHP	1	1709.993	-37.64	-13	Pass
1725	1725	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	959.139	-57.55	-13	Pass

n66 30kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1697.200	-33.89	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16934.800	-48.11	-13	Pass

n66 30kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.22	/	1	1708.500	-18.93	-13	Pass
1725	1725	0.22	/	/	/	/	/	/

n66 30kHz SISO NTV 15MHz CP-OFDM QPSK 1717.5MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1725	0.0054	CHP	1	1708.499	-42.38	-13	Pass
1725	1725	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 15MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	850.135	-57.57	-13	Pass

n66_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1682.500	-57.04	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3475.900	-47.45	-13	Pass

n66_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Edge_1RB_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.002	-36.97	-13	Pass

n66_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Edge_1RB_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	931.615	-57.46	-13	Pass

n66_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Edge_1RB_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1592.200	-56.84	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1791.700	-37.91	-13	Pass

n66_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Outer_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.22	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.020	-14.60	-13	Pass

n66_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Inner_1RB_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.002	-35.33	-13	Pass

6.2.8 30k_SISO_20MHz_NTNV




n66 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1693.000	-36.71	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16901.200	-48.29	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1720MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.22	/	1	1708.500	-21.47	-13	Pass
1730	1730	0.22	/	/	/	/	/	/

n66 30kHz SISO NTVN 20MHz DFT-s-OFDM PI/2 BPSK 1720MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.0054	CHP	1	1708.497	-42.41	-13	Pass
1730	1730	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTVN 20MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	940.830	-57.59	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1699.300	-38.97	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3471.700	-45.02	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-33.77	-13	Pass