



n66 30kHz SISO NTVN 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	808.183	-57.57	-13	Pass

n66 30kHz SISO NTVN 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1634.200	-56.63	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1795.900	-36.82	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.22	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.700	-20.53	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 1770MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-35.95	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.0054	CHP	1	1709.981	-40.57	-13	Pass
1730	1730	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	926.401	-57.52	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1693.000	-36.80	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16882.300	-47.96	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.24	/	1	1708.500	-18.16	-13	Pass
1730	1730	0.24	/	/	/	/	/	/

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1720MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.0054	CHP	1	1708.500	-42.39	-13	Pass
1730	1730	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	939.981	-57.53	-13	Pass

n66 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1699.300	-38.33	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3471.700	-44.61	-13	Pass

n66 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-34.46	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	778.355	-57.55	-13	Pass

n66 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-56.87	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1795.900	-36.46	-13	Pass


n66 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1770MHz Outer Full



n66 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 1770MHz Inner 1RB Right




n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.0054	CHP	1	1708.500	-42.29	-13	Pass
1730	1730	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	829.886	-57.56	-13	Pass

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1693.000	-38.63	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16873.900	-48.18	-13	Pass

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.3	/	1	1708.500	-19.22	-13	Pass
1730	1730	0.3	/	/	/	/	/	/

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1720MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1730	0.0054	CHP	1	1707.575	-41.44	-13	Pass
1730	1730	0.0054	CHP	/	/	/	/	/

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	898.029	-57.57	-13	Pass

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1699.300	-39.14	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	3471.700	-45.97	-13	Pass

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-34.67	-13	Pass

n66 30kHz SISO NTVN 20MHz CP-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	936.829	-57.45	-13	Pass

n66 30kHz SISO NTVN 20MHz CP-OFDM QPSK 1770MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1701.400	-56.71	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-39.28	-13	Pass

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1770MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.3	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.325	-16.73	-13	Pass

n66 30kHz SISO NTN 20MHz CP-OFDM QPSK 1770MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.0054	CHP	/	/	/	/	/
1780	1785	1	CHP	1	1781.003	-35.89	-13	Pass

6.2.9 30k_SISO_40MHz_NTNV




n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-48.77	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1787.500	-42.41	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.43	/	1	1708.465	-21.00	-13	Pass
1750	1750	0.43	/	/	/	/	/	/

n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1730MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0056	/	1	1708.499	-43.29	-13	Pass
1750	1750	0.0056	/	/	/	/	/	/

n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	937.314	-57.29	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1688.800	-43.17	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1802.200	-43.86	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0056	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-35.32	-13	Pass


n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right



n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Edge 1RB Right




n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.040	-25.21	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1760MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0056	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-37.62	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0056	/	1	1709.967	-41.46	-13	Pass
1750	1750	0.0056	/	/	/	/	/	/

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	919.975	-57.42	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-49.18	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1785.400	-43.40	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.47	/	1	1708.465	-18.92	-13	Pass
1750	1750	0.47	/	/	/	/	/	/

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1730MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0056	/	1	1708.499	-42.87	-13	Pass
1750	1750	0.0056	/	/	/	/	/	/

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	926.159	-57.42	-13	Pass

n66 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1688.800	-42.45	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1802.200	-43.96	-13	Pass

n66 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0056	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-34.34	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	914.034	-57.32	-13	Pass

n66 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-39.33	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	16928.500	-48.07	-13	Pass

n66 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.43	/	/	/	/	/	/
1780	1785	1	CHP	1	1782.795	-23.67	-13	Pass

n66 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1760MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0056	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-36.38	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0056	/	1	1708.499	-42.85	-13	Pass
1750	1750	0.0056	/	/	/	/	/	/

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	799.331	-57.33	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-49.33	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1785.400	-46.54	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.62	/	1	1706.935	-21.79	-13	Pass
1750	1750	0.62	/	/	/	/	/	/

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1730MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1750	0.0056	/	1	1708.499	-42.89	-13	Pass
1750	1750	0.0056	/	/	/	/	/	/

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	939.133	-57.36	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1745MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1688.800	-44.88	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1802.200	-47.76	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0056	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-35.51	-13	Pass

n66 30kHz SISO NTV 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	798.725	-57.44	-13	Pass

n66 30kHz SISO NTV 40MHz CP-OFDM QPSK 1760MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	17800	1	/	1	1703.500	-42.16	-13	Pass
17800	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1798.000	-45.57	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Outer Full



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.62	/	/	/	/	/	/
1780	1785	1	CHP	1	1780.455	-23.66	-13	Pass

n66 30kHz SISO NTN 40MHz CP-OFDM QPSK 1760MHz Inner 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.0056	/	/	/	/	/	/
1780	1785	1	CHP	1	1781.001	-36.13	-13	Pass

7. RSP-100

7.1 Test Result

7.1.1 Power

5G NR n66									
Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
n66	5	1712.5	1777.5	0.2143	0.0088	ppm	4M70G7D	27L	23.31
				0.1770	0.0033	ppm	4M66W7D	27L	22.48
	10	1715	1775	0.2393	0.0092	ppm	9M60G7D	27L	23.79
				0.1774	0.0097	ppm	9M56W7D	27L	22.49
	15	1717.5	1772.5	0.2301	0.0096	ppm	14M6G7D	27L	23.62
				0.1936	0.0074	ppm	14M6W7D	27L	22.87
	20	1720	1770	0.2553	0.0093	ppm	20M3G7D	27L	24.07
				0.2123	0.009	ppm	19M5W7D	27L	23.27
	40	1730	1760	0.2891	0.0091	ppm	39M5G7D	27L	24.61
				0.2443	-0.0101	ppm	39M3W7D	27L	23.88

7.1.2 EIRP

5G NR n66									
Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
n66	5	1712.5	1777.5	0.2483	0.0088	ppm	4M70G7D	27L	23.95
				0.2051	0.0033	ppm	4M66W7D	27L	23.12
	10	1715	1775	0.2773	0.0092	ppm	9M60G7D	27L	24.43
				0.2056	0.0097	ppm	9M56W7D	27L	23.13
	15	1717.5	1772.5	0.2667	0.0096	ppm	14M6G7D	27L	24.26
				0.2244	0.0074	ppm	14M6W7D	27L	23.51
	20	1720	1770	0.2958	0.0093	ppm	20M3G7D	27L	24.71
				0.2460	0.009	ppm	19M5W7D	27L	23.91
	40	1730	1760	0.3350	0.0091	ppm	39M5G7D	27L	25.25
				0.2831	-0.0101	ppm	39M3W7D	27L	24.52