



n77a 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3969.975MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3959.975	3979.975	0.22	/	/	/	/	/	/
3979.975	3980.975	0.22	/	1	3980.045	-42.89	-13	Pass
3980.975	3984.975	0.5	CHP	2	3984.725	-40.79	-13	Pass

n77a 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3969.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3959.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.889	-39.88	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.234	-38.11	-13	Pass
3984.975	3985	1	CHP	3	3984.985	-62.40	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3710.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.015	-61.60	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.766	-40.16	-13	Pass
3699.025	3700.025	0.03	/	3	3699.981	-38.34	-13	Pass
3700.025	3720.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3710.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	839.586	-47.92	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3710.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	2667.062	-44.12	-13	Pass
3695.025	3725.025	1	/	/	/	/	/	/
3725.025	39800	1	/	2	25457.688	-31.91	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3710.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-44.71	-13	Pass
3695.025	3699.025	0.5	CHP	2	3699.004	-32.37	-13	Pass
3699.025	3700.025	0.22	/	3	3699.530	-31.14	-13	Pass
3700.025	3720.025	0.22	/	/	/	/	/	/

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3710.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-62.30	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.766	-41.77	-13	Pass
3699.025	3700.025	0.03	/	3	3699.531	-40.67	-13	Pass
3700.025	3720.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	955.259	-47.78	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3824.985	1	/	1	3177.062	-44.17	-13	Pass
3824.985	3854.985	1	/	/	/	/	/	/
3854.985	39800	1	/	2	24938.125	-31.86	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3969.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3959.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.169	-39.50	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.399	-42.18	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-61.38	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3969.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	917.065	-47.91	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3969.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3954.975	1	/	1	2657.500	-44.18	-13	Pass
3954.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25432.188	-31.87	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3969.975MHz Outer Full





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3959.975	3979.975	0.22	/	/	/	/	/	/
3979.975	3980.975	0.22	/	1	3980.521	-29.40	-13	Pass
3980.975	3984.975	0.5	CHP	2	3982.948	-29.95	-13	Pass

n77a 30kHz SISO NTV 20MHz CP-OFDM QPSK 3969.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3959.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.034	-37.49	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.879	-41.60	-13	Pass
3984.975	3985	1	CHP	3	3984.985	-63.96	-13	Pass

6.2.9 30k_SISO_40MHz_NTNV




n77a 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.015	1	/	1	2654.312	-44.15	-13	Pass
3695.015	3745.015	1	/	/	/	/	/	/
3745.015	39800	1	/	2	25457.688	-31.60	-13	Pass

n77a 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3720.015MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-49.01	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.871	-44.78	-13	Pass
3699.015	3700.015	0.36	/	3	3699.231	-42.17	-13	Pass
3700.015	3740.015	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3720.015MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-62.69	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.615	-47.37	-13	Pass
3699.015	3700.015	0.03	/	3	3699.995	-42.44	-13	Pass
3700.015	3740.015	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	783.447	-47.44	-13	Pass

n77a 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3814.985	1	/	1	2654.312	-44.30	-13	Pass
3814.985	3864.985	1	/	/	/	/	/	/
3864.985	39800	1	/	2	25425.812	-31.84	-13	Pass

n77a 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3959.985MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.03	/	/	/	/	/	/
3979.985	3980.985	0.03	/	1	3980.005	-42.36	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.235	-46.26	-13	Pass


n77a 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3959.985MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	919.854	-47.48	-13	Pass

2024-09-21 11:04:58


n77a 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3959.985MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3934.985	1	/	1	3856.000	-42.37	-13	Pass
3934.985	3984.985	1	/	/	/	/	/	/
3984.985	39800	1	/	2	25444.938	-31.76	-13	Pass


2024-09-21 11:05:11

n77a 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3959.985MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.36	/	/	/	/	/	/
3979.985	3980.985	0.36	/	1	3980.634	-44.09	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.444	-46.00	-13	Pass

n77a 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3959.985MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.03	/	/	/	/	/	/
3979.985	3980.985	0.03	/	1	3979.990	-47.67	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.235	-48.04	-13	Pass

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-59.86	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.525	-45.41	-13	Pass
3699.015	3700.015	0.03	/	3	3699.995	-40.44	-13	Pass
3700.015	3740.015	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	866.019	-47.49	-13	Pass

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.015	1	/	1	3170.688	-44.22	-13	Pass
3695.015	3745.015	1	/	/	/	/	/	/
3745.015	39800	1	/	2	25492.750	-31.68	-13	Pass

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3720.015MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-46.62	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.196	-42.46	-13	Pass
3699.015	3700.015	0.36	/	3	3699.366	-35.51	-13	Pass
3700.015	3740.015	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3720.015MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-60.71	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.750	-47.62	-13	Pass
3699.015	3700.015	0.03	/	3	3700.010	-41.39	-13	Pass
3700.015	3740.015	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	948.590	-47.55	-13	Pass


n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3814.985	1	/	1	3814.562	-42.93	-13	Pass
3814.985	3864.985	1	/	/	/	/	/	/
3864.985	39800	1	/	2	25470.438	-31.66	-13	Pass

2024-09-21 10:43:44


n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3959.985MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.03	/	/	/	/	/	/
3979.985	3980.985	0.03	/	1	3979.990	-40.11	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.235	-46.42	-13	Pass


2024-09-21 11:07:46

n77a 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3959.985MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	811.699	-47.42	-13	Pass

n77a 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3959.985MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3934.985	1	/	1	3486.250	-43.67	-13	Pass
3934.985	3984.985	1	/	/	/	/	/	/
3984.985	39800	1	/	2	25464.062	-31.76	-13	Pass

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3959.985MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.36	/	/	/	/	/	/
3979.985	3980.985	0.36	/	1	3980.138	-45.75	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.219	-46.21	-13	Pass

n77a 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3959.985MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.03	/	/	/	/	/	/
3979.985	3980.985	0.03	/	1	3980.005	-48.44	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.295	-47.39	-13	Pass

n77a 30kHz SISO NTVN 40MHz CP-OFDM QPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-61.54	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.750	-46.74	-13	Pass
3699.015	3700.015	0.03	/	3	3700.010	-41.75	-13	Pass
3700.015	3740.015	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTVN 40MHz CP-OFDM QPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	937.920	-47.58	-13	Pass

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3720.015MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.015	1	/	1	2663.875	-44.37	-13	Pass
3695.015	3745.015	1	/	/	/	/	/	/
3745.015	39800	1	/	2	25460.875	-31.93	-13	Pass

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3720.015MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-41.21	-13	Pass
3695.015	3699.015	0.5	CHP	2	3696.936	-40.23	-13	Pass
3699.015	3700.015	0.36	/	3	3699.997	-36.35	-13	Pass
3700.015	3740.015	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3720.015MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.015	-61.90	-13	Pass
3695.015	3699.015	0.5	CHP	2	3697.580	-45.74	-13	Pass
3699.015	3700.015	0.03	/	3	3700.010	-43.52	-13	Pass
3700.015	3740.015	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	880.205	-47.62	-13	Pass

n77a 30kHz SISO NTN 40MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3814.985	1	/	1	3744.438	-41.70	-13	Pass
3814.985	3864.985	1	/	/	/	/	/	/
3864.985	39800	1	/	2	25416.250	-31.74	-13	Pass

n77a 30kHz SISO NTN 40MHz CP-OFDM QPSK 3959.985MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.03	/	/	/	/	/	/
3979.985	3980.985	0.03	/	1	3979.990	-40.87	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.790	-46.61	-13	Pass

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3959.985MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	815.821	-47.55	-13	Pass

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3959.985MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3934.985	1	/	1	3486.250	-42.76	-13	Pass
3934.985	3984.985	1	/	/	/	/	/	/
3984.985	39800	1	/	2	25464.062	-31.67	-13	Pass

n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3959.985MHz Outer Full



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.36	/	/	/	/	/	/
3979.985	3980.985	0.36	/	1	3980.499	-34.07	-13	Pass
3980.985	3984.985	0.5	CHP	2	3985.000	-31.17	-13	Pass


n77a 30kHz SISO NTV 40MHz CP-OFDM QPSK 3959.985MHz Inner 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3939.985	3979.985	0.03	/	/	/	/	/	/
3979.985	3980.985	0.03	/	1	3980.140	-43.56	-13	Pass
3980.985	3984.985	0.5	CHP	2	3981.235	-47.94	-13	Pass


6.2.10 30k_SISO_50MHz_NTNV

n77a 30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3725.025MHz_Edge_1RB_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-43.21	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.735	-46.25	-13	Pass
3699.025	3700.025	0.03	/	3	3699.965	-44.47	-13	Pass
3700.025	3750.025	0.03	/	/	/	/	/	/

n77a 30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3725.025MHz_Edge_1RB_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	833.160	-47.77	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM PI/2 BPSK 3725.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	3180.250	-44.28	-13	Pass
3695.025	3755.025	1	/	/	/	/	/	/
3755.025	39800	1	/	2	25457.688	-31.93	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM PI/2 BPSK 3725.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-44.89	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.191	-42.95	-13	Pass
3699.025	3700.025	0.36	/	3	3700.007	-40.39	-13	Pass
3700.025	3750.025	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 50MHz DFT-s-OFDM PI/2 BPSK 3725.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-62.07	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.600	-45.83	-13	Pass
3699.025	3700.025	0.03	/	3	3700.010	-42.46	-13	Pass
3700.025	3750.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 50MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	843.466	-47.56	-13	Pass

n77a 30kHz SISO NTV 50MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3809.985	1	/	1	3189.812	-44.15	-13	Pass
3809.985	3869.985	1	/	/	/	/	/	/
3869.985	39800	1	/	2	24947.688	-31.81	-13	Pass

n77a 30kHz SISO NTV 50MHz DFT-s-OFDM PI/2 BPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.005	-43.91	-13	Pass
3980.975	3984.975	0.5	CHP	2	3982.705	-48.56	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-62.10	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM PI/2 BPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	922.521	-47.53	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM PI/2 BPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3924.975	1	/	1	3856.000	-41.94	-13	Pass
3924.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25460.875	-31.80	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM PI/2 BPSK 3954.975MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.36	/	/	/	/	/	/
3979.975	3980.975	0.36	/	1	3980.598	-47.66	-13	Pass
3980.975	3984.975	0.5	CHP	2	3984.230	-43.76	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM PI/2 BPSK 3954.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.920	-56.75	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.490	-47.70	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-62.32	-13	Pass


n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3725.025MHz Edge 1RB Left



n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3725.025MHz Edge 1RB Left




n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3725.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	2663.875	-44.01	-13	Pass
3695.025	3755.025	1	/	/	/	/	/	/
3755.025	39800	1	/	2	24941.312	-31.65	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3725.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-44.84	-13	Pass
3695.025	3699.025	0.5	CHP	2	3696.266	-43.55	-13	Pass
3699.025	3700.025	0.36	/	3	3699.512	-43.33	-13	Pass
3700.025	3750.025	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3725.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.015	-61.70	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.135	-47.68	-13	Pass
3699.025	3700.025	0.03	/	3	3699.935	-44.52	-13	Pass
3700.025	3750.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	932.100	-47.47	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3809.985	1	/	1	3151.562	-44.22	-13	Pass
3809.985	3869.985	1	/	/	/	/	/	/
3869.985	39800	1	/	2	25460.875	-31.56	-13	Pass

n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.035	-42.04	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.280	-47.49	-13	Pass
3984.975	3985	1	CHP	3	3984.985	-62.08	-13	Pass

n77a 30kHz SISO NTV 50MHz DFT-s-OFDM QPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	777.749	-47.53	-13	Pass

n77a 30kHz SISO NTV 50MHz DFT-s-OFDM QPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3924.975	1	/	1	3170.688	-44.10	-13	Pass
3924.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25454.500	-31.61	-13	Pass


n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3954.975MHz Outer Full



n77a 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3954.975MHz Inner 1RB Right




n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3725.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.015	-61.02	-13	Pass
3695.025	3699.025	0.5	CHP	2	3695.315	-48.91	-13	Pass
3699.025	3700.025	0.03	/	3	3699.965	-38.72	-13	Pass
3700.025	3750.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3725.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	811.456	-47.73	-13	Pass

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3725.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	3161.125	-44.34	-13	Pass
3695.025	3755.025	1	/	/	/	/	/	/
3755.025	39800	1	/	2	25467.250	-31.83	-13	Pass

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3725.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-45.60	-13	Pass
3695.025	3699.025	0.5	CHP	2	3699.026	-39.50	-13	Pass
3699.025	3700.025	0.36	/	3	3699.842	-40.45	-13	Pass
3700.025	3750.025	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3725.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.015	-62.26	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.765	-46.79	-13	Pass
3699.025	3700.025	0.03	/	3	3699.905	-43.99	-13	Pass
3700.025	3750.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	829.886	-47.46	-13	Pass

n77a 30kHz SISO NTN 50MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3809.985	1	/	1	3769.938	-39.95	-13	Pass
3809.985	3869.985	1	/	/	/	/	/	/
3869.985	39800	1	/	2	25451.312	-31.75	-13	Pass

n77a 30kHz SISO NTN 50MHz CP-OFDM QPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.005	-41.02	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.250	-47.22	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-63.59	-13	Pass

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	955.744	-47.42	-13	Pass

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3954.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3924.975	1	/	1	3884.688	-42.27	-13	Pass
3924.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25444.938	-31.63	-13	Pass

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3954.975MHz Outer Full





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.36	/	/	/	/	/	/
3979.975	3980.975	0.36	/	1	3980.213	-36.15	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.203	-35.96	-13	Pass

n77a 30kHz SISO NTV 50MHz CP-OFDM QPSK 3954.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3929.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.125	-51.28	-13	Pass
3980.975	3984.975	0.5	CHP	2	3983.590	-49.72	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-62.67	-13	Pass

6.2.11 30k_SISO_60MHz_NTNV




n77a 30kHz SISO NTN 60MHz DFT-s-OFDM PI/2 BPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.005	1	/	1	3177.062	-44.10	-13	Pass
3695.005	3765.005	1	/	/	/	/	/	/
3765.005	39800	1	/	2	25435.375	-31.83	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM PI/2 BPSK 3730.005MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-51.88	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.445	-44.41	-13	Pass
3699.005	3700.005	0.36	/	3	3699.095	-48.84	-13	Pass
3700.005	3760.005	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 60MHz DFT-s-OFDM PI/2 BPSK 3730.005MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-61.39	-13	Pass
3695.005	3699.005	0.5	CHP	2	3697.580	-47.98	-13	Pass
3699.005	3700.005	0.03	/	3	3699.936	-39.15	-13	Pass
3700.005	3760.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 60MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	958.290	-47.54	-13	Pass

n77a 30kHz SISO NTV 60MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3804.985	1	/	1	3801.812	-43.97	-13	Pass
3804.985	3874.985	1	/	/	/	/	/	/
3874.985	39800	1	/	2	25441.750	-31.77	-13	Pass

n77a 30kHz SISO NTV 60MHz DFT-s-OFDM PI/2 BPSK 3949.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.064	-36.57	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.534	-47.72	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM PI/2 BPSK 3949.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	918.763	-47.51	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM PI/2 BPSK 3949.995MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3914.995	1	/	1	3170.688	-44.07	-13	Pass
3914.995	3984.995	1	/	/	/	/	/	/
3984.995	39800	1	/	2	25457.688	-31.77	-13	Pass


n77a 30kHz SISO NTNv 60MHz DFT-s-OFDM PI/2 BPSK 3949.995MHz Outer Full



2024-09-21 13:07:15

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.36	/	/	/	/	/	/
3979.995	3980.995	0.36	/	1	3980.255	-47.55	-13	Pass
3980.995	3984.995	0.5	CHP	2	3982.205	-44.98	-13	Pass


n77a 30kHz SISO NTNv 60MHz DFT-s-OFDM PI/2 BPSK 3949.995MHz Inner 1RB Right



2024-09-21 13:08:38


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.064	-42.76	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.249	-47.45	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-62.11	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.751	-47.16	-13	Pass
3699.005	3700.005	0.03	/	3	3699.921	-36.41	-13	Pass
3700.005	3760.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	943.497	-47.53	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.005	1	/	1	3173.875	-44.05	-13	Pass
3695.005	3765.005	1	/	/	/	/	/	/
3765.005	39800	1	/	2	25460.875	-31.80	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3730.005MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-48.70	-13	Pass
3695.005	3699.005	0.5	CHP	2	3696.885	-46.17	-13	Pass
3699.005	3700.005	0.36	/	3	3699.940	-49.64	-13	Pass
3700.005	3760.005	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3730.005MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-60.16	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.601	-47.37	-13	Pass
3699.005	3700.005	0.03	/	3	3699.981	-39.87	-13	Pass
3700.005	3760.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	949.196	-47.45	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3804.985	1	/	1	3167.500	-44.03	-13	Pass
3804.985	3874.985	1	/	/	/	/	/	/
3874.985	39800	1	/	2	25454.500	-31.83	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3949.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.079	-38.00	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.249	-48.19	-13	Pass

n77a 30kHz SISO NTV 60MHz DFT-s-OFDM QPSK 3949.995MHz Edge 1RB Right




2024-09-21 13:10:33

n77a 30kHz SISO NTV 60MHz DFT-s-OFDM QPSK 3949.995MHz Edge 1RB Right




2024-09-21 13:10:47

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3949.995MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.36	/	/	/	/	/	/
3979.995	3980.995	0.36	/	1	3980.125	-35.78	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.685	-43.98	-13	Pass

n77a 30kHz SISO NTN 60MHz DFT-s-OFDM QPSK 3949.995MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.004	-43.86	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.249	-48.52	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-60.79	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.751	-47.77	-13	Pass
3699.005	3700.005	0.03	/	3	3699.981	-32.03	-13	Pass
3700.005	3760.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	960.594	-47.51	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3730.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.005	1	/	1	2667.062	-44.30	-13	Pass
3695.005	3765.005	1	/	/	/	/	/	/
3765.005	39800	1	/	2	25444.938	-31.77	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3730.005MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-46.72	-13	Pass
3695.005	3699.005	0.5	CHP	2	3695.650	-43.90	-13	Pass
3699.005	3700.005	0.36	/	3	3699.680	-42.74	-13	Pass
3700.005	3760.005	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3730.005MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-63.74	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.616	-46.85	-13	Pass
3699.005	3700.005	0.03	/	3	3699.831	-42.89	-13	Pass
3700.005	3760.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	796.664	-47.77	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3804.985	1	/	1	3164.312	-44.30	-13	Pass
3804.985	3874.985	1	/	/	/	/	/	/
3874.985	39800	1	/	2	25467.250	-32.10	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3949.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.019	-37.66	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.309	-47.23	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3949.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	946.044	-47.32	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3949.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3914.995	1	/	1	2673.438	-44.05	-13	Pass
3914.995	3984.995	1	/	/	/	/	/	/
3984.995	39800	1	/	2	25451.312	-31.26	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3949.995MHz Outer Full





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.36	/	/	/	/	/	/
3979.995	3980.995	0.36	/	1	3980.840	-36.23	-13	Pass
3980.995	3984.995	0.5	CHP	2	3983.635	-39.30	-13	Pass

n77a 30kHz SISO NTV 60MHz CP-OFDM QPSK 3949.995MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3919.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.034	-43.64	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.249	-47.71	-13	Pass

6.2.12 30k_SISO_80MHz_NTNV




n77a 30kHz SISO NTN 80MHz DFT-s-OFDM PI/2 BPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	3154.750	-44.50	-13	Pass
3695.025	3785.025	1	/	/	/	/	/	/
3785.025	39800	1	/	2	25438.562	-32.09	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM PI/2 BPSK 3740.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-49.62	-13	Pass
3695.025	3699.025	0.5	CHP	2	3696.020	-45.49	-13	Pass
3699.025	3700.025	0.36	/	3	3699.931	-27.94	-13	Pass
3700.025	3780.025	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 80MHz DFT-s-OFDM PI/2 BPSK 3740.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-61.00	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.750	-44.76	-13	Pass
3699.025	3700.025	0.03	/	3	3699.935	-42.99	-13	Pass
3700.025	3780.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 80MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	930.403	-47.50	-13	Pass

n77a 30kHz SISO NTV 80MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3794.985	1	/	1	3170.688	-44.10	-13	Pass
3794.985	3884.985	1	/	/	/	/	/	/
3884.985	39800	1	/	2	25460.875	-31.66	-13	Pass

n77a 30kHz SISO NTV 80MHz DFT-s-OFDM PI/2 BPSK 3939.975MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.005	-40.32	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.250	-47.57	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-59.56	-13	Pass


n77a 30kHz SISO NTN 80MHz DFT-s-OFDM PI/2 BPSK 3939.975MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	949.803	-47.54	-13	Pass

2024-09-21 15:28:40


n77a 30kHz SISO NTN 80MHz DFT-s-OFDM PI/2 BPSK 3939.975MHz Edge 1RB Right



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3894.975	1	/	1	3731.688	-43.21	-13	Pass
3894.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25432.188	-31.69	-13	Pass


2024-09-21 15:28:53

n77a 30kHz SISO NTNv 80MHz DFT-s-OFDM PI/2 BPSK 3939.975MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.36	/	/	/	/	/	/
3979.975	3980.975	0.36	/	1	3980.324	-48.73	-13	Pass
3980.975	3984.975	0.5	CHP	2	3983.980	-46.64	-13	Pass

n77a 30kHz SISO NTNv 80MHz DFT-s-OFDM PI/2 BPSK 3939.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.005	-45.18	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.235	-47.31	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-62.56	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-60.50	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.735	-45.06	-13	Pass
3699.025	3700.025	0.03	/	3	3699.980	-36.68	-13	Pass
3700.025	3780.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	797.513	-47.82	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	3177.062	-44.46	-13	Pass
3695.025	3785.025	1	/	/	/	/	/	/
3785.025	39800	1	/	2	25460.875	-32.14	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3740.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-49.48	-13	Pass
3695.025	3699.025	0.5	CHP	2	3697.296	-47.49	-13	Pass
3699.025	3700.025	0.36	/	3	3699.251	-46.46	-13	Pass
3700.025	3780.025	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3740.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.015	-60.27	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.750	-45.95	-13	Pass
3699.025	3700.025	0.03	/	3	3699.980	-43.68	-13	Pass
3700.025	3780.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	806.970	-47.36	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3794.985	1	/	1	3792.250	-43.54	-13	Pass
3794.985	3884.985	1	/	/	/	/	/	/
3884.985	39800	1	/	2	24925.375	-31.74	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3939.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.035	-40.78	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.235	-46.38	-13	Pass
3984.975	3985	1	CHP	3	3984.985	-60.63	-13	Pass

n77a 30kHz SISO NTV 80MHz DFT-s-OFDM QPSK 3939.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	821.399	-47.50	-13	Pass

n77a 30kHz SISO NTV 80MHz DFT-s-OFDM QPSK 3939.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3994.975	1	/	1	3731.688	-42.89	-13	Pass
3894.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25441.750	-31.76	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3939.975MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.36	/	/	/	/	/	/
3979.975	3980.975	0.36	/	1	3980.069	-47.52	-13	Pass
3980.975	3984.975	0.5	CHP	2	3983.129	-46.11	-13	Pass

n77a 30kHz SISO NTN 80MHz DFT-s-OFDM QPSK 3939.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.005	-45.57	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.835	-47.50	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-61.29	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-61.29	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.555	-44.07	-13	Pass
3699.025	3700.025	0.03	/	3	3699.980	-35.18	-13	Pass
3700.025	3780.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	779.446	-47.44	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3740.025MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.025	1	/	1	3145.188	-44.05	-13	Pass
3695.025	3785.025	1	/	/	/	/	/	/
3785.025	39800	1	/	2	25464.062	-31.68	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3740.025MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-47.62	-13	Pass
3695.025	3699.025	0.5	CHP	2	3697.041	-41.61	-13	Pass
3699.025	3700.025	0.36	/	3	3699.846	-42.43	-13	Pass
3700.025	3780.025	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3740.025MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.025	1	/	1	3695.000	-60.02	-13	Pass
3695.025	3699.025	0.5	CHP	2	3698.360	-47.35	-13	Pass
3699.025	3700.025	0.03	/	3	3699.935	-45.21	-13	Pass
3700.025	3780.025	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	833.766	-47.68	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3794.985	1	/	1	3167.500	-44.33	-13	Pass
3794.985	3884.985	1	/	/	/	/	/	/
3884.985	39800	1	/	2	25441.750	-31.96	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3939.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3980.170	-43.79	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.505	-46.46	-13	Pass
3984.975	3985	1	CHP	3	3985.000	-62.29	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3939.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	928.826	-47.55	-13	Pass

n77a 30kHz SISO NTV 80MHz CP-OFDM QPSK 3939.975MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3994.975	1	/	1	3731.688	-43.54	-13	Pass
3894.975	3984.975	1	/	/	/	/	/	/
3984.975	39800	1	/	2	25457.688	-31.67	-13	Pass

n77a 30kHz SISO NTN 80MHz CP-OFDM QPSK 3939.975MHz Outer Full





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.36	/	/	/	/	/	/
3979.975	3980.975	0.36	/	1	3979.984	-40.57	-13	Pass
3980.975	3984.975	0.5	CHP	2	3985.000	-42.23	-13	Pass

n77a 30kHz SISO NTN 80MHz CP-OFDM QPSK 3939.975MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3899.975	3979.975	0.03	/	/	/	/	/	/
3979.975	3980.975	0.03	/	1	3979.990	-45.86	-13	Pass
3980.975	3984.975	0.5	CHP	2	3981.235	-46.06	-13	Pass
3984.975	3985	1	CHP	3	3984.985	-60.33	-13	Pass

6.2.13 30k_SISO_90MHz_NTNV




n77a 30kHz SISO NTN 90MHz DFT-s-OFDM PI/2 BPSK 3745.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.005	1	/	1	3142.000	-44.08	-13	Pass
3695.005	3795.005	1	/	/	/	/	/	/
3795.005	39800	1	/	2	25435.375	-31.75	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM PI/2 BPSK 3745.005MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-50.28	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.610	-47.33	-13	Pass
3699.005	3700.005	0.36	/	3	3699.560	-47.24	-13	Pass
3700.005	3790.005	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTV 90MHz DFT-s-OFDM PI/2 BPSK 3745.005MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-62.07	-13	Pass
3695.005	3699.005	0.5	CHP	2	3696.935	-46.29	-13	Pass
3699.005	3700.005	0.03	/	3	3699.996	-41.99	-13	Pass
3700.005	3790.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 90MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.298	-47.60	-13	Pass

n77a 30kHz SISO NTNv 90MHz DFT-s-OFDM PI/2 BPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3789.985	1	/	1	3157.938	-44.10	-13	Pass
3789.985	3889.985	1	/	/	/	/	/	/
3889.985	39800	1	/	2	25464.062	-31.85	-13	Pass

n77a 30kHz SISO NTNv 90MHz DFT-s-OFDM PI/2 BPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.094	-40.21	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.250	-44.29	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM PI/2 BPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	782.962	-47.48	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM PI/2 BPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3884.995	1	/	1	3731.688	-44.05	-13	Pass
3884.995	3984.995	1	/	/	/	/	/	/
3984.995	39800	1	/	2	24928.562	-31.64	-13	Pass

n77a 30kHz SISO NTNv 90MHz DFT-s-OFDM PI/2 BPSK 3934.995MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.36	/	/	/	/	/	/
3979.995	3980.995	0.36	/	1	3980.250	-48.03	-13	Pass
3980.995	3984.995	0.5	CHP	2	3983.575	-45.87	-13	Pass

n77a 30kHz SISO NTNv 90MHz DFT-s-OFDM PI/2 BPSK 3934.995MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.004	-44.10	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.520	-47.62	-13	Pass


n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3745.005MHz Edge 1RB Left



n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3745.005MHz Edge 1RB Left




n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3745.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.005	1	/	1	3693.438	-43.94	-13	Pass
3695.005	3795.005	1	/	/	/	/	/	/
3795.005	39800	1	/	2	25483.188	-31.75	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3745.005MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-51.92	-13	Pass
3695.005	3699.005	0.5	CHP	2	3697.090	-50.39	-13	Pass
3699.005	3700.005	0.36	/	3	3699.560	-50.52	-13	Pass
3700.005	3790.005	0.36	/	/	/	/	/	/

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3745.005MHz Inner 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-63.95	-13	Pass
3695.005	3699.005	0.5	CHP	2	3696.755	-46.50	-13	Pass
3699.005	3700.005	0.03	/	3	3699.921	-40.10	-13	Pass
3700.005	3790.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	806.485	-47.47	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3789.985	1	/	1	3789.062	-44.00	-13	Pass
3789.985	3889.985	1	/	/	/	/	/	/
3889.985	39800	1	/	2	25438.562	-31.63	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.034	-40.76	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.895	-46.52	-13	Pass

n77a 30kHz SISO NTV 90MHz DFT-s-OFDM QPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	912.942	-47.51	-13	Pass

n77a 30kHz SISO NTV 90MHz DFT-s-OFDM QPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3884.995	1	/	1	3731.688	-42.46	-13	Pass
3884.995	3984.995	1	/	/	/	/	/	/
3984.995	39800	1	/	2	25432.188	-31.76	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3934.995MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.36	/	/	/	/	/	/
3979.995	3980.995	0.36	/	1	3980.250	-45.76	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.865	-46.58	-13	Pass

n77a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3934.995MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.004	-41.45	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.475	-47.46	-13	Pass

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3745.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-60.20	-13	Pass
3695.005	3699.005	0.5	CHP	2	3698.735	-43.64	-13	Pass
3699.005	3700.005	0.03	/	3	3699.846	-40.12	-13	Pass
3700.005	3790.005	0.03	/	/	/	/	/	/

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3745.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	786.357	-47.52	-13	Pass

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3745.005MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.005	1	/	1	2651.125	-44.22	-13	Pass
3695.005	3795.005	1	/	/	/	/	/	/
3795.005	39800	1	/	2	25476.812	-31.82	-13	Pass

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3745.005MHz Outer Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.005	1	/	1	3695.000	-49.36	-13	Pass
3695.005	3699.005	0.5	CHP	2	3695.285	-44.76	-13	Pass
3699.005	3700.005	0.36	/	3	3699.845	-40.30	-13	Pass
3700.005	3790.005	0.36	/	/	/	/	/	/


n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3745.005MHz Inner 1RB Left



n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3839.985MHz Edge 1RB Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3789.985	1	/	1	3709.375	-43.47	-13	Pass
3789.985	3889.985	1	/	/	/	/	/	/
3889.985	39800	1	/	2	24954.062	-31.75	-13	Pass

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.710	-48.73	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.265	-44.36	-13	Pass

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	814.245	-47.40	-13	Pass

n77a 30kHz SISO NTV 90MHz CP-OFDM QPSK 3934.995MHz Edge 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3884.995	1	/	1	2647.938	-44.24	-13	Pass
3884.995	3984.995	1	/	/	/	/	/	/
3984.995	39800	1	/	2	25422.625	-31.68	-13	Pass

n77a 30kHz SISO NTN 90MHz CP-OFDM QPSK 3934.995MHz Outer Full





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.36	/	/	/	/	/	/
3979.995	3980.995	0.36	/	1	3980.345	-40.26	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.010	-37.54	-13	Pass

n77a 30kHz SISO NTN 90MHz CP-OFDM QPSK 3934.995MHz Inner 1RB Right




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3889.995	3979.995	0.03	/	/	/	/	/	/
3979.995	3980.995	0.03	/	1	3980.019	-43.90	-13	Pass
3980.995	3984.995	0.5	CHP	2	3981.250	-46.67	-13	Pass

6.2.14 30k_SISO_100MHz_NTNV




n77a 30kHz SISO NTN 100MHz DFT-s-OFDM PI/2 BPSK 3750.015MHz Edge 1RB Left



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.015	1	/	1	3193.000	-44.22	-13	Pass
3695.015	3805.015	1	/	/	/	/	/	/
3805.015	39800	1	/	2	24934.938	-31.75	-13	Pass

n77a 30kHz SISO NTN 100MHz DFT-s-OFDM PI/2 BPSK 3750.015MHz Outer Full



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695.015	1	/	1	3695.000	-51.10	-13	Pass
3695.015	3699.015	0.5	CHP	2	3698.255	-47.74	-13	Pass
3699.015	3700.015	0.36	/	3	3699.936	-40.39	-13	Pass
3700.015	3800.015	0.36	/	/	/	/	/	/