

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B2\_1.4MHz\_EIRP

| Band: 2 / Bandwidth: 1.4MHz / NTN |                 |               |        |                       |            |            |         |         |         |      |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|---------|------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |         |      |
|                                   |                 | Size          | Offset |                       |            | Result     | Limit   |         |         |      |
| QPSK                              | 1850.7          | 1             | 0      | 21.25                 | 0.91       | 22.16      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 2      | 21.13                 | 0.91       | 22.04      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 5      | 21.18                 | 0.91       | 22.09      | <=33.01 | Pass    |         |      |
|                                   |                 | 3             | 0      | 21.16                 | 0.91       | 22.07      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 2      | 21.15                 | 0.91       | 22.06      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 3      | 21.15                 | 0.91       | 22.06      | <=33.01 | Pass    |         |      |
|                                   |                 | 6             | 0      | 20.18                 | 0.91       | 21.09      | <=33.01 | Pass    |         |      |
|                                   |                 | 1880          | 1      | 0                     | 21.22      | 0.91       | 22.13   | <=33.01 | Pass    |      |
|                                   |                 |               |        | 2                     | 21.21      | 0.91       | 22.12   | <=33.01 | Pass    |      |
|                                   | 5               |               |        | 21.18                 | 0.91       | 22.09      | <=33.01 | Pass    |         |      |
|                                   | 3               |               | 0      | 21.16                 | 0.91       | 22.07      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 2      | 21.16                 | 0.91       | 22.07      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 3      | 21.20                 | 0.91       | 22.11      | <=33.01 | Pass    |         |      |
|                                   | 6               |               | 0      | 20.15                 | 0.91       | 21.06      | <=33.01 | Pass    |         |      |
|                                   | 1909.3          |               | 1      | 0                     | 20.61      | 0.91       | 21.52   | <=33.01 | Pass    |      |
|                                   |                 |               |        | 2                     | 20.66      | 0.91       | 21.57   | <=33.01 | Pass    |      |
|                                   |                 | 5             |        | 20.74                 | 0.91       | 21.65      | <=33.01 | Pass    |         |      |
|                                   |                 | 3             | 0      | 20.88                 | 0.91       | 21.79      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 2      | 20.90                 | 0.91       | 21.81      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 3      | 20.86                 | 0.91       | 21.77      | <=33.01 | Pass    |         |      |
|                                   |                 | 6             | 0      | 19.91                 | 0.91       | 20.82      | <=33.01 | Pass    |         |      |
|                                   |                 | 16QAM         | 1850.7 | 1                     | 0          | 20.59      | 0.91    | 21.50   | <=33.01 | Pass |
|                                   |                 |               |        |                       | 2          | 20.59      | 0.91    | 21.50   | <=33.01 | Pass |
|                                   | 5               |               |        |                       | 20.63      | 0.91       | 21.54   | <=33.01 | Pass    |      |
| 3                                 | 0               |               |        | 20.39                 | 0.91       | 21.30      | <=33.01 | Pass    |         |      |
|                                   | 2               |               |        | 20.39                 | 0.91       | 21.30      | <=33.01 | Pass    |         |      |
|                                   | 3               |               |        | 20.29                 | 0.91       | 21.20      | <=33.01 | Pass    |         |      |
| 6                                 | 0               |               |        | 19.57                 | 0.91       | 20.48      | <=33.01 | Pass    |         |      |
| 1880                              | 1               |               |        | 0                     | 20.09      | 0.91       | 21.00   | <=33.01 | Pass    |      |
|                                   |                 |               |        | 2                     | 19.95      | 0.91       | 20.86   | <=33.01 | Pass    |      |
|                                   |                 |               | 5      | 20.06                 | 0.91       | 20.97      | <=33.01 | Pass    |         |      |
|                                   | 3               |               | 0      | 20.08                 | 0.91       | 20.99      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 2      | 19.97                 | 0.91       | 20.88      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 3      | 19.93                 | 0.91       | 20.84      | <=33.01 | Pass    |         |      |
|                                   | 6               |               | 0      | 19.18                 | 0.91       | 20.09      | <=33.01 | Pass    |         |      |
|                                   | 1909.3          |               | 1      | 0                     | 20.70      | 0.91       | 21.61   | <=33.01 | Pass    |      |
|                                   |                 |               |        | 2                     | 20.70      | 0.91       | 21.61   | <=33.01 | Pass    |      |
| 5                                 |                 |               |        | 20.79                 | 0.91       | 21.70      | <=33.01 | Pass    |         |      |
| 3                                 |                 |               | 0      | 20.13                 | 0.91       | 21.04      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 2      | 20.19                 | 0.91       | 21.10      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 3      | 20.12                 | 0.91       | 21.03      | <=33.01 | Pass    |         |      |
| 6                                 |                 |               | 0      | 19.33                 | 0.91       | 20.24      | <=33.01 | Pass    |         |      |

Note1: EIRP=Conducted Power+Antenna Gain

#### 1.1.2 B2\_3MHz\_EIRP

| Band: 2 / Bandwidth: 3MHz / NTN |  |  |  |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|--|--|--|
|---------------------------------|--|--|--|--|--|--|--|--|

| Modulation | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |         |      |
|------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|---------|------|
|            |                 | Size          | Offset |                       |            | Result     | Limit   |         |         |      |
| QPSK       | 1851.5          | 1             | 0      | 21.40                 | 0.91       | 22.31      | <=33.01 | Pass    |         |      |
|            |                 |               | 7      | 21.41                 | 0.91       | 22.32      | <=33.01 | Pass    |         |      |
|            |                 |               | 14     | 21.37                 | 0.91       | 22.28      | <=33.01 | Pass    |         |      |
|            |                 | 8             | 0      | 20.32                 | 0.91       | 21.23      | <=33.01 | Pass    |         |      |
|            |                 |               | 4      | 20.31                 | 0.91       | 21.22      | <=33.01 | Pass    |         |      |
|            |                 |               | 7      | 20.33                 | 0.91       | 21.24      | <=33.01 | Pass    |         |      |
|            |                 | 15            | 0      | 20.37                 | 0.91       | 21.28      | <=33.01 | Pass    |         |      |
|            |                 | 1880          | 1      | 0                     | 21.08      | 0.91       | 21.99   | <=33.01 | Pass    |      |
|            |                 |               |        | 7                     | 21.12      | 0.91       | 22.03   | <=33.01 | Pass    |      |
|            | 14              |               |        | 21.04                 | 0.91       | 21.95      | <=33.01 | Pass    |         |      |
|            | 8               |               | 0      | 20.17                 | 0.91       | 21.08      | <=33.01 | Pass    |         |      |
|            |                 |               | 4      | 20.20                 | 0.91       | 21.11      | <=33.01 | Pass    |         |      |
|            |                 |               | 7      | 20.14                 | 0.91       | 21.05      | <=33.01 | Pass    |         |      |
|            | 15              |               | 0      | 20.15                 | 0.91       | 21.06      | <=33.01 | Pass    |         |      |
|            | 1908.5          |               | 1      | 0                     | 20.97      | 0.91       | 21.88   | <=33.01 | Pass    |      |
|            |                 |               |        | 7                     | 20.96      | 0.91       | 21.87   | <=33.01 | Pass    |      |
|            |                 | 14            |        | 20.74                 | 0.91       | 21.65      | <=33.01 | Pass    |         |      |
|            |                 | 8             | 0      | 19.93                 | 0.91       | 20.84      | <=33.01 | Pass    |         |      |
|            |                 |               | 4      | 19.94                 | 0.91       | 20.85      | <=33.01 | Pass    |         |      |
|            |                 |               | 7      | 19.91                 | 0.91       | 20.82      | <=33.01 | Pass    |         |      |
|            |                 | 15            | 0      | 19.95                 | 0.91       | 20.86      | <=33.01 | Pass    |         |      |
|            |                 | 16QAM         | 1851.5 | 1                     | 0          | 20.23      | 0.91    | 21.14   | <=33.01 | Pass |
|            |                 |               |        |                       | 7          | 20.14      | 0.91    | 21.05   | <=33.01 | Pass |
|            | 14              |               |        |                       | 20.22      | 0.91       | 21.13   | <=33.01 | Pass    |      |
| 8          | 0               |               |        | 19.67                 | 0.91       | 20.58      | <=33.01 | Pass    |         |      |
|            | 4               |               |        | 19.67                 | 0.91       | 20.58      | <=33.01 | Pass    |         |      |
|            | 7               |               |        | 19.66                 | 0.91       | 20.57      | <=33.01 | Pass    |         |      |
| 15         | 0               |               |        | 19.56                 | 0.91       | 20.47      | <=33.01 | Pass    |         |      |
| 1880       | 1               |               |        | 0                     | 20.70      | 0.91       | 21.61   | <=33.01 | Pass    |      |
|            |                 |               |        | 7                     | 20.68      | 0.91       | 21.59   | <=33.01 | Pass    |      |
|            |                 |               | 14     | 20.74                 | 0.91       | 21.65      | <=33.01 | Pass    |         |      |
|            | 8               |               | 0      | 19.39                 | 0.91       | 20.30      | <=33.01 | Pass    |         |      |
|            |                 |               | 4      | 19.44                 | 0.91       | 20.35      | <=33.01 | Pass    |         |      |
|            |                 |               | 7      | 19.44                 | 0.91       | 20.35      | <=33.01 | Pass    |         |      |
|            | 15              |               | 0      | 19.32                 | 0.91       | 20.23      | <=33.01 | Pass    |         |      |
|            | 1908.5          |               | 1      | 0                     | 20.32      | 0.91       | 21.23   | <=33.01 | Pass    |      |
|            |                 |               |        | 7                     | 20.38      | 0.91       | 21.29   | <=33.01 | Pass    |      |
| 14         |                 |               |        | 20.44                 | 0.91       | 21.35      | <=33.01 | Pass    |         |      |
| 8          |                 |               | 0      | 19.34                 | 0.91       | 20.25      | <=33.01 | Pass    |         |      |
|            |                 |               | 4      | 19.34                 | 0.91       | 20.25      | <=33.01 | Pass    |         |      |
|            |                 |               | 7      | 19.37                 | 0.91       | 20.28      | <=33.01 | Pass    |         |      |
| 15         |                 |               | 0      | 19.18                 | 0.91       | 20.09      | <=33.01 | Pass    |         |      |

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.3 B2\_5MHz\_EIRP

| Band: 2 / Bandwidth: 5MHz / NTV |                 |               |        |                       |            |            |         |         |
|---------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|
| Modulation                      | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|                                 |                 | Size          | Offset |                       |            | Result     | Limit   |         |
| QPSK                            | 1852.5          | 1             | 0      | 21.22                 | 0.91       | 22.13      | <=33.01 | Pass    |
|                                 |                 |               | 13     | 21.29                 | 0.91       | 22.20      | <=33.01 | Pass    |
|                                 |                 |               | 24     | 21.29                 | 0.91       | 22.20      | <=33.01 | Pass    |
|                                 |                 | 12            | 0      | 20.23                 | 0.91       | 21.14      | <=33.01 | Pass    |
|                                 |                 |               | 6      | 20.24                 | 0.91       | 21.15      | <=33.01 | Pass    |
|                                 |                 |               | 13     | 20.23                 | 0.91       | 21.14      | <=33.01 | Pass    |

|        |        |        |       |       |       |         |         |         |         |      |
|--------|--------|--------|-------|-------|-------|---------|---------|---------|---------|------|
| 16QAM  | 1880   | 25     | 0     | 20.20 | 0.91  | 21.11   | <=33.01 | Pass    |         |      |
|        |        |        | 0     | 21.04 | 0.91  | 21.95   | <=33.01 | Pass    |         |      |
|        |        |        | 13    | 21.08 | 0.91  | 21.99   | <=33.01 | Pass    |         |      |
|        |        |        | 24    | 21.01 | 0.91  | 21.92   | <=33.01 | Pass    |         |      |
|        |        | 12     | 0     | 20.17 | 0.91  | 21.08   | <=33.01 | Pass    |         |      |
|        |        |        | 6     | 20.14 | 0.91  | 21.05   | <=33.01 | Pass    |         |      |
|        | 1907.5 | 1      | 13    | 20.11 | 0.91  | 21.02   | <=33.01 | Pass    |         |      |
|        |        |        | 25    | 0     | 20.07 | 0.91    | 20.98   | <=33.01 | Pass    |      |
|        |        |        | 0     | 21.00 | 0.91  | 21.91   | <=33.01 | Pass    |         |      |
|        |        |        | 13    | 21.03 | 0.91  | 21.94   | <=33.01 | Pass    |         |      |
|        |        | 12     | 24    | 21.00 | 0.91  | 21.91   | <=33.01 | Pass    |         |      |
|        |        |        | 0     | 20.00 | 0.91  | 20.91   | <=33.01 | Pass    |         |      |
|        | 16QAM  | 1852.5 | 1     | 6     | 19.99 | 0.91    | 20.90   | <=33.01 | Pass    |      |
|        |        |        |       | 13    | 20.05 | 0.91    | 20.96   | <=33.01 | Pass    |      |
|        |        |        |       | 25    | 0     | 19.98   | 0.91    | 20.89   | <=33.01 | Pass |
|        |        |        |       | 0     | 19.79 | 0.91    | 20.70   | <=33.01 | Pass    |      |
|        |        |        | 12    | 13    | 19.75 | 0.91    | 20.66   | <=33.01 | Pass    |      |
|        |        |        |       | 24    | 19.74 | 0.91    | 20.65   | <=33.01 | Pass    |      |
| 1880   |        | 1      | 0     | 19.42 | 0.91  | 20.33   | <=33.01 | Pass    |         |      |
|        |        |        | 6     | 19.43 | 0.91  | 20.34   | <=33.01 | Pass    |         |      |
|        |        |        | 13    | 19.43 | 0.91  | 20.34   | <=33.01 | Pass    |         |      |
|        |        |        | 25    | 0     | 19.50 | 0.91    | 20.41   | <=33.01 | Pass    |      |
|        |        | 12     | 0     | 19.89 | 0.91  | 20.80   | <=33.01 | Pass    |         |      |
|        |        |        | 13    | 19.93 | 0.91  | 20.84   | <=33.01 | Pass    |         |      |
| 1907.5 |        | 1      | 24    | 19.87 | 0.91  | 20.78   | <=33.01 | Pass    |         |      |
|        |        |        | 0     | 19.24 | 0.91  | 20.15   | <=33.01 | Pass    |         |      |
|        |        |        | 6     | 19.23 | 0.91  | 20.14   | <=33.01 | Pass    |         |      |
|        |        |        | 13    | 19.20 | 0.91  | 20.11   | <=33.01 | Pass    |         |      |
|        |        | 12     | 25    | 0     | 19.24 | 0.91    | 20.15   | <=33.01 | Pass    |      |
|        |        |        | 0     | 20.04 | 0.91  | 20.95   | <=33.01 | Pass    |         |      |
| 16QAM  | 1      | 13     | 20.00 | 0.91  | 20.91 | <=33.01 | Pass    |         |         |      |
|        |        | 24     | 20.05 | 0.91  | 20.96 | <=33.01 | Pass    |         |         |      |
|        |        | 0      | 19.20 | 0.91  | 20.11 | <=33.01 | Pass    |         |         |      |
|        |        | 6      | 19.20 | 0.91  | 20.11 | <=33.01 | Pass    |         |         |      |
|        | 12     | 13     | 19.12 | 0.91  | 20.03 | <=33.01 | Pass    |         |         |      |
|        |        | 25     | 0     | 19.16 | 0.91  | 20.07   | <=33.01 | Pass    |         |      |

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.4 B2\_10MHz\_EIRP

| Band: 2 / Bandwidth: 10MHz / NTNV |                 |               |        |                       |            |            |         |         |      |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |      |
|                                   |                 | Size          | Offset |                       |            | Result     | Limit   |         |      |
| QPSK                              | 1855            | 1             | 0      | 21.51                 | 0.91       | 22.42      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 21.33                 | 0.91       | 22.24      | <=33.01 | Pass    |      |
|                                   |                 |               | 49     | 21.40                 | 0.91       | 22.31      | <=33.01 | Pass    |      |
|                                   |                 | 25            | 0      | 20.27                 | 0.91       | 21.18      | <=33.01 | Pass    |      |
|                                   |                 |               | 13     | 20.25                 | 0.91       | 21.16      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 20.24                 | 0.91       | 21.15      | <=33.01 | Pass    |      |
|                                   | 1880            | 50            | 0      | 20.29                 | 0.91       | 21.20      | <=33.01 | Pass    |      |
|                                   |                 |               | 1      | 0                     | 20.92      | 0.91       | 21.83   | <=33.01 | Pass |
|                                   |                 |               | 25     | 20.91                 | 0.91       | 21.82      | <=33.01 | Pass    |      |
|                                   |                 | 1             | 49     | 20.95                 | 0.91       | 21.86      | <=33.01 | Pass    |      |
|                                   |                 |               | 0      | 20.11                 | 0.91       | 21.02      | <=33.01 | Pass    |      |
|                                   |                 |               | 6      | 20.11                 | 0.91       | 21.02      | <=33.01 | Pass    |      |
|                                   |                 | 25            | 13     | 20.04                 | 0.91       | 20.95      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 20.06                 | 0.91       | 20.97      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 0                     | 20.09      | 0.91       | 21.00   | <=33.01 | Pass |

| Modulation | Frequency (MHz) | RB Allocation | Conducted Power (dBm) |        | Gain (dBi) | EIRP (dBm) |         | Verdict |      |
|------------|-----------------|---------------|-----------------------|--------|------------|------------|---------|---------|------|
|            |                 |               | Size                  | Offset |            | Result     | Limit   |         |      |
| 16QAM      | 1905            | 1             | 0                     | 20.87  | 0.91       | 21.78      | <=33.01 | Pass    |      |
|            |                 |               | 25                    | 20.78  | 0.91       | 21.69      | <=33.01 | Pass    |      |
|            |                 |               | 49                    | 20.80  | 0.91       | 21.71      | <=33.01 | Pass    |      |
|            |                 | 25            | 0                     | 19.93  | 0.91       | 20.84      | <=33.01 | Pass    |      |
|            |                 |               | 13                    | 19.96  | 0.91       | 20.87      | <=33.01 | Pass    |      |
|            |                 |               | 25                    | 19.97  | 0.91       | 20.88      | <=33.01 | Pass    |      |
|            | 50              | 0             | 19.99                 | 0.91   | 20.90      | <=33.01    | Pass    |         |      |
|            | 1855            | 1             | 0                     | 20.06  | 0.91       | 20.97      | <=33.01 | Pass    |      |
|            |                 |               | 25                    | 20.05  | 0.91       | 20.96      | <=33.01 | Pass    |      |
|            |                 |               | 49                    | 20.05  | 0.91       | 20.96      | <=33.01 | Pass    |      |
|            |                 |               | 25                    | 0      | 19.52      | 0.91       | 20.43   | <=33.01 | Pass |
|            |                 |               |                       | 13     | 19.54      | 0.91       | 20.45   | <=33.01 | Pass |
|            |                 |               |                       | 25     | 19.46      | 0.91       | 20.37   | <=33.01 | Pass |
|            |                 | 50            | 0                     | 19.44  | 0.91       | 20.35      | <=33.01 | Pass    |      |
|            |                 | 1880          | 1                     | 0      | 20.90      | 0.91       | 21.81   | <=33.01 | Pass |
|            |                 |               |                       | 25     | 20.87      | 0.91       | 21.78   | <=33.01 | Pass |
|            |                 |               |                       | 49     | 20.90      | 0.91       | 21.81   | <=33.01 | Pass |
|            |                 |               | 25                    | 0      | 19.20      | 0.91       | 20.11   | <=33.01 | Pass |
| 13         |                 |               |                       | 19.23  | 0.91       | 20.14      | <=33.01 | Pass    |      |
| 25         | 19.32           |               |                       | 0.91   | 20.23      | <=33.01    | Pass    |         |      |
| 50         | 0               | 19.24         | 0.91                  | 20.15  | <=33.01    | Pass       |         |         |      |
| 1905       | 1               | 0             | 20.56                 | 0.91   | 21.47      | <=33.01    | Pass    |         |      |
|            |                 | 25            | 20.40                 | 0.91   | 21.31      | <=33.01    | Pass    |         |      |
|            |                 | 49            | 20.45                 | 0.91   | 21.36      | <=33.01    | Pass    |         |      |
|            | 25              | 0             | 19.17                 | 0.91   | 20.08      | <=33.01    | Pass    |         |      |
|            |                 | 13            | 19.08                 | 0.91   | 19.99      | <=33.01    | Pass    |         |      |
|            |                 | 25            | 19.20                 | 0.91   | 20.11      | <=33.01    | Pass    |         |      |
|            | 50              | 0             | 19.13                 | 0.91   | 20.04      | <=33.01    | Pass    |         |      |

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2\_15MHz\_EIRP

| Band: 2 / Bandwidth: 15MHz / NTNv |                 |               |        |                       |            |            |         |         |         |      |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|---------|------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |         |      |
|                                   |                 | Size          | Offset |                       |            | Result     | Limit   |         |         |      |
| QPSK                              | 1857.5          | 1             | 0      | 20.93                 | 0.91       | 21.84      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 38     | 21.07                 | 0.91       | 21.98      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 74     | 21.07                 | 0.91       | 21.98      | <=33.01 | Pass    |         |      |
|                                   |                 | 36            | 0      | 20.12                 | 0.91       | 21.03      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 18     | 20.10                 | 0.91       | 21.01      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 39     | 20.02                 | 0.91       | 20.93      | <=33.01 | Pass    |         |      |
|                                   |                 | 75            | 0      | 20.07                 | 0.91       | 20.98      | <=33.01 | Pass    |         |      |
|                                   |                 | 1880          | 1      | 0                     | 21.01      | 0.91       | 21.92   | <=33.01 | Pass    |      |
|                                   |                 |               |        | 38                    | 21.07      | 0.91       | 21.98   | <=33.01 | Pass    |      |
|                                   | 74              |               |        | 21.09                 | 0.91       | 22.00      | <=33.01 | Pass    |         |      |
|                                   | 36              |               | 0      | 19.96                 | 0.91       | 20.87      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 18     | 19.98                 | 0.91       | 20.89      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 39     | 19.94                 | 0.91       | 20.85      | <=33.01 | Pass    |         |      |
|                                   | 75              |               | 0      | 19.86                 | 0.91       | 20.77      | <=33.01 | Pass    |         |      |
|                                   | 1902.5          |               | 1      | 0                     | 20.87      | 0.91       | 21.78   | <=33.01 | Pass    |      |
|                                   |                 |               |        | 38                    | 20.75      | 0.91       | 21.66   | <=33.01 | Pass    |      |
|                                   |                 | 74            |        | 20.78                 | 0.91       | 21.69      | <=33.01 | Pass    |         |      |
|                                   |                 | 36            | 0      | 19.94                 | 0.91       | 20.85      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 18     | 19.90                 | 0.91       | 20.81      | <=33.01 | Pass    |         |      |
|                                   |                 |               | 39     | 19.85                 | 0.91       | 20.76      | <=33.01 | Pass    |         |      |
|                                   |                 | 75            | 0      | 19.90                 | 0.91       | 20.81      | <=33.01 | Pass    |         |      |
|                                   |                 | 16QAM         | 1857.5 | 1                     | 0          | 20.30      | 0.91    | 21.21   | <=33.01 | Pass |

|     |        |    |       |       |       |         |         |      |
|-----|--------|----|-------|-------|-------|---------|---------|------|
| TCT | 1880   | 36 | 38    | 20.41 | 0.91  | 21.32   | <=33.01 | Pass |
|     |        |    | 74    | 20.43 | 0.91  | 21.34   | <=33.01 | Pass |
|     |        |    | 0     | 19.35 | 0.91  | 20.26   | <=33.01 | Pass |
|     |        | 75 | 18    | 19.37 | 0.91  | 20.28   | <=33.01 | Pass |
|     |        |    | 39    | 19.35 | 0.91  | 20.26   | <=33.01 | Pass |
|     |        |    | 0     | 19.32 | 0.91  | 20.23   | <=33.01 | Pass |
|     | 1902.5 | 1  | 0     | 20.39 | 0.91  | 21.30   | <=33.01 | Pass |
|     |        |    | 38    | 20.33 | 0.91  | 21.24   | <=33.01 | Pass |
|     |        |    | 74    | 20.35 | 0.91  | 21.26   | <=33.01 | Pass |
|     |        | 36 | 0     | 19.11 | 0.91  | 20.02   | <=33.01 | Pass |
|     |        |    | 18    | 19.08 | 0.91  | 19.99   | <=33.01 | Pass |
|     |        |    | 39    | 19.11 | 0.91  | 20.02   | <=33.01 | Pass |
|     | 75     | 0  | 19.10 | 0.91  | 20.01 | <=33.01 | Pass    |      |
|     | 1902.5 | 1  | 0     | 20.52 | 0.91  | 21.43   | <=33.01 | Pass |
|     |        |    | 38    | 20.39 | 0.91  | 21.30   | <=33.01 | Pass |
|     |        |    | 74    | 20.41 | 0.91  | 21.32   | <=33.01 | Pass |
|     |        | 36 | 0     | 19.14 | 0.91  | 20.05   | <=33.01 | Pass |
|     |        |    | 18    | 19.07 | 0.91  | 19.98   | <=33.01 | Pass |
|     |        |    | 39    | 19.16 | 0.91  | 20.07   | <=33.01 | Pass |
|     | 75     | 0  | 19.12 | 0.91  | 20.03 | <=33.01 | Pass    |      |

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.6 B2\_20MHz\_EIRP

| Band: 2 / Bandwidth: 20MHz / NTNv |                 |               |        |                       |            |            |         |         |      |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|------------|---------|---------|------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |      |
|                                   |                 | Size          | Offset |                       |            | Result     | Limit   |         |      |
| QPSK                              | 1860            | 1             | 0      | 21.04                 | 0.91       | 21.95      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 21.18                 | 0.91       | 22.09      | <=33.01 | Pass    |      |
|                                   |                 |               | 99     | 21.03                 | 0.91       | 21.94      | <=33.01 | Pass    |      |
|                                   |                 | 50            | 0      | 20.17                 | 0.91       | 21.08      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 20.08                 | 0.91       | 20.99      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 20.03                 | 0.91       | 20.94      | <=33.01 | Pass    |      |
|                                   | 100             | 0             | 20.16  | 0.91                  | 21.07      | <=33.01    | Pass    |         |      |
|                                   | 1880            | 1             | 0      | 21.15                 | 0.91       | 22.06      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 20.92                 | 0.91       | 21.83      | <=33.01 | Pass    |      |
|                                   |                 |               | 99     | 20.90                 | 0.91       | 21.81      | <=33.01 | Pass    |      |
|                                   |                 | 50            | 0      | 19.96                 | 0.91       | 20.87      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 20.04                 | 0.91       | 20.95      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 19.99                 | 0.91       | 20.90      | <=33.01 | Pass    |      |
|                                   | 100             | 0             | 19.98  | 0.91                  | 20.89      | <=33.01    | Pass    |         |      |
|                                   | 1900            | 1             | 0      | 20.76                 | 0.91       | 21.67      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 20.70                 | 0.91       | 21.61      | <=33.01 | Pass    |      |
|                                   |                 |               | 99     | 20.68                 | 0.91       | 21.59      | <=33.01 | Pass    |      |
|                                   |                 | 50            | 0      | 19.94                 | 0.91       | 20.85      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 19.83                 | 0.91       | 20.74      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 19.82                 | 0.91       | 20.73      | <=33.01 | Pass    |      |
|                                   | 100             | 0             | 19.82  | 0.91                  | 20.73      | <=33.01    | Pass    |         |      |
|                                   | 16QAM           | 1860          | 1      | 0                     | 20.12      | 0.91       | 21.03   | <=33.01 | Pass |
|                                   |                 |               |        | 50                    | 20.16      | 0.91       | 21.07   | <=33.01 | Pass |
|                                   |                 |               |        | 99                    | 20.01      | 0.91       | 20.92   | <=33.01 | Pass |
| 50                                |                 |               | 0      | 19.33                 | 0.91       | 20.24      | <=33.01 | Pass    |      |
|                                   |                 |               | 25     | 19.31                 | 0.91       | 20.22      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 19.28                 | 0.91       | 20.19      | <=33.01 | Pass    |      |
| 100                               |                 | 0             | 19.30  | 0.91                  | 20.21      | <=33.01    | Pass    |         |      |
| 1880                              |                 | 1             | 0      | 20.70                 | 0.91       | 21.61      | <=33.01 | Pass    |      |
|                                   |                 |               | 50     | 20.54                 | 0.91       | 21.45      | <=33.01 | Pass    |      |

|      |     |    |       |      |       |         |      |
|------|-----|----|-------|------|-------|---------|------|
| 1900 | 50  | 99 | 20.68 | 0.91 | 21.59 | <=33.01 | Pass |
|      |     | 0  | 19.13 | 0.91 | 20.04 | <=33.01 | Pass |
|      |     | 25 | 19.14 | 0.91 | 20.05 | <=33.01 | Pass |
|      |     | 50 | 19.17 | 0.91 | 20.08 | <=33.01 | Pass |
|      | 100 | 0  | 19.19 | 0.91 | 20.10 | <=33.01 | Pass |
|      | 1   | 0  | 20.39 | 0.91 | 21.30 | <=33.01 | Pass |
|      |     | 50 | 20.29 | 0.91 | 21.20 | <=33.01 | Pass |
|      |     | 99 | 20.17 | 0.91 | 21.08 | <=33.01 | Pass |
|      | 50  | 0  | 19.14 | 0.91 | 20.05 | <=33.01 | Pass |
|      |     | 25 | 19.10 | 0.91 | 20.01 | <=33.01 | Pass |
|      |     | 50 | 19.06 | 0.91 | 19.97 | <=33.01 | Pass |
|      | 100 | 0  | 19.07 | 0.91 | 19.98 | <=33.01 | Pass |

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B2\_1.4MHz

| Band: 2 / Bandwidth: 1.4MHz |                 |               |        |             |               |                  |                       |             |             |             |
|-----------------------------|-----------------|---------------|--------|-------------|---------------|------------------|-----------------------|-------------|-------------|-------------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C)  | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict     |             |
|                             |                 | Size          | Offset |             |               |                  | Result                | Limit       |             |             |
| QPSK                        | 1850.7          | 6             | 0      | 20          | 3.27          | 2.561            | 0.0014                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | 3.85          | 2.246            | 0.0012                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | 4.43          | 0.873            | 0.0005                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | -30         | 3.85          | 1.431            | 0.0008                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | -20           | 3.85             | 0.215                 | 0.0001      | -2.5 to 2.5 | Pass        |
|                             |                 |               |        |             |               | -10              | 3.85                  | 1.731       | 0.0009      | -2.5 to 2.5 |
|                             |                 |               |        | 0           | 3.85          | 0.830            | 0.0004                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | 10          | 3.85          | 2.332            | 0.0013                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | 30          | 3.85          | 0.758            | 0.0004                | -2.5 to 2.5 | Pass        |             |
|                             | 40              | 3.85          | 0.944  | 0.0005      | -2.5 to 2.5   | Pass             |                       |             |             |             |
|                             | 50              | 3.85          | 1.287  | 0.0007      | -2.5 to 2.5   | Pass             |                       |             |             |             |
|                             | 1880            | 6             | 0      | 20          | 3.27          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | 3.85          | 0.186            | 0.0001                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | 4.43          | -0.658           | -0.0004               | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | -30         | 3.85          | 0.672            | 0.0004                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | -20           | 3.85             | 1.073                 | 0.0006      | -2.5 to 2.5 | Pass        |
|                             |                 |               |        |             |               | -10              | 3.85                  | 0.243       | 0.0001      | -2.5 to 2.5 |
|                             |                 |               |        | 0           | 3.85          | 0.501            | 0.0003                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | 10          | 3.85          | 1.059            | 0.0006                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | 30          | 3.85          | 1.388            | 0.0007                | -2.5 to 2.5 | Pass        |             |
|                             | 40              | 3.85          | 1.159  | 0.0006      | -2.5 to 2.5   | Pass             |                       |             |             |             |
|                             | 50              | 3.85          | -0.329 | -0.0002     | -2.5 to 2.5   | Pass             |                       |             |             |             |
|                             | 1909.3          | 6             | 0      | 20          | 3.27          | 1.516            | 0.0008                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | 3.85          | -0.272           | -0.0001               | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | 4.43          | -0.687           | -0.0004               | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        | -30         | 3.85          | 0.286            | 0.0001                | -2.5 to 2.5 | Pass        |             |
|                             |                 |               |        |             | -20           | 3.85             | 1.130                 | 0.0006      | -2.5 to 2.5 | Pass        |
| -10                         |                 |               |        |             |               | 3.85             | 0.186                 | 0.0001      | -2.5 to 2.5 | Pass        |
| 0                           |                 |               |        | 3.85        | 1.245         | 0.0007           | -2.5 to 2.5           | Pass        |             |             |
| 10                          |                 |               |        | 3.85        | 0.987         | 0.0005           | -2.5 to 2.5           | Pass        |             |             |
| 30                          |                 |               |        | 3.85        | 1.016         | 0.0005           | -2.5 to 2.5           | Pass        |             |             |
| 40                          | 3.85            | 0.730         | 0.0004 | -2.5 to 2.5 | Pass          |                  |                       |             |             |             |
| 50                          | 3.85            | 0.629         | 0.0003 | -2.5 to 2.5 | Pass          |                  |                       |             |             |             |

| Modulation | Frequency (MHz) | RB Allocation Size | Offset | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict     |      |
|------------|-----------------|--------------------|--------|------------|---------------|------------------|-----------------------|-------------|-------------|------|
|            |                 |                    |        |            |               |                  | Result                | Limit       |             |      |
| 16QAM      | 1850.7          | 6                  | 0      | 20         | 3.27          | -0.315           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | 3.85          | -0.415           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | 4.43          | -0.300           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        | -30        | 3.85          | -0.229           | -0.0001               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | -20           | 3.85             | -0.758                | -0.0004     | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            | -10           | 3.85             | 0.587                 | 0.0003      | -2.5 to 2.5 | Pass |
|            |                 |                    |        | 0          | 3.85          | -0.529           | -0.0003               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | 10            | 3.85             | 0.300                 | 0.0002      | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            | 30            | 3.85             | -0.486                | -0.0003     | -2.5 to 2.5 | Pass |
|            | 40              | 3.85               | -1.588 |            | -0.0009       | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 50              | 3.85               | -1.059 |            | -0.0006       | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 1880            | 6                  | 0      |            | 20            | 3.27             | -0.672                | -0.0004     | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            |               | 3.85             | -1.545                | -0.0008     | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            |               | 4.43             | -1.802                | -0.0010     | -2.5 to 2.5 | Pass |
|            |                 |                    |        | -30        | 3.85          | -1.745           | -0.0009               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | -20           | 3.85             | -2.346                | -0.0012     | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            | -10           | 3.85             | -1.602                | -0.0009     | -2.5 to 2.5 | Pass |
|            |                 |                    |        | 0          | 3.85          | -3.691           | -0.0020               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | 10            | 3.85             | -0.987                | -0.0005     | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            | 30            | 3.85             | 0.215                 | 0.0001      | -2.5 to 2.5 | Pass |
|            | 40              | 3.85               | 0.830  |            | 0.0004        | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 50              | 3.85               | -0.830 |            | -0.0004       | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 1909.3          | 6                  | 0      |            | 20            | 3.27             | 0.443                 | 0.0002      | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            |               | 3.85             | 1.073                 | 0.0006      | -2.5 to 2.5 | Pass |
|            |                 |                    |        |            |               | 4.43             | 0.386                 | 0.0002      | -2.5 to 2.5 | Pass |
|            |                 |                    |        | -30        | 3.85          | 1.316            | 0.0007                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |            | -20           | 3.85             | 0.172                 | 0.0001      | -2.5 to 2.5 | Pass |
| -10        |                 |                    |        |            | 3.85          | 0.629            | 0.0003                | -2.5 to 2.5 | Pass        |      |
| 0          |                 |                    |        | 3.85       | 0.229         | 0.0001           | -2.5 to 2.5           | Pass        |             |      |
|            |                 |                    |        | 10         | 3.85          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        | 30         | 3.85          | 0.343            | 0.0002                | -2.5 to 2.5 | Pass        |      |
|            | 40              | 3.85               | 0.200  | 0.0001     | -2.5 to 2.5   | Pass             |                       |             |             |      |
|            | 50              | 3.85               | 0.587  | 0.0003     | -2.5 to 2.5   | Pass             |                       |             |             |      |

2.1.2 B2\_3MHz

| Band: 2 / Bandwidth: 3MHz |                 |               |        |            |               |                  |                       |             |             |      |
|---------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|-------------|------|
| Modulation                | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict     |      |
|                           |                 | Size          | Offset |            |               |                  | Result                | Limit       |             |      |
| QPSK                      | 1851.5          | 15            | 0      | 20         | 3.27          | -1.717           | -0.0009               | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        |            | 3.85          | -0.401           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        |            | 4.43          | -1.073           | -0.0006               | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        | -30        | 3.85          | -0.200           | -0.0001               | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        |            | -20           | 3.85             | -0.329                | -0.0002     | -2.5 to 2.5 | Pass |
|                           |                 |               |        |            | -10           | 3.85             | 0.272                 | 0.0001      | -2.5 to 2.5 | Pass |
|                           |                 |               |        | 0          | 3.85          | -1.187           | -0.0006               | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        |            | 10            | 3.85             | -1.802                | -0.0010     | -2.5 to 2.5 | Pass |
|                           |                 |               |        |            | 30            | 3.85             | -0.887                | -0.0005     | -2.5 to 2.5 | Pass |
|                           | 40              | 3.85          | -0.529 |            | -0.0003       | -2.5 to 2.5      | Pass                  |             |             |      |
|                           | 50              | 3.85          | -0.300 |            | -0.0002       | -2.5 to 2.5      | Pass                  |             |             |      |
|                           | 1880            | 15            | 0      |            | 20            | 3.27             | 0.329                 | 0.0002      | -2.5 to 2.5 | Pass |
|                           |                 |               |        | 3.85       |               | 0.558            | 0.0003                | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        | 4.43       |               | 0.572            | 0.0003                | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        | -30        | 3.85          | -0.043           | 0.0000                | -2.5 to 2.5 | Pass        |      |
|                           |                 |               |        |            | -20           | 3.85             | 0.300                 | 0.0002      | -2.5 to 2.5 | Pass |
|                           |                 |               |        |            | -10           | 3.85             | 0.987                 | 0.0005      | -2.5 to 2.5 | Pass |
|                           |                 |               |        | 0          | 3.85          | 0.515            | 0.0003                | -2.5 to 2.5 | Pass        |      |

|        |        |        |         |             |             |         |             |             |             |      |
|--------|--------|--------|---------|-------------|-------------|---------|-------------|-------------|-------------|------|
| 16QAM  | 1908.5 | 15     | 0       | 10          | 3.85        | 0.801   | 0.0004      | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 30          | 3.85        | -0.930  | -0.0005     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 40          | 3.85        | 0.372   | 0.0002      | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 50          | 3.85        | -1.087  | -0.0006     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 20          | 3.27        | -0.300  | -0.0002     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         |             | 3.85        | -0.086  | 0.0000      | -2.5 to 2.5 | Pass        |      |
|        |        |        |         |             | 4.43        | -0.243  | -0.0001     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | -30         | 3.85        | -1.817  | -0.0010     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | -20         | 3.85        | 0.415   | 0.0002      | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | -10         | 3.85        | -0.758  | -0.0004     | -2.5 to 2.5 | Pass        |      |
|        | 0      | 3.85   | -1.130  | -0.0006     | -2.5 to 2.5 | Pass    |             |             |             |      |
|        | 10     | 3.85   | 0.200   | 0.0001      | -2.5 to 2.5 | Pass    |             |             |             |      |
|        | 30     | 3.85   | -1.302  | -0.0007     | -2.5 to 2.5 | Pass    |             |             |             |      |
|        | 40     | 3.85   | -0.629  | -0.0003     | -2.5 to 2.5 | Pass    |             |             |             |      |
|        | 50     | 3.85   | -0.329  | -0.0002     | -2.5 to 2.5 | Pass    |             |             |             |      |
|        | 16QAM  | 1851.5 | 15      | 0           | 20          | 3.27    | -0.916      | -0.0005     | -2.5 to 2.5 | Pass |
|        |        |        |         |             |             | 3.85    | 0.057       | 0.0000      | -2.5 to 2.5 | Pass |
|        |        |        |         |             |             | 4.43    | -0.887      | -0.0005     | -2.5 to 2.5 | Pass |
|        |        |        |         |             | -30         | 3.85    | -0.200      | -0.0001     | -2.5 to 2.5 | Pass |
|        |        |        |         |             | -20         | 3.85    | 0.215       | 0.0001      | -2.5 to 2.5 | Pass |
| -10    |        |        |         |             | 3.85        | -0.730  | -0.0004     | -2.5 to 2.5 | Pass        |      |
| 0      |        |        |         |             | 3.85        | -1.359  | -0.0007     | -2.5 to 2.5 | Pass        |      |
| 10     |        |        |         |             | 3.85        | -0.486  | -0.0003     | -2.5 to 2.5 | Pass        |      |
| 30     |        |        |         |             | 3.85        | -1.302  | -0.0007     | -2.5 to 2.5 | Pass        |      |
| 40     |        |        |         |             | 3.85        | -0.987  | -0.0005     | -2.5 to 2.5 | Pass        |      |
| 50     |        | 3.85   | -1.073  | -0.0006     | -2.5 to 2.5 | Pass    |             |             |             |      |
| 1880   |        | 15     | 0       | 20          | 3.27        | -0.772  | -0.0004     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         |             | 3.85        | -1.144  | -0.0006     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         |             | 4.43        | -1.516  | -0.0008     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | -30         | 3.85        | -1.187  | -0.0006     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | -20         | 3.85        | -2.031  | -0.0011     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | -10         | 3.85        | -0.758  | -0.0004     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 0           | 3.85        | -1.745  | -0.0009     | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 10          | 3.85        | 0.401   | 0.0002      | -2.5 to 2.5 | Pass        |      |
|        |        |        |         | 30          | 3.85        | -0.801  | -0.0004     | -2.5 to 2.5 | Pass        |      |
|        | 40     |        |         | 3.85        | -2.117      | -0.0011 | -2.5 to 2.5 | Pass        |             |      |
| 50     | 3.85   | 0.072  | 0.0000  | -2.5 to 2.5 | Pass        |         |             |             |             |      |
| 1908.5 | 15     | 0      | 20      | 3.27        | 0.129       | 0.0001  | -2.5 to 2.5 | Pass        |             |      |
|        |        |        |         | 3.85        | -1.574      | -0.0008 | -2.5 to 2.5 | Pass        |             |      |
|        |        |        |         | 4.43        | -0.858      | -0.0004 | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | -30     | 3.85        | 0.572       | 0.0003  | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | -20     | 3.85        | 0.844       | 0.0004  | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | -10     | 3.85        | -0.215      | -0.0001 | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | 0       | 3.85        | 1.259       | 0.0007  | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | 10      | 3.85        | 0.615       | 0.0003  | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | 30      | 3.85        | 0.601       | 0.0003  | -2.5 to 2.5 | Pass        |             |      |
|        |        |        | 40      | 3.85        | -0.687      | -0.0004 | -2.5 to 2.5 | Pass        |             |      |
| 50     | 3.85   | -0.315 | -0.0002 | -2.5 to 2.5 | Pass        |         |             |             |             |      |

### 2.1.3 B2\_5MHz

| Band: 2 / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|---------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                           |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                      | 1852.5          | 25            | 0      | 20         | 3.27          | -0.916           | -0.0005               | -2.5 to 2.5 | Pass    |
|                           |                 |               |        |            | 3.85          | 0.458            | 0.0002                | -2.5 to 2.5 | Pass    |
|                           |                 |               |        |            | 4.43          | 1.216            | 0.0007                | -2.5 to 2.5 | Pass    |



|       |        |        |         |        |        |        |             |             |        |
|-------|--------|--------|---------|--------|--------|--------|-------------|-------------|--------|
|       |        |        |         | -30    | 3.85   | 0.100  | 0.0001      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -20    | 3.85   | 0.887  | 0.0005      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -10    | 3.85   | 0.544  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 0      | 3.85   | -0.443 | -0.0002     | -2.5 to 2.5 | Pass   |
|       |        |        |         | 10     | 3.85   | -0.143 | -0.0001     | -2.5 to 2.5 | Pass   |
|       |        |        |         | 30     | 3.85   | 0.844  | 0.0005      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 40     | 3.85   | 0.687  | 0.0004      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 50     | 3.85   | 1.187  | 0.0006      | -2.5 to 2.5 | Pass   |
|       | 1880   | 25     | 0       | 20     | 3.27   | 0.730  | 0.0004      | -2.5 to 2.5 | Pass   |
|       |        |        |         |        | 3.85   | 0.501  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         |        | 4.43   | 0.815  | 0.0004      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -30    | 3.85   | 0.544  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -20    | 3.85   | 1.659  | 0.0009      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -10    | 3.85   | 0.515  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 0      | 3.85   | 0.916  | 0.0005      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 10     | 3.85   | 1.144  | 0.0006      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 30     | 3.85   | 0.615  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 40     | 3.85   | 0.501  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 50     | 3.85   | -1.230 | -0.0007     | -2.5 to 2.5 | Pass   |
|       |        |        |         | 1907.5 | 25     | 0      | 20          | 3.27        | 0.129  |
|       | 3.85   | 0.286  | 0.0001  |        |        |        |             | -2.5 to 2.5 | Pass   |
|       | 4.43   | 1.559  | 0.0008  |        |        |        |             | -2.5 to 2.5 | Pass   |
|       | -30    | 3.85   | 0.772   |        |        |        | 0.0004      | -2.5 to 2.5 | Pass   |
|       | -20    | 3.85   | -0.086  |        |        |        | 0.0000      | -2.5 to 2.5 | Pass   |
|       | -10    | 3.85   | -0.415  |        |        |        | -0.0002     | -2.5 to 2.5 | Pass   |
|       | 0      | 3.85   | 0.172   |        |        |        | 0.0001      | -2.5 to 2.5 | Pass   |
|       | 10     | 3.85   | 0.772   |        |        |        | 0.0004      | -2.5 to 2.5 | Pass   |
|       | 30     | 3.85   | -0.830  |        |        |        | -0.0004     | -2.5 to 2.5 | Pass   |
| 40    | 3.85   | -0.458 | -0.0002 |        |        |        | -2.5 to 2.5 | Pass        |        |
| 50    | 3.85   | 1.230  | 0.0006  |        |        |        | -2.5 to 2.5 | Pass        |        |
| 16QAM | 1852.5 | 25     | 0       |        |        |        | 20          | 3.27        | 1.216  |
|       |        |        |         | 3.85   | 1.130  | 0.0006 |             | -2.5 to 2.5 | Pass   |
|       |        |        |         | 4.43   | -0.057 | 0.0000 |             | -2.5 to 2.5 | Pass   |
|       |        |        |         | -30    | 3.85   | 0.429  | 0.0002      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -20    | 3.85   | 0.744  | 0.0004      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -10    | 3.85   | 0.157  | 0.0001      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 0      | 3.85   | 1.245  | 0.0007      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 10     | 3.85   | 1.087  | 0.0006      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 30     | 3.85   | 0.744  | 0.0004      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 40     | 3.85   | 0.529  | 0.0003      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 50     | 3.85   | 1.802  | 0.0010      | -2.5 to 2.5 | Pass   |
|       |        |        |         | 1880   | 25     | 0      | 20          | 3.27        | -1.874 |
|       | 3.85   | -1.545 | -0.0008 |        |        |        |             | -2.5 to 2.5 | Pass   |
|       | 4.43   | -1.888 | -0.0010 |        |        |        |             | -2.5 to 2.5 | Pass   |
|       | -30    | 3.85   | -1.330  |        |        |        | -0.0007     | -2.5 to 2.5 | Pass   |
|       | -20    | 3.85   | -1.531  |        |        |        | -0.0008     | -2.5 to 2.5 | Pass   |
|       | -10    | 3.85   | -0.830  |        |        |        | -0.0004     | -2.5 to 2.5 | Pass   |
|       | 0      | 3.85   | 0.486   |        |        |        | 0.0003      | -2.5 to 2.5 | Pass   |
|       | 10     | 3.85   | -1.960  |        |        |        | -0.0010     | -2.5 to 2.5 | Pass   |
|       | 30     | 3.85   | -0.315  |        |        |        | -0.0002     | -2.5 to 2.5 | Pass   |
|       | 40     | 3.85   | -0.172  |        |        |        | -0.0001     | -2.5 to 2.5 | Pass   |
|       | 50     | 3.85   | -0.529  |        |        |        | -0.0003     | -2.5 to 2.5 | Pass   |
|       | 1907.5 | 25     | 0       |        |        |        | 20          | 3.27        | -0.329 |
|       |        |        |         | 3.85   | 1.130  | 0.0006 |             | -2.5 to 2.5 | Pass   |
|       |        |        |         | 4.43   | 0.057  | 0.0000 |             | -2.5 to 2.5 | Pass   |
|       |        |        |         | -30    | 3.85   | 0.072  | 0.0000      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -20    | 3.85   | 0.215  | 0.0001      | -2.5 to 2.5 | Pass   |
|       |        |        |         | -10    | 3.85   | 0.243  | 0.0001      | -2.5 to 2.5 | Pass   |
| 0     |        |        |         | 3.85   | 0.143  | 0.0001 | -2.5 to 2.5 | Pass        |        |

|  |  |  |  |    |      |        |        |             |      |
|--|--|--|--|----|------|--------|--------|-------------|------|
|  |  |  |  | 10 | 3.85 | -0.086 | 0.0000 | -2.5 to 2.5 | Pass |
|  |  |  |  | 30 | 3.85 | 0.801  | 0.0004 | -2.5 to 2.5 | Pass |
|  |  |  |  | 40 | 3.85 | 0.100  | 0.0001 | -2.5 to 2.5 | Pass |
|  |  |  |  | 50 | 3.85 | 0.715  | 0.0004 | -2.5 to 2.5 | Pass |

2.1.4 B2\_10MHz

| Band: 2 / Bandwidth: 10MHz |                 |               |         |             |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|---------|-------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |         | Temp. (°C)  | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset  |             |               |                  | Result                | Limit       |         |
| QPSK                       | 1855            | 50            | 0       | 20          | 3.27          | 0.458            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 3.85          | 0.143            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 4.43          | -0.315           | -0.0002               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -30         | 3.85          | -0.629           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -20         | 3.85          | 1.717            | 0.0009                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -10         | 3.85          | 1.059            | 0.0006                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 0           | 3.85          | -1.030           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 10          | 3.85          | -0.472           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 30          | 3.85          | -0.501           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 40          | 3.85          | 0.329            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            | 50              | 3.85          | 0.129   | 0.0001      | -2.5 to 2.5   | Pass             |                       |             |         |
|                            | 1880            | 50            | 0       | 20          | 3.27          | 0.772            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 3.85          | 0.830            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 4.43          | 0.114            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -30         | 3.85          | 0.672            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -20         | 3.85          | 0.944            | 0.0005                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -10         | 3.85          | 0.286            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 0           | 3.85          | 2.017            | 0.0011                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 10          | 3.85          | 0.343            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 30          | 3.85          | 0.558            | 0.0003                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 40          | 3.85          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            | 50              | 3.85          | 0.272   | 0.0001      | -2.5 to 2.5   | Pass             |                       |             |         |
|                            | 1905            | 50            | 0       | 20          | 3.27          | 0.086            | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 3.85          | 1.030            | 0.0005                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 4.43          | 1.488            | 0.0008                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -30         | 3.85          | -1.473           | -0.0008               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -20         | 3.85          | 0.815            | 0.0004                | -2.5 to 2.5 | Pass    |
| -10                        |                 |               |         | 3.85        | -1.016        | -0.0005          | -2.5 to 2.5           | Pass        |         |
| 0                          |                 |               |         | 3.85        | -0.672        | -0.0004          | -2.5 to 2.5           | Pass        |         |
| 10                         |                 |               |         | 3.85        | -1.016        | -0.0005          | -2.5 to 2.5           | Pass        |         |
| 30                         |                 |               |         | 3.85        | -1.202        | -0.0006          | -2.5 to 2.5           | Pass        |         |
| 40                         |                 |               |         | 3.85        | 0.472         | 0.0002           | -2.5 to 2.5           | Pass        |         |
| 50                         | 3.85            | -0.944        | -0.0005 | -2.5 to 2.5 | Pass          |                  |                       |             |         |
| 16QAM                      | 1855            | 50            | 0       | 20          | 3.27          | 0.386            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 3.85          | 0.200            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 4.43          | 0.229            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -30         | 3.85          | 0.029            | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -20         | 3.85          | 0.787            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | -10         | 3.85          | 1.144            | 0.0006                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 0           | 3.85          | 0.701            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 10          | 3.85          | 0.300            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 30          | 3.85          | 0.558            | 0.0003                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         | 40          | 3.85          | 0.257            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            | 50              | 3.85          | -0.215  | -0.0001     | -2.5 to 2.5   | Pass             |                       |             |         |
|                            | 1880            | 50            | 0       | 20          | 3.27          | -0.043           | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 3.85          | -0.658           | -0.0004               | -2.5 to 2.5 | Pass    |
|                            |                 |               |         |             | 4.43          | 0.200            | 0.0001                | -2.5 to 2.5 | Pass    |

| Modulation | Frequency (MHz) | RB Allocation Size | Offset | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|------------|-----------------|--------------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
|            |                 |                    |        | Result     | Limit         |                  |                       |             |         |
| QPSK       | 1905            | 50                 | 0      | -30        | 3.85          | -0.172           | -0.0001               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | -20        | 3.85          | -0.229           | -0.0001               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | -10        | 3.85          | 0.615            | 0.0003                | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 0          | 3.85          | -0.744           | -0.0004               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 10         | 3.85          | 0.172            | 0.0001                | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 30         | 3.85          | -0.443           | -0.0002               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 40         | 3.85          | -0.186           | -0.0001               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 50         | 3.85          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 20         | 3.27          | -0.873           | -0.0005               | -2.5 to 2.5 | Pass    |
|            |                 |                    |        | 20         | 3.85          | 0.386            | 0.0002                | -2.5 to 2.5 | Pass    |
|            | 20              | 4.43               | -0.887 | -0.0005    | -2.5 to 2.5   | Pass             |                       |             |         |
|            | -30             | 3.85               | -0.057 | 0.0000     | -2.5 to 2.5   | Pass             |                       |             |         |
|            | -20             | 3.85               | -1.130 | -0.0006    | -2.5 to 2.5   | Pass             |                       |             |         |
|            | -10             | 3.85               | -0.615 | -0.0003    | -2.5 to 2.5   | Pass             |                       |             |         |
|            | 0               | 3.85               | -0.658 | -0.0003    | -2.5 to 2.5   | Pass             |                       |             |         |
|            | 10              | 3.85               | 0.243  | 0.0001     | -2.5 to 2.5   | Pass             |                       |             |         |
|            | 30              | 3.85               | -0.772 | -0.0004    | -2.5 to 2.5   | Pass             |                       |             |         |
|            | 40              | 3.85               | -1.702 | -0.0009    | -2.5 to 2.5   | Pass             |                       |             |         |
|            | 50              | 3.85               | -1.259 | -0.0007    | -2.5 to 2.5   | Pass             |                       |             |         |

## 2.1.5 B2\_15MHz

| Band: 2 / Bandwidth: 15MHz |                 |               |        |            |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                       | 1857.5          | 75            | 0      | 20         | 3.27          | -1.030           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 20         | 3.85          | 0.315            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 20         | 4.43          | -0.157           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | 0.315            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | 0.157            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | 0.486            | 0.0003                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.85          | -0.386           | -0.0002               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.85          | -1.259           | -0.0007               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.85          | 0.057            | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.85          | -0.286           | -0.0002               | -2.5 to 2.5 | Pass    |
|                            | 50              | 3.85          | 0.257  | 0.0001     | -2.5 to 2.5   | Pass             |                       |             |         |
|                            | 1880            | 75            | 0      | 20         | 3.27          | -1.059           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 20         | 3.85          | -0.129           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 20         | 4.43          | -0.057           | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | -1.416           | -0.0008               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | -1.674           | -0.0009               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | -1.230           | -0.0007               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.85          | -0.544           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.85          | -2.017           | -0.0011               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.85          | -1.116           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.85          | -1.016           | -0.0005               | -2.5 to 2.5 | Pass    |
|                            | 1902.5          | 75            | 0      | 20         | 3.27          | -0.916           | -0.0005               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 20         | 3.85          | -0.758           | -0.0004               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 20         | 4.43          | -0.014           | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.85          | 0.215            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.85          | -0.229           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.85          | -0.229           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.85          | 0.486            | 0.0003                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.85          | -0.072           | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.85          | 0.401            | 0.0002                | -2.5 to 2.5 | Pass    |
| 40                         |                 |               |        | 3.85       | -0.358        | -0.0002          | -2.5 to 2.5           | Pass        |         |

| Modulation | Frequency (MHz) | RB Allocation Size | Offset | Temp. (°C)  | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict     |      |
|------------|-----------------|--------------------|--------|-------------|---------------|------------------|-----------------------|-------------|-------------|------|
|            |                 |                    |        |             |               |                  | Result                | Limit       |             |      |
| 16QAM      | 1857.5          | 75                 | 0      | 50          | 3.85          | 0.715            | 0.0004                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 3.27          | 0.358            | 0.0002                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 3.85          | 0.086            | 0.0000                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        | 20          | 4.43          | 0.272            | 0.0001                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | -30           | 3.85             | 0.257                 | 0.0001      | -2.5 to 2.5 | Pass |
|            |                 |                    |        |             | -20           | 3.85             | -1.917                | -0.0010     | -2.5 to 2.5 | Pass |
|            |                 |                    |        | -10         | 3.85          | 0.257            | 0.0001                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 0             | 3.85             | 1.531                 | 0.0008      | -2.5 to 2.5 | Pass |
|            |                 |                    |        |             | 10            | 3.85             | 0.372                 | 0.0002      | -2.5 to 2.5 | Pass |
|            | 30              | 3.85               | 0.544  |             | 0.0003        | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 40              | 3.85               | 0.429  |             | 0.0002        | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 1880            | 75                 | 0      | 50          | 3.85          | 1.202            | 0.0006                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 3.27          | -0.358           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 3.85          | -1.774           | -0.0009               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        | 20          | 4.43          | -0.386           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | -30           | 3.85             | -0.443                | -0.0002     | -2.5 to 2.5 | Pass |
|            |                 |                    |        |             | -20           | 3.85             | -0.014                | 0.0000      | -2.5 to 2.5 | Pass |
|            |                 |                    |        | -10         | 3.85          | -0.300           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 0             | 3.85             | -0.086                | 0.0000      | -2.5 to 2.5 | Pass |
|            |                 |                    |        |             | 10            | 3.85             | 0.200                 | 0.0001      | -2.5 to 2.5 | Pass |
|            | 30              | 3.85               | -0.429 |             | -0.0002       | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 40              | 3.85               | 0.300  |             | 0.0002        | -2.5 to 2.5      | Pass                  |             |             |      |
|            | 1902.5          | 75                 | 0      | 50          | 3.85          | -0.358           | -0.0002               | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 3.27          | -0.057           | 0.0000                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | 3.85          | 0.043            | 0.0000                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        | 20          | 4.43          | 0.172            | 0.0001                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        |             | -30           | 3.85             | -0.243                | -0.0001     | -2.5 to 2.5 | Pass |
| -20        |                 |                    |        |             | 3.85          | -0.658           | -0.0003               | -2.5 to 2.5 | Pass        |      |
| -10        |                 |                    |        | 3.85        | 0.472         | 0.0002           | -2.5 to 2.5           | Pass        |             |      |
|            |                 |                    |        | 0           | 3.85          | 0.229            | 0.0001                | -2.5 to 2.5 | Pass        |      |
|            |                 |                    |        | 10          | 3.85          | 0.587            | 0.0003                | -2.5 to 2.5 | Pass        |      |
|            | 30              | 3.85               | 0.272  | 0.0001      | -2.5 to 2.5   | Pass             |                       |             |             |      |
|            | 40              | 3.85               | 0.772  | 0.0004      | -2.5 to 2.5   | Pass             |                       |             |             |      |
| 50         | 3.85            | 0.629              | 0.0003 | -2.5 to 2.5 | Pass          |                  |                       |             |             |      |

## 2.1.6 B2\_20MHz

| Band: 2 / Bandwidth: 20MHz |                 |               |        |            |               |                  |                       |             |             |      |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|-------------|------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict     |      |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |             |      |
| QPSK                       | 1860            | 100           | 0      | 20         | 3.27          | -0.072           | 0.0000                | -2.5 to 2.5 | Pass        |      |
|                            |                 |               |        |            | 3.85          | -0.043           | 0.0000                | -2.5 to 2.5 | Pass        |      |
|                            |                 |               |        |            | 4.43          | 1.059            | 0.0006                | -2.5 to 2.5 | Pass        |      |
|                            |                 |               |        | -30        | 3.85          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass        |      |
|                            |                 |               |        |            | -20           | 3.85             | 1.216                 | 0.0007      | -2.5 to 2.5 | Pass |
|                            |                 |               |        |            | -10           | 3.85             | -1.030                | -0.0006     | -2.5 to 2.5 | Pass |
|                            |                 |               |        | 0          | 3.85          | -2.017           | -0.0011               | -2.5 to 2.5 | Pass        |      |
|                            |                 |               |        |            | 10            | 3.85             | -0.529                | -0.0003     | -2.5 to 2.5 | Pass |
|                            |                 |               |        |            | 30            | 3.85             | 0.014                 | 0.0000      | -2.5 to 2.5 | Pass |
|                            | 40              | 3.85          | -0.086 | 0.0000     | -2.5 to 2.5   | Pass             |                       |             |             |      |
|                            |                 | 50            | 3.85   | -0.229     | -0.0001       | -2.5 to 2.5      | Pass                  |             |             |      |
|                            |                 | 1880          | 100    | 0          | 20            | 3.27             | -0.973                | -0.0005     | -2.5 to 2.5 | Pass |
|                            | 3.85            |               |        |            |               | 0.758            | 0.0004                | -2.5 to 2.5 | Pass        |      |
|                            | 4.43            |               |        |            |               | -1.774           | -0.0009               | -2.5 to 2.5 | Pass        |      |
|                            | -30             |               |        |            | 3.85          | -1.788           | -0.0010               | -2.5 to 2.5 | Pass        |      |
| -20                        |                 |               |        |            | 3.85          | -1.416           | -0.0008               | -2.5 to 2.5 | Pass        |      |
| -10                        |                 |               |        |            | 3.85          | -0.143           | -0.0001               | -2.5 to 2.5 | Pass        |      |

|      |      |        |         |         |      |        |             |             |        |         |             |             |      |
|------|------|--------|---------|---------|------|--------|-------------|-------------|--------|---------|-------------|-------------|------|
|      |      |        |         | 0       | 3.85 | -1.159 | -0.0006     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 10      | 3.85 | -1.159 | -0.0006     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 30      | 3.85 | -0.715 | -0.0004     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 40      | 3.85 | 0.057  | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 50      | 3.85 | -0.029 | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      | 1900 | 100    | 0       | 20      | 3.27 | 0.014  | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         |         | 3.85 | 0.215  | 0.0001      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         |         | 4.43 | 0.529  | 0.0003      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | -30     | 3.85 | 0.000  | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | -20     | 3.85 | -0.944 | -0.0005     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | -10     | 3.85 | -1.259 | -0.0007     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 0       | 3.85 | -0.315 | -0.0002     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 10      | 3.85 | 0.358  | 0.0002      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 30      | 3.85 | 0.401  | 0.0002      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 40      | 3.85 | 0.401  | 0.0002      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 50      | 3.85 | -0.272 | -0.0001     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        |         | 16QAM   | 1860 | 100    | 0           | 20          | 3.27   | -0.229  | -0.0001     | -2.5 to 2.5 | Pass |
|      |      |        |         |         |      |        |             |             | 3.85   | 0.157   | 0.0001      | -2.5 to 2.5 | Pass |
|      |      |        |         |         |      |        |             |             | 4.43   | 0.401   | 0.0002      | -2.5 to 2.5 | Pass |
| -30  | 3.85 | -0.429 | -0.0002 |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| -20  | 3.85 | 0.143  | 0.0001  |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| -10  | 3.85 | 0.272  | 0.0001  |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| 0    | 3.85 | 0.815  | 0.0004  |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| 10   | 3.85 | 0.615  | 0.0003  |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| 30   | 3.85 | -0.257 | -0.0001 |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| 40   | 3.85 | 0.200  | 0.0001  |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| 50   | 3.85 | 0.730  | 0.0004  |         |      |        |             | -2.5 to 2.5 | Pass   |         |             |             |      |
| 1880 | 100  | 0      | 20      |         |      |        |             | 3.27        | 0.300  | 0.0002  | -2.5 to 2.5 | Pass        |      |
|      |      |        |         |         |      |        |             | 3.85        | -0.243 | -0.0001 | -2.5 to 2.5 | Pass        |      |
|      |      |        |         |         |      |        |             | 4.43        | 0.658  | 0.0004  | -2.5 to 2.5 | Pass        |      |
|      |      |        | -30     |         | 3.85 | -0.329 | -0.0002     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | -20     |         | 3.85 | -0.229 | -0.0001     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | -10     |         | 3.85 | -0.086 | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | 0       |         | 3.85 | 0.129  | 0.0001      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | 10      |         | 3.85 | 0.815  | 0.0004      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | 30      |         | 3.85 | -0.043 | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | 40      |         | 3.85 | -0.272 | -0.0001     | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | 50      |         | 3.85 | 0.000  | 0.0000      | -2.5 to 2.5 | Pass   |         |             |             |      |
|      |      |        | 1900    |         | 100  | 0      | 20          | 3.27        | 0.000  | 0.0000  | -2.5 to 2.5 | Pass        |      |
|      |      |        |         |         |      |        |             | 3.85        | -1.631 | -0.0009 | -2.5 to 2.5 | Pass        |      |
|      |      |        |         |         |      |        |             | 4.43        | -0.772 | -0.0004 | -2.5 to 2.5 | Pass        |      |
|      |      |        |         |         |      |        | -30         | 3.85        | -1.602 | -0.0008 | -2.5 to 2.5 | Pass        |      |
| -20  | 3.85 | -1.674 |         |         |      |        | -0.0009     | -2.5 to 2.5 | Pass   |         |             |             |      |
| -10  | 3.85 | -1.030 |         |         |      |        | -0.0005     | -2.5 to 2.5 | Pass   |         |             |             |      |
| 0    | 3.85 | -0.615 |         |         |      |        | -0.0003     | -2.5 to 2.5 | Pass   |         |             |             |      |
| 10   | 3.85 | -1.345 |         | -0.0007 |      |        | -2.5 to 2.5 | Pass        |        |         |             |             |      |
| 30   | 3.85 | -1.488 |         | -0.0008 |      |        | -2.5 to 2.5 | Pass        |        |         |             |             |      |
| 40   | 3.85 | -1.545 |         | -0.0008 |      |        | -2.5 to 2.5 | Pass        |        |         |             |             |      |
| 50   | 3.85 | -1.373 |         | -0.0007 |      |        | -2.5 to 2.5 | Pass        |        |         |             |             |      |

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B2\_1.4MHz

| Band: 2 / Bandwidth: 1.4MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 1880            | 6             | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 1880            | 6             | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.2 B2\_3MHz

| Band: 2 / Bandwidth: 3MHz / NTNV |                 |               |        |                            |       |         |
|----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                       | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                  |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                             | 1880            | 15            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                            | 1880            | 15            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.3 B2\_5MHz

| Band: 2 / Bandwidth: 5MHz / NTNV |                 |               |        |                            |       |         |
|----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                       | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                  |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                             | 1880            | 25            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                            | 1880            | 25            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.4 B2\_10MHz

| Band: 2 / Bandwidth: 10MHz / NTNV |                 |               |        |                            |       |         |
|-----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                   |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                              | 1880            | 50            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                             | 1880            | 50            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.5 B2\_15MHz


| Band: 2 / Bandwidth: 15MHz / NTNV |                 |               |        |                            |       |         |
|-----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                   |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                              | 1880            | 75            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                             | 1880            | 75            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.6 B2\_20MHz



| Band: 2 / Bandwidth: 20MHz / NTNV |                 |               |        |                            |       |         |
|-----------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                   |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                              | 1880            | 100           | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                             | 1880            | 100           | 0      | Refer To Test Graph        |       | Pass    |

### 3.2 Test Graph

#### 3.2.1 B2\_1.4MHz





3.2.2 B2\_3MHz









3.2.3 B2\_5MHz





3.2.4 B2\_10MHz



3.2.5 B2\_15MHz



3.2.6 B2\_20MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band2\_OBW

| Band: 2 / NTNV  |            |                 |               |        |                              |       |         |
|-----------------|------------|-----------------|---------------|--------|------------------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result                       | Limit |         |
| 1.4             | QPSK       | 1850.7          | 6             | 0      | 1.106                        | /     | Pass    |
|                 |            | 1880            | 6             | 0      | 1.122                        | /     | Pass    |
|                 |            | 1909.3          | 6             | 0      | 1.111                        | /     | Pass    |
|                 | 16QAM      | 1850.7          | 6             | 0      | 1.106                        | /     | Pass    |
|                 |            | 1880            | 6             | 0      | 1.112                        | /     | Pass    |
|                 |            | 1909.3          | 6             | 0      | 1.116                        | /     | Pass    |
| 3               | QPSK       | 1851.5          | 15            | 0      | 2.718                        | /     | Pass    |
|                 |            | 1880            | 15            | 0      | 2.724                        | /     | Pass    |
|                 |            | 1908.5          | 15            | 0      | 2.723                        | /     | Pass    |
|                 | 16QAM      | 1851.5          | 15            | 0      | 2.719                        | /     | Pass    |
|                 |            | 1880            | 15            | 0      | 2.731                        | /     | Pass    |
|                 |            | 1908.5          | 15            | 0      | 2.724                        | /     | Pass    |
| 5               | QPSK       | 1852.5          | 25            | 0      | 4.558                        | /     | Pass    |
|                 |            | 1880            | 25            | 0      | 4.568                        | /     | Pass    |
|                 |            | 1907.5          | 25            | 0      | 4.572                        | /     | Pass    |
|                 | 16QAM      | 1852.5          | 25            | 0      | 4.568                        | /     | Pass    |
|                 |            | 1880            | 25            | 0      | 4.576                        | /     | Pass    |
|                 |            | 1907.5          | 25            | 0      | 4.565                        | /     | Pass    |
| 10              | QPSK       | 1855            | 50            | 0      | 9.076                        | /     | Pass    |
|                 |            | 1880            | 50            | 0      | 9.083                        | /     | Pass    |
|                 |            | 1905            | 50            | 0      | 9.071                        | /     | Pass    |
|                 | 16QAM      | 1855            | 50            | 0      | 9.060                        | /     | Pass    |
|                 |            | 1880            | 50            | 0      | 9.102                        | /     | Pass    |
|                 |            | 1905            | 50            | 0      | 9.085                        | /     | Pass    |
| 15              | QPSK       | 1857.5          | 75            | 0      | 13.608                       | /     | Pass    |
|                 |            | 1880            | 75            | 0      | 13.591                       | /     | Pass    |
|                 |            | 1902.5          | 75            | 0      | 13.556                       | /     | Pass    |
|                 | 16QAM      | 1857.5          | 75            | 0      | 13.548                       | /     | Pass    |
|                 |            | 1880            | 75            | 0      | 13.605                       | /     | Pass    |
|                 |            | 1902.5          | 75            | 0      | 13.551                       | /     | Pass    |
| 20              | QPSK       | 1860            | 100           | 0      | 18.125                       | /     | Pass    |
|                 |            | 1880            | 100           | 0      | 18.092                       | /     | Pass    |
|                 |            | 1900            | 100           | 0      | 18.070                       | /     | Pass    |
|                 | 16QAM      | 1860            | 100           | 0      | 18.101                       | /     | Pass    |
|                 |            | 1880            | 100           | 0      | 18.095                       | /     | Pass    |
|                 |            | 1900            | 100           | 0      | 18.105                       | /     | Pass    |


#### 4.1.2 Band2\_XDB

| Band: 2 / NTNV  |            |                 |               |        |                      |       |         |
|-----------------|------------|-----------------|---------------|--------|----------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result               | Limit |         |
| 1.4             | QPSK       | 1850.7          | 6             | 0      | 1.271                | /     | Pass    |
|                 |            | 1880            | 6             | 0      | 1.990                | /     | Pass    |
|                 |            | 1909.3          | 6             | 0      | 1.269                | /     | Pass    |


|    |       |        |     |   |        |   |      |
|----|-------|--------|-----|---|--------|---|------|
|    | 16QAM | 1850.7 | 6   | 0 | 1.256  | / | Pass |
|    |       | 1880   | 6   | 0 | 1.465  | / | Pass |
|    |       | 1909.3 | 6   | 0 | 1.286  | / | Pass |
| 3  | QPSK  | 1851.5 | 15  | 0 | 2.963  | / | Pass |
|    |       | 1880   | 15  | 0 | 3.046  | / | Pass |
|    |       | 1908.5 | 15  | 0 | 2.986  | / | Pass |
|    | 16QAM | 1851.5 | 15  | 0 | 2.969  | / | Pass |
|    |       | 1880   | 15  | 0 | 3.288  | / | Pass |
|    |       | 1908.5 | 15  | 0 | 2.983  | / | Pass |
| 5  | QPSK  | 1852.5 | 25  | 0 | 5.056  | / | Pass |
|    |       | 1880   | 25  | 0 | 5.763  | / | Pass |
|    |       | 1907.5 | 25  | 0 | 5.081  | / | Pass |
|    | 16QAM | 1852.5 | 25  | 0 | 5.047  | / | Pass |
|    |       | 1880   | 25  | 0 | 5.321  | / | Pass |
|    |       | 1907.5 | 25  | 0 | 5.098  | / | Pass |
| 10 | QPSK  | 1855   | 50  | 0 | 10.049 | / | Pass |
|    |       | 1880   | 50  | 0 | 11.435 | / | Pass |
|    |       | 1905   | 50  | 0 | 10.132 | / | Pass |
|    | 16QAM | 1855   | 50  | 0 | 10.092 | / | Pass |
|    |       | 1880   | 50  | 0 | 11.338 | / | Pass |
|    |       | 1905   | 50  | 0 | 10.019 | / | Pass |
| 15 | QPSK  | 1857.5 | 75  | 0 | 15.210 | / | Pass |
|    |       | 1880   | 75  | 0 | 15.376 | / | Pass |
|    |       | 1902.5 | 75  | 0 | 15.273 | / | Pass |
|    | 16QAM | 1857.5 | 75  | 0 | 15.056 | / | Pass |
|    |       | 1880   | 75  | 0 | 15.950 | / | Pass |
|    |       | 1902.5 | 75  | 0 | 15.100 | / | Pass |
| 20 | QPSK  | 1860   | 100 | 0 | 20.047 | / | Pass |
|    |       | 1880   | 100 | 0 | 20.027 | / | Pass |
|    |       | 1900   | 100 | 0 | 20.000 | / | Pass |
|    | 16QAM | 1860   | 100 | 0 | 19.904 | / | Pass |
|    |       | 1880   | 100 | 0 | 19.900 | / | Pass |
|    |       | 1900   | 100 | 0 | 20.187 | / | Pass |

## 4.2 Test Graph


### 4.2.1 Band2\_OBW



Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV







Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV



Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV







Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTN







4.2.2 Band2\_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV







Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV



Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTV







Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTN



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B2\_1.4MHz

| Band: 2 / Bandwidth: 1.4MHz / NTN |                 |               |        |                         |       |         |
|-----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                   |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                              | 1850.7          | 6             | 0      | 3.92                    | <=13  | Pass    |
|                                   | 1880            | 6             | 0      | 3.07                    | <=13  | Pass    |
|                                   | 1909.3          | 6             | 0      | 3.69                    | <=13  | Pass    |
| 16QAM                             | 1850.7          | 6             | 0      | 4.58                    | <=13  | Pass    |
|                                   | 1880            | 6             | 0      | 3.93                    | <=13  | Pass    |
|                                   | 1909.3          | 6             | 0      | 4.35                    | <=13  | Pass    |

#### 5.1.2 B2\_3MHz

| Band: 2 / Bandwidth: 3MHz / NTN |                 |               |        |                         |       |         |
|---------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                      | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                 |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                            | 1851.5          | 15            | 0      | 4.17                    | <=13  | Pass    |
|                                 | 1880            | 15            | 0      | 3.22                    | <=13  | Pass    |
|                                 | 1908.5          | 15            | 0      | 3.95                    | <=13  | Pass    |
| 16QAM                           | 1851.5          | 15            | 0      | 4.92                    | <=13  | Pass    |
|                                 | 1880            | 15            | 0      | 4.06                    | <=13  | Pass    |
|                                 | 1908.5          | 15            | 0      | 4.70                    | <=13  | Pass    |

#### 5.1.3 B2\_5MHz

| Band: 2 / Bandwidth: 5MHz / NTN |                 |               |        |                         |       |         |
|---------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                      | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                 |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                            | 1852.5          | 25            | 0      | 4.73                    | <=13  | Pass    |
|                                 | 1880            | 25            | 0      | 4.11                    | <=13  | Pass    |
|                                 | 1907.5          | 25            | 0      | 4.41                    | <=13  | Pass    |
| 16QAM                           | 1852.5          | 25            | 0      | 5.35                    | <=13  | Pass    |
|                                 | 1880            | 25            | 0      | 4.83                    | <=13  | Pass    |
|                                 | 1907.5          | 25            | 0      | 4.98                    | <=13  | Pass    |

#### 5.1.4 B2\_10MHz

| Band: 2 / Bandwidth: 10MHz / NTN |                 |               |        |                         |       |         |
|----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                       | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                  |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                             | 1855            | 50            | 0      | 5.04                    | <=13  | Pass    |
|                                  | 1880            | 50            | 0      | 4.29                    | <=13  | Pass    |
|                                  | 1905            | 50            | 0      | 4.65                    | <=13  | Pass    |
| 16QAM                            | 1855            | 50            | 0      | 5.97                    | <=13  | Pass    |
|                                  | 1880            | 50            | 0      | 4.94                    | <=13  | Pass    |

|  |      |    |   |      |      |      |
|--|------|----|---|------|------|------|
|  | 1905 | 50 | 0 | 5.29 | <=13 | Pass |
|--|------|----|---|------|------|------|

### 5.1.5 B2\_15MHz



| Band: 2 / Bandwidth: 15MHz / NTN |                 |               |        |                         |       |         |
|----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                       | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                  |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                             | 1857.5          | 75            | 0      | 5.17                    | <=13  | Pass    |
|                                  | 1880            | 75            | 0      | 4.12                    | <=13  | Pass    |
|                                  | 1902.5          | 75            | 0      | 4.80                    | <=13  | Pass    |
| 16QAM                            | 1857.5          | 75            | 0      | 5.94                    | <=13  | Pass    |
|                                  | 1880            | 75            | 0      | 4.73                    | <=13  | Pass    |
|                                  | 1902.5          | 75            | 0      | 5.38                    | <=13  | Pass    |

### 5.1.6 B2\_20MHz


| Band: 2 / Bandwidth: 20MHz / NTN |                 |               |        |                         |       |         |
|----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                       | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                  |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                             | 1860            | 100           | 0      | 5.04                    | <=13  | Pass    |
|                                  | 1880            | 100           | 0      | 4.30                    | <=13  | Pass    |
|                                  | 1900            | 100           | 0      | 4.86                    | <=13  | Pass    |
| 16QAM                            | 1860            | 100           | 0      | 5.95                    | <=13  | Pass    |
|                                  | 1880            | 100           | 0      | 5.00                    | <=13  | Pass    |
|                                  | 1900            | 100           | 0      | 5.61                    | <=13  | Pass    |

## 5.2 Test Graph

### 5.2.1 B2\_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




2024-08-29 12:00:23

Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




2024-08-29 11:59:44

Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV





2024-08-29 12:00:10

Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




2024-08-29 12:00:33

5.2.2 B2\_3MHz






Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




2024-08-29 12:01:59

Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




2024-08-29 12:01:22

Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTV





2024-08-29 12:01:45

Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




2024-08-29 12:02:10

5.2.3 B2\_5MHz




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




2024-08-29 12:03:43

Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




2024-08-29 12:03:04

Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTV





2024-08-29 12:03:30

Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV




2024-08-29 12:03:54

5.2.4 B2\_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




2024-08-29 12:05:48

Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




2024-08-29 12:04:53

Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV



2024-08-29 12:05:28



Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




2024-08-29 12:08:03



5.2.5 B2\_15MHz




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




2024-08-29 12:07:50

Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




2024-08-29 12:07:02

Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTV





2024-08-29 12:07:33

Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTV




2024-08-29 12:08:03

5.2.6 B2\_20MHz




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




2024-08-29 12:09:49

Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTV




2024-08-29 12:09:01

Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN



2024-08-29 12:09:32

Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTN



2024-08-29 12:10:02

## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B2\_1.4MHz

| Band: 2 / Bandwidth: 1.4MHz / NTN |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 1850.7          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                   | 1909.3          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 5      | Refer To Test Graph |       | Pass    |
|                                   |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                             | 1850.7          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                   | 1909.3          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 5      | Refer To Test Graph |       | Pass    |
|                                   |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.2 B2\_3MHz

| Band: 2 / Bandwidth: 3MHz / NTN |                 |               |        |                     |       |         |
|---------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                      | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                 |                 | Size          | Offset | Result              | Limit |         |
| QPSK                            | 1851.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                 | 1908.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 |               | 14     | Refer To Test Graph |       | Pass    |
|                                 |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 |               | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                           | 1851.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                 | 1908.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 |               | 14     | Refer To Test Graph |       | Pass    |
|                                 |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 |               | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.3 B2\_5MHz

| Band: 2 / Bandwidth: 5MHz / NTN |                 |               |        |                     |       |         |
|---------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                      | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                 |                 | Size          | Offset | Result              | Limit |         |
| QPSK                            | 1852.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                 | 1907.5          | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                 |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                 |                 |               | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                           | 1852.5          | 1             | 0      | Refer To Test Graph |       | Pass    |

|  |        |    |    |                     |      |
|--|--------|----|----|---------------------|------|
|  |        | 25 | 0  | Refer To Test Graph | Pass |
|  | 1880   | 1  | 0  | Refer To Test Graph | Pass |
|  | 1907.5 | 1  | 0  | Refer To Test Graph | Pass |
|  |        |    | 24 | Refer To Test Graph | Pass |
|  |        | 25 | 0  | Refer To Test Graph | Pass |

#### 6.1.4 B2\_10MHz

| Band: 2 / Bandwidth: 10MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 1855            | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 | 50            | 0      | Refer To Test Graph | Pass  |         |
|                                   | 1905            | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 49     | Refer To Test Graph | Pass  |         |
|                                   |                 | 50            | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 0      | Refer To Test Graph | Pass  |         |
| 16QAM                             | 1855            | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 | 50            | 0      | Refer To Test Graph | Pass  |         |
|                                   | 1905            | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 49     | Refer To Test Graph | Pass  |         |
|                                   |                 | 50            | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 0      | Refer To Test Graph | Pass  |         |

#### 6.1.5 B2\_15MHz


| Band: 2 / Bandwidth: 15MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 1857.5          | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 | 75            | 0      | Refer To Test Graph | Pass  |         |
|                                   | 1902.5          | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 74     | Refer To Test Graph | Pass  |         |
|                                   |                 | 75            | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 0      | Refer To Test Graph | Pass  |         |
| 16QAM                             | 1857.5          | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 | 75            | 0      | Refer To Test Graph | Pass  |         |
|                                   | 1902.5          | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 74     | Refer To Test Graph | Pass  |         |
|                                   |                 | 75            | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 0      | Refer To Test Graph | Pass  |         |

#### 6.1.6 B2\_20MHz

| Band: 2 / Bandwidth: 20MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 1860            | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 | 100           | 0      | Refer To Test Graph | Pass  |         |
|                                   | 1900            | 1             | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 99     | Refer To Test Graph | Pass  |         |
|                                   |                 | 100           | 0      | Refer To Test Graph | Pass  |         |
|                                   |                 |               | 0      | Refer To Test Graph | Pass  |         |
| 16QAM                             | 1860            | 1             | 0      | Refer To Test Graph | Pass  |         |





|  |      |     |    |                     |      |
|--|------|-----|----|---------------------|------|
|  |      | 100 | 0  | Refer To Test Graph | Pass |
|  | 1880 | 1   | 0  | Refer To Test Graph | Pass |
|  | 1900 | 1   | 0  | Refer To Test Graph | Pass |
|  |      |     | 99 | Refer To Test Graph | Pass |
|  |      | 100 | 0  | Refer To Test Graph | Pass |




## 6.2 Test Graph

### 6.2.1 B2\_1.4MHz




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV



2024-08-29 15:23:05


Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




2024-08-29 15:23:12

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1848.5      | 1849       | 1         | /      | 1          | 1848.998   | -46.15      | -13         | Pass   |
| 1849        | 1850       | 0.013     | /      | 2          | 1849.760   | -26.34      | -13         | Pass   |
| 1850        | 1851.5     | 0.013     | /      | /          | /          | /           | /           | /      |


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1908.5      | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.015   | -32.35      | -13         | Pass   |
| 1911        | 1911.5     | 1         | /      | 2          | 1911.351   | -58.33      | -13         | Pass   |

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1908.5      | 1910       | 0.013     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.013     | /      | 1          | 1910.039   | -27.92      | -13         | Pass   |
| 1911        | 1911.5     | 1         | /      | 2          | 1911.014   | -48.54      | -13         | Pass   |

Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1848.5      | 1849       | 1         | /      | 1          | 1848.998   | -60.66      | -13         | Pass   |
| 1849        | 1850       | 0.003     | /      | 2          | 1849.998   | -30.54      | -13         | Pass   |
| 1850        | 1851.5     | 0.003     | /      | /          | /          | /           | /           | /      |


Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1848.5      | 1849       | 1         | /      | 1          | 1848.989   | -46.80      | -13         | Pass   |
| 1849        | 1850       | 0.013     | /      | 2          | 1849.928   | -26.85      | -13         | Pass   |
| 1850        | 1851.5     | 0.013     | /      | /          | /          | /           | /           | /      |




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTN



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTN




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 5 NTNV





| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1908.5      | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.002   | -34.35      | -13         | Pass   |
| 1911        | 1911.5     | 1         | /      | 2          | 1911.441   | -60.52      | -13         | Pass   |

Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1908.5      | 1910       | 0.013     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.013     | /      | 1          | 1910.027   | -29.66      | -13         | Pass   |
| 1911        | 1911.5     | 1         | /      | 2          | 1911.002   | -48.96      | -13         | Pass   |


6.2.2 B2\_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1847        | 1849       | 1         | CHP    | 1          | 1848.500   | -20.00      | -13         | Pass   |
| 1849        | 1850       | 0.03      | /      | 2          | 1849.922   | -29.00      | -13         | Pass   |
| 1850        | 1853       | 0.03      | /      | /          | /          | /           | /           | /      |


Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1907        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.009   | -32.18      | -13         | Pass   |
| 1911        | 1913       | 1         | CHP    | 2          | 1911.976   | -29.01      | -13         | Pass   |


Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1907        | 1910       | 0.03      | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.03      | /      | 1          | 1910.018   | -26.01      | -13         | Pass   |
| 1911        | 1913       | 1         | CHP    | 2          | 1911.002   | -16.98      | -13         | Pass   |




Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1847        | 1849       | 1         | CHP    | 1          | 1847.993   | -29.99      | -13         | Pass   |
| 1849        | 1850       | 0.003     | /      | 2          | 1849.991   | -33.14      | -13         | Pass   |
| 1850        | 1853       | 0.003     | /      | /          | /          | /           | /           | /      |


Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTN



Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1847        | 1849       | 1         | CHP    | 1          | 1848.500   | -22.05      | -13         | Pass   |
| 1849        | 1850       | 0.03      | /      | 2          | 1849.958   | -30.59      | -13         | Pass   |
| 1850        | 1853       | 0.03      | /      | /          | /          | /           | /           | /      |


Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTV



Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 14 NTV





| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1907        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.011   | -32.63      | -13         | Pass   |
| 1911        | 1913       | 1         | CHP    | 2          | 1911.977   | -29.56      | -13         | Pass   |

Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1907        | 1910       | 0.03      | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.03      | /      | 1          | 1910.060   | -28.57      | -13         | Pass   |
| 1911        | 1913       | 1         | CHP    | 2          | 1911.002   | -18.74      | -13         | Pass   |


6.2.3 B2\_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1845        | 1849       | 1         | CHP    | 1          | 1848.500   | -20.98      | -13         | Pass   |
| 1849        | 1850       | 0.051     | /      | 2          | 1849.740   | -28.89      | -13         | Pass   |
| 1850        | 1855       | 0.051     | /      | /          | /          | /           | /           | /      |

Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV







Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.011   | -32.42      | -13         | Pass   |
| 1911        | 1915       | 1         | CHP    | 2          | 1913.801   | -29.37      | -13         | Pass   |

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1910       | 0.051     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.051     | /      | 1          | 1910.300   | -26.44      | -13         | Pass   |
| 1911        | 1915       | 1         | CHP    | 2          | 1911.010   | -16.93      | -13         | Pass   |

Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1845        | 1849       | 1         | CHP    | 1          | 1846.104   | -33.60      | -13         | Pass   |
| 1849        | 1850       | 0.003     | /      | 2          | 1849.992   | -34.70      | -13         | Pass   |
| 1850        | 1855       | 0.003     | /      | /          | /          | /           | /           | /      |


Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTN



Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1845        | 1849       | 1         | CHP    | 1          | 1848.500   | -22.72      | -13         | Pass   |
| 1849        | 1850       | 0.051     | /      | 2          | 1849.990   | -30.47      | -13         | Pass   |
| 1850        | 1855       | 0.051     | /      | /          | /          | /           | /           | /      |


Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV



Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 24 NTV





| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.005   | -34.22      | -13         | Pass   |
| 1911        | 1915       | 1         | CHP    | 2          | 1913.795   | -32.63      | -13         | Pass   |

Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1905        | 1910       | 0.051     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.051     | /      | 1          | 1910.100   | -26.83      | -13         | Pass   |
| 1911        | 1915       | 1         | CHP    | 2          | 1911.010   | -17.93      | -13         | Pass   |

6.2.4 B2\_10MHz






Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1840        | 1849       | 1         | CHP    | 1          | 1848.500   | -25.87      | -13         | Pass   |
| 1849        | 1850       | 0.1       | /      | 2          | 1849.960   | -31.67      | -13         | Pass   |
| 1850        | 1860       | 0.1       | /      | /          | /          | /           | /           | /      |


Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTV



Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.010   | -37.91      | -13         | Pass   |
| 1911        | 1920       | 1         | CHP    | 2          | 1918.065   | -31.22      | -13         | Pass   |

Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1910       | 0.11      | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.11      | /      | 1          | 1910.020   | -25.85      | -13         | Pass   |
| 1911        | 1920       | 1         | CHP    | 2          | 1911.020   | -19.78      | -13         | Pass   |

Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1840        | 1849       | 1         | CHP    | 1          | 1841.800   | -35.36      | -13         | Pass   |
| 1849        | 1850       | 0.003     | /      | 2          | 1849.997   | -38.49      | -13         | Pass   |
| 1850        | 1860       | 0.003     | /      | /          | /          | /           | /           | /      |


Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTV



Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1840        | 1849       | 1         | CHP    | 1          | 1848.460   | -26.35      | -13         | Pass   |
| 1849        | 1850       | 0.11      | /      | 2          | 1849.980   | -30.57      | -13         | Pass   |
| 1850        | 1860       | 0.11      | /      | /          | /          | /           | /           | /      |


Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTN



Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTV






Band2 10MHz 16QAM HCH 1905MHz RB 1 49 NTV





| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.015   | -38.64      | -13         | Pass   |
| 1911        | 1920       | 1         | CHP    | 2          | 1918.162   | -33.22      | -13         | Pass   |

Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1900        | 1910       | 0.1       | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.1       | /      | 1          | 1910.140   | -27.57      | -13         | Pass   |
| 1911        | 1920       | 1         | CHP    | 2          | 1911.020   | -20.84      | -13         | Pass   |

6.2.5 B2\_15MHz




Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV



2024-08-29 15:45:53


Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




2024-08-29 15:45:59

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1835        | 1849       | 1         | CHP    | 1          | 1846.910   | -26.70      | -13         | Pass   |
| 1849        | 1850       | 0.16      | /      | 2          | 1849.970   | -31.16      | -13         | Pass   |
| 1850        | 1865       | 0.16      | /      | /          | /          | /           | /           | /      |


Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV



Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 74 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.007   | -39.83      | -13         | Pass   |
| 1911        | 1925       | 1         | CHP    | 2          | 1911.001   | -35.81      | -13         | Pass   |

Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1910       | 0.16      | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.16      | /      | 1          | 1910.030   | -26.84      | -13         | Pass   |
| 1911        | 1925       | 1         | CHP    | 2          | 1911.020   | -21.15      | -13         | Pass   |

Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1835        | 1849       | 1         | CHP    | 1          | 1837.453   | -36.42      | -13         | Pass   |
| 1849        | 1850       | 0.003     | /      | 2          | 1849.996   | -39.96      | -13         | Pass   |
| 1850        | 1865       | 0.003     | /      | /          | /          | /           | /           | /      |


Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV



Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1835        | 1849       | 1         | CHP    | 1          | 1848.380   | -28.62      | -13         | Pass   |
| 1849        | 1850       | 0.16      | /      | 2          | 1849.970   | -30.84      | -13         | Pass   |
| 1850        | 1865       | 0.16      | /      | /          | /          | /           | /           | /      |




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTV



Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 74 NTN





| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.004   | -40.49      | -13         | Pass   |
| 1911        | 1925       | 1         | CHP    | 2          | 1911.001   | -36.80      | -13         | Pass   |

Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1895        | 1910       | 0.16      | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.16      | /      | 1          | 1910.720   | -29.09      | -13         | Pass   |
| 1911        | 1925       | 1         | CHP    | 2          | 1911.020   | -22.81      | -13         | Pass   |


6.2.6 B2\_20MHz



Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1830        | 1849       | 1         | CHP    | 1          | 1848.480   | -29.50      | -13         | Pass   |
| 1849        | 1850       | 0.2       | /      | 2          | 1849.960   | -34.70      | -13         | Pass   |
| 1850        | 1870       | 0.2       | /      | /          | /          | /           | /           | /      |


Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTV



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTV




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTN



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1890        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.005   | -43.55      | -13         | Pass   |
| 1911        | 1930       | 1         | CHP    | 2          | 1911.005   | -36.44      | -13         | Pass   |


Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTN



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1890        | 1910       | 0.2       | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.2       | /      | 1          | 1910.560   | -31.16      | -13         | Pass   |
| 1911        | 1930       | 1         | CHP    | 2          | 1911.640   | -24.81      | -13         | Pass   |




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTVN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1830        | 1849       | 1         | CHP    | 1          | 1833.165   | -37.79      | -13         | Pass   |
| 1849        | 1850       | 0.003     | /      | 2          | 1849.995   | -42.74      | -13         | Pass   |
| 1850        | 1870       | 0.003     | /      | /          | /          | /           | /           | /      |


Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTVN



Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTN




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1830        | 1849       | 1         | CHP    | 1          | 1848.480   | -30.10      | -13         | Pass   |
| 1849        | 1850       | 0.2       | /      | 2          | 1849.680   | -34.50      | -13         | Pass   |
| 1850        | 1870       | 0.2       | /      | /          | /          | /           | /           | /      |


Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTV



Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTV




Band2 20MHz 16QAM HCH 1900MHz RB 1 99 NTV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1890        | 1910       | 0.003     | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.003     | /      | 1          | 1910.015   | -43.45      | -13         | Pass   |
| 1911        | 1930       | 1         | CHP    | 2          | 1911.005   | -36.99      | -13         | Pass   |

Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1890        | 1910       | 0.22      | /      | /          | /          | /           | /           | /      |
| 1910        | 1911       | 0.22      | /      | 1          | 1910.440   | -30.68      | -13         | Pass   |
| 1911        | 1930       | 1         | CHP    | 2          | 1911.320   | -26.48      | -13         | Pass   |

## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

| Band | BW  | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|-----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 2    | 1.4 | 1850.7     | 1909.3    | 0.1334        | 0.0014 | ppm    | 1M12G7D             | 24E        | 21.25           |
| 2    | 1.4 | 1850.7     | 1909.3    | 0.1199        | 0.0020 | ppm    | 1M12W7D             | 24E        | 20.79           |
| 2    | 3   | 1851.5     | 1908.5    | 0.1384        | 0.0010 | ppm    | 2M72G7D             | 24E        | 21.41           |
| 2    | 3   | 1851.5     | 1908.5    | 0.1186        | 0.0011 | ppm    | 2M73W7D             | 24E        | 20.74           |
| 2    | 5   | 1852.5     | 1907.5    | 0.1346        | 0.0009 | ppm    | 4M57G7D             | 24E        | 21.29           |
| 2    | 5   | 1852.5     | 1907.5    | 0.1012        | 0.0010 | ppm    | 4M58W7D             | 24E        | 20.05           |
| 2    | 10  | 1855       | 1905      | 0.1416        | 0.0011 | ppm    | 9M08G7D             | 24E        | 21.51           |
| 2    | 10  | 1855       | 1905      | 0.1230        | 0.0009 | ppm    | 9M10W7D             | 24E        | 20.90           |
| 2    | 15  | 1857.5     | 1902.5    | 0.1285        | 0.0011 | ppm    | 13M6G7D             | 24E        | 21.09           |
| 2    | 15  | 1857.5     | 1902.5    | 0.1127        | 0.0010 | ppm    | 13M6W7D             | 24E        | 20.52           |
| 2    | 20  | 1860       | 1900      | 0.1312        | 0.0011 | ppm    | 18M1G7D             | 24E        | 21.18           |
| 2    | 20  | 1860       | 1900      | 0.1175        | 0.0009 | ppm    | 18M1W7D             | 24E        | 20.70           |

#### 7.1.2 Form731\_EIRP

| Band | BW  | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|-----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 2    | 1.4 | 1850.7     | 1909.3    | 0.1644        | 0.0014 | ppm    | 1M12G7D             | 24E        | 22.16           |
| 2    | 1.4 | 1850.7     | 1909.3    | 0.1479        | 0.0020 | ppm    | 1M12W7D             | 24E        | 21.70           |
| 2    | 3   | 1851.5     | 1908.5    | 0.1706        | 0.0010 | ppm    | 2M72G7D             | 24E        | 22.32           |
| 2    | 3   | 1851.5     | 1908.5    | 0.1462        | 0.0011 | ppm    | 2M73W7D             | 24E        | 21.65           |
| 2    | 5   | 1852.5     | 1907.5    | 0.1660        | 0.0009 | ppm    | 4M57G7D             | 24E        | 22.20           |
| 2    | 5   | 1852.5     | 1907.5    | 0.1247        | 0.0010 | ppm    | 4M58W7D             | 24E        | 20.96           |
| 2    | 10  | 1855       | 1905      | 0.1746        | 0.0011 | ppm    | 9M08G7D             | 24E        | 22.42           |
| 2    | 10  | 1855       | 1905      | 0.1517        | 0.0009 | ppm    | 9M10W7D             | 24E        | 21.81           |
| 2    | 15  | 1857.5     | 1902.5    | 0.1585        | 0.0011 | ppm    | 13M6G7D             | 24E        | 22.00           |
| 2    | 15  | 1857.5     | 1902.5    | 0.1390        | 0.0010 | ppm    | 13M6W7D             | 24E        | 21.43           |
| 2    | 20  | 1860       | 1900      | 0.1618        | 0.0011 | ppm    | 18M1G7D             | 24E        | 22.09           |
| 2    | 20  | 1860       | 1900      | 0.1449        | 0.0009 | ppm    | 18M1W7D             | 24E        | 21.61           |