

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band2_EIRP

| Band: 2 | | | | | | | | | |
|---------|---------|--------------|-----------------|-----------------------|------------|------------|---------|---------|------|
| ENV | Mode | | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) | | Verdict | |
| | Network | Subset | | | | Result | Limit | | |
| NTNV | RMC | 12.2kbps RMC | 1852.4 | 21.27 | 0.91 | 22.18 | <=33.01 | Pass | |
| | | | 1880 | 21.19 | 0.91 | 22.10 | <=33.01 | Pass | |
| | | | 1907.6 | 21.05 | 0.91 | 21.96 | <=33.01 | Pass | |
| | HSDPA | | Subtest 1 | 1852.4 | 21.77 | 0.91 | 22.68 | <=33.01 | Pass |
| | | | Subtest 2 | 1852.4 | 21.79 | 0.91 | 22.70 | <=33.01 | Pass |
| | | | Subtest 3 | 1852.4 | 21.78 | 0.91 | 22.69 | <=33.01 | Pass |
| | | | Subtest 4 | 1852.4 | 21.73 | 0.91 | 22.64 | <=33.01 | Pass |
| | | | Subtest 1 | 1880 | 20.96 | 0.91 | 21.87 | <=33.01 | Pass |
| | | | Subtest 2 | 1880 | 20.98 | 0.91 | 21.89 | <=33.01 | Pass |
| | | | Subtest 3 | 1880 | 21.00 | 0.91 | 21.91 | <=33.01 | Pass |
| | | | Subtest 4 | 1880 | 20.95 | 0.91 | 21.86 | <=33.01 | Pass |
| | | | Subtest 1 | 1907.6 | 21.17 | 0.91 | 22.08 | <=33.01 | Pass |
| | | | Subtest 2 | 1907.6 | 21.18 | 0.91 | 22.09 | <=33.01 | Pass |
| | | | Subtest 3 | 1907.6 | 21.19 | 0.91 | 22.10 | <=33.01 | Pass |
| | | | Subtest 4 | 1907.6 | 21.15 | 0.91 | 22.06 | <=33.01 | Pass |
| | HSUPA | | Subtest 1 | 1852.4 | 20.08 | 0.91 | 20.99 | <=33.01 | Pass |
| | | | Subtest 2 | 1852.4 | 19.90 | 0.91 | 20.81 | <=33.01 | Pass |
| | | | Subtest 3 | 1852.4 | 19.88 | 0.91 | 20.79 | <=33.01 | Pass |
| | | | Subtest 4 | 1852.4 | 20.03 | 0.91 | 20.94 | <=33.01 | Pass |
| | | | Subtest 5 | 1852.4 | 19.82 | 0.91 | 20.73 | <=33.01 | Pass |
| | | | Subtest 1 | 1880 | 19.24 | 0.91 | 20.15 | <=33.01 | Pass |
| | | | Subtest 2 | 1880 | 18.98 | 0.91 | 19.89 | <=33.01 | Pass |
| | | | Subtest 3 | 1880 | 19.27 | 0.91 | 20.18 | <=33.01 | Pass |
| | | | Subtest 4 | 1880 | 19.38 | 0.91 | 20.29 | <=33.01 | Pass |
| | | | Subtest 5 | 1880 | 19.24 | 0.91 | 20.15 | <=33.01 | Pass |
| | | | Subtest 1 | 1907.6 | 19.48 | 0.91 | 20.39 | <=33.01 | Pass |
| | | | Subtest 2 | 1907.6 | 19.47 | 0.91 | 20.38 | <=33.01 | Pass |
| | | | Subtest 3 | 1907.6 | 19.34 | 0.91 | 20.25 | <=33.01 | Pass |
| | | | Subtest 4 | 1907.6 | 19.09 | 0.91 | 20.00 | <=33.01 | Pass |
| | | | Subtest 5 | 1907.6 | 19.03 | 0.91 | 19.94 | <=33.01 | Pass |

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 Band2

| Band: 2 | | | | | | | |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) | | Verdict |
| | | | | | Result | Limit | |
| RMC | 1852.4 | 20 | 3.27 | 0.000 | 0.0000 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 0.186 | 0.0001 | -2.5 to 2.5 | Pass |
| | | | 4.43 | 0.501 | 0.0003 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | -0.136 | -0.0001 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | 0.107 | 0.0001 | -2.5 to 2.5 | Pass |

| | | | | | | | |
|--------|--------|---------|---------|-------------|-------------|-------------|------|
| TCT | 1880 | -10 | 3.85 | 0.665 | 0.0004 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | 0.007 | 0.0000 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | -0.443 | -0.0002 | -2.5 to 2.5 | Pass |
| | | 30 | 3.85 | 0.801 | 0.0004 | -2.5 to 2.5 | Pass |
| | | 40 | 3.85 | 0.601 | 0.0003 | -2.5 to 2.5 | Pass |
| | 1880 | 20 | 3.85 | 1.395 | 0.0008 | -2.5 to 2.5 | Pass |
| | | | 3.27 | 0.465 | 0.0002 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 1.066 | 0.0006 | -2.5 to 2.5 | Pass |
| | | 4.43 | -0.966 | -0.0005 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | 1.581 | 0.0008 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -0.823 | -0.0004 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | -0.737 | -0.0004 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | 0.057 | 0.0000 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | -0.157 | -0.0001 | -2.5 to 2.5 | Pass |
| | | 30 | 3.85 | -0.057 | 0.0000 | -2.5 to 2.5 | Pass |
| | 1907.6 | 20 | 3.85 | -0.730 | -0.0004 | -2.5 to 2.5 | Pass |
| | | | 3.27 | 0.765 | 0.0004 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 0.365 | 0.0002 | -2.5 to 2.5 | Pass |
| | | 4.43 | 0.429 | 0.0002 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | -0.272 | -0.0001 | -2.5 to 2.5 | Pass |
| -20 | | 3.85 | 0.029 | 0.0000 | -2.5 to 2.5 | Pass | |
| -10 | | 3.85 | -0.215 | -0.0001 | -2.5 to 2.5 | Pass | |
| -10 | | 3.85 | -0.637 | -0.0003 | -2.5 to 2.5 | Pass | |
| 0 | | 3.85 | -2.189 | -0.0011 | -2.5 to 2.5 | Pass | |
| 10 | | 3.85 | 0.229 | 0.0001 | -2.5 to 2.5 | Pass | |
| HSDPA | 1852.4 | 20 | 3.85 | -0.279 | -0.0001 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 1.109 | 0.0006 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 0.794 | 0.0004 | -2.5 to 2.5 | Pass |
| | | 3.27 | -1.423 | -0.0008 | -2.5 to 2.5 | Pass | |
| | | 3.85 | -6.173 | -0.0033 | -2.5 to 2.5 | Pass | |
| | | 4.43 | -9.055 | -0.0049 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | -13.669 | -0.0074 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -27.931 | -0.0151 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | -27.072 | -0.0146 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | -27.988 | -0.0151 | -2.5 to 2.5 | Pass |
| | 1880 | 20 | 3.85 | -23.303 | -0.0126 | -2.5 to 2.5 | Pass |
| | | | 3.85 | -17.881 | -0.0097 | -2.5 to 2.5 | Pass |
| | | | 3.85 | -19.934 | -0.0108 | -2.5 to 2.5 | Pass |
| | | 3.85 | -15.500 | -0.0084 | -2.5 to 2.5 | Pass | |
| | | 3.27 | 0.186 | 0.0001 | -2.5 to 2.5 | Pass | |
| | | 3.85 | -3.533 | -0.0019 | -2.5 to 2.5 | Pass | |
| | | 4.43 | -3.490 | -0.0019 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | -2.367 | -0.0013 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -3.262 | -0.0017 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | -2.003 | -0.0011 | -2.5 to 2.5 | Pass |
| 1907.6 | 20 | 0 | -2.732 | -0.0015 | -2.5 to 2.5 | Pass | |
| | | 10 | 3.85 | 4.942 | 0.0026 | -2.5 to 2.5 | Pass |
| | | 3.85 | -6.423 | -0.0034 | -2.5 to 2.5 | Pass | |
| | 3.85 | 1.309 | 0.0007 | -2.5 to 2.5 | Pass | | |
| | 3.85 | 7.567 | 0.0040 | -2.5 to 2.5 | Pass | | |
| | 3.27 | -2.503 | -0.0013 | -2.5 to 2.5 | Pass | | |
| | 3.85 | 1.059 | 0.0006 | -2.5 to 2.5 | Pass | | |
| | 4.43 | -2.496 | -0.0013 | -2.5 to 2.5 | Pass | | |
| | -30 | 3.85 | -1.495 | -0.0008 | -2.5 to 2.5 | Pass | |
| | -20 | 3.85 | -12.045 | -0.0063 | -2.5 to 2.5 | Pass | |
| -10 | 3.85 | -16.773 | -0.0088 | -2.5 to 2.5 | Pass | | |
| 0 | 3.85 | -14.191 | -0.0074 | -2.5 to 2.5 | Pass | | |
| 10 | 3.85 | -13.769 | -0.0072 | -2.5 to 2.5 | Pass | | |
| 30 | 3.85 | -18.568 | -0.0097 | -2.5 to 2.5 | Pass | | |

| | | | | | | | |
|-------|--------|--------|--------|---------|-------------|-------------|-------------|
| HSUPA | 1852.4 | 40 | 3.85 | -19.104 | -0.0100 | -2.5 to 2.5 | Pass |
| | | 50 | 3.85 | -17.188 | -0.0090 | -2.5 to 2.5 | Pass |
| | | 20 | 3.27 | -0.679 | -0.0004 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 7.646 | 0.0041 | -2.5 to 2.5 | Pass |
| | | | 4.43 | 6.480 | 0.0035 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | 4.542 | 0.0025 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | 9.663 | 0.0052 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | 8.469 | 0.0046 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | 2.410 | 0.0013 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | 4.885 | 0.0026 | -2.5 to 2.5 | Pass |
| | | 30 | 3.85 | 12.488 | 0.0067 | -2.5 to 2.5 | Pass |
| | | 40 | 3.85 | 14.019 | 0.0076 | -2.5 to 2.5 | Pass |
| | 50 | 3.85 | 20.792 | 0.0112 | -2.5 to 2.5 | Pass | |
| | 1880 | 20 | 3.27 | -1.216 | -0.0006 | -2.5 to 2.5 | Pass |
| | | | 3.85 | -12.317 | -0.0066 | -2.5 to 2.5 | Pass |
| | | | 4.43 | -3.905 | -0.0021 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | -1.874 | -0.0010 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -7.768 | -0.0041 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | 4.606 | 0.0025 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | 7.131 | 0.0038 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | 9.227 | 0.0049 | -2.5 to 2.5 | Pass |
| | | 30 | 3.85 | 16.637 | 0.0088 | -2.5 to 2.5 | Pass |
| | | 40 | 3.85 | 18.210 | 0.0097 | -2.5 to 2.5 | Pass |
| | | 50 | 3.85 | 27.173 | 0.0145 | -2.5 to 2.5 | Pass |
| | | 1907.6 | 20 | 3.27 | 4.520 | 0.0024 | -2.5 to 2.5 |
| | 3.85 | | | -0.601 | -0.0003 | -2.5 to 2.5 | Pass |
| | 4.43 | | | 0.708 | 0.0004 | -2.5 to 2.5 | Pass |
| | -30 | | 3.85 | 7.961 | 0.0042 | -2.5 to 2.5 | Pass |
| | -20 | | 3.85 | 21.043 | 0.0110 | -2.5 to 2.5 | Pass |
| | -10 | | 3.85 | 18.446 | 0.0097 | -2.5 to 2.5 | Pass |
| | 0 | | 3.85 | 25.306 | 0.0133 | -2.5 to 2.5 | Pass |
| | 10 | | 3.85 | 20.170 | 0.0106 | -2.5 to 2.5 | Pass |
| | 30 | | 3.85 | 23.489 | 0.0123 | -2.5 to 2.5 | Pass |
| 40 | 3.85 | | 29.812 | 0.0156 | -2.5 to 2.5 | Pass | |
| 50 | 3.85 | | 23.203 | 0.0122 | -2.5 to 2.5 | Pass | |

3. Modulation Characteristics


3.1 Test Result


3.1.1 Band2

| Band: 2 | | | | | | |
|---------|---------|--------------|-----------------|----------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Modulation Characteristics | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 1880 | Refer To Test Graph | | Pass |
| | HSDPA | Subtest 1 | 1880 | Refer To Test Graph | | Pass |
| | HSUPA | Subtest 1 | 1880 | Refer To Test Graph | | Pass |

3.2 Test Graph

3.2.1 Band2





4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW


| Band: 2 | | | | | | |
|---------|---------|--------------|-----------------|------------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 1852.4 | 4.164 | / | Pass |
| | | | 1880 | 4.194 | / | Pass |
| | | | 1907.6 | 4.176 | / | Pass |
| | HSDPA | Subtest 1 | 1852.4 | 4.184 | / | Pass |
| | | | 1880 | 4.323 | / | Pass |
| | | | 1907.6 | 4.231 | / | Pass |
| | HSUPA | Subtest 1 | 1852.4 | 4.190 | / | Pass |
| | | | 1880 | 4.306 | / | Pass |
| | | | 1907.6 | 4.231 | / | Pass |

4.1.2 Band2_XDB


| Band: 2 | | | | | | |
|---------|---------|--------------|-----------------|----------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | 26dB Bandwidth (MHz) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 1852.4 | 4.699 | / | Pass |
| | | | 1880 | 4.780 | / | Pass |
| | | | 1907.6 | 4.759 | / | Pass |
| | HSDPA | Subtest 1 | 1852.4 | 4.906 | / | Pass |
| | | | 1880 | 6.305 | / | Pass |
| | | | 1907.6 | 6.041 | / | Pass |
| | HSUPA | Subtest 1 | 1852.4 | 4.792 | / | Pass |
| | | | 1880 | 6.196 | / | Pass |
| | | | 1907.6 | 5.972 | / | Pass |

4.2 Test Graph


4.2.1 Band2_OBW




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV





Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




4.2.2 Band2_XDB




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV





5. Peak-Average Ratio



5.1 Test Result

5.1.1 Band2


| Band: 2 | | | | | | |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Peak-Average Ratio (dB) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 1852.4 | 2.66 | <=13 | Pass |
| | | | 1880 | 2.05 | <=13 | Pass |
| | | | 1907.6 | 2.32 | <=13 | Pass |
| | HSDPA | Subtest 1 | 1852.4 | 5.14 | <=13 | Pass |
| | | | 1880 | 4.59 | <=13 | Pass |
| | | | 1907.6 | 4.80 | <=13 | Pass |
| | HSUPA | Subtest 1 | 1852.4 | 5.15 | <=13 | Pass |
| | | | 1880 | 4.59 | <=13 | Pass |
| | | | 1907.6 | 4.83 | <=13 | Pass |

5.2 Test Graph

5.2.1 Band2




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




2024-08-28 11:52:08

Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




2024-08-28 11:52:31

Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




2024-08-28 11:52:44

Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




2024-08-28 11:52:55

Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




2024-08-28 11:53:06

Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



2024-08-28 11:53:17

Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



6. Spurious Emission



6.1 Test Result

6.1.1 Band2


| Band: 2 | | | | | | |
|---------|---------|--------------|-----------------|---------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Spurious Emission | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 1852.4 | Refer To Test Graph | | Pass |
| | | | 1880 | Refer To Test Graph | | Pass |
| | | | 1907.6 | Refer To Test Graph | | Pass |
| | HSDPA | Subtest 1 | 1852.4 | Refer To Test Graph | | Pass |
| | | | 1880 | Refer To Test Graph | | Pass |
| | | | 1907.6 | Refer To Test Graph | | Pass |
| | HSUPA | Subtest 1 | 1852.4 | Refer To Test Graph | | Pass |
| | | | 1880 | Refer To Test Graph | | Pass |
| | | | 1907.6 | Refer To Test Graph | | Pass |

6.2 Test Graph


6.2.1 Band2




Band2_RMC_LCH_1852.4MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




2024-08-28 11:59:53

Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




2024-08-28 12:00:01


Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 2 | 3.84 | 1852.4 | 1907.6 | 0.1510 | 0.0156 | ppm | 4M32F9W | 24E | 21.79 |

7.1.2 Form731_EIRP

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 2 | 3.84 | 1852.4 | 1907.6 | 0.1862 | 0.0156 | ppm | 4M32F9W | 24E | 22.70 |