

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 Band5\_ERP

Band: 5											
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict			
	Network	Subset				Result	Limit				
NTNV	RMC	12.2kbps RMC	826.4	21.31	-1.15	18.01	<=38.45	Pass			
			836.6	21.21	-1.15	17.91	<=38.45	Pass			
			846.6	21.02	-1.15	17.72	<=38.45	Pass			
	HSDPA		Subtest 1	826.4	22.68	-1.15	19.38	<=38.45	Pass		
			Subtest 2	826.4	22.68	-1.15	19.38	<=38.45	Pass		
			Subtest 3	826.4	22.67	-1.15	19.37	<=38.45	Pass		
			Subtest 4	826.4	22.61	-1.15	19.31	<=38.45	Pass		
			Subtest 1	836.6	22.65	-1.15	19.35	<=38.45	Pass		
			Subtest 2	836.6	22.67	-1.15	19.37	<=38.45	Pass		
			Subtest 3	836.6	22.66	-1.15	19.36	<=38.45	Pass		
			Subtest 4	836.6	22.60	-1.15	19.30	<=38.45	Pass		
			Subtest 1	846.6	22.48	-1.15	19.18	<=38.45	Pass		
			Subtest 2	846.6	22.48	-1.15	19.18	<=38.45	Pass		
			Subtest 3	846.6	22.48	-1.15	19.18	<=38.45	Pass		
			Subtest 4	846.6	22.40	-1.15	19.10	<=38.45	Pass		
			HSUPA		Subtest 1	826.4	20.58	-1.15	17.28	<=38.45	Pass
					Subtest 2	826.4	20.38	-1.15	17.08	<=38.45	Pass
					Subtest 3	826.4	20.36	-1.15	17.06	<=38.45	Pass
					Subtest 4	826.4	20.30	-1.15	17.00	<=38.45	Pass
	Subtest 5	826.4			20.06	-1.15	16.76	<=38.45	Pass		
	Subtest 1	836.6			20.51	-1.15	17.21	<=38.45	Pass		
	Subtest 2	836.6			20.50	-1.15	17.20	<=38.45	Pass		
	Subtest 3	836.6			20.26	-1.15	16.96	<=38.45	Pass		
	Subtest 4	836.6			19.97	-1.15	16.67	<=38.45	Pass		
	Subtest 5	836.6			20.30	-1.15	17.00	<=38.45	Pass		
	Subtest 1	846.6			20.31	-1.15	17.01	<=38.45	Pass		
	Subtest 2	846.6			20.27	-1.15	16.97	<=38.45	Pass		
	Subtest 3	846.6			20.02	-1.15	16.72	<=38.45	Pass		
	Subtest 4	846.6			20.01	-1.15	16.71	<=38.45	Pass		
	Subtest 5	846.6			19.71	-1.15	16.41	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 Band5

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	-0.393	-0.0005	-2.5 to 2.5	Pass
			3.85	-0.494	-0.0006	-2.5 to 2.5	Pass
			4.43	-0.572	-0.0007	-2.5 to 2.5	Pass
		-30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
		-20	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass

TCT	836.6	-10	3.85	0.443	0.0005	-2.5 to 2.5	Pass	
		0	3.85	0.072	0.0001	-2.5 to 2.5	Pass	
		10	3.85	0.179	0.0002	-2.5 to 2.5	Pass	
		30	3.85	0.279	0.0003	-2.5 to 2.5	Pass	
		40	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass	
	836.6	20	50	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
			20	3.27	-0.486	-0.0006	-2.5 to 2.5	Pass
				3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
		4.43	-0.207	-0.0002	-2.5 to 2.5	Pass		
		-30	3.85	-0.365	-0.0004	-2.5 to 2.5	Pass	
		-20	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass	
		-10	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass	
		0	3.85	0.465	0.0006	-2.5 to 2.5	Pass	
		10	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass	
		30	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass	
846.6	20	40	3.85	0.286	0.0003	-2.5 to 2.5	Pass	
		50	3.85	-0.150	-0.0002	-2.5 to 2.5	Pass	
		3.27	0.129	0.0002	-2.5 to 2.5	Pass		
	846.6	20	3.85	0.186	0.0002	-2.5 to 2.5	Pass	
			4.43	-0.508	-0.0006	-2.5 to 2.5	Pass	
			-30	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
		-20	3.85	0.179	0.0002	-2.5 to 2.5	Pass	
		-10	3.85	0.122	0.0001	-2.5 to 2.5	Pass	
		0	3.85	-0.279	-0.0003	-2.5 to 2.5	Pass	
		10	3.85	0.443	0.0005	-2.5 to 2.5	Pass	
30		3.85	-0.007	0.0000	-2.5 to 2.5	Pass		
40		3.85	-0.465	-0.0005	-2.5 to 2.5	Pass		
50		3.85	-0.064	-0.0001	-2.5 to 2.5	Pass		
HSDPA	826.4	20	3.27	-4.449	-0.0054	-2.5 to 2.5	Pass	
			3.85	-3.562	-0.0043	-2.5 to 2.5	Pass	
			4.43	-0.315	-0.0004	-2.5 to 2.5	Pass	
		-30	3.85	0.193	0.0002	-2.5 to 2.5	Pass	
		-20	3.85	-0.894	-0.0011	-2.5 to 2.5	Pass	
		-10	3.85	2.325	0.0028	-2.5 to 2.5	Pass	
		0	3.85	-2.496	-0.0030	-2.5 to 2.5	Pass	
		10	3.85	1.509	0.0018	-2.5 to 2.5	Pass	
		30	3.85	-1.173	-0.0014	-2.5 to 2.5	Pass	
		40	3.85	0.429	0.0005	-2.5 to 2.5	Pass	
	50	3.85	-3.047	-0.0037	-2.5 to 2.5	Pass		
	836.6	20	3.27	-0.436	-0.0005	-2.5 to 2.5	Pass	
			3.85	-0.579	-0.0007	-2.5 to 2.5	Pass	
			4.43	-2.282	-0.0027	-2.5 to 2.5	Pass	
		-30	3.85	-2.954	-0.0035	-2.5 to 2.5	Pass	
-20		3.85	-1.194	-0.0014	-2.5 to 2.5	Pass		
-10		3.85	-0.436	-0.0005	-2.5 to 2.5	Pass		
0		3.85	4.742	0.0057	-2.5 to 2.5	Pass		
10		3.85	6.502	0.0078	-2.5 to 2.5	Pass		
30		3.85	5.729	0.0068	-2.5 to 2.5	Pass		
40		3.85	4.649	0.0056	-2.5 to 2.5	Pass		
50	3.85	8.755	0.0105	-2.5 to 2.5	Pass			
846.6	20	3.27	-0.837	-0.0010	-2.5 to 2.5	Pass		
		3.85	-0.651	-0.0008	-2.5 to 2.5	Pass		
		4.43	-1.180	-0.0014	-2.5 to 2.5	Pass		
	-30	3.85	-2.067	-0.0024	-2.5 to 2.5	Pass		
	-20	3.85	-4.542	-0.0054	-2.5 to 2.5	Pass		
	-10	3.85	-7.389	-0.0087	-2.5 to 2.5	Pass		
	0	3.85	-10.121	-0.0120	-2.5 to 2.5	Pass		
	10	3.85	-9.584	-0.0113	-2.5 to 2.5	Pass		
30	3.85	-10.579	-0.0125	-2.5 to 2.5	Pass			

HSUPA	826.4	40	3.85	-12.610	-0.0149	-2.5 to 2.5	Pass
		50	3.85	-15.779	-0.0186	-2.5 to 2.5	Pass
		20	3.27	-0.894	-0.0011	-2.5 to 2.5	Pass
			3.85	-1.752	-0.0021	-2.5 to 2.5	Pass
			4.43	-0.186	-0.0002	-2.5 to 2.5	Pass
		-30	3.85	-1.209	-0.0015	-2.5 to 2.5	Pass
		-20	3.85	0.243	0.0003	-2.5 to 2.5	Pass
		-10	3.85	-2.496	-0.0030	-2.5 to 2.5	Pass
		0	3.85	3.576	0.0043	-2.5 to 2.5	Pass
		10	3.85	1.595	0.0019	-2.5 to 2.5	Pass
		30	3.85	1.395	0.0017	-2.5 to 2.5	Pass
	40	3.85	1.023	0.0012	-2.5 to 2.5	Pass	
	50	3.85	1.988	0.0024	-2.5 to 2.5	Pass	
	836.6	20	3.27	-2.518	-0.0030	-2.5 to 2.5	Pass
			3.85	-1.845	-0.0022	-2.5 to 2.5	Pass
			4.43	2.189	0.0026	-2.5 to 2.5	Pass
		-30	3.85	1.230	0.0015	-2.5 to 2.5	Pass
		-20	3.85	2.468	0.0030	-2.5 to 2.5	Pass
		-10	3.85	2.289	0.0027	-2.5 to 2.5	Pass
		0	3.85	4.249	0.0051	-2.5 to 2.5	Pass
		10	3.85	2.775	0.0033	-2.5 to 2.5	Pass
		30	3.85	3.026	0.0036	-2.5 to 2.5	Pass
		40	3.85	4.728	0.0057	-2.5 to 2.5	Pass
		50	3.85	2.661	0.0032	-2.5 to 2.5	Pass
	846.6	20	3.27	-1.645	-0.0019	-2.5 to 2.5	Pass
			3.85	2.918	0.0034	-2.5 to 2.5	Pass
			4.43	2.646	0.0031	-2.5 to 2.5	Pass
		-30	3.85	7.153	0.0084	-2.5 to 2.5	Pass
		-20	3.85	8.833	0.0104	-2.5 to 2.5	Pass
		-10	3.85	12.982	0.0153	-2.5 to 2.5	Pass
		0	3.85	9.985	0.0118	-2.5 to 2.5	Pass
		10	3.85	10.057	0.0119	-2.5 to 2.5	Pass
		30	3.85	12.710	0.0150	-2.5 to 2.5	Pass
40		3.85	17.345	0.0205	-2.5 to 2.5	Pass	
50		3.85	13.440	0.0159	-2.5 to 2.5	Pass	

### 3. Modulation Characteristics


#### 3.1 Test Result


##### 3.1.1 Band5

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

### 3.2 Test Graph

#### 3.2.1 Band5





## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band5\_OBW


Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.152	/	Pass
			836.6	4.161	/	Pass
			846.6	4.147	/	Pass
	HSDPA	Subtest 1	826.4	4.155	/	Pass
			836.6	4.166	/	Pass
			846.6	4.186	/	Pass
	HSUPA	Subtest 1	826.4	4.154	/	Pass
			836.6	4.160	/	Pass
			846.6	4.159	/	Pass

#### 4.1.2 Band5\_XDB


Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.696	/	Pass
			836.6	4.697	/	Pass
			846.6	4.707	/	Pass
	HSDPA	Subtest 1	826.4	4.699	/	Pass
			836.6	4.708	/	Pass
			846.6	4.711	/	Pass
	HSUPA	Subtest 1	826.4	4.702	/	Pass
			836.6	4.710	/	Pass
			846.6	4.705	/	Pass

## 4.2 Test Graph


### 4.2.1 Band5\_OBW



Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV







Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV





Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV







4.2.2 Band5\_XDB




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV





5. Peak-Average Ratio



5.1 Test Result

5.1.1 Band5


Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	3.08	<=13	Pass
			836.6	3.10	<=13	Pass
			846.6	3.17	<=13	Pass
	HSDPA	Subtest 1	826.4	5.56	<=13	Pass
			836.6	5.74	<=13	Pass
			846.6	5.78	<=13	Pass
	HSUPA	Subtest 1	826.4	5.56	<=13	Pass
			836.6	5.62	<=13	Pass
			846.6	5.88	<=13	Pass

## 5.2 Test Graph

### 5.2.1 Band5




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




2024-08-28 11:19:53

Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




2024-08-28 11:20:16

Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




2024-08-28 11:20:29

Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




2024-08-28 11:20:41

Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




2024-08-28 11:20:53

Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



2024-08-28 11:21:04

Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



## 6. Spurious Emission



### 6.1 Test Result

#### 6.1.1 Band5

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass


## 6.2 Test Graph

### 6.2.1 Band5







Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV





## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1854	0.0205	ppm	4M19F9W	22H	22.68

#### 7.1.2 Form731\_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.0867	0.0205	ppm	4M19F9W	22H	19.38