


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.35	-13	Pass	2985
30	1000	0.1	RMS	943.594	-54.81	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.23	-13	Pass	830
1830	1920	1	RMS	1850.25	22.63	60	Pass	601
1920	3000	1	RMS	2668.693	-39.38	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.64	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.79	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	1000	0.1	RMS	936.793	-54.75	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.27	-13	Pass	830
1830	1920	1	RMS	1851.15	22.68	60	Pass	601
1920	3000	1	RMS	2667.692	-39.35	-13	Pass	1080
3000	12000	1	RMS	7404.489	-46.34	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.64	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.21	-13	Pass	2985
30	1000	0.1	RMS	955.195	-54.93	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.25	-13	Pass	830
1830	1920	1	RMS	1850.25	21.69	60	Pass	601
1920	3000	1	RMS	2450.491	-33.21	-13	Pass	1080
3000	12000	1	RMS	11894.988	-46.69	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.56	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.35	-13	Pass	2985
30	1000	0.1	RMS	992.899	-54.91	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.18	-13	Pass	830
1830	1920	1	RMS	1851.15	21.78	60	Pass	601
1920	3000	1	RMS	2470.51	-32.16	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.5	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.55	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	955.795	-55.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.26	-13	Pass	830
1830	1920	1	RMS	1879.5	22.9	60	Pass	601
1920	3000	1	RMS	2469.509	-29.71	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.42	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.65	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.76	-13	Pass	2985
30	1000	0.1	RMS	884.088	-54.93	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.25	-13	Pass	830
1830	1920	1	RMS	1880.4	22.85	60	Pass	601
1920	3000	1	RMS	2414.458	-33.75	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.48	-13	Pass	9000
12000	20000	1	RMS	19859.982	-28.78	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.44	-13	Pass	2985
30	1000	0.1	RMS	985.098	-55.09	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.25	-13	Pass	830
1830	1920	1	RMS	1879.5	22.02	60	Pass	601
1920	3000	1	RMS	2439.481	-32.83	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.57	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.51	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.98	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41.17	-13	Pass	2985
30	1000	0.1	RMS	900.49	-55.06	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.25	-13	Pass	830
1830	1920	1	RMS	1880.4	21.93	60	Pass	601
1920	3000	1	RMS	2479.518	-34.91	-13	Pass	1080
3000	12000	1	RMS	11929.992	-46.66	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.76	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	878.087	-55.08	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.23	-13	Pass	830
1830	1920	1	RMS	1908.9	22.81	60	Pass	601
1920	3000	1	RMS	2415.459	-28.94	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.09	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.68	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.23	-13	Pass	2985
30	1000	0.1	RMS	998.9	-55.02	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.13	-13	Pass	830
1830	1920	1	RMS	1909.8	22.88	60	Pass	601
1920	3000	1	RMS	2479.518	-35.74	-13	Pass	1080
3000	12000	1	RMS	5729.303	-42.92	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.73	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.26	-13	Pass	2985
30	1000	0.1	RMS	930.793	-54.92	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1908.9	21.86	60	Pass	601
1920	3000	1	RMS	2460.5	-35.94	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.63	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.61	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	937.894	-54.66	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.28	-13	Pass	830
1830	1920	1	RMS	1909.8	22.03	60	Pass	601
1920	3000	1	RMS	2668.693	-39.32	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43.18	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.63	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.14	-13	Pass	2985
30	1000	0.1	RMS	905.29	-54.97	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.24	-13	Pass	830
1830	1920	1	RMS	1850.25	22.42	60	Pass	601
1920	3000	1	RMS	2443.485	-37.92	-13	Pass	1080
3000	12000	1	RMS	11894.988	-46.61	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.72	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	1000	0.1	RMS	933.193	-54.71	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.18	-13	Pass	830
1830	1920	1	RMS	1852.8	22.56	60	Pass	601
1920	3000	1	RMS	2424.467	-36.86	-13	Pass	1080
3000	12000	1	RMS	5558.284	-46.6	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.65	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.22	-13	Pass	2985
30	1000	0.1	RMS	997.1	-54.81	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.22	-13	Pass	830
1830	1920	1	RMS	1850.25	21.65	60	Pass	601
1920	3000	1	RMS	2460.5	-35.27	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.38	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.57	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.36	-13	Pass	2985
30	1000	0.1	RMS	874.287	-54.98	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.22	-13	Pass	830
1830	1920	1	RMS	1852.8	21.78	60	Pass	601
1920	3000	1	RMS	2470.51	-32.4	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.64	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.64	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.93	-13	Pass	2985
30	1000	0.1	RMS	868.886	-54.85	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.15	-13	Pass	830
1830	1920	1	RMS	1878.75	22.81	60	Pass	601
1920	3000	1	RMS	2469.509	-30.08	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.54	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.56	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.93	-13	Pass	2985
30	1000	0.1	RMS	941.594	-55.12	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.22	-13	Pass	830
1830	1920	1	RMS	1881.3	22.75	60	Pass	601
1920	3000	1	RMS	2435.477	-33.87	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.68	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.41	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.15	-13	Pass	2985
30	1000	0.1	RMS	952.495	-55.09	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.24	-13	Pass	830
1830	1920	1	RMS	1878.75	21.9	60	Pass	601
1920	3000	1	RMS	2411.455	-35.49	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.57	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.68	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	926.392	-54.89	-13	Pass	9700
1000	1830	1	RMS	1819.988	-44.25	-13	Pass	830
1830	1920	1	RMS	1881.3	21.88	60	Pass	601
1920	3000	1	RMS	2450.491	-32.16	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.66	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.48	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.26	-13	Pass	2985
30	1000	0.1	RMS	879.388	-54.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.25	-13	Pass	830
1830	1920	1	RMS	1907.25	22.72	60	Pass	601
1920	3000	1	RMS	2404.449	-37.53	-13	Pass	1080
3000	12000	1	RMS	5721.302	-45.05	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.69	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.6	-13	Pass	2985
30	1000	0.1	RMS	997.3	-54.87	-13	Pass	9700
1000	1830	1	RMS	1799.964	-44.25	-13	Pass	830
1830	1920	1	RMS	1909.8	22.74	60	Pass	601
1920	3000	1	RMS	2430.473	-32.99	-13	Pass	1080
3000	12000	1	RMS	5729.303	-42.97	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.57	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.87	-13	Pass	2985
30	1000	0.1	RMS	994.599	-55.19	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.25	-13	Pass	830
1830	1920	1	RMS	1907.25	21.75	60	Pass	601
1920	3000	1	RMS	2414.458	-35.5	-13	Pass	1080
3000	12000	1	RMS	5721.302	-46.05	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.66	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.68	-13	Pass	2985
30	1000	0.1	RMS	901.49	-54.83	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.24	-13	Pass	830
1830	1920	1	RMS	1909.8	21.85	60	Pass	601
1920	3000	1	RMS	2445.487	-33.88	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43.78	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.77	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.55	-13	Pass	2985
30	1000	0.1	RMS	929.193	-54.83	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.26	-13	Pass	830
1830	1920	1	RMS	1850.4	22.38	60	Pass	601
1920	3000	1	RMS	2420.463	-35.84	-13	Pass	1080
3000	12000	1	RMS	7401.489	-46.35	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.65	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.55	-13	Pass	2985
30	1000	0.1	RMS	891.089	-54.85	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.19	-13	Pass	830
1830	1920	1	RMS	1854.6	22.61	60	Pass	601
1920	3000	1	RMS	2455.496	-36.36	-13	Pass	1080
3000	12000	1	RMS	5564.285	-46.38	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.67	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.11	-13	Pass	2985
30	1000	0.1	RMS	896.289	-54.94	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.25	-13	Pass	830
1830	1920	1	RMS	1850.4	21.53	60	Pass	601
1920	3000	1	RMS	2449.49	-32.77	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.55	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.68	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	1000	0.1	RMS	946.194	-54.72	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.25	-13	Pass	830
1830	1920	1	RMS	1854.6	21.81	60	Pass	601
1920	3000	1	RMS	2434.476	-33.35	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.54	-13	Pass	9000
12000	20000	1	RMS	19838.98	-28.69	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.16	-13	Pass	2985
30	1000	0.1	RMS	908.991	-55.13	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.23	-13	Pass	830
1830	1920	1	RMS	1877.85	22.89	60	Pass	601
1920	3000	1	RMS	2430.473	-34.97	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.6	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.64	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.63	-13	Pass	2985
30	1000	0.1	RMS	892.989	-54.75	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.19	-13	Pass	830
1830	1920	1	RMS	1882.2	22.73	60	Pass	601
1920	3000	1	RMS	2439.481	-32.79	-13	Pass	1080
3000	12000	1	RMS	5646.294	-46.4	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.71	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.28	-13	Pass	2985
30	1000	0.1	RMS	895.389	-54.65	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.22	-13	Pass	830
1830	1920	1	RMS	1877.85	22.12	60	Pass	601
1920	3000	1	RMS	2445.487	-34.53	-13	Pass	1080
3000	12000	1	RMS	11932.993	-46.62	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.74	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	985.398	-54.86	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.21	-13	Pass	830
1830	1920	1	RMS	1882.2	21.98	60	Pass	601
1920	3000	1	RMS	2409.453	-35.3	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.54	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.67	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.13	-13	Pass	2985
30	1000	0.1	RMS	944.594	-54.68	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.19	-13	Pass	830
1830	1920	1	RMS	1905.3	22.75	60	Pass	601
1920	3000	1	RMS	2450.491	-33.7	-13	Pass	1080
3000	12000	1	RMS	5716.302	-45.5	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.62	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.22	-13	Pass	2985
30	1000	0.1	RMS	877.087	-55.08	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.26	-13	Pass	830
1830	1920	1	RMS	1909.65	22.77	60	Pass	601
1920	3000	1	RMS	2670.695	-39.37	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43.41	-13	Pass	9000
12000	20000	1	RMS	19838.98	-28.6	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.8	-13	Pass	2985
30	1000	0.1	RMS	978.498	-54.93	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.25	-13	Pass	830
1830	1920	1	RMS	1905.3	21.95	60	Pass	601
1920	3000	1	RMS	2409.453	-29.48	-13	Pass	1080
3000	12000	1	RMS	5716.302	-46.28	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.76	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.61	-13	Pass	2985
30	1000	0.1	RMS	960.096	-55.13	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.25	-13	Pass	830
1830	1920	1	RMS	1909.65	22.04	60	Pass	601
1920	3000	1	RMS	2420.463	-35.48	-13	Pass	1080
3000	12000	1	RMS	5729.303	-44.73	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.7	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.39	-13	Pass	2985
30	1000	0.1	RMS	970.497	-55.01	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.25	-13	Pass	830
1830	1920	1	RMS	1850.55	22.22	60	Pass	601
1920	3000	1	RMS	2673.698	-39.41	-13	Pass	1080
3000	12000	1	RMS	11926.992	-46.69	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.48	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.06	-13	Pass	2985
30	1000	0.1	RMS	888.188	-54.97	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.21	-13	Pass	830
1830	1920	1	RMS	1859.4	22.84	60	Pass	601
1920	3000	1	RMS	2445.487	-33.12	-13	Pass	1080
3000	12000	1	RMS	5578.286	-44.54	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.7	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	958.196	-55.16	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.27	-13	Pass	830
1830	1920	1	RMS	1850.55	21.47	60	Pass	601
1920	3000	1	RMS	2450.491	-34.24	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.56	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.67	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	1000	0.1	RMS	900.09	-54.38	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.2	-13	Pass	830
1830	1920	1	RMS	1859.4	22.15	60	Pass	601
1920	3000	1	RMS	2459.5	-36.15	-13	Pass	1080
3000	12000	1	RMS	5578.286	-45.6	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.73	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	1000	0.1	RMS	884.888	-55.11	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.24	-13	Pass	830
1830	1920	1	RMS	1875.6	22.79	60	Pass	601
1920	3000	1	RMS	2440.482	-30.86	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.51	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.75	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.36	-13	Pass	2985
30	1000	0.1	RMS	920.992	-55.13	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.21	-13	Pass	830
1830	1920	1	RMS	1884.45	22.7	60	Pass	601
1920	3000	1	RMS	2434.476	-36.66	-13	Pass	1080
3000	12000	1	RMS	5653.295	-45.89	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.77	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41.28	-13	Pass	2985
30	1000	0.1	RMS	892.389	-54.78	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.24	-13	Pass	830
1830	1920	1	RMS	1875.6	21.9	60	Pass	601
1920	3000	1	RMS	2419.462	-35.52	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.49	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.6	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.09	-13	Pass	2985
30	1000	0.1	RMS	993.999	-54.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.3	-13	Pass	830
1830	1920	1	RMS	1884.45	21.74	60	Pass	601
1920	3000	1	RMS	2436.478	-36.26	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.46	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.55	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.78	-13	Pass	2985
30	1000	0.1	RMS	924.992	-54.71	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.25	-13	Pass	830
1830	1920	1	RMS	1900.65	22.92	60	Pass	601
1920	3000	1	RMS	2435.477	-31.19	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.6	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.7	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.1	-13	Pass	2985
30	1000	0.1	RMS	897.289	-55.03	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.28	-13	Pass	830
1830	1920	1	RMS	1909.35	22.46	60	Pass	601
1920	3000	1	RMS	2455.496	-38.85	-13	Pass	1080
3000	12000	1	RMS	5728.303	-43.82	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.73	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.91	-13	Pass	2985
30	1000	0.1	RMS	913.091	-54.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.26	-13	Pass	830
1830	1920	1	RMS	1900.65	21.96	60	Pass	601
1920	3000	1	RMS	2450.491	-33.55	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.63	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.7	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.13	-13	Pass	2985
30	1000	0.1	RMS	922.592	-54.96	-13	Pass	9700
1000	1830	1	RMS	1830	-44.27	-13	Pass	830
1830	1920	1	RMS	1909.35	21.5	60	Pass	601
1920	3000	1	RMS	2470.51	-30.18	-13	Pass	1080
3000	12000	1	RMS	5728.303	-44.9	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.51	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.66	-13	Pass	2985
30	1000	0.1	RMS	989.999	-55.05	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43	-13	Pass	830
1830	1920	1	RMS	1850.85	22.44	60	Pass	601
1920	3000	1	RMS	2434.476	-32.37	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.47	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.65	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.78	-13	Pass	2985
30	1000	0.1	RMS	950.595	-54.95	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.22	-13	Pass	830
1830	1920	1	RMS	1864.2	23.09	60	Pass	601
1920	3000	1	RMS	2435.477	-34.87	-13	Pass	1080
3000	12000	1	RMS	5592.288	-43.22	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.65	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.38	-13	Pass	2985
30	1000	0.1	RMS	934.793	-55.04	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.32	-13	Pass	830
1830	1920	1	RMS	1850.85	21.66	60	Pass	601
1920	3000	1	RMS	2669.694	-39.37	-13	Pass	1080
3000	12000	1	RMS	11927.992	-46.65	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.74	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	1000	0.1	RMS	921.292	-55.04	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.23	-13	Pass	830
1830	1920	1	RMS	1864.2	22.35	60	Pass	601
1920	3000	1	RMS	2479.518	-31.82	-13	Pass	1080
3000	12000	1	RMS	5592.288	-44.27	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.66	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.03	-13	Pass	2985
30	1000	0.1	RMS	872.287	-54.94	-13	Pass	9700
1000	1830	1	RMS	1830	-44.26	-13	Pass	830
1830	1920	1	RMS	1873.35	22.94	60	Pass	601
1920	3000	1	RMS	2434.476	-34.57	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.55	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.66	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.37	-13	Pass	2985
30	1000	0.1	RMS	955.695	-55.17	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.25	-13	Pass	830
1830	1920	1	RMS	1886.7	22.76	60	Pass	601
1920	3000	1	RMS	2449.49	-33.44	-13	Pass	1080
3000	12000	1	RMS	5660.296	-46.2	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.53	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.26	-13	Pass	2985
30	1000	0.1	RMS	931.493	-55.2	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.27	-13	Pass	830
1830	1920	1	RMS	1873.35	22.04	60	Pass	601
1920	3000	1	RMS	2449.49	-37.08	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.67	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.63	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.56	-13	Pass	2985
30	1000	0.1	RMS	962.696	-55.09	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.3	-13	Pass	830
1830	1920	1	RMS	1886.7	21.87	60	Pass	601
1920	3000	1	RMS	2405.449	-36.19	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.58	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.71	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.19	-13	Pass	2985
30	1000	0.1	RMS	994.999	-54.41	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.27	-13	Pass	830
1830	1920	1	RMS	1895.85	22.99	60	Pass	601
1920	3000	1	RMS	2420.463	-37.98	-13	Pass	1080
3000	12000	1	RMS	5687.299	-46.18	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.67	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.45	-13	Pass	2985
30	1000	0.1	RMS	926.892	-55	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.29	-13	Pass	830
1830	1920	1	RMS	1909.2	22.56	60	Pass	601
1920	3000	1	RMS	2469.509	-28.87	-13	Pass	1080
3000	12000	1	RMS	5727.303	-43.68	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.78	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	952.295	-54.98	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.24	-13	Pass	830
1830	1920	1	RMS	1895.85	22.11	60	Pass	601
1920	3000	1	RMS	2469.509	-29.28	-13	Pass	1080
3000	12000	1	RMS	5687.299	-46.14	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.71	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.32	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.32	-13	Pass	2985
30	1000	0.1	RMS	914.691	-54.5	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.29	-13	Pass	830
1830	1920	1	RMS	1909.2	21.67	60	Pass	601
1920	3000	1	RMS	2404.449	-37.67	-13	Pass	1080
3000	12000	1	RMS	5727.303	-45.45	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.75	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.9	-13	Pass	2985
30	1000	0.1	RMS	949.895	-54.98	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.23	-13	Pass	830
1830	1920	1	RMS	1851.15	22.32	60	Pass	601
1920	3000	1	RMS	2470.51	-36.21	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.71	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.69	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.87	-13	Pass	2985
30	1000	0.1	RMS	900.89	-55.21	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.25	-13	Pass	830
1830	1920	1	RMS	1868.85	22.94	60	Pass	601
1920	3000	1	RMS	2450.491	-33.42	-13	Pass	1080
3000	12000	1	RMS	5606.29	-45.3	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.72	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.13	-13	Pass	2985
30	1000	0.1	RMS	962.796	-54.96	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.24	-13	Pass	830
1830	1920	1	RMS	1851.15	21.59	60	Pass	601
1920	3000	1	RMS	2416.46	-35.52	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.5	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.72	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.95	-13	Pass	2985
30	1000	0.1	RMS	891.689	-54.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.27	-13	Pass	830
1830	1920	1	RMS	1869	22.2	60	Pass	601
1920	3000	1	RMS	2672.697	-39.44	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.62	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.69	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.72	-13	Pass	2985
30	1000	0.1	RMS	912.291	-55.08	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.27	-13	Pass	830
1830	1920	1	RMS	1871.1	22.96	60	Pass	601
1920	3000	1	RMS	2414.458	-32.06	-13	Pass	1080
3000	12000	1	RMS	5613.29	-46.56	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.78	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.18	-13	Pass	2985
30	1000	0.1	RMS	901.49	-55	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.21	-13	Pass	830
1830	1920	1	RMS	1888.95	22.66	60	Pass	601
1920	3000	1	RMS	2455.496	-37.26	-13	Pass	1080
3000	12000	1	RMS	5666.296	-45.91	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.75	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	1000	0.1	RMS	911.591	-55.07	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.22	-13	Pass	830
1830	1920	1	RMS	1871.1	22.04	60	Pass	601
1920	3000	1	RMS	2419.462	-36.17	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.5	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.57	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	1000	0.1	RMS	842.384	-55.13	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.29	-13	Pass	830
1830	1920	1	RMS	1888.95	21.74	60	Pass	601
1920	3000	1	RMS	2479.518	-32.15	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.49	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.67	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.53	-13	Pass	2985
30	1000	0.1	RMS	923.092	-55.03	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.26	-13	Pass	830
1830	1920	1	RMS	1891.05	22.63	60	Pass	601
1920	3000	1	RMS	2410.454	-29.53	-13	Pass	1080
3000	12000	1	RMS	5673.297	-45.69	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.55	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.77	-13	Pass	2985
30	1000	0.1	RMS	867.186	-55.27	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.26	-13	Pass	830
1830	1920	1	RMS	1908.9	22.49	60	Pass	601
1920	3000	1	RMS	2667.692	-39.36	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.88	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.75	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.27	-13	Pass	2985
30	1000	0.1	RMS	990.899	-55.22	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.27	-13	Pass	830
1830	1920	1	RMS	1891.05	21.66	60	Pass	601
1920	3000	1	RMS	2405.449	-38.75	-13	Pass	1080
3000	12000	1	RMS	5673.297	-45.42	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.64	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.77	-13	Pass	2985
30	1000	0.1	RMS	937.894	-55.12	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.31	-13	Pass	830
1830	1920	1	RMS	1908.9	21.52	60	Pass	601
1920	3000	1	RMS	2414.458	-30.59	-13	Pass	1080
3000	12000	1	RMS	5726.303	-45.86	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.59	-13	Pass	8000



END