

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B66\_1.4MHz\_EIRP

### 1.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	22.78	-0.31	22.47	<=30	Pass		
			2	22.96	-0.31	22.65	<=30	Pass		
			5	22.90	-0.31	22.59	<=30	Pass		
		3	0	22.82	-0.31	22.51	<=30	Pass		
			2	22.92	-0.31	22.61	<=30	Pass		
			3	22.90	-0.31	22.59	<=30	Pass		
		6	0	21.96	-0.31	21.65	<=30	Pass		
		1745	1	0	24.20	-0.31	23.89	<=30	Pass	
				2	24.36	-0.31	24.05	<=30	Pass	
	5			24.19	-0.31	23.88	<=30	Pass		
	3		0	24.28	-0.31	23.97	<=30	Pass		
			2	24.32	-0.31	24.01	<=30	Pass		
			3	24.30	-0.31	23.99	<=30	Pass		
	6		0	23.34	-0.31	23.03	<=30	Pass		
	1779.3		1	0	23.17	-0.31	22.86	<=30	Pass	
				2	23.31	-0.31	23.00	<=30	Pass	
		5		23.08	-0.31	22.77	<=30	Pass		
		3	0	23.25	-0.31	22.94	<=30	Pass		
			2	23.27	-0.31	22.96	<=30	Pass		
			3	23.23	-0.31	22.92	<=30	Pass		
		6	0	22.21	-0.31	21.90	<=30	Pass		
		16QAM	1710.7	1	0	21.79	-0.31	21.48	<=30	Pass
					2	22.01	-0.31	21.70	<=30	Pass
	5				21.91	-0.31	21.60	<=30	Pass	
3	0			21.73	-0.31	21.42	<=30	Pass		
	2			21.83	-0.31	21.52	<=30	Pass		
	3			21.83	-0.31	21.52	<=30	Pass		
6	0			20.81	-0.31	20.50	<=30	Pass		
1745	1			0	23.13	-0.31	22.82	<=30	Pass	
				2	23.32	-0.31	23.01	<=30	Pass	
			5	23.14	-0.31	22.83	<=30	Pass		
	3		0	23.13	-0.31	22.82	<=30	Pass		
			2	23.11	-0.31	22.80	<=30	Pass		
			3	23.10	-0.31	22.79	<=30	Pass		
	6		0	22.35	-0.31	22.04	<=30	Pass		
	1779.3		1	0	22.44	-0.31	22.13	<=30	Pass	
				2	22.63	-0.31	22.32	<=30	Pass	
5				22.38	-0.31	22.07	<=30	Pass		
3			0	22.28	-0.31	21.97	<=30	Pass		
			2	22.25	-0.31	21.94	<=30	Pass		
			3	22.22	-0.31	21.91	<=30	Pass		
6			0	21.27	-0.31	20.96	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.2 B66\_3MHz\_EIRP

### 1.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	22.81	-0.31	22.50	<=30	Pass		
			7	23.27	-0.31	22.96	<=30	Pass		
			14	23.11	-0.31	22.80	<=30	Pass		
		8	0	21.98	-0.31	21.67	<=30	Pass		
			4	22.13	-0.31	21.82	<=30	Pass		
			7	22.13	-0.31	21.82	<=30	Pass		
		15	0	21.97	-0.31	21.66	<=30	Pass		
		1745	1	0	24.30	-0.31	23.99	<=30	Pass	
				7	24.56	-0.31	24.25	<=30	Pass	
	14			24.27	-0.31	23.96	<=30	Pass		
	8		0	23.38	-0.31	23.07	<=30	Pass		
			4	23.37	-0.31	23.06	<=30	Pass		
			7	23.32	-0.31	23.01	<=30	Pass		
	15		0	23.30	-0.31	22.99	<=30	Pass		
	1778.5		1	0	23.19	-0.31	22.88	<=30	Pass	
				7	23.41	-0.31	23.10	<=30	Pass	
		14		23.10	-0.31	22.79	<=30	Pass		
		8	0	22.27	-0.31	21.96	<=30	Pass		
			4	22.24	-0.31	21.93	<=30	Pass		
			7	22.19	-0.31	21.88	<=30	Pass		
		15	0	22.22	-0.31	21.91	<=30	Pass		
		16QAM	1711.5	1	0	21.89	-0.31	21.58	<=30	Pass
					7	22.24	-0.31	21.93	<=30	Pass
	14				22.16	-0.31	21.85	<=30	Pass	
8	0			20.91	-0.31	20.60	<=30	Pass		
	4			21.03	-0.31	20.72	<=30	Pass		
	7			21.09	-0.31	20.78	<=30	Pass		
15	0			20.89	-0.31	20.58	<=30	Pass		
1745	1			0	23.22	-0.31	22.91	<=30	Pass	
				7	23.42	-0.31	23.11	<=30	Pass	
			14	23.16	-0.31	22.85	<=30	Pass		
	8		0	22.37	-0.31	22.06	<=30	Pass		
			4	22.37	-0.31	22.06	<=30	Pass		
			7	22.32	-0.31	22.01	<=30	Pass		
	15		0	22.21	-0.31	21.90	<=30	Pass		
	1778.5		1	0	22.47	-0.31	22.16	<=30	Pass	
				7	22.63	-0.31	22.32	<=30	Pass	
14				22.26	-0.31	21.95	<=30	Pass		
8			0	21.23	-0.31	20.92	<=30	Pass		
			4	21.23	-0.31	20.92	<=30	Pass		
			7	21.18	-0.31	20.87	<=30	Pass		
15			0	21.16	-0.31	20.85	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.3 B66\_5MHz\_EIRP

#### 1.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.69	-0.31	22.38	<=30	Pass
			13	23.13	-0.31	22.82	<=30	Pass
			24	23.19	-0.31	22.88	<=30	Pass

	1745	12	0	21.91	-0.31	21.60	<=30	Pass	
			6	22.12	-0.31	21.81	<=30	Pass	
			13	22.19	-0.31	21.88	<=30	Pass	
		25	0	22.08	-0.31	21.77	<=30	Pass	
			1	0	24.11	-0.31	23.80	<=30	Pass
				13	24.20	-0.31	23.89	<=30	Pass
		24		24.01	-0.31	23.70	<=30	Pass	
		12	0	23.17	-0.31	22.86	<=30	Pass	
			6	23.19	-0.31	22.88	<=30	Pass	
	13		23.09	-0.31	22.78	<=30	Pass		
	25	0	23.17	-0.31	22.86	<=30	Pass		
		1777.5	1	0	23.11	-0.31	22.80	<=30	Pass
				13	23.13	-0.31	22.82	<=30	Pass
	24			22.93	-0.31	22.62	<=30	Pass	
	12	12	0	22.14	-0.31	21.83	<=30	Pass	
			6	22.17	-0.31	21.86	<=30	Pass	
			13	22.03	-0.31	21.72	<=30	Pass	
	25	0	22.15	-0.31	21.84	<=30	Pass		
		1712.5	1	0	21.80	-0.31	21.49	<=30	Pass
				13	22.23	-0.31	21.92	<=30	Pass
	24			22.34	-0.31	22.03	<=30	Pass	
	12		0	20.93	-0.31	20.62	<=30	Pass	
			6	21.14	-0.31	20.83	<=30	Pass	
			13	21.19	-0.31	20.88	<=30	Pass	
25	0		21.03	-0.31	20.72	<=30	Pass		
	1745		1	0	23.22	-0.31	22.91	<=30	Pass
				13	23.31	-0.31	23.00	<=30	Pass
24		23.15		-0.31	22.84	<=30	Pass		
12	12	0	22.26	-0.31	21.95	<=30	Pass		
		6	22.26	-0.31	21.95	<=30	Pass		
		13	22.12	-0.31	21.81	<=30	Pass		
25	0	22.21	-0.31	21.90	<=30	Pass			
	1777.5	1	0	22.19	-0.31	21.88	<=30	Pass	
			13	22.27	-0.31	21.96	<=30	Pass	
24			22.02	-0.31	21.71	<=30	Pass		
12	12	0	21.09	-0.31	20.78	<=30	Pass		
		6	21.19	-0.31	20.88	<=30	Pass		
		13	21.07	-0.31	20.76	<=30	Pass		
25	0	21.13	-0.31	20.82	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

## 1.4 B66\_10MHz\_EIRP

### 1.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1715	1	0	22.84	-0.31	22.53	<=30	Pass	
			25	23.53	-0.31	23.22	<=30	Pass	
			49	23.75	-0.31	23.44	<=30	Pass	
		25	0	22.25	-0.31	21.94	<=30	Pass	
			13	22.47	-0.31	22.16	<=30	Pass	
			25	22.70	-0.31	22.39	<=30	Pass	
	50	0	22.50	-0.31	22.19	<=30	Pass		
		1745	1	0	24.23	-0.31	23.92	<=30	Pass
				25	24.30	-0.31	23.99	<=30	Pass

		25	49	24.11	-0.31	23.80	<=30	Pass	
			0	23.37	-0.31	23.06	<=30	Pass	
			13	23.28	-0.31	22.97	<=30	Pass	
			25	23.20	-0.31	22.89	<=30	Pass	
			50	0	23.28	-0.31	22.97	<=30	Pass
	1775	1	0	23.39	-0.31	23.08	<=30	Pass	
			25	23.37	-0.31	23.06	<=30	Pass	
			49	23.05	-0.31	22.74	<=30	Pass	
		25	0	22.47	-0.31	22.16	<=30	Pass	
			13	22.38	-0.31	22.07	<=30	Pass	
	25		22.31	-0.31	22.00	<=30	Pass		
	50	0	22.38	-0.31	22.07	<=30	Pass		
	16QAM	1715	1	0	21.89	-0.31	21.58	<=30	Pass
				25	22.64	-0.31	22.33	<=30	Pass
				49	22.93	-0.31	22.62	<=30	Pass
25			0	21.25	-0.31	20.94	<=30	Pass	
			13	21.49	-0.31	21.18	<=30	Pass	
		25	21.74	-0.31	21.43	<=30	Pass		
50		0	21.51	-0.31	21.20	<=30	Pass		
1745		1	0	23.17	-0.31	22.86	<=30	Pass	
			25	23.26	-0.31	22.95	<=30	Pass	
			49	23.01	-0.31	22.70	<=30	Pass	
		25	0	22.39	-0.31	22.08	<=30	Pass	
			13	22.31	-0.31	22.00	<=30	Pass	
25			22.20	-0.31	21.89	<=30	Pass		
50		0	22.26	-0.31	21.95	<=30	Pass		
1775		1	0	22.63	-0.31	22.32	<=30	Pass	
	25		22.59	-0.31	22.28	<=30	Pass		
	49		22.30	-0.31	21.99	<=30	Pass		
	25	0	21.44	-0.31	21.13	<=30	Pass		
		13	21.37	-0.31	21.06	<=30	Pass		
25		21.29	-0.31	20.98	<=30	Pass			
50	0	21.41	-0.31	21.10	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

## 1.5 B66\_15MHz\_EIRP

### 1.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1717.5	1	0	22.84	-0.31	22.53	<=30	Pass	
			38	23.66	-0.31	23.35	<=30	Pass	
			74	24.00	-0.31	23.69	<=30	Pass	
		36	0	22.38	-0.31	22.07	<=30	Pass	
			18	22.73	-0.31	22.42	<=30	Pass	
			39	23.07	-0.31	22.76	<=30	Pass	
		75	0	22.75	-0.31	22.44	<=30	Pass	
		1745	1	0	24.19	-0.31	23.88	<=30	Pass
				38	24.22	-0.31	23.91	<=30	Pass
	74			24.01	-0.31	23.70	<=30	Pass	
	36		0	23.40	-0.31	23.09	<=30	Pass	
			18	23.34	-0.31	23.03	<=30	Pass	
			39	23.18	-0.31	22.87	<=30	Pass	
	75	0	23.36	-0.31	23.05	<=30	Pass		
	1772.5	1	0	23.53	-0.31	23.22	<=30	Pass	

		36	38	23.32	-0.31	23.01	<=30	Pass		
			74	22.97	-0.31	22.66	<=30	Pass		
			0	22.49	-0.31	22.18	<=30	Pass		
			18	22.42	-0.31	22.11	<=30	Pass		
			39	22.31	-0.31	22.00	<=30	Pass		
			75	0	22.41	-0.31	22.10	<=30	Pass	
		16QAM	1717.5	1	0	21.99	-0.31	21.68	<=30	Pass
					38	22.90	-0.31	22.59	<=30	Pass
					74	23.26	-0.31	22.95	<=30	Pass
				36	0	21.38	-0.31	21.07	<=30	Pass
					18	21.73	-0.31	21.42	<=30	Pass
					39	22.06	-0.31	21.75	<=30	Pass
75	0			21.74	-0.31	21.43	<=30	Pass		
1745	1			0	23.13	-0.31	22.82	<=30	Pass	
				38	23.14	-0.31	22.83	<=30	Pass	
			74	22.91	-0.31	22.60	<=30	Pass		
	36		0	22.29	-0.31	21.98	<=30	Pass		
			18	22.28	-0.31	21.97	<=30	Pass		
			39	22.14	-0.31	21.83	<=30	Pass		
	75		0	22.28	-0.31	21.97	<=30	Pass		
	1772.5		1	0	22.77	-0.31	22.46	<=30	Pass	
				38	22.62	-0.31	22.31	<=30	Pass	
74				22.28	-0.31	21.97	<=30	Pass		
36			0	21.49	-0.31	21.18	<=30	Pass		
		18	21.44	-0.31	21.13	<=30	Pass			
		39	21.29	-0.31	20.98	<=30	Pass			
75		0	21.36	-0.31	21.05	<=30	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

## 1.6 B66\_20MHz\_EIRP

### 1.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1720	1	0	22.78	-0.31	22.47	<=30	Pass	
			50	24.03	-0.31	23.72	<=30	Pass	
			99	24.04	-0.31	23.73	<=30	Pass	
		50	0	22.46	-0.31	22.15	<=30	Pass	
			25	22.91	-0.31	22.60	<=30	Pass	
			50	23.31	-0.31	23.00	<=30	Pass	
		100	0	22.93	-0.31	22.62	<=30	Pass	
		1745	1	0	23.92	-0.31	23.61	<=30	Pass
				50	24.20	-0.31	23.89	<=30	Pass
	99			23.60	-0.31	23.29	<=30	Pass	
	50		0	23.31	-0.31	23.00	<=30	Pass	
			25	23.26	-0.31	22.95	<=30	Pass	
			50	23.06	-0.31	22.75	<=30	Pass	
	100		0	23.21	-0.31	22.90	<=30	Pass	
	1770		1	0	23.54	-0.31	23.23	<=30	Pass
				50	23.62	-0.31	23.31	<=30	Pass
		99		22.90	-0.31	22.59	<=30	Pass	
		50	0	22.60	-0.31	22.29	<=30	Pass	
			25	22.53	-0.31	22.22	<=30	Pass	
			50	22.35	-0.31	22.04	<=30	Pass	
	100	0	22.45	-0.31	22.14	<=30	Pass		

16QAM	1720	1	0	21.69	-0.31	21.38	<=30	Pass	
			50	23.07	-0.31	22.76	<=30	Pass	
			99	23.16	-0.31	22.85	<=30	Pass	
		50	0	21.48	-0.31	21.17	<=30	Pass	
			25	21.94	-0.31	21.63	<=30	Pass	
			50	22.33	-0.31	22.02	<=30	Pass	
		100	0	21.94	-0.31	21.63	<=30	Pass	
		1745	1	0	23.14	-0.31	22.83	<=30	Pass
				50	23.36	-0.31	23.05	<=30	Pass
	99			22.85	-0.31	22.54	<=30	Pass	
	50		0	22.38	-0.31	22.07	<=30	Pass	
			25	22.32	-0.31	22.01	<=30	Pass	
			50	22.14	-0.31	21.83	<=30	Pass	
	100		0	22.22	-0.31	21.91	<=30	Pass	
	1770		1	0	22.70	-0.31	22.39	<=30	Pass
				50	22.81	-0.31	22.50	<=30	Pass
		99		22.04	-0.31	21.73	<=30	Pass	
		50	0	21.57	-0.31	21.26	<=30	Pass	
			25	21.54	-0.31	21.23	<=30	Pass	
			50	21.38	-0.31	21.07	<=30	Pass	
		100	0	21.44	-0.31	21.13	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 B66\_1.4MHz

#### 2.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz											
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict		
		Size	Offset				Result	Limit			
QPSK	1710.7	6	0	20	3.27	-16.336	-0.0095	-2.5 to 2.5	Pass		
					3.85	-5.093	-0.0030	-2.5 to 2.5	Pass		
					4.43	-2.289	-0.0013	-2.5 to 2.5	Pass		
				-30	3.85	-5.221	-0.0031	-2.5 to 2.5	Pass		
					-20	3.85	-10.014	-0.0059	-2.5 to 2.5	Pass	
					-10	3.85	-2.632	-0.0015	-2.5 to 2.5	Pass	
				0	3.85	-4.621	-0.0027	-2.5 to 2.5	Pass		
					10	3.85	-5.450	-0.0032	-2.5 to 2.5	Pass	
					30	3.85	-0.987	-0.0006	-2.5 to 2.5	Pass	
				40	3.85	-3.304	-0.0019	-2.5 to 2.5	Pass		
					50	3.85	-10.457	-0.0061	-2.5 to 2.5	Pass	
					20	3.27	-12.145	-0.0070	-2.5 to 2.5	Pass	
	3.85	-5.836	-0.0033	-2.5 to 2.5		Pass					
	4.43	-13.361	-0.0077	-2.5 to 2.5		Pass					
	1745	6	0	-30	3.85	0.286	0.0002	-2.5 to 2.5	Pass		
					-20	3.85	4.234	0.0024	-2.5 to 2.5	Pass	
					-10	3.85	-2.604	-0.0015	-2.5 to 2.5	Pass	
				0	3.85	-0.343	-0.0002	-2.5 to 2.5	Pass		
					10	3.85	-8.712	-0.0050	-2.5 to 2.5	Pass	
					30	3.85	1.230	0.0007	-2.5 to 2.5	Pass	
				40	3.85	-5.579	-0.0032	-2.5 to 2.5	Pass		
					50	3.85	-7.353	-0.0042	-2.5 to 2.5	Pass	
					20	3.27	-8.354	-0.0047	-2.5 to 2.5	Pass	
				3.85		-2.117	-0.0012	-2.5 to 2.5	Pass		
1779.3				6		0	20	3.27	-8.354	-0.0047	-2.5 to 2.5
					3.85			-2.117	-0.0012	-2.5 to 2.5	Pass
	3.85	-2.117	-0.0012		-2.5 to 2.5			Pass			

					4.43	-6.223	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	-10.757	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-12.002	-0.0067	-2.5 to 2.5	Pass
				-10	3.85	4.563	0.0026	-2.5 to 2.5	Pass
				0	3.85	-7.939	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-9.470	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-4.821	-0.0027	-2.5 to 2.5	Pass
				40	3.85	-4.005	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-5.207	-0.0029	-2.5 to 2.5	Pass
16QAM	1710.7	6	0	20	3.27	-2.604	-0.0015	-2.5 to 2.5	Pass
					3.85	-8.583	-0.0050	-2.5 to 2.5	Pass
					4.43	-4.277	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-8.082	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-6.938	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-5.951	-0.0035	-2.5 to 2.5	Pass
				0	3.85	3.777	0.0022	-2.5 to 2.5	Pass
				10	3.85	2.160	0.0013	-2.5 to 2.5	Pass
				30	3.85	1.802	0.0011	-2.5 to 2.5	Pass
				40	3.85	-9.971	-0.0058	-2.5 to 2.5	Pass
	50	3.85	-53.058	-0.0310	-2.5 to 2.5	Pass			
	1745	6	0	20	3.27	-3.662	-0.0021	-2.5 to 2.5	Pass
					3.85	0.100	0.0001	-2.5 to 2.5	Pass
					4.43	-4.563	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-9.584	-0.0055	-2.5 to 2.5	Pass
				-20	3.85	-5.536	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	4.263	0.0024	-2.5 to 2.5	Pass
				0	3.85	-5.851	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-5.064	-0.0029	-2.5 to 2.5	Pass
				30	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				40	3.85	1.502	0.0009	-2.5 to 2.5	Pass
	50	3.85	-4.134	-0.0024	-2.5 to 2.5	Pass			
	1779.3	6	0	20	3.27	-6.380	-0.0036	-2.5 to 2.5	Pass
					3.85	-0.043	0.0000	-2.5 to 2.5	Pass
					4.43	-2.689	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-10.328	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-10.085	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	-2.704	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-10.328	-0.0058	-2.5 to 2.5	Pass
				10	3.85	-8.655	-0.0049	-2.5 to 2.5	Pass
30				3.85	-5.050	-0.0028	-2.5 to 2.5	Pass	
40				3.85	-10.958	-0.0062	-2.5 to 2.5	Pass	
50	3.85	-4.663	-0.0026	-2.5 to 2.5	Pass				

## 2.2 B66\_3MHz

### 2.2.1 Test Result

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	-4.964	-0.0029	-2.5 to 2.5	Pass
					3.85	-11.787	-0.0069	-2.5 to 2.5	Pass
					4.43	-9.170	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-15.020	-0.0088	-2.5 to 2.5	Pass
				-20	3.85	-9.742	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	-13.061	-0.0076	-2.5 to 2.5	Pass
				0	3.85	-11.272	-0.0066	-2.5 to 2.5	Pass

				10	3.85	-16.952	-0.0099	-2.5 to 2.5	Pass	
				30	3.85	6.967	0.0041	-2.5 to 2.5	Pass	
				40	3.85	-3.133	-0.0018	-2.5 to 2.5	Pass	
				50	3.85	-7.982	-0.0047	-2.5 to 2.5	Pass	
	1745	15	0	20	3.27	0.629	0.0004	-2.5 to 2.5	Pass	
					3.85	1.774	0.0010	-2.5 to 2.5	Pass	
					4.43	-3.119	-0.0018	-2.5 to 2.5	Pass	
				-30	3.85	-3.920	-0.0022	-2.5 to 2.5	Pass	
				-20	3.85	0.458	0.0003	-2.5 to 2.5	Pass	
				-10	3.85	-2.661	-0.0015	-2.5 to 2.5	Pass	
				0	3.85	-2.232	-0.0013	-2.5 to 2.5	Pass	
				10	3.85	-3.848	-0.0022	-2.5 to 2.5	Pass	
				30	3.85	-1.116	-0.0006	-2.5 to 2.5	Pass	
				40	3.85	-6.895	-0.0040	-2.5 to 2.5	Pass	
				50	3.85	0.057	0.0000	-2.5 to 2.5	Pass	
				1778.5	15	0	20	3.27	-11.730	-0.0066
	3.85	-12.245	-0.0069					-2.5 to 2.5	Pass	
	4.43	-5.479	-0.0031					-2.5 to 2.5	Pass	
	-30	3.85	-6.509				-0.0037	-2.5 to 2.5	Pass	
	-20	3.85	-7.224				-0.0041	-2.5 to 2.5	Pass	
	-10	3.85	-11.888				-0.0067	-2.5 to 2.5	Pass	
	0	3.85	-9.713				-0.0055	-2.5 to 2.5	Pass	
	10	3.85	-7.596				-0.0043	-2.5 to 2.5	Pass	
	30	3.85	-11.215				-0.0063	-2.5 to 2.5	Pass	
	40	3.85	-8.426				-0.0047	-2.5 to 2.5	Pass	
	50	3.85	3.562				0.0020	-2.5 to 2.5	Pass	
	16QAM	1711.5	15				0	20	3.27	-10.858
				3.85	-1.917	-0.0011			-2.5 to 2.5	Pass
				4.43	30.298	0.0177			-2.5 to 2.5	Pass
-30				3.85	-6.151	-0.0036		-2.5 to 2.5	Pass	
-20				3.85	-9.098	-0.0053		-2.5 to 2.5	Pass	
-10				3.85	-10.643	-0.0062		-2.5 to 2.5	Pass	
0				3.85	-7.367	-0.0043		-2.5 to 2.5	Pass	
10				3.85	4.549	0.0027		-2.5 to 2.5	Pass	
30				3.85	-2.131	-0.0012		-2.5 to 2.5	Pass	
40				3.85	-5.436	-0.0032		-2.5 to 2.5	Pass	
50				3.85	-10.114	-0.0059		-2.5 to 2.5	Pass	
1745				15	0	20		3.27	-5.393	-0.0031
		3.85	-7.181				-0.0041	-2.5 to 2.5	Pass	
		4.43	-6.337				-0.0036	-2.5 to 2.5	Pass	
		-30	3.85			-1.831	-0.0010	-2.5 to 2.5	Pass	
		-20	3.85			2.260	0.0013	-2.5 to 2.5	Pass	
		-10	3.85			-0.901	-0.0005	-2.5 to 2.5	Pass	
		0	3.85			0.415	0.0002	-2.5 to 2.5	Pass	
		10	3.85			0.200	0.0001	-2.5 to 2.5	Pass	
		30	3.85			-3.176	-0.0018	-2.5 to 2.5	Pass	
		40	3.85			-5.851	-0.0034	-2.5 to 2.5	Pass	
		50	3.85			-3.076	-0.0018	-2.5 to 2.5	Pass	
		1778.5	15			0	20	3.27	-9.785	-0.0055
3.85				-4.735	-0.0027			-2.5 to 2.5	Pass	
4.43				-3.963	-0.0022			-2.5 to 2.5	Pass	
-30				3.85	-10.400		-0.0058	-2.5 to 2.5	Pass	
-20				3.85	-11.759		-0.0066	-2.5 to 2.5	Pass	
-10				3.85	-7.381		-0.0042	-2.5 to 2.5	Pass	
0				3.85	-5.279		-0.0030	-2.5 to 2.5	Pass	
10	3.85			-7.453	-0.0042		-2.5 to 2.5	Pass		
30	3.85			-5.021	-0.0028		-2.5 to 2.5	Pass		
40	3.85			-9.241	-0.0052		-2.5 to 2.5	Pass		
50	3.85			2.232	0.0013		-2.5 to 2.5	Pass		



## 2.3 B66\_5MHz

### 2.3.1 Test Result

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-2.303	-0.0013	-2.5 to 2.5	Pass
					3.85	-5.493	-0.0032	-2.5 to 2.5	Pass
					4.43	-4.735	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-6.967	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-3.734	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	1.888	0.0011	-2.5 to 2.5	Pass
				0	3.85	-1.845	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-9.470	-0.0055	-2.5 to 2.5	Pass
				30	3.85	-2.589	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-3.047	-0.0018	-2.5 to 2.5	Pass
	50	3.85	-4.163	-0.0024	-2.5 to 2.5	Pass			
	1745	25	0	20	3.27	-4.263	-0.0024	-2.5 to 2.5	Pass
					3.85	-3.676	-0.0021	-2.5 to 2.5	Pass
					4.43	-3.705	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	-9.828	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	2.718	0.0016	-2.5 to 2.5	Pass
				-10	3.85	-8.569	-0.0049	-2.5 to 2.5	Pass
				0	3.85	1.302	0.0007	-2.5 to 2.5	Pass
				10	3.85	-3.247	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-3.777	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-1.230	-0.0007	-2.5 to 2.5	Pass
	50	3.85	-6.208	-0.0036	-2.5 to 2.5	Pass			
	1777.5	25	0	20	3.27	-7.911	-0.0045	-2.5 to 2.5	Pass
					3.85	-10.071	-0.0057	-2.5 to 2.5	Pass
					4.43	-3.576	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-3.991	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-7.596	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	3.176	0.0018	-2.5 to 2.5	Pass
				0	3.85	-6.738	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-7.939	-0.0045	-2.5 to 2.5	Pass
30				3.85	-1.817	-0.0010	-2.5 to 2.5	Pass	
40				3.85	0.114	0.0001	-2.5 to 2.5	Pass	
50	3.85	-6.337	-0.0036	-2.5 to 2.5	Pass				
16QAM	1712.5	25	0	20	3.27	-7.010	-0.0041	-2.5 to 2.5	Pass
					3.85	-6.495	-0.0038	-2.5 to 2.5	Pass
					4.43	-8.426	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-8.898	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-6.580	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-8.111	-0.0047	-2.5 to 2.5	Pass
				0	3.85	-3.276	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-8.483	-0.0050	-2.5 to 2.5	Pass
				30	3.85	-3.462	-0.0020	-2.5 to 2.5	Pass
				40	3.85	3.462	0.0020	-2.5 to 2.5	Pass
	50	3.85	-8.454	-0.0049	-2.5 to 2.5	Pass			
	1745	25	0	20	3.27	-6.480	-0.0037	-2.5 to 2.5	Pass
					3.85	-6.323	-0.0036	-2.5 to 2.5	Pass
					4.43	-4.992	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-12.002	-0.0069	-2.5 to 2.5	Pass
				-20	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass

				-10	3.85	-3.304	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-11.845	-0.0068	-2.5 to 2.5	Pass
				10	3.85	-1.345	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
				40	3.85	1.144	0.0007	-2.5 to 2.5	Pass
				50	3.85	-4.921	-0.0028	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	-2.074	-0.0012	-2.5 to 2.5	Pass
					3.85	1.144	0.0006	-2.5 to 2.5	Pass
					4.43	-2.246	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-0.587	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-6.151	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-5.851	-0.0033	-2.5 to 2.5	Pass
				0	3.85	0.801	0.0005	-2.5 to 2.5	Pass
				10	3.85	-4.177	-0.0023	-2.5 to 2.5	Pass
				30	3.85	6.394	0.0036	-2.5 to 2.5	Pass
				40	3.85	-8.483	-0.0048	-2.5 to 2.5	Pass
				50	3.85	-6.595	-0.0037	-2.5 to 2.5	Pass

## 2.4 B66\_10MHz

### 2.4.1 Test Result

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	-11.158	-0.0065	-2.5 to 2.5	Pass
					3.85	-6.380	-0.0037	-2.5 to 2.5	Pass
					4.43	-2.646	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-6.423	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-7.467	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-4.921	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-4.835	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-4.663	-0.0027	-2.5 to 2.5	Pass
				30	3.85	-3.018	-0.0018	-2.5 to 2.5	Pass
				40	3.85	-3.920	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-3.061	-0.0018	-2.5 to 2.5	Pass
				1745	50	0	20	3.27	-3.920
	3.85	0.186	0.0001					-2.5 to 2.5	Pass
	4.43	-10.972	-0.0063					-2.5 to 2.5	Pass
	-30	3.85	0.315				0.0002	-2.5 to 2.5	Pass
	-20	3.85	-5.565				-0.0032	-2.5 to 2.5	Pass
	-10	3.85	-0.629				-0.0004	-2.5 to 2.5	Pass
	0	3.85	-4.907				-0.0028	-2.5 to 2.5	Pass
	10	3.85	-6.466				-0.0037	-2.5 to 2.5	Pass
	30	3.85	-4.120				-0.0024	-2.5 to 2.5	Pass
	40	3.85	-6.294				-0.0036	-2.5 to 2.5	Pass
	50	3.85	-4.034				-0.0023	-2.5 to 2.5	Pass
	1775	50	0				20	3.27	-1.287
				3.85	-5.050	-0.0028		-2.5 to 2.5	Pass
				4.43	-4.048	-0.0023		-2.5 to 2.5	Pass
				-30	3.85	1.888	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-1.416	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-4.191	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-5.207	-0.0029	-2.5 to 2.5	Pass
30				3.85	-5.021	-0.0028	-2.5 to 2.5	Pass	
40				3.85	-7.067	-0.0040	-2.5 to 2.5	Pass	

16QAM	1715	50	0	50	3.85	-10.529	-0.0059	-2.5 to 2.5	Pass
				20	3.27	-4.549	-0.0027	-2.5 to 2.5	Pass
					3.85	-4.506	-0.0026	-2.5 to 2.5	Pass
				20	4.43	-3.934	-0.0023	-2.5 to 2.5	Pass
					-30	3.85	-5.536	-0.0032	-2.5 to 2.5
				-20	3.85	-2.060	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-4.463	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-6.037	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-7.353	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-7.653	-0.0045	-2.5 to 2.5	Pass
	40	3.85	-9.542	-0.0056	-2.5 to 2.5	Pass			
	50	3.85	-9.513	-0.0055	-2.5 to 2.5	Pass			
	1745	50	0	20	3.27	-2.232	-0.0013	-2.5 to 2.5	Pass
					3.85	-7.281	-0.0042	-2.5 to 2.5	Pass
				20	4.43	2.646	0.0015	-2.5 to 2.5	Pass
					-30	3.85	2.704	0.0015	-2.5 to 2.5
				-20	3.85	-5.450	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-4.263	-0.0024	-2.5 to 2.5	Pass
				10	3.85	0.358	0.0002	-2.5 to 2.5	Pass
				30	3.85	-4.020	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-3.219	-0.0018	-2.5 to 2.5	Pass
	50	3.85	-1.431	-0.0008	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	-7.453	-0.0042	-2.5 to 2.5	Pass
					3.85	-0.987	-0.0006	-2.5 to 2.5	Pass
				20	4.43	-4.535	-0.0026	-2.5 to 2.5	Pass
					-30	3.85	-3.204	-0.0018	-2.5 to 2.5
				-20	3.85	0.286	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-5.951	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-1.788	-0.0010	-2.5 to 2.5	Pass
10				3.85	-5.693	-0.0032	-2.5 to 2.5	Pass	
30				3.85	1.030	0.0006	-2.5 to 2.5	Pass	
40				3.85	3.119	0.0018	-2.5 to 2.5	Pass	
50	3.85	-3.848	-0.0022	-2.5 to 2.5	Pass				

## 2.5 B66\_15MHz

### 2.5.1 Test Result

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-7.596	-0.0044	-2.5 to 2.5	Pass
					3.85	-2.446	-0.0014	-2.5 to 2.5	Pass
				20	4.43	-5.822	-0.0034	-2.5 to 2.5	Pass
					-30	3.85	-2.947	-0.0017	-2.5 to 2.5
				-20	3.85	-4.892	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-7.668	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-0.916	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-6.008	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-7.052	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-1.001	-0.0006	-2.5 to 2.5	Pass
	50	3.85	-2.260	-0.0013	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	-8.826	-0.0051	-2.5 to 2.5	Pass
					3.85	-0.157	-0.0001	-2.5 to 2.5	Pass
				20	4.43	-1.831	-0.0010	-2.5 to 2.5	Pass
-30					3.85	-2.389	-0.0014	-2.5 to 2.5	Pass

				-20	3.85	-3.219	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				0	3.85	-4.563	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-6.723	-0.0039	-2.5 to 2.5	Pass
				30	3.85	3.319	0.0019	-2.5 to 2.5	Pass
				40	3.85	-3.304	-0.0019	-2.5 to 2.5	Pass
	50	3.85	-6.552	-0.0038	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	-2.003	-0.0011	-2.5 to 2.5	Pass
					3.85	-2.718	-0.0015	-2.5 to 2.5	Pass
					4.43	-6.981	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-5.264	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	0.572	0.0003	-2.5 to 2.5	Pass
				-10	3.85	-4.749	-0.0027	-2.5 to 2.5	Pass
		0	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass		
		10	3.85	-3.719	-0.0021	-2.5 to 2.5	Pass		
		30	3.85	-0.687	-0.0004	-2.5 to 2.5	Pass		
		40	3.85	-7.410	-0.0042	-2.5 to 2.5	Pass		
		50	3.85	-5.550	-0.0031	-2.5 to 2.5	Pass		
16QAM		1717.5	75	0	20	3.27	-11.830	-0.0069	-2.5 to 2.5
	3.85					-9.770	-0.0057	-2.5 to 2.5	Pass
	4.43					-7.854	-0.0046	-2.5 to 2.5	Pass
	-30				3.85	-4.878	-0.0028	-2.5 to 2.5	Pass
	-20				3.85	-10.500	-0.0061	-2.5 to 2.5	Pass
	-10				3.85	-9.727	-0.0057	-2.5 to 2.5	Pass
	0		3.85	-8.626	-0.0050	-2.5 to 2.5	Pass		
	10		3.85	-7.896	-0.0046	-2.5 to 2.5	Pass		
	30		3.85	-12.846	-0.0075	-2.5 to 2.5	Pass		
	40		3.85	-6.137	-0.0036	-2.5 to 2.5	Pass		
	50		3.85	-4.506	-0.0026	-2.5 to 2.5	Pass		
	1745		75	0	20	3.27	-6.766	-0.0039	-2.5 to 2.5
		3.85				-5.021	-0.0029	-2.5 to 2.5	Pass
		4.43				-4.807	-0.0028	-2.5 to 2.5	Pass
		-30			3.85	-8.640	-0.0050	-2.5 to 2.5	Pass
		-20			3.85	-7.181	-0.0041	-2.5 to 2.5	Pass
		-10			3.85	-9.613	-0.0055	-2.5 to 2.5	Pass
		0	3.85	-4.392	-0.0025	-2.5 to 2.5	Pass		
		10	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass		
		30	3.85	-1.216	-0.0007	-2.5 to 2.5	Pass		
		40	3.85	-4.649	-0.0027	-2.5 to 2.5	Pass		
		50	3.85	-4.692	-0.0027	-2.5 to 2.5	Pass		
		1772.5	75	0	20	3.27	-1.431	-0.0008	-2.5 to 2.5
	3.85					-3.176	-0.0018	-2.5 to 2.5	Pass
	4.43					-2.518	-0.0014	-2.5 to 2.5	Pass
	-30				3.85	-10.557	-0.0060	-2.5 to 2.5	Pass
	-20				3.85	-7.496	-0.0042	-2.5 to 2.5	Pass
	-10				3.85	-3.991	-0.0023	-2.5 to 2.5	Pass
	0		3.85	-6.866	-0.0039	-2.5 to 2.5	Pass		
	10		3.85	-4.621	-0.0026	-2.5 to 2.5	Pass		
30	3.85		-10.014	-0.0056	-2.5 to 2.5	Pass			
40	3.85		-6.151	-0.0035	-2.5 to 2.5	Pass			
50	3.85		-10.343	-0.0058	-2.5 to 2.5	Pass			

## 2.6 B66\_20MHz

### 2.6.1 Test Result

Band: 66 / Bandwidth: 20MHz

Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	-7.710	-0.0045	-2.5 to 2.5	Pass
					3.85	-5.035	-0.0029	-2.5 to 2.5	Pass
					4.43	-3.777	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-3.290	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-8.526	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-5.021	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-2.775	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-6.080	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-10.815	-0.0063	-2.5 to 2.5	Pass
	40	3.85	-7.153	-0.0042	-2.5 to 2.5	Pass			
	50	3.85	-7.353	-0.0043	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-5.307	-0.0030	-2.5 to 2.5	Pass
					3.85	-4.420	-0.0025	-2.5 to 2.5	Pass
					4.43	-9.670	-0.0055	-2.5 to 2.5	Pass
				-30	3.85	-0.143	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-1.559	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	0.529	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-2.275	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-2.089	-0.0012	-2.5 to 2.5	Pass
	40	3.85	-2.360	-0.0014	-2.5 to 2.5	Pass			
	50	3.85	-7.839	-0.0045	-2.5 to 2.5	Pass			
	1770	100	0	20	3.27	-4.921	-0.0028	-2.5 to 2.5	Pass
					3.85	-4.592	-0.0026	-2.5 to 2.5	Pass
					4.43	-2.632	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-5.465	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	0.772	0.0004	-2.5 to 2.5	Pass
-10				3.85	-0.472	-0.0003	-2.5 to 2.5	Pass	
0				3.85	-3.405	-0.0019	-2.5 to 2.5	Pass	
10				3.85	-2.432	-0.0014	-2.5 to 2.5	Pass	
30				3.85	-7.553	-0.0043	-2.5 to 2.5	Pass	
40	3.85	-0.772	-0.0004	-2.5 to 2.5	Pass				
50	3.85	0.386	0.0002	-2.5 to 2.5	Pass				
16QAM	1720	100	0	20	3.27	-2.861	-0.0017	-2.5 to 2.5	Pass
					3.85	-5.007	-0.0029	-2.5 to 2.5	Pass
					4.43	-8.554	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-10.157	-0.0059	-2.5 to 2.5	Pass
				-20	3.85	-6.137	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	-10.729	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-6.537	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-9.198	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-5.436	-0.0032	-2.5 to 2.5	Pass
	40	3.85	-7.854	-0.0046	-2.5 to 2.5	Pass			
	50	3.85	-8.783	-0.0051	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-1.144	-0.0007	-2.5 to 2.5	Pass
					3.85	-2.518	-0.0014	-2.5 to 2.5	Pass
					4.43	-3.476	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-3.362	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-4.978	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-9.313	-0.0053	-2.5 to 2.5	Pass
				0	3.85	-3.147	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-5.522	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-2.346	-0.0013	-2.5 to 2.5	Pass
	40	3.85	-7.439	-0.0043	-2.5 to 2.5	Pass			
50	3.85	-0.286	-0.0002	-2.5 to 2.5	Pass				
1770	100	0	20	3.27	-6.466	-0.0037	-2.5 to 2.5	Pass	
				3.85	-5.651	-0.0032	-2.5 to 2.5	Pass	

					4.43	-3.619	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	3.047	0.0017	-2.5 to 2.5	Pass
				-20	3.85	-3.204	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-1.903	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-3.848	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-0.930	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-3.877	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				50	3.85	1.230	0.0007	-2.5 to 2.5	Pass



### 3. Modulation Characteristics

#### 3.1 B66\_1.4MHz

##### 3.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph





### 3.2 B66\_3MHz

#### 3.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass



### 3.2.2 Test Graph





3.3 B66\_5MHz

3.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

### 3.3.2 Test Graph





### 3.4 B66\_10MHz

#### 3.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

### 3.4.2 Test Graph





### 3.5 B66\_15MHz

#### 3.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

### 3.5.2 Test Graph





### 3.6 B66\_20MHz

#### 3.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass



### 3.6.2 Test Graph





## 4. 99% & 26dB Bandwidth

### 4.1 Band66\_OBW


#### 4.1.1 Test Result

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.105	/	Pass
		1745	6	0	1.114	/	Pass
		1779.3	6	0	1.111	/	Pass
	16QAM	1710.7	6	0	1.112	/	Pass
		1745	6	0	1.109	/	Pass
		1779.3	6	0	1.105	/	Pass
3	QPSK	1711.5	15	0	2.733	/	Pass
		1745	15	0	2.723	/	Pass
		1778.5	15	0	2.718	/	Pass
	16QAM	1711.5	15	0	2.718	/	Pass
		1745	15	0	2.728	/	Pass
		1778.5	15	0	2.723	/	Pass
5	QPSK	1712.5	25	0	4.577	/	Pass
		1745	25	0	4.564	/	Pass
		1777.5	25	0	4.563	/	Pass
	16QAM	1712.5	25	0	4.593	/	Pass
		1745	25	0	4.586	/	Pass
		1777.5	25	0	4.548	/	Pass
10	QPSK	1715	50	0	9.114	/	Pass
		1745	50	0	9.069	/	Pass
		1775	50	0	9.105	/	Pass
	16QAM	1715	50	0	9.108	/	Pass
		1745	50	0	9.089	/	Pass
		1775	50	0	9.096	/	Pass
15	QPSK	1717.5	75	0	13.640	/	Pass
		1745	75	0	13.579	/	Pass
		1772.5	75	0	13.643	/	Pass
	16QAM	1717.5	75	0	13.641	/	Pass
		1745	75	0	13.638	/	Pass
		1772.5	75	0	13.647	/	Pass
20	QPSK	1720	100	0	18.180	/	Pass
		1745	100	0	18.063	/	Pass
		1770	100	0	18.148	/	Pass
	16QAM	1720	100	0	18.193	/	Pass
		1745	100	0	18.108	/	Pass
		1770	100	0	18.215	/	Pass


### 4.1.2 Test Graph




Band66\_1.4MHz\_QPSK\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_16QAM\_MCH\_1745MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV



Band66\_3MHz\_QPSK\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_QPSK\_MCH\_1745MHz\_RB\_15\_0\_NTNV







Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV



Band66\_3MHz\_16QAM\_MCH\_1745MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV







Band66\_5MHz\_QPSK\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_QPSK\_MCH\_1745MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_MCH\_1745MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV




Band66\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_QPSK\_MCH\_1745MHz\_RB\_50\_0\_NTNV



Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_50\_0\_NTNV







Band66\_10MHz\_16QAM\_MCH\_1745MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_50\_0\_NTNV




Band66\_15MHz\_QPSK\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_QPSK\_MCH\_1745MHz\_RB\_75\_0\_NTNV



Band66\_15MHz\_QPSK\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV







Band66\_15MHz\_16QAM\_MCH\_1745MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV




Band66\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_100\_0\_NTNV




Band66\_20MHz\_QPSK\_MCH\_1745MHz\_RB\_100\_0\_NTNV




Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_100\_0\_NTNV




Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_100\_0\_NTNV



Band66\_20MHz\_16QAM\_MCH\_1745MHz\_RB\_100\_0\_NTNV



Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_100\_0\_NTNV





## 4.2 Band66\_XDB

### 4.2.1 Test Result


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.330	/	Pass
		1745	6	0	1.324	/	Pass
		1779.3	6	0	1.321	/	Pass
	16QAM	1710.7	6	0	1.312	/	Pass
		1745	6	0	1.316	/	Pass
		1779.3	6	0	1.308	/	Pass
3	QPSK	1711.5	15	0	3.001	/	Pass
		1745	15	0	2.989	/	Pass
		1778.5	15	0	2.995	/	Pass
	16QAM	1711.5	15	0	2.999	/	Pass
		1745	15	0	3.002	/	Pass
		1778.5	15	0	3.011	/	Pass
5	QPSK	1712.5	25	0	5.270	/	Pass
		1745	25	0	5.273	/	Pass
		1777.5	25	0	5.238	/	Pass
	16QAM	1712.5	25	0	5.338	/	Pass
		1745	25	0	5.273	/	Pass
		1777.5	25	0	5.252	/	Pass
10	QPSK	1715	50	0	10.285	/	Pass
		1745	50	0	10.166	/	Pass
		1775	50	0	10.334	/	Pass
	16QAM	1715	50	0	10.247	/	Pass
		1745	50	0	10.329	/	Pass
		1775	50	0	10.276	/	Pass
15	QPSK	1717.5	75	0	15.286	/	Pass
		1745	75	0	15.358	/	Pass
		1772.5	75	0	15.369	/	Pass
	16QAM	1717.5	75	0	15.312	/	Pass
		1745	75	0	15.151	/	Pass
		1772.5	75	0	15.347	/	Pass
20	QPSK	1720	100	0	20.222	/	Pass
		1745	100	0	20.149	/	Pass
		1770	100	0	19.997	/	Pass
	16QAM	1720	100	0	20.186	/	Pass
		1745	100	0	20.033	/	Pass
		1770	100	0	20.195	/	Pass

### 4.2.2 Test Graph







Band66\_1.4MHz\_QPSK\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_6\_0\_NTNV



Band66\_1.4MHz\_16QAM\_MCH\_1745MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV







Band66\_3MHz\_QPSK\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_QPSK\_MCH\_1745MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_MCH\_1745MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV




Band66\_5MHz\_QPSK\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_QPSK\_MCH\_1745MHz\_RB\_25\_0\_NTNV



Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV







Band66\_5MHz\_16QAM\_MCH\_1745MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV




Band66\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_QPSK\_MCH\_1745MHz\_RB\_50\_0\_NTNV



Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_50\_0\_NTNV







Band66\_10MHz\_16QAM\_MCH\_1745MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_50\_0\_NTNV




Band66\_15MHz\_QPSK\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_QPSK\_MCH\_1745MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_QPSK\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_16QAM\_MCH\_1745MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV



Band66\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_100\_0\_NTNV




Band66\_20MHz\_QPSK\_MCH\_1745MHz\_RB\_100\_0\_NTNV







Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_100\_0\_NTNV




Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_100\_0\_NTNV



Band66\_20MHz\_16QAM\_MCH\_1745MHz\_RB\_100\_0\_NTNV



Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_100\_0\_NTNV



## 5. Peak-Average Ratio



### 5.1 B66\_1.4MHz

#### 5.1.1 Test Result


Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	4.89	<=13	Pass
	1745	6	0	4.84	<=13	Pass
	1779.3	6	0	5.45	<=13	Pass
16QAM	1710.7	6	0	5.76	<=13	Pass
	1745	6	0	5.78	<=13	Pass
	1779.3	6	0	6.27	<=13	Pass




### 5.1.2 Test Graph




Band66\_1.4MHz\_QPSK\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_6\_0\_NTNV



Band66\_1.4MHz\_16QAM\_MCH\_1745MHz\_RB\_6\_0\_NTNV



Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV





## 5.2 B66\_3MHz


### 5.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	5.13	<=13	Pass
	1745	15	0	5.05	<=13	Pass
	1778.5	15	0	5.52	<=13	Pass
16QAM	1711.5	15	0	5.98	<=13	Pass
	1745	15	0	5.93	<=13	Pass
	1778.5	15	0	6.35	<=13	Pass


## 5.2.2 Test Graph




Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV



Band66\_3MHz\_16QAM\_MCH\_1745MHz\_RB\_15\_0\_NTNV



Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV





## 5.3 B66\_5MHz

### 5.3.1 Test Result


Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.42	<=13	Pass
	1745	25	0	5.32	<=13	Pass
	1777.5	25	0	5.77	<=13	Pass
16QAM	1712.5	25	0	6.17	<=13	Pass
	1745	25	0	6.05	<=13	Pass
	1777.5	25	0	6.47	<=13	Pass




### 5.3.2 Test Graph




Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV



Band66\_5MHz\_16QAM\_MCH\_1745MHz\_RB\_25\_0\_NTNV



Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV





## 5.4 B66\_10MHz


### 5.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.56	<=13	Pass
	1745	50	0	5.39	<=13	Pass
	1775	50	0	5.79	<=13	Pass
16QAM	1715	50	0	6.33	<=13	Pass
	1745	50	0	6.19	<=13	Pass
	1775	50	0	6.52	<=13	Pass


### 5.4.2 Test Graph




Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_50\_0\_NTNV




Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_50\_0\_NTNV



Band66\_10MHz\_16QAM\_MCH\_1745MHz\_RB\_50\_0\_NTNV



Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_50\_0\_NTNV





## 5.5 B66\_15MHz

### 5.5.1 Test Result


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	5.88	<=13	Pass
	1745	75	0	5.49	<=13	Pass
	1772.5	75	0	6.04	<=13	Pass
16QAM	1717.5	75	0	6.47	<=13	Pass
	1745	75	0	6.18	<=13	Pass
	1772.5	75	0	6.62	<=13	Pass




### 5.5.2 Test Graph




Band66\_15MHz\_QPSK\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV



Band66\_15MHz\_16QAM\_MCH\_1745MHz\_RB\_75\_0\_NTNV



Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV





## 5.6 B66\_20MHz


### 5.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.74	<=13	Pass
	1745	100	0	5.41	<=13	Pass
	1770	100	0	5.79	<=13	Pass
16QAM	1720	100	0	6.45	<=13	Pass
	1745	100	0	6.22	<=13	Pass
	1770	100	0	6.58	<=13	Pass


### 5.6.2 Test Graph




Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_100\_0\_NTNV




Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_100\_0\_NTNV



Band66\_20MHz\_16QAM\_MCH\_1745MHz\_RB\_100\_0\_NTNV



Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_100\_0\_NTNV







## 6. Spurious Emission

### 6.1 B66\_1.4MHz


#### 6.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph	Pass	
		6	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1779.3	1	0	Refer To Test Graph	Pass
				5	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass
16QAM	1710.7	1	0	Refer To Test Graph	Pass	
		6	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1779.3	1	0	Refer To Test Graph	Pass
				5	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass


### 6.1.2 Test Graph




Band66\_1.4MHz\_QPSK\_LCH\_1710.7MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_QPSK\_LCH\_1710.7MHz\_RB\_6\_0\_NTNV




Band66\_1.4MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_QPSK\_HCH\_1779.3MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_QPSK\_HCH\_1779.3MHz\_RB\_1\_0\_NTNV



Band66 1.4MHz QPSK HCH 1779.3MHz RB\_1\_5\_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB\_6\_0\_NTNV







Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_1\_0\_NTNV



Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_16QAM\_LCH\_1710.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.884	-46.60	-13	Pass
1709	1710	0.013	/	2	1709.991	-31.35	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/




Band66\_1.4MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_1\_0\_NTNV




Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_1\_0\_NTNV



Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_1\_5\_NTNV



Band66\_1.4MHz\_16QAM\_HCH\_1779.3MHz\_RB\_6\_0\_NTNV





## 6.2 B66\_3MHz


### 6.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


### 6.2.2 Test Graph



Band66\_3MHz\_QPSK\_LCH\_1711.5MHz\_RB\_1\_0\_NTNV




Band66\_3MHz\_QPSK\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-22.95	-13	Pass
1709	1710	0.03	/	2	1710.000	-31.86	-13	Pass
1710	1713	0.03	/	/	/	/	/	/




Band66\_3MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_3MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV



Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_1\_0\_NTNV




Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_1\_0\_NTNV







Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_1\_14\_NTNV




Band66\_3MHz\_QPSK\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV




Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_1\_0\_NTV




Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_1\_0\_NTV



Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_1\_0\_NTNV




Band66\_3MHz\_16QAM\_LCH\_1711.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-24.45	-13	Pass
1709	1710	0.03	/	2	1710.000	-32.49	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66\_3MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_3MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTNV



Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_1\_0\_NTNV




Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_1\_0\_NTNV






Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_1\_14\_NTNV



Band66\_3MHz\_16QAM\_HCH\_1778.5MHz\_RB\_15\_0\_NTNV





## 6.3 B66\_5MHz

### 6.3.1 Test Result


Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

### 6.3.2 Test Graph






Band66\_5MHz\_QPSK\_LCH\_1712.5MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_QPSK\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-23.31	-13	Pass
1709	1710	0.056	/	2	1709.990	-25.71	-13	Pass
1710	1715	0.056	/	/	/	/	/	/


Band66\_5MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_1\_0\_NTNV



Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_1\_24\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	1	1780.009	-27.28	-13	Pass
1780	1781	0.003	CHP	2	1781.538	-39.26	-13	Pass

Band66\_5MHz\_QPSK\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.056	/	1	1780.050	-26.90	-13	Pass
1780	1781	0.056	CHP	2	1781.010	-26.30	-13	Pass

Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_1\_0\_NTNV







Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_16QAM\_LCH\_1712.5MHz\_RB\_25\_0\_NTNV




Band66\_5MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTNV



Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_1\_0\_NTNV




Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_1\_0\_NTNV






Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_1\_24\_NTNV



Band66\_5MHz\_16QAM\_HCH\_1777.5MHz\_RB\_25\_0\_NTNV





## 6.4 B66\_10MHz


### 6.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


### 6.4.2 Test Graph



Band66\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band66\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-26.24	-13	Pass
1709	1710	0.11	/	2	1709.920	-29.76	-13	Pass
1710	1720	0.11	/	/	/	/	/	/

Band66\_10MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_10MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV







Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_1\_0\_NTNV




Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_1\_0\_NTNV



Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_1\_49\_NTV




Band66\_10MHz\_QPSK\_HCH\_1775MHz\_RB\_50\_0\_NTV







Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_1\_0\_NTNV



Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band66\_10MHz\_16QAM\_LCH\_1715MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-26.93	-13	Pass
1709	1710	0.11	/	2	1709.820	-31.82	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66\_10MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTV




Band66\_10MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTV




Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_1\_0\_NTV




Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_1\_0\_NTV



Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_1\_49\_NTNV



Band66\_10MHz\_16QAM\_HCH\_1775MHz\_RB\_50\_0\_NTNV







## 6.5 B66\_15MHz

### 6.5.1 Test Result


Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

### 6.5.2 Test Graph







Band66\_15MHz\_QPSK\_LCH\_1717.5MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_QPSK\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV




Band66\_15MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_QPSK\_HCH\_1772.5MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_QPSK\_HCH\_1772.5MHz\_RB\_1\_74\_NTNV




Band66\_15MHz\_QPSK\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV



Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_1\_0\_NTNV







Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_16QAM\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV



Band66\_15MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTV




Band66\_15MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTV







Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_1\_0\_NTNV




Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_1\_0\_NTNV



Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_1\_74\_NTNV



Band66\_15MHz\_16QAM\_HCH\_1772.5MHz\_RB\_75\_0\_NTNV





## 6.6 B66\_20MHz


### 6.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


### 6.6.2 Test Graph



Band66\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band66\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-29.10	-13	Pass
1709	1710	0.22	/	2	1709.960	-33.87	-13	Pass
1710	1730	0.22	/	/	/	/	/	/



Band66\_20MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV




Band66\_20MHz\_QPSK\_MCH\_1745MHz\_RB\_1\_0\_NTNV







Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_1\_0\_NTNV



Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_1\_0\_NTNV




Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_1\_99\_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	1	1780.000	-41.10	-13	Pass
1781	1800	1	CHP	2	1781.005	-33.92	-13	Pass

Band66\_20MHz\_QPSK\_HCH\_1770MHz\_RB\_100\_0\_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	1	1780.000	-32.64	-13	Pass
1781	1800	1	CHP	2	1781.040	-28.81	-13	Pass


Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_1\_0\_NTNV



Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band66\_20MHz\_16QAM\_LCH\_1720MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-30.35	-13	Pass
1709	1710	0.22	/	2	1709.920	-33.68	-13	Pass
1710	1730	0.22	/	/	/	/	/	/

Band66\_20MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTV




Band66\_20MHz\_16QAM\_MCH\_1745MHz\_RB\_1\_0\_NTV






Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_1\_0\_NTV




Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_1\_0\_NTV






Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_1\_99\_NTNV



Band66\_20MHz\_16QAM\_HCH\_1770MHz\_RB\_100\_0\_NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2729	0.0095	ppm	1M11G7D	27L	24.36
66	1.4	1710.7	1779.3	0.2148	0.0310	ppm	1M11W7D	27L	23.32
66	3	1711.5	1778.5	0.2858	0.0099	ppm	2M73G7D	27L	24.56
66	3	1711.5	1778.5	0.2198	0.0177	ppm	2M73W7D	27L	23.42
66	5	1712.5	1777.5	0.2630	0.0057	ppm	4M58G7D	27L	24.20
66	5	1712.5	1777.5	0.2143	0.0069	ppm	4M59W7D	27L	23.31
66	10	1715	1775	0.2692	0.0065	ppm	9M11G7D	27L	24.30
66	10	1715	1775	0.2118	0.0056	ppm	9M11W7D	27L	23.26
66	15	1717.5	1772.5	0.2642	0.0051	ppm	13M6G7D	27L	24.22
66	15	1717.5	1772.5	0.2118	0.0075	ppm	13M6W7D	27L	23.26
66	20	1720	1770	0.2630	0.0063	ppm	18M2G7D	27L	24.20
66	20	1720	1770	0.2168	0.0062	ppm	18M2W7D	27L	23.36

## 7.2 Form731\_EIRP

#### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2541	0.0095	ppm	1M11G7D	27L	24.05
66	1.4	1710.7	1779.3	0.2000	0.0310	ppm	1M11W7D	27L	23.01
66	3	1711.5	1778.5	0.2661	0.0099	ppm	2M73G7D	27L	24.25
66	3	1711.5	1778.5	0.2046	0.0177	ppm	2M73W7D	27L	23.11
66	5	1712.5	1777.5	0.2449	0.0057	ppm	4M58G7D	27L	23.89
66	5	1712.5	1777.5	0.1995	0.0069	ppm	4M59W7D	27L	23.00
66	10	1715	1775	0.2506	0.0065	ppm	9M11G7D	27L	23.99
66	10	1715	1775	0.1972	0.0056	ppm	9M11W7D	27L	22.95
66	15	1717.5	1772.5	0.2460	0.0051	ppm	13M6G7D	27L	23.91
66	15	1717.5	1772.5	0.1972	0.0075	ppm	13M6W7D	27L	22.95
66	20	1720	1770	0.2449	0.0063	ppm	18M2G7D	27L	23.89
66	20	1720	1770	0.2018	0.0062	ppm	18M2W7D	27L	23.05