

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Band2\_EIRP

### 1.1.1 Test Result

Band: 2									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	1852.4	20.75	-0.35	20.40	<=33.01	Pass	
			1880	20.42	-0.35	20.07	<=33.01	Pass	
			1907.6	20.49	-0.35	20.14	<=33.01	Pass	
	HSDPA	Subtest 1	1852.4	18.64	-0.35	18.29	<=33.01	Pass	
		Subtest 2	1852.4	18.56	-0.35	18.21	<=33.01	Pass	
		Subtest 3	1852.4	18.60	-0.35	18.25	<=33.01	Pass	
		Subtest 4	1852.4	18.57	-0.35	18.22	<=33.01	Pass	
		Subtest 1	1880	18.27	-0.35	17.92	<=33.01	Pass	
		Subtest 2	1880	18.29	-0.35	17.94	<=33.01	Pass	
		Subtest 3	1880	18.28	-0.35	17.93	<=33.01	Pass	
		Subtest 4	1880	18.27	-0.35	17.92	<=33.01	Pass	
		Subtest 1	1907.6	18.31	-0.35	17.96	<=33.01	Pass	
		Subtest 2	1907.6	18.32	-0.35	17.97	<=33.01	Pass	
		Subtest 3	1907.6	18.31	-0.35	17.96	<=33.01	Pass	
		Subtest 4	1907.6	18.30	-0.35	17.95	<=33.01	Pass	
		HSUPA	Subtest 1	1852.4	16.49	-0.35	16.14	<=33.01	Pass
			Subtest 2	1852.4	16.28	-0.35	15.93	<=33.01	Pass
	Subtest 3		1852.4	16.23	-0.35	15.88	<=33.01	Pass	
	Subtest 4		1852.4	16.24	-0.35	15.89	<=33.01	Pass	
	Subtest 5		1852.4	16.52	-0.35	16.17	<=33.01	Pass	
	Subtest 1		1880	15.91	-0.35	15.56	<=33.01	Pass	
	Subtest 2		1880	16.14	-0.35	15.79	<=33.01	Pass	
	Subtest 3		1880	15.66	-0.35	15.31	<=33.01	Pass	
	Subtest 4		1880	15.91	-0.35	15.56	<=33.01	Pass	
	Subtest 5		1880	16.15	-0.35	15.80	<=33.01	Pass	
	Subtest 1		1907.6	16.20	-0.35	15.85	<=33.01	Pass	
	Subtest 2		1907.6	15.68	-0.35	15.33	<=33.01	Pass	
	Subtest 3		1907.6	16.19	-0.35	15.84	<=33.01	Pass	
	Subtest 4	1907.6	16.21	-0.35	15.86	<=33.01	Pass		
	Subtest 5	1907.6	16.02	-0.35	15.67	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Band2

#### 2.1.1 Test Result

Band: 2							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	1852.4	20	3.27	-11.301	-0.0061	-2.5 to 2.5	Pass
			3.85	-6.616	-0.0036	-2.5 to 2.5	Pass
			4.43	-8.061	-0.0044	-2.5 to 2.5	Pass
		-30	3.85	-8.662	-0.0047	-2.5 to 2.5	Pass
		-20	3.85	-9.305	-0.0050	-2.5 to 2.5	Pass

		-10	3.85	-8.583	-0.0046	-2.5 to 2.5	Pass		
		0	3.85	-7.596	-0.0041	-2.5 to 2.5	Pass		
		10	3.85	-6.752	-0.0036	-2.5 to 2.5	Pass		
		30	3.85	-12.088	-0.0065	-2.5 to 2.5	Pass		
		40	3.85	-11.230	-0.0061	-2.5 to 2.5	Pass		
	1880	50	3.85	-8.655	-0.0047	-2.5 to 2.5	Pass		
			20	3.27	-9.742	-0.0052	-2.5 to 2.5	Pass	
			3.85	-8.526	-0.0045	-2.5 to 2.5	Pass		
		4.43	-7.231	-0.0038	-2.5 to 2.5	Pass			
		-30	3.85	-14.548	-0.0077	-2.5 to 2.5	Pass		
		-20	3.85	-5.271	-0.0028	-2.5 to 2.5	Pass		
		-10	3.85	-9.677	-0.0051	-2.5 to 2.5	Pass		
		0	3.85	-10.958	-0.0058	-2.5 to 2.5	Pass		
		10	3.85	-5.622	-0.0030	-2.5 to 2.5	Pass		
		30	3.85	-10.493	-0.0056	-2.5 to 2.5	Pass		
		40	3.85	-7.088	-0.0038	-2.5 to 2.5	Pass		
		50	3.85	-5.307	-0.0028	-2.5 to 2.5	Pass		
		1907.6	20	3.27	-8.290	-0.0043	-2.5 to 2.5	Pass	
				3.85	-11.258	-0.0059	-2.5 to 2.5	Pass	
				4.43	-7.582	-0.0040	-2.5 to 2.5	Pass	
	-30		3.85	-5.686	-0.0030	-2.5 to 2.5	Pass		
	-20		3.85	-6.487	-0.0034	-2.5 to 2.5	Pass		
	-10		3.85	-8.569	-0.0045	-2.5 to 2.5	Pass		
	0		3.85	-6.673	-0.0035	-2.5 to 2.5	Pass		
	10		3.85	-11.029	-0.0058	-2.5 to 2.5	Pass		
	30		3.85	-6.616	-0.0035	-2.5 to 2.5	Pass		
	40		3.85	-6.001	-0.0031	-2.5 to 2.5	Pass		
	50		3.85	-3.047	-0.0016	-2.5 to 2.5	Pass		
	HSDPA		1852.4	20	3.27	-17.710	-0.0096	-2.5 to 2.5	Pass
					3.85	-10.965	-0.0059	-2.5 to 2.5	Pass
4.43					-14.141	-0.0076	-2.5 to 2.5	Pass	
-30				3.85	-19.698	-0.0106	-2.5 to 2.5	Pass	
-20		3.85		-12.932	-0.0070	-2.5 to 2.5	Pass		
-10		3.85		-12.753	-0.0069	-2.5 to 2.5	Pass		
0		3.85		-12.660	-0.0068	-2.5 to 2.5	Pass		
10		3.85		-12.224	-0.0066	-2.5 to 2.5	Pass		
30		3.85		-10.207	-0.0055	-2.5 to 2.5	Pass		
40		3.85		-8.883	-0.0048	-2.5 to 2.5	Pass		
50		3.85		-11.022	-0.0060	-2.5 to 2.5	Pass		
1880		20		3.27	-9.913	-0.0053	-2.5 to 2.5	Pass	
				3.85	-14.706	-0.0078	-2.5 to 2.5	Pass	
				4.43	-12.066	-0.0064	-2.5 to 2.5	Pass	
		-30		3.85	-10.364	-0.0055	-2.5 to 2.5	Pass	
		-20	3.85	-15.993	-0.0085	-2.5 to 2.5	Pass		
		-10	3.85	-17.545	-0.0093	-2.5 to 2.5	Pass		
		0	3.85	-13.318	-0.0071	-2.5 to 2.5	Pass		
		10	3.85	-17.967	-0.0096	-2.5 to 2.5	Pass		
		30	3.85	-17.831	-0.0095	-2.5 to 2.5	Pass		
		40	3.85	-8.619	-0.0046	-2.5 to 2.5	Pass		
		50	3.85	-11.408	-0.0061	-2.5 to 2.5	Pass		
		1907.6	20	3.27	-10.529	-0.0055	-2.5 to 2.5	Pass	
				3.85	-15.142	-0.0079	-2.5 to 2.5	Pass	
				4.43	-16.272	-0.0085	-2.5 to 2.5	Pass	
			-30	3.85	-14.169	-0.0074	-2.5 to 2.5	Pass	
-20			3.85	-11.051	-0.0058	-2.5 to 2.5	Pass		
-10			3.85	-5.851	-0.0031	-2.5 to 2.5	Pass		
0			3.85	-7.925	-0.0042	-2.5 to 2.5	Pass		
10			3.85	-4.656	-0.0024	-2.5 to 2.5	Pass		
30	3.85		-8.397	-0.0044	-2.5 to 2.5	Pass			

		40	3.85	-9.477	-0.0050	-2.5 to 2.5	Pass
		50	3.85	-6.459	-0.0034	-2.5 to 2.5	Pass
HSUPA	1852.4	20	3.27	-8.247	-0.0045	-2.5 to 2.5	Pass
			3.85	-15.771	-0.0085	-2.5 to 2.5	Pass
			4.43	-6.387	-0.0034	-2.5 to 2.5	Pass
		-30	3.85	-11.401	-0.0062	-2.5 to 2.5	Pass
		-20	3.85	-9.313	-0.0050	-2.5 to 2.5	Pass
		-10	3.85	-9.599	-0.0052	-2.5 to 2.5	Pass
		0	3.85	-13.318	-0.0072	-2.5 to 2.5	Pass
		10	3.85	-9.127	-0.0049	-2.5 to 2.5	Pass
		30	3.85	-15.650	-0.0084	-2.5 to 2.5	Pass
		40	3.85	-11.122	-0.0060	-2.5 to 2.5	Pass
	50	3.85	-10.657	-0.0058	-2.5 to 2.5	Pass	
	1880	20	3.27	-10.242	-0.0054	-2.5 to 2.5	Pass
			3.85	-12.696	-0.0068	-2.5 to 2.5	Pass
			4.43	-14.062	-0.0075	-2.5 to 2.5	Pass
		-30	3.85	-13.697	-0.0073	-2.5 to 2.5	Pass
		-20	3.85	-16.437	-0.0087	-2.5 to 2.5	Pass
		-10	3.85	-7.675	-0.0041	-2.5 to 2.5	Pass
		0	3.85	-12.596	-0.0067	-2.5 to 2.5	Pass
		10	3.85	-12.817	-0.0068	-2.5 to 2.5	Pass
		30	3.85	-7.989	-0.0042	-2.5 to 2.5	Pass
		40	3.85	-13.139	-0.0070	-2.5 to 2.5	Pass
	50	3.85	-10.850	-0.0058	-2.5 to 2.5	Pass	
	1907.6	20	3.27	-8.097	-0.0042	-2.5 to 2.5	Pass
			3.85	-11.487	-0.0060	-2.5 to 2.5	Pass
			4.43	-6.802	-0.0036	-2.5 to 2.5	Pass
		-30	3.85	-15.378	-0.0081	-2.5 to 2.5	Pass
		-20	3.85	-11.394	-0.0060	-2.5 to 2.5	Pass
		-10	3.85	-8.118	-0.0043	-2.5 to 2.5	Pass
		0	3.85	-6.795	-0.0036	-2.5 to 2.5	Pass
		10	3.85	-11.201	-0.0059	-2.5 to 2.5	Pass
30		3.85	-8.898	-0.0047	-2.5 to 2.5	Pass	
40		3.85	-11.280	-0.0059	-2.5 to 2.5	Pass	
50	3.85	-10.886	-0.0057	-2.5 to 2.5	Pass		



### 3. Modulation Characteristics

#### 3.1 Band2

##### 3.1.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1880	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1880	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1880	Refer To Test Graph		Pass

### 3.1.2 Test Graph




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV

WCDMA UE TX Measurement 1 - V3.7.21 - Base V 3.7.22
WCDMA

Multi Evaluation
TPC Measurement
PRACH
DPCCH Open Loop Power
Out-of-Sync Handling

UL Frequency: 1880.000000 MHz
Ref. Level: 34.00 dBm
Connector: RF1COM
Meas. Period: Full Slot

**IQ**



Statistic Count  
20 / 20

1st Measured Slot No	0	CurrentStdDev
Power [dBm]	NCAP	NCAP
Power Steps [dB]	NCAP	NCAP
EVM RMS [%]	NCAP	NCAP
EVM Peak [%]	NCAP	NCAP
Magn. Error RMS [%]	NCAP	NCAP
Magn. Error Peak [%]	NCAP	NCAP
Phase Error RMS [°]	NCAP	NCAP
Phase Error Peak [°]	NCAP	NCAP
IQ Origin Offset [dB]	NCAP	NCAP
IQ Imbalance [dB]	NCAP	NCAP
CF Error [Hz]	NCAP	NCAP
Phase Disc. [°]	NCAP	NCAP

HSDPA+ CPC Circuit Switched  
HSUPA CM Registered

Packet Switched  
Connection Established

Power: ON  
Sync: ON

Go To Local
Show Remote Screen

WCDMA
Multi Evaluation
RDY
RF Settings
Trigger
Display
Signaling Parameter
WCDMA 1 Signaling ON



## 4. 99% & 26dB Bandwidth

### 4.1 Band2\_OBW


#### 4.1.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.168	/	Pass
			1880	4.177	/	Pass
			1907.6	4.176	/	Pass
	HSDPA	Subtest 1	1852.4	4.254	/	Pass
			1880	4.251	/	Pass
			1907.6	4.243	/	Pass
	HSUPA	Subtest 1	1852.4	4.252	/	Pass
			1880	4.233	/	Pass
			1907.6	4.279	/	Pass


### 4.1.2 Test Graph



Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV







Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV





## 4.2 Band2\_XDB


### 4.2.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.735	/	Pass
			1880	4.742	/	Pass
			1907.6	4.727	/	Pass
	HSDPA	Subtest 1	1852.4	6.007	/	Pass
			1880	5.249	/	Pass
			1907.6	5.492	/	Pass
	HSUPA	Subtest 1	1852.4	5.692	/	Pass
			1880	5.044	/	Pass
			1907.6	5.926	/	Pass


### 4.2.2 Test Graph




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV





Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV





## 5. Peak-Average Ratio

### 5.1 Band2


#### 5.1.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	2.87	<=13	Pass
			1880	3.02	<=13	Pass
			1907.6	2.87	<=13	Pass
	HSDPA	Subtest 1	1852.4	5.90	<=13	Pass
			1880	6.06	<=13	Pass
			1907.6	5.90	<=13	Pass
	HSUPA	Subtest 1	1852.4	5.89	<=13	Pass
			1880	5.94	<=13	Pass
			1907.6	6.03	<=13	Pass

### 5.1.2 Test Graph




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




2024-06-07 13:59:35

Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




2024-06-07 14:00:00

Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




2024-06-07 14:00:15

Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




2024-06-07 14:00:28

Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




2024-06-07 14:00:41

Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV



2024-06-07 14:00:56

Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



2024-06-07 14:01:09

## 6. Spurious Emission



### 6.1 Band2

#### 6.1.1 Test Result


Band: 2						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1907.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	1852.4	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1907.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	1852.4	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1907.6	Refer To Test Graph	Pass	




### 6.1.2 Test Graph




Band2\_RMC\_LCH\_1852.4MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV



Band2\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV







Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




Band2\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



Band2\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	3.84	1852.4	1907.6	0.1189	0.0106	ppm	4M28F9W	24E	20.75

### 7.2 Form731\_EIRP

#### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	3.84	1852.4	1907.6	0.1096	0.0106	ppm	4M28F9W	24E	20.40