




**Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0**




**Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0**




**Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0**




**Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0**




**Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0**




**Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0**




**Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0**




**Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0**




**Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0**




**Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0**




**Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0**




**Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0**




**Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0**



**Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0**




**Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=50 Position=#0**







**Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=50 Position=#0**




**Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=50 Position=#0**




**Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=75 Position=#0**




**Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=75 Position=#0**




**Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=75 Position=#0**




**Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0**




Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=15 Position=#0



Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=25 Position=#0







**Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=25 Position=#0**




**Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=25 Position=#0**




**Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0**




**Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0**




**Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0**




**Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0**




**Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0**




**Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0**




**Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0**




**Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0**




**Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0**




**Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0**




**Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0**



**Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0**




**Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0**







**Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0**




**Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0**



**Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0**




**Band41 16QAM BW=10MHz Channel=40620 RB Size=50 Position=#0**




**Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0**




**Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0**




**Band41 16QAM BW=15MHz Channel=40620 RB Size=75 Position=#0**




**Band41 16QAM BW=15MHz Channel=41515 RB Size=75 Position=#0**




**Band41 16QAM BW=20MHz Channel=39750 RB Size=100 Position=#0**




**Band41 16QAM BW=20MHz Channel=40620 RB Size=100 Position=#0**




**Band41 16QAM BW=20MHz Channel=41490 RB Size=100 Position=#0**




**Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0**



**Band41 16QAM BW=5MHz Channel=40620 RB Size=25 Position=#0**




**Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0**







**Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0**



**Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0**




**Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0**




**Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0**




**Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0**




**Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**




**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0**




**Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0**




**Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0**




**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0**




**Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0**




**Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**




**Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0**



**Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0**




**Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0**






**Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0**




**Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0**



**Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0**




**Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0**




**Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0**



**Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0**




**Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0**




**Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0**




**Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0**




**Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0**




**Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0**



**Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0**




**Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0**







**Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0**




**Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0**




**Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0**




**Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0**




**Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0**



**Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0**




**Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0**




**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0**




**Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**



**Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0**




**Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0**







**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0**




**Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0**




**Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0**




**Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0**




**Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0**




**Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0**




**Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0**




**Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0**




**Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0**




**Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0**




**Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0**




**Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0**




**Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0**



**Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0**




**Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0**







**Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0**




**Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0**



**Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0**



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.11	-26.96	7.00	12.93	-32.89	-13.00	-19.89	H
5551.76	-29.10	8.40	17.11	-37.81	-13.00	-24.81	H
7402.50	-24.78	8.10	22.20	-38.88	-13.00	-25.88	H
3701.11	-28.08	7.00	12.93	-34.01	-13.00	-21.01	V
5551.76	-26.21	8.40	17.11	-34.92	-13.00	-21.92	V
7402.50	-24.83	8.10	22.20	-38.93	-13.00	-25.93	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.07	-27.23	7.00	12.93	-33.16	-13.00	-20.16	H
5640.04	-25.09	8.40	17.11	-33.80	-13.00	-20.80	H
7520.02	-26.61	8.10	22.20	-40.71	-13.00	-27.71	H
3760.07	-26.88	7.00	12.93	-32.81	-13.00	-19.81	V
5640.04	-27.46	8.40	17.11	-36.17	-13.00	-23.17	V
7520.02	-28.00	8.10	22.20	-42.10	-13.00	-29.10	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.24	-25.72	7.00	12.93	-31.65	-13.00	-18.65	H
5727.51	-24.89	8.40	17.11	-33.60	-13.00	-20.60	H
7637.18	-27.05	8.10	22.20	-41.15	-13.00	-28.15	H
3818.24	-27.18	7.00	12.93	-33.11	-13.00	-20.11	V
5727.51	-25.16	8.40	17.11	-33.87	-13.00	-20.87	V
7637.18	-27.00	8.10	22.20	-41.10	-13.00	-28.10	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.01	-28.04	7.00	12.93	-33.97	-13.00	-20.97	H
5554.26	-24.88	8.40	17.11	<b>-33.59</b>	-13.00	-20.59	H
7405.81	-26.06	8.10	22.20	-40.16	-13.00	-27.16	H
3703.01	-28.55	7.00	12.93	-34.48	-13.00	-21.48	V
5554.26	-27.06	8.40	17.11	-35.77	-13.00	-22.77	V
7405.81	-27.36	8.10	22.20	-41.46	-13.00	-28.46	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.83	-25.55	7.00	12.93	<b>-31.48</b>	-13.00	-18.48	H
5640.09	-24.71	8.40	17.11	-33.42	-13.00	-20.42	H
7520.18	-24.03	8.10	22.20	-38.13	-13.00	-25.13	H
3759.83	-29.46	7.00	12.93	-35.39	-13.00	-22.39	V
5640.09	-27.55	8.40	17.11	-36.26	-13.00	-23.26	V
7520.18	-24.02	8.10	22.20	-38.12	-13.00	-25.12	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3816.99	-28.29	7.00	12.93	-34.22	-13.00	-21.22	H
5725.28	-26.41	8.40	17.11	-35.12	-13.00	-22.12	H
7634.08	-25.69	8.10	22.20	-39.79	-13.00	-26.79	H
3816.99	-29.85	7.00	12.93	-35.78	-13.00	-22.78	V
5725.28	-25.20	8.40	17.11	<b>-33.91</b>	-13.00	-20.91	V
7634.08	-26.91	8.10	22.20	-41.01	-13.00	-28.01	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.31	-28.93	7.00	12.93	-34.86	-13.00	-21.86	H
5557.52	-25.04	8.40	17.11	<b>-33.75</b>	-13.00	-20.75	H
7409.98	-23.69	8.10	22.20	-37.79	-13.00	-24.79	H
3705.31	-27.92	7.00	12.93	-33.85	-13.00	-20.85	V
5557.52	-25.15	8.40	17.11	-33.86	-13.00	-20.86	V
7409.98	-26.68	8.10	22.20	-40.78	-13.00	-27.78	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.16	-26.71	7.00	12.93	<b>-32.64</b>	-13.00	-19.64	H
5640.24	-24.84	8.40	17.11	-33.55	-13.00	-20.55	H
7520.07	-25.70	8.10	22.20	-39.80	-13.00	-26.80	H
3760.16	-29.84	7.00	12.93	-35.77	-13.00	-22.77	V
5640.24	-28.01	8.40	17.11	-36.72	-13.00	-23.72	V
7520.07	-26.81	8.10	22.20	-40.91	-13.00	-27.91	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.25	-27.68	7.00	12.93	-33.61	-13.00	-20.61	H
5722.41	-28.32	8.40	17.11	-37.03	-13.00	-24.03	H
7629.87	-26.94	8.10	22.20	-41.04	-13.00	-28.04	H
3815.25	-26.33	7.00	12.93	<b>-32.26</b>	-13.00	-19.26	V
5722.41	-26.43	8.40	17.11	-35.14	-13.00	-22.14	V
7629.87	-28.07	8.10	22.20	-42.17	-13.00	-29.17	V



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.19	-27.42	7.00	12.93	-33.35	-13.00	-20.35	H
5564.99	-27.69	8.40	17.11	-36.40	-13.00	-23.40	H
7419.85	-22.70	8.10	22.20	-36.80	-13.00	-23.80	H
3710.19	-27.13	7.00	12.93	<b>-33.06</b>	-13.00	-20.06	V
5564.99	-28.16	8.40	17.11	-36.87	-13.00	-23.87	V
7419.85	-26.53	8.10	22.20	-40.63	-13.00	-27.63	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.24	-27.16	7.00	12.93	<b>-33.09</b>	-13.00	-20.09	H
5640.17	-27.85	8.40	17.11	-36.56	-13.00	-23.56	H
7520.04	-24.23	8.10	22.20	-38.33	-13.00	-25.33	H
3760.24	-27.45	7.00	12.93	-33.38	-13.00	-20.38	V
5640.17	-28.36	8.40	17.11	-37.07	-13.00	-24.07	V
7520.04	-23.70	8.10	22.20	-37.80	-13.00	-24.80	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.19	-27.45	7.00	12.93	<b>-33.38</b>	-13.00	-20.38	H
5715.08	-27.01	8.40	17.11	-35.72	-13.00	-22.72	H
7619.88	-23.99	8.10	22.20	-38.09	-13.00	-25.09	H
3810.19	-28.69	7.00	12.93	-34.62	-13.00	-21.62	V
5715.08	-25.00	8.40	17.11	-33.71	-13.00	-20.71	V
7619.88	-27.92	8.10	22.20	-42.02	-13.00	-29.02	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.19	-26.08	7.00	12.93	-32.01	-13.00	-19.01	H
5572.26	-26.02	8.40	17.11	-34.73	-13.00	-21.73	H
7430.62	-26.76	8.10	22.20	-40.86	-13.00	-27.86	H
3715.19	-25.57	7.00	12.93	<b>-31.50</b>	-13.00	-18.50	V
5572.26	-28.25	8.40	17.11	-36.96	-13.00	-23.96	V
7430.62	-27.73	8.10	22.20	-41.83	-13.00	-28.83	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.94	-25.55	7.00	12.93	<b>-31.48</b>	-13.00	-18.48	H
5639.82	-27.83	8.40	17.11	-36.54	-13.00	-23.54	H
7519.98	-25.88	8.10	22.20	-39.98	-13.00	-26.98	H
3759.94	-26.22	7.00	12.93	-32.15	-13.00	-19.15	V
5639.82	-27.88	8.40	17.11	-36.59	-13.00	-23.59	V
7519.98	-25.39	8.10	22.20	-39.49	-13.00	-26.49	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.07	-28.08	7.00	12.93	-34.01	-13.00	-21.01	H
5707.30	-26.77	8.40	17.11	-35.48	-13.00	-22.48	H
7610.09	-24.29	8.10	22.20	-38.39	-13.00	-25.39	H
3805.07	-27.11	7.00	12.93	<b>-33.04</b>	-13.00	-20.04	V
5707.30	-28.03	8.40	17.11	-36.74	-13.00	-23.74	V
7610.09	-27.55	8.10	22.20	-41.65	-13.00	-28.65	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.42	-26.26	7.00	12.93	-32.19	-13.00	-19.19	H
5580.57	-24.50	8.40	17.11	-33.21	-13.00	-20.21	H
7439.77	-24.41	8.10	22.20	-38.51	-13.00	-25.51	H
3720.42	-28.28	7.00	12.93	-34.21	-13.00	-21.21	V
5580.57	-24.38	8.40	17.11	-33.09	-13.00	-20.09	V
7439.77	-24.20	8.10	22.20	-38.30	-13.00	-25.30	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.80	-24.63	7.00	12.93	-30.56	-13.00	-17.56	H
5640.08	-27.24	8.40	17.11	-35.95	-13.00	-22.95	H
7519.93	-26.19	8.10	22.20	-40.29	-13.00	-27.29	H
3759.80	-26.87	7.00	12.93	-32.80	-13.00	-19.80	V
5640.08	-24.28	8.40	17.11	-32.99	-13.00	-19.99	V
7519.93	-24.51	8.10	22.20	-38.61	-13.00	-25.61	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.08	-27.24	7.00	12.93	-33.17	-13.00	-20.17	H
5700.14	-26.40	8.40	17.11	-35.11	-13.00	-22.11	H
7599.98	-24.35	8.10	22.20	-38.45	-13.00	-25.45	H
3800.08	-27.01	7.00	12.93	-32.94	-13.00	-19.94	V
5700.14	-28.49	8.40	17.11	-37.20	-13.00	-24.20	V
7599.98	-26.60	8.10	22.20	-40.70	-13.00	-27.70	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3420.95	-27.84	7.20	12.56	-33.20	-13.00	-20.20	H
5131.69	-25.13	8.10	16.32	-33.35	-13.00	-20.35	H
6842.40	-27.12	8.30	21.13	-39.95	-13.00	-26.95	H
3420.95	-28.56	7.20	12.56	-33.92	-13.00	-20.92	V
5131.69	-26.73	8.10	16.32	-34.95	-13.00	-21.95	V
6842.40	-23.92	8.30	21.13	-36.75	-13.00	-23.75	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.61	-28.51	7.20	12.56	-33.87	-13.00	-20.87	H
5196.87	-26.45	8.10	16.32	-34.67	-13.00	-21.67	H
6930.03	-27.62	8.30	21.13	-40.45	-13.00	-27.45	H
3464.61	-27.80	7.20	12.56	-33.16	-13.00	-20.16	V
5196.87	-26.57	8.10	16.32	-34.79	-13.00	-21.79	V
6930.03	-27.22	8.30	21.13	-40.05	-13.00	-27.05	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.45	-26.55	7.20	12.56	-31.91	-13.00	-18.91	H
5262.44	-28.31	8.10	16.32	-36.53	-13.00	-23.53	H
7015.40	-26.14	8.30	21.13	-38.97	-13.00	-25.97	H
3508.45	-27.79	7.20	12.56	-33.15	-13.00	-20.15	V
5262.44	-28.35	8.10	16.32	-36.57	-13.00	-23.57	V
7015.40	-25.58	8.30	21.13	-38.41	-13.00	-25.41	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.71	-26.52	7.20	12.56	-31.88	-13.00	-18.88	H
5136.19	-27.86	8.10	16.32	-36.08	-13.00	-23.08	H
6848.58	-27.37	8.30	21.13	-40.20	-13.00	-27.20	H
3423.71	-29.73	7.20	12.56	-35.09	-13.00	-22.09	V
5136.19	-24.84	8.10	16.32	-33.06	-13.00	-20.06	V
6848.58	-26.73	8.30	21.13	-39.56	-13.00	-26.56	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.84	-28.89	7.20	12.56	-34.25	-13.00	-21.25	H
5196.84	-29.43	8.10	16.32	-37.65	-13.00	-24.65	H
6930.18	-24.08	8.30	21.13	-36.91	-13.00	-23.91	H
3464.84	-26.54	7.20	12.56	-31.90	-13.00	-18.90	V
5196.84	-24.73	8.10	16.32	-32.95	-13.00	-19.95	V
6930.18	-25.62	8.30	21.13	-38.45	-13.00	-25.45	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.25	-27.07	7.20	12.56	-32.43	-13.00	-19.43	H
5262.01	-28.89	8.10	16.32	-37.11	-13.00	-24.11	H
7012.39	-25.92	8.30	21.13	-38.75	-13.00	-25.75	H
3506.25	-26.57	7.20	12.56	-31.93	-13.00	-18.93	V
5262.01	-29.03	8.10	16.32	-37.25	-13.00	-24.25	V
7012.39	-25.02	8.30	21.13	-37.85	-13.00	-24.85	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.05	-24.69	7.20	12.56	-30.05	-13.00	-17.05	H
5137.31	-26.73	8.10	16.32	-34.95	-13.00	-21.95	H
6849.51	-24.98	8.30	21.13	-37.81	-13.00	-24.81	H
3425.05	-27.92	7.20	12.56	-33.28	-13.00	-20.28	V
5137.31	-27.52	8.10	16.32	-35.74	-13.00	-22.74	V
6849.51	-24.25	8.30	21.13	-37.08	-13.00	-24.08	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.76	-24.63	7.20	12.56	-29.99	-13.00	-16.99	H
5196.93	-26.16	8.10	16.32	-34.38	-13.00	-21.38	H
6929.63	-26.92	8.30	21.13	-39.75	-13.00	-26.75	H
3464.76	-29.17	7.20	12.56	-34.53	-13.00	-21.53	V
5196.93	-27.05	8.10	16.32	-35.27	-13.00	-22.27	V
6929.63	-25.37	8.30	21.13	-38.20	-13.00	-25.20	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.18	-26.37	7.20	12.56	-31.73	-13.00	-18.73	H
5257.16	-26.56	8.10	16.32	-34.78	-13.00	-21.78	H
7010.15	-23.37	8.30	21.13	-36.20	-13.00	-23.20	H
3505.18	-28.05	7.20	12.56	-33.41	-13.00	-20.41	V
5257.16	-24.37	8.10	16.32	-32.59	-13.00	-19.59	V
7010.15	-27.12	8.30	21.13	-39.95	-13.00	-26.95	V



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.04	-24.10	7.20	12.56	-29.46	-13.00	-16.46	H
5145.08	-27.24	8.10	16.32	-35.46	-13.00	-22.46	H
6860.38	-27.32	8.30	21.13	-40.15	-13.00	-27.15	H
3430.04	-28.72	7.20	12.56	-34.08	-13.00	-21.08	V
5145.08	-25.82	8.10	16.32	-34.04	-13.00	-21.04	V
6860.38	-26.89	8.30	21.13	-39.72	-13.00	-26.72	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.47	-25.41	7.20	12.56	-30.77	-13.00	-17.77	H
5196.38	-26.32	8.10	16.32	-34.54	-13.00	-21.54	H
6929.51	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3464.47	-29.26	7.20	12.56	-34.62	-13.00	-21.62	V
5196.38	-25.48	8.10	16.32	-33.70	-13.00	-20.70	V
6929.51	-23.80	8.30	21.13	-36.63	-13.00	-23.63	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.33	-27.26	7.20	12.56	-32.62	-13.00	-19.62	H
5250.26	-28.86	8.10	16.32	-37.08	-13.00	-24.08	H
6999.82	-26.63	8.30	21.13	-39.46	-13.00	-26.46	H
3500.33	-28.05	7.20	12.56	-33.41	-13.00	-20.41	V
5250.26	-25.93	8.10	16.32	-34.15	-13.00	-21.15	V
6999.82	-23.76	8.30	21.13	-36.59	-13.00	-23.59	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.84	-27.43	7.20	12.56	-32.79	-13.00	-19.79	H
5152.60	-28.97	8.10	16.32	-37.19	-13.00	-24.19	H
6870.46	-25.94	8.30	21.13	-38.77	-13.00	-25.77	H
3434.84	-28.24	7.20	12.56	-33.60	-13.00	-20.60	V
5152.60	-24.53	8.10	16.32	<b>-32.75</b>	-13.00	-19.75	V
6870.46	-26.77	8.30	21.13	-39.60	-13.00	-26.60	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.95	-26.00	7.20	12.56	-31.36	-13.00	-18.36	H
5196.56	-29.13	8.10	16.32	-37.35	-13.00	-24.35	H
6929.97	-22.86	8.30	21.13	-35.69	-13.00	-22.69	H
3464.95	-25.83	7.20	12.56	<b>-31.19</b>	-13.00	-18.19	V
5196.56	-24.93	8.10	16.32	-33.15	-13.00	-20.15	V
6929.97	-24.15	8.30	21.13	-36.98	-13.00	-23.98	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.31	-24.28	7.20	12.56	<b>-29.64</b>	-13.00	-16.64	H
5242.34	-27.89	8.10	16.32	-36.11	-13.00	-23.11	H
6989.99	-25.56	8.30	21.13	-38.39	-13.00	-25.39	H
3495.31	-29.41	7.20	12.56	-34.77	-13.00	-21.77	V
5242.34	-27.71	8.10	16.32	-35.93	-13.00	-22.93	V
6989.99	-24.29	8.30	21.13	-37.12	-13.00	-24.12	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.37	-28.67	7.20	12.56	-34.03	-13.00	-21.03	H
5159.85	-29.16	8.10	16.32	-37.38	-13.00	-24.38	H
6880.71	-25.92	8.30	21.13	-38.75	-13.00	-25.75	H
3440.37	-27.80	7.20	12.56	<b>-33.16</b>	-13.00	-20.16	V
5159.85	-25.37	8.10	16.32	-33.59	-13.00	-20.59	V
6880.71	-25.58	8.30	21.13	-38.41	-13.00	-25.41	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.63	-27.79	7.20	12.56	-33.15	-13.00	-20.15	H
5196.79	-27.33	8.10	16.32	-35.55	-13.00	-22.55	H
6929.93	-25.96	8.30	21.13	-38.79	-13.00	-25.79	H
3464.63	-27.95	7.20	12.56	-33.31	-13.00	-20.31	V
5196.79	-24.45	8.10	16.32	<b>-32.67</b>	-13.00	-19.67	V
6929.93	-24.48	8.30	21.13	-37.31	-13.00	-24.31	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.67	-27.54	7.20	12.56	-32.90	-13.00	-19.90	H
5234.98	-24.60	8.10	16.32	<b>-32.82</b>	-13.00	-19.82	H
6979.61	-25.64	8.30	21.13	-38.47	-13.00	-25.47	H
3490.67	-29.48	7.20	12.56	-34.84	-13.00	-21.84	V
5234.98	-27.29	8.10	16.32	-35.51	-13.00	-22.51	V
6979.61	-23.43	8.30	21.13	-36.26	-13.00	-23.26	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.81	-26.00	7.40	9.72	<b>-28.32</b>	-13.00	-15.32	H
2473.66	-27.00	8.30	10.86	-29.56	-13.00	-16.56	H
3298.60	-24.13	7.20	11.57	-28.50	-13.00	-15.50	H
1648.81	-26.77	7.40	9.72	-29.09	-13.00	-16.09	V
2473.66	-29.88	8.30	10.86	-32.44	-13.00	-19.44	V
3298.60	-29.05	7.20	11.57	-33.42	-13.00	-20.42	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.55	-26.17	7.40	9.72	<b>-28.49</b>	-13.00	-15.49	H
2509.26	-26.95	8.30	10.86	-29.51	-13.00	-16.51	H
3345.35	-28.03	7.20	11.57	-32.40	-13.00	-19.40	H
1672.55	-27.59	7.40	9.72	-29.91	-13.00	-16.91	V
2509.26	-26.12	8.30	10.86	-28.68	-13.00	-15.68	V
3345.35	-25.12	7.20	11.57	-29.49	-13.00	-16.49	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.18	-27.47	7.40	9.72	<b>-29.79</b>	-13.00	-16.79	H
2544.74	-28.53	8.30	10.86	-31.09	-13.00	-18.09	H
3393.06	-27.37	7.20	11.57	-31.74	-13.00	-18.74	H
1696.18	-28.73	7.40	9.72	-31.05	-13.00	-18.05	V
2544.74	-29.52	8.30	10.86	-32.08	-13.00	-19.08	V
3393.06	-27.97	7.20	11.57	-32.34	-13.00	-19.34	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.23	-29.80	7.40	9.72	-32.12	-13.00	-19.12	H
2476.02	-28.38	8.30	10.86	<b>-30.94</b>	-13.00	-17.94	H
3301.69	-26.80	7.20	11.57	-31.17	-13.00	-18.17	H
1650.23	-29.53	7.40	9.72	-31.85	-13.00	-18.85	V
2476.02	-29.07	8.30	10.86	-31.63	-13.00	-18.63	V
3301.69	-27.27	7.20	11.57	-31.64	-13.00	-18.64	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.12	-26.20	7.40	9.72	-28.52	-13.00	-15.52	H
2508.90	-25.85	8.30	10.86	<b>-28.41</b>	-13.00	-15.41	H
3345.62	-27.39	7.20	11.57	-31.76	-13.00	-18.76	H
1672.12	-26.68	7.40	9.72	-29.00	-13.00	-16.00	V
2508.90	-25.93	8.30	10.86	-28.49	-13.00	-15.49	V
3345.62	-27.55	7.20	11.57	-31.92	-13.00	-18.92	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.30	-28.30	7.40	9.72	-30.62	-13.00	-17.62	H
2541.88	-26.62	8.30	10.86	<b>-29.18</b>	-13.00	-16.18	H
3389.08	-28.33	7.20	11.57	-32.70	-13.00	-19.70	H
1694.30	-28.35	7.40	9.72	-30.67	-13.00	-17.67	V
2541.88	-30.14	8.30	10.86	-32.70	-13.00	-19.70	V
3389.08	-26.05	7.20	11.57	-30.42	-13.00	-17.42	V



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.34	-28.29	7.40	9.72	-30.61	-13.00	-17.61	H
2478.87	-29.75	8.30	10.86	-32.31	-13.00	-19.31	H
3305.49	-28.12	7.20	11.57	-32.49	-13.00	-19.49	H
1652.34	-27.15	7.40	9.72	-29.47	-13.00	-16.47	V
2478.87	-28.28	8.30	10.86	-30.84	-13.00	-17.84	V
3305.49	-26.68	7.20	11.57	-31.05	-13.00	-18.05	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.52	-29.16	7.40	9.72	-31.48	-13.00	-18.48	H
2508.58	-26.37	8.30	10.86	-28.93	-13.00	-15.93	H
3345.43	-26.00	7.20	11.57	-30.37	-13.00	-17.37	H
1672.52	-29.59	7.40	9.72	-31.91	-13.00	-18.91	V
2508.58	-29.33	8.30	10.86	-31.89	-13.00	-18.89	V
3345.43	-27.64	7.20	11.57	-32.01	-13.00	-19.01	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.17	-27.35	7.40	9.72	-29.67	-13.00	-16.67	H
2538.83	-29.13	8.30	10.86	-31.69	-13.00	-18.69	H
3385.53	-24.41	7.20	11.57	-28.78	-13.00	-15.78	H
1692.17	-30.84	7.40	9.72	-33.16	-13.00	-20.16	V
2538.83	-27.83	8.30	10.86	-30.39	-13.00	-17.39	V
3385.53	-26.05	7.20	11.57	-30.42	-13.00	-17.42	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.50	-26.84	7.40	9.72	-29.16	-13.00	-16.16	H
2486.41	-29.01	8.30	10.86	-31.57	-13.00	-18.57	H
3315.23	-26.84	7.20	11.57	-31.21	-13.00	-18.21	H
1657.50	-29.13	7.40	9.72	-31.45	-13.00	-18.45	V
2486.41	-26.12	8.30	10.86	<b>-28.68</b>	-13.00	-15.68	V
3315.23	-28.83	7.20	11.57	-33.20	-13.00	-20.20	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.14	-27.17	7.40	9.72	<b>-29.49</b>	-13.00	-16.49	H
2508.83	-30.33	8.30	10.86	-32.89	-13.00	-19.89	H
3345.25	-28.21	7.20	11.57	-32.58	-13.00	-19.58	H
1672.14	-29.42	7.40	9.72	-31.74	-13.00	-18.74	V
2508.83	-30.08	8.30	10.86	-32.64	-13.00	-19.64	V
3345.25	-29.05	7.20	11.57	-33.42	-13.00	-20.42	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.56	-27.73	7.40	9.72	-30.05	-13.00	-17.05	H
2531.57	-28.89	8.30	10.86	-31.45	-13.00	-18.45	H
3375.56	-24.61	7.20	11.57	<b>-28.98</b>	-13.00	-15.98	H
1687.56	-30.31	7.40	9.72	-32.63	-13.00	-19.63	V
2531.57	-28.96	8.30	10.86	-31.52	-13.00	-18.52	V
3375.56	-28.35	7.20	11.57	-32.72	-13.00	-19.72	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.11	-28.00	8.00	15.86	-35.86	-25.00	-10.86	H
7507.55	-25.90	8.30	19.28	-36.88	-25.00	-11.88	H
10010.54	-26.33	8.10	23.19	-41.42	-25.00	-16.42	H
5005.11	-28.75	8.00	15.86	-36.61	-25.00	-11.61	V
7507.55	-26.15	8.30	19.28	-37.13	-25.00	-12.13	V
10010.54	-27.82	8.10	23.19	-42.91	-25.00	-17.91	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.62	-30.04	8.00	15.86	-37.90	-25.00	-12.90	H
7604.71	-28.83	8.30	19.28	-39.81	-25.00	-14.81	H
10139.64	-24.33	8.10	23.19	-39.42	-25.00	-14.42	H
5069.62	-31.55	8.00	15.86	-39.41	-25.00	-14.41	V
7604.71	-27.81	8.30	19.28	-38.79	-25.00	-13.79	V
10139.64	-24.97	8.10	23.19	-40.06	-25.00	-15.06	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.96	-29.22	8.00	15.86	-37.08	-25.00	-12.08	H
7701.56	-27.15	8.30	19.28	-38.13	-25.00	-13.13	H
10268.33	-27.15	8.10	23.19	-42.24	-25.00	-17.24	H
5133.96	-27.10	8.00	15.86	-34.96	-25.00	-9.96	V
7701.56	-28.19	8.30	19.28	-39.17	-25.00	-14.17	V
10268.33	-28.42	8.10	23.19	-43.51	-25.00	-18.51	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.13	-26.71	8.00	15.86	-34.57	-25.00	-9.57	H
7515.57	-26.66	8.30	19.28	-37.64	-25.00	-12.64	H
10020.51	-24.30	8.10	23.19	-39.39	-25.00	-14.39	H
5010.13	-28.42	8.00	15.86	-36.28	-25.00	-11.28	V
7515.57	-26.35	8.30	19.28	-37.33	-25.00	-12.33	V
10020.51	-24.97	8.10	23.19	-40.06	-25.00	-15.06	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.66	-27.04	8.00	15.86	-34.90	-25.00	-9.90	H
7604.68	-26.06	8.30	19.28	-37.04	-25.00	-12.04	H
10139.75	-27.67	8.10	23.19	-42.76	-25.00	-17.76	H
5069.66	-28.11	8.00	15.86	-35.97	-25.00	-10.97	V
7604.68	-27.24	8.30	19.28	-38.22	-25.00	-13.22	V
10139.75	-28.18	8.10	23.19	-43.27	-25.00	-18.27	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5128.89	-28.47	8.00	15.86	-36.33	-25.00	-11.33	H
7693.89	-27.94	8.30	19.28	-38.92	-25.00	-13.92	H
10258.97	-26.86	8.10	23.19	-41.95	-25.00	-16.95	H
5128.89	-28.74	8.00	15.86	-36.60	-25.00	-11.60	V
7693.89	-28.02	8.30	19.28	-39.00	-25.00	-14.00	V
10258.97	-24.94	8.10	23.19	-40.03	-25.00	-15.03	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.65	-28.25	8.00	15.86	-36.11	-25.00	-11.11	H
7524.14	-26.03	8.30	19.28	-37.01	-25.00	-12.01	H
10031.79	-26.43	8.10	23.19	-41.52	-25.00	-16.52	H
5015.65	-28.54	8.00	15.86	-36.40	-25.00	-11.40	V
7524.14	-27.93	8.30	19.28	-38.91	-25.00	-13.91	V
10031.79	-25.96	8.10	23.19	-41.05	-25.00	-16.05	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.76	-27.37	8.00	15.86	-35.23	-25.00	-10.23	H
7604.96	-30.09	8.30	19.28	-41.07	-25.00	-16.07	H
10139.95	-28.36	8.10	23.19	-43.45	-25.00	-18.45	H
5069.76	-30.49	8.00	15.86	-38.35	-25.00	-13.35	V
7604.96	-27.39	8.30	19.28	-38.37	-25.00	-13.37	V
10139.95	-29.10	8.10	23.19	-44.19	-25.00	-19.19	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.40	-30.75	8.00	15.86	-38.61	-25.00	-13.61	H
7524.02	-29.08	8.30	19.28	-40.06	-25.00	-15.06	H
10032.23	-25.31	8.10	23.19	-40.40	-25.00	-15.40	H
5123.40	-31.22	8.00	15.86	-39.08	-25.00	-14.08	V
7524.02	-28.15	8.30	19.28	-39.13	-25.00	-14.13	V
10032.23	-27.38	8.10	23.19	-42.47	-25.00	-17.47	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5020.81	-30.86	8.00	15.86	-38.72	-25.00	-13.72	H
7531.27	-27.19	8.30	19.28	-38.17	-25.00	-13.17	H
10258.82	-24.66	8.10	23.19	-39.75	-25.00	-14.75	H
5020.81	-29.05	8.00	15.86	<b>-36.91</b>	-25.00	-11.91	V
7531.27	-27.02	8.30	19.28	-38.00	-25.00	-13.00	V
10258.82	-25.20	8.10	23.19	-40.29	-25.00	-15.29	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.08	-26.41	8.00	15.86	<b>-34.27</b>	-25.00	-9.27	H
7604.94	-27.79	8.30	19.28	-38.77	-25.00	-13.77	H
10139.63	-25.19	8.10	23.19	-40.28	-25.00	-15.28	H
5070.08	-30.51	8.00	15.86	-38.37	-25.00	-13.37	V
7604.94	-29.11	8.30	19.28	-40.09	-25.00	-15.09	V
10139.63	-26.86	8.10	23.19	-41.95	-25.00	-16.95	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.72	-29.77	8.00	15.86	-37.63	-25.00	-12.63	H
7678.05	-27.24	8.30	19.28	-38.22	-25.00	-13.22	H
10237.57	-28.26	8.10	23.19	-43.35	-25.00	-18.35	H
5118.72	-30.83	8.00	15.86	-38.69	-25.00	-13.69	V
7678.05	-25.77	8.30	19.28	<b>-36.75</b>	-25.00	-11.75	V
10237.57	-24.50	8.10	23.19	-39.59	-25.00	-14.59	V



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.17	-25.71	6.70	9.34	-28.35	-13.00	-15.35	H
2098.88	-27.76	7.80	10.42	-30.38	-13.00	-17.38	H
2798.52	-25.89	8.00	11.12	-29.01	-13.00	-16.01	H
1399.17	-26.51	6.70	9.34	-29.15	-13.00	-16.15	V
2098.88	-28.53	7.80	10.42	-31.15	-13.00	-18.15	V
2798.52	-25.61	8.00	11.12	-28.73	-13.00	-15.73	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.97	-26.07	6.70	9.34	-28.71	-13.00	-15.71	H
2122.24	-25.64	7.80	10.42	-28.26	-13.00	-15.26	H
2829.54	-25.33	8.00	11.12	-28.45	-13.00	-15.45	H
1414.97	-27.68	6.70	9.34	-30.32	-13.00	-17.32	V
2122.24	-27.26	7.80	10.42	-29.88	-13.00	-16.88	V
2829.54	-25.77	8.00	11.12	-28.89	-13.00	-15.89	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.40	-26.90	6.70	9.34	-29.54	-13.00	-16.54	H
2145.59	-29.49	7.80	10.42	-32.11	-13.00	-19.11	H
2860.81	-28.06	8.00	11.12	-31.18	-13.00	-18.18	H
1430.40	-28.41	6.70	9.34	-31.05	-13.00	-18.05	V
2145.59	-30.10	7.80	10.42	-32.72	-13.00	-19.72	V
2860.81	-28.73	8.00	11.12	-31.85	-13.00	-18.85	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.81	-28.85	6.70	9.34	-31.49	-13.00	-18.49	H
2101.47	-29.41	7.80	10.42	-32.03	-13.00	-19.03	H
2801.69	-28.18	8.00	11.12	-31.30	-13.00	-18.30	H
1400.81	-26.96	6.70	9.34	-29.60	-13.00	-16.60	V
2101.47	-30.17	7.80	10.42	-32.79	-13.00	-19.79	V
2801.69	-24.83	8.00	11.12	<b>-27.95</b>	-13.00	-14.95	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.98	-26.59	6.70	9.34	-29.23	-13.00	-16.23	H
2122.49	-29.29	7.80	10.42	-31.91	-13.00	-18.91	H
2829.67	-25.82	8.00	11.12	<b>-28.94</b>	-13.00	-15.94	H
1414.98	-30.68	6.70	9.34	-33.32	-13.00	-20.32	V
2122.49	-29.69	7.80	10.42	-32.31	-13.00	-19.31	V
2829.67	-27.80	8.00	11.12	-30.92	-13.00	-17.92	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.66	-28.50	6.70	9.34	-31.14	-13.00	-18.14	H
2143.36	-26.73	7.80	10.42	-29.35	-13.00	-16.35	H
2857.58	-28.14	8.00	11.12	-31.26	-13.00	-18.26	H
1428.66	-29.40	6.70	9.34	-32.04	-13.00	-19.04	V
2143.36	-30.17	7.80	10.42	-32.79	-13.00	-19.79	V
2857.58	-26.21	8.00	11.12	<b>-29.33</b>	-13.00	-16.33	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.79	-25.42	6.70	9.34	-28.06	-13.00	-15.06	H
2104.21	-30.27	7.80	10.42	-32.89	-13.00	-19.89	H
2805.96	-26.65	8.00	11.12	-29.77	-13.00	-16.77	H
1402.79	-27.97	6.70	9.34	-30.61	-13.00	-17.61	V
2104.21	-27.83	7.80	10.42	-30.45	-13.00	-17.45	V
2805.96	-28.23	8.00	11.12	-31.35	-13.00	-18.35	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.79	-25.63	6.70	9.34	-28.27	-13.00	-15.27	H
2122.20	-27.86	7.80	10.42	-30.48	-13.00	-17.48	H
2829.58	-26.13	8.00	11.12	-29.25	-13.00	-16.25	H
1414.79	-29.54	6.70	9.34	-32.18	-13.00	-19.18	V
2122.20	-25.86	7.80	10.42	-28.48	-13.00	-15.48	V
2829.58	-24.47	8.00	11.12	-27.59	-13.00	-14.59	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.70	-25.84	6.70	9.34	-28.48	-13.00	-15.48	H
2140.41	-29.72	7.80	10.42	-32.34	-13.00	-19.34	H
2853.60	-26.76	8.00	11.12	-29.88	-13.00	-16.88	H
1426.70	-26.06	6.70	9.34	-28.70	-13.00	-15.70	V
2140.41	-29.42	7.80	10.42	-32.04	-13.00	-19.04	V
2853.60	-27.96	8.00	11.12	-31.08	-13.00	-18.08	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.86	-28.62	6.70	9.34	-31.26	-13.00	-18.26	H
2111.63	-26.65	7.80	10.42	-29.27	-13.00	-16.27	H
2815.58	-24.49	8.00	11.12	<b>-27.61</b>	-13.00	-14.61	H
1407.86	-30.58	6.70	9.34	-33.22	-13.00	-20.22	V
2111.63	-29.49	7.80	10.42	-32.11	-13.00	-19.11	V
2815.58	-25.98	8.00	11.12	-29.10	-13.00	-16.10	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.78	-28.32	6.70	9.34	-30.96	-13.00	-17.96	H
2122.34	-30.12	7.80	10.42	-32.74	-13.00	-19.74	H
2829.78	-24.06	8.00	11.12	<b>-27.18</b>	-13.00	-14.18	H
1414.78	-29.49	6.70	9.34	-32.13	-13.00	-19.13	V
2122.34	-27.81	7.80	10.42	-30.43	-13.00	-17.43	V
2829.78	-27.94	8.00	11.12	-31.06	-13.00	-18.06	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.81	-27.48	6.70	9.34	-30.12	-13.00	-17.12	H
2132.81	-28.19	7.80	10.42	-30.81	-13.00	-17.81	H
2843.62	-27.32	8.00	11.12	-30.44	-13.00	-17.44	H
1421.81	-28.44	6.70	9.34	-31.08	-13.00	-18.08	V
2132.81	-27.29	7.80	10.42	<b>-29.91</b>	-13.00	-16.91	V
2843.62	-28.35	8.00	11.12	-31.47	-13.00	-18.47	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.14	-27.85	6.90	9.34	-30.29	-13.00	-17.29	H
2120.28	-28.06	8.00	10.42	-30.48	-13.00	-17.48	H
2826.76	-27.73	8.00	11.12	-30.85	-13.00	-17.85	H
1413.14	-29.69	6.90	9.34	-32.13	-13.00	-19.13	V
2120.28	-28.39	8.00	10.42	-30.81	-13.00	-17.81	V
2826.76	-26.60	8.00	11.12	<b>-29.72</b>	-13.00	-16.72	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.88	-29.43	6.90	9.34	-31.87	-13.00	-18.87	H
2130.05	-25.63	8.00	10.42	-28.05	-13.00	-15.05	H
2839.84	-27.28	8.00	11.12	-30.40	-13.00	-17.40	H
1419.88	-27.09	6.90	9.34	-29.53	-13.00	-16.53	V
2130.05	-29.00	8.00	10.42	-31.42	-13.00	-18.42	V
2839.84	-24.71	8.00	11.12	<b>-27.83</b>	-13.00	-14.83	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.26	-25.03	6.90	9.34	<b>-27.47</b>	-13.00	-14.47	H
2139.22	-28.45	8.00	10.42	-30.87	-13.00	-17.87	H
2852.55	-25.98	8.00	11.12	-29.10	-13.00	-16.10	H
1426.26	-29.80	6.90	9.34	-32.24	-13.00	-19.24	V
2139.22	-27.25	8.00	10.42	-29.67	-13.00	-16.67	V
2852.55	-27.73	8.00	11.12	-30.85	-13.00	-17.85	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.40	-25.85	6.90	9.34	-28.29	-13.00	-15.29	H
2127.53	-25.97	8.00	10.42	-28.39	-13.00	-15.39	H
2836.48	-26.94	8.00	11.12	-30.06	-13.00	-17.06	H
1418.40	-30.76	6.90	9.34	-33.20	-13.00	-20.20	V
2127.53	-25.27	8.00	10.42	-27.69	-13.00	-14.69	V
2836.48	-24.55	8.00	11.12	<b>-27.67</b>	-13.00	-14.67	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.07	-27.50	6.90	9.34	-29.94	-13.00	-16.94	H
2129.98	-27.42	8.00	10.42	-29.84	-13.00	-16.84	H
2839.81	-25.87	8.00	11.12	-28.99	-13.00	-15.99	H
1420.07	-26.50	6.90	9.34	-28.94	-13.00	-15.94	V
2129.98	-26.30	8.00	10.42	<b>-28.72</b>	-13.00	-15.72	V
2839.81	-28.41	8.00	11.12	-31.53	-13.00	-18.53	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.17	-25.17	6.90	9.34	-27.61	-13.00	-14.61	H
2132.09	-26.18	8.00	10.42	-28.60	-13.00	-15.60	H
2842.53	-24.26	8.00	11.12	<b>-27.38</b>	-13.00	-14.38	H
1421.17	-26.92	6.90	9.34	-29.36	-13.00	-16.36	V
2132.09	-26.15	8.00	10.42	-28.57	-13.00	-15.57	V
2842.53	-25.58	8.00	11.12	-28.70	-13.00	-15.70	V



LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.11	-26.31	7.00	12.93	-32.24	-13.00	-19.24	H
5551.97	-28.54	8.40	17.11	-37.25	-13.00	-24.25	H
7402.69	-27.01	8.10	22.20	-41.11	-13.00	-28.11	H
3701.11	-27.39	7.00	12.93	-33.32	-13.00	-20.32	V
5551.97	-24.78	8.40	17.11	-33.49	-13.00	-20.49	V
7402.69	-27.23	8.10	22.20	-41.33	-13.00	-28.33	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.91	-24.68	7.00	12.93	-30.61	-13.00	-17.61	H
5640.25	-27.39	8.40	17.11	-36.10	-13.00	-23.10	H
7519.82	-23.72	8.10	22.20	-37.82	-13.00	-24.82	H
3759.91	-25.75	7.00	12.93	-31.68	-13.00	-18.68	V
5640.25	-25.22	8.40	17.11	-33.93	-13.00	-20.93	V
7519.82	-26.04	8.10	22.20	-40.14	-13.00	-27.14	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.17	-25.22	7.00	12.93	-31.15	-13.00	-18.15	H
5727.47	-28.21	8.40	17.11	-36.92	-13.00	-23.92	H
7636.89	-25.83	8.10	22.20	-39.93	-13.00	-26.93	H
3818.17	-28.78	7.00	12.93	-34.71	-13.00	-21.71	V
5727.47	-29.05	8.40	17.11	-37.76	-13.00	-24.76	V
7636.89	-26.05	8.10	22.20	-40.15	-13.00	-27.15	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.17	-24.80	7.00	12.93	<b>-30.73</b>	-13.00	-17.73	H
5554.43	-29.26	8.40	17.11	-37.97	-13.00	-24.97	H
7406.14	-25.77	8.10	22.20	-39.87	-13.00	-26.87	H
3703.17	-27.61	7.00	12.93	-33.54	-13.00	-20.54	V
5554.43	-25.39	8.40	17.11	-34.10	-13.00	-21.10	V
7406.14	-25.11	8.10	22.20	-39.21	-13.00	-26.21	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.91	-25.44	7.00	12.93	<b>-31.37</b>	-13.00	-18.37	H
5640.10	-25.82	8.40	17.11	-34.53	-13.00	-21.53	H
7519.81	-26.28	8.10	22.20	-40.38	-13.00	-27.38	H
3759.91	-29.15	7.00	12.93	-35.08	-13.00	-22.08	V
5640.10	-26.31	8.40	17.11	-35.02	-13.00	-22.02	V
7519.81	-23.23	8.10	22.20	-37.33	-13.00	-24.33	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.22	-26.32	7.00	12.93	<b>-32.25</b>	-13.00	-19.25	H
5725.24	-25.88	8.40	17.11	-34.59	-13.00	-21.59	H
7633.87	-26.95	8.10	22.20	-41.05	-13.00	-28.05	H
3817.22	-27.00	7.00	12.93	-32.93	-13.00	-19.93	V
5725.24	-25.82	8.40	17.11	-34.53	-13.00	-21.53	V
7633.87	-26.52	8.10	22.20	-40.62	-13.00	-27.62	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.46	-24.98	7.00	12.93	-30.91	-13.00	-17.91	H
5557.14	-27.38	8.40	17.11	-36.09	-13.00	-23.09	H
7409.86	-23.40	8.10	22.20	-37.50	-13.00	-24.50	H
3705.46	-29.39	7.00	12.93	-35.32	-13.00	-22.32	V
5557.14	-28.51	8.40	17.11	-37.22	-13.00	-24.22	V
7409.86	-25.08	8.10	22.20	-39.18	-13.00	-26.18	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.78	-24.57	7.00	12.93	-30.50	-13.00	-17.50	H
5640.22	-24.55	8.40	17.11	-33.26	-13.00	-20.26	H
7520.11	-25.68	8.10	22.20	-39.78	-13.00	-26.78	H
3759.78	-29.98	7.00	12.93	-35.91	-13.00	-22.91	V
5640.22	-28.08	8.40	17.11	-36.79	-13.00	-23.79	V
7520.11	-25.61	8.10	22.20	-39.71	-13.00	-26.71	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.28	-28.70	7.00	12.93	-34.63	-13.00	-21.63	H
5722.27	-24.56	8.40	17.11	-33.27	-13.00	-20.27	H
7629.93	-26.74	8.10	22.20	-40.84	-13.00	-27.84	H
3815.28	-29.42	7.00	12.93	-35.35	-13.00	-22.35	V
5722.27	-26.91	8.40	17.11	-35.62	-13.00	-22.62	V
7629.93	-25.43	8.10	22.20	-39.53	-13.00	-26.53	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.00	-25.27	7.00	12.93	-31.20	-13.00	-18.20	H
5565.00	-27.94	8.40	17.11	-36.65	-13.00	-23.65	H
7420.21	-23.47	8.10	22.20	-37.57	-13.00	-24.57	H
3710.00	-26.49	7.00	12.93	-32.42	-13.00	-19.42	V
5565.00	-26.19	8.40	17.11	-34.90	-13.00	-21.90	V
7420.21	-25.80	8.10	22.20	-39.90	-13.00	-26.90	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.86	-27.32	7.00	12.93	-33.25	-13.00	-20.25	H
5639.87	-24.95	8.40	17.11	-33.66	-13.00	-20.66	H
7520.03	-24.37	8.10	22.20	-38.47	-13.00	-25.47	H
3759.86	-27.65	7.00	12.93	-33.58	-13.00	-20.58	V
5639.87	-28.79	8.40	17.11	-37.50	-13.00	-24.50	V
7520.03	-25.44	8.10	22.20	-39.54	-13.00	-26.54	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.19	-28.47	7.00	12.93	-34.40	-13.00	-21.40	H
5714.97	-28.09	8.40	17.11	-36.80	-13.00	-23.80	H
7620.02	-26.82	8.10	22.20	-40.92	-13.00	-27.92	H
3810.19	-25.19	7.00	12.93	-31.12	-13.00	-18.12	V
5714.97	-25.09	8.40	17.11	-33.80	-13.00	-20.80	V
7620.02	-23.24	8.10	22.20	-37.34	-13.00	-24.34	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.03	-28.66	7.00	12.93	-34.59	-13.00	-21.59	H
5572.51	-28.18	8.40	17.11	-36.89	-13.00	-23.89	H
7430.40	-23.58	8.10	22.20	-37.68	-13.00	-24.68	H
3715.03	-26.11	7.00	12.93	<b>-32.04</b>	-13.00	-19.04	V
5572.51	-24.53	8.40	17.11	-33.24	-13.00	-20.24	V
7430.40	-27.45	8.10	22.20	-41.55	-13.00	-28.55	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.09	-27.98	7.00	12.93	<b>-33.91</b>	-13.00	-20.91	H
5639.84	-27.27	8.40	17.11	-35.98	-13.00	-22.98	H
7520.08	-25.38	8.10	22.20	-39.48	-13.00	-26.48	H
3760.09	-28.49	7.00	12.93	-34.42	-13.00	-21.42	V
5639.84	-25.66	8.40	17.11	-34.37	-13.00	-21.37	V
7520.08	-27.86	8.10	22.20	-41.96	-13.00	-28.96	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.05	-25.17	7.00	12.93	<b>-31.10</b>	-13.00	-18.10	H
5707.33	-26.98	8.40	17.11	-35.69	-13.00	-22.69	H
7610.14	-26.59	8.10	22.20	-40.69	-13.00	-27.69	H
3805.05	-27.01	7.00	12.93	-32.94	-13.00	-19.94	V
5707.33	-25.11	8.40	17.11	-33.82	-13.00	-20.82	V
7610.14	-23.39	8.10	22.20	-37.49	-13.00	-24.49	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.48	-26.32	7.00	12.93	-32.25	-13.00	-19.25	H
5580.15	-26.86	8.40	17.11	-35.57	-13.00	-22.57	H
7439.89	-25.91	8.10	22.20	-40.01	-13.00	-27.01	H
3720.48	-25.76	7.00	12.93	<b>-31.69</b>	-13.00	-18.69	V
5580.15	-26.66	8.40	17.11	-35.37	-13.00	-22.37	V
7439.89	-28.03	8.10	22.20	-42.13	-13.00	-29.13	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.99	-25.46	7.00	12.93	<b>-31.39</b>	-13.00	-18.39	H
5640.03	-27.84	8.40	17.11	-36.55	-13.00	-23.55	H
7520.04	-27.30	8.10	22.20	-41.40	-13.00	-28.40	H
3759.99	-27.92	7.00	12.93	-33.85	-13.00	-20.85	V
5640.03	-26.81	8.40	17.11	-35.52	-13.00	-22.52	V
7520.04	-27.47	8.10	22.20	-41.57	-13.00	-28.57	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.81	-26.94	7.00	12.93	-32.87	-13.00	-19.87	H
5699.74	-27.43	8.40	17.11	-36.14	-13.00	-23.14	H
7600.03	-22.94	8.10	22.20	-37.04	-13.00	-24.04	H
3799.81	-25.82	7.00	12.93	<b>-31.75</b>	-13.00	-18.75	V
5699.74	-25.92	8.40	17.11	-34.63	-13.00	-21.63	V
7600.03	-25.36	8.10	22.20	-39.46	-13.00	-26.46	V



<b>LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.03	-26.45	7.40	9.72	<b>-28.77</b>	-13.00	-15.77	H
2473.39	-30.97	8.30	10.86	-33.53	-13.00	-20.53	H
3298.90	-29.42	7.20	11.57	-33.79	-13.00	-20.79	H
1649.03	-29.86	7.40	9.72	-32.18	-13.00	-19.18	V
2473.39	-28.86	8.30	10.86	-31.42	-13.00	-18.42	V
3298.90	-26.06	7.20	11.57	-30.43	-13.00	-17.43	V
<b>LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.13	-29.40	7.40	9.72	-31.72	-13.00	-18.72	H
2508.94	-28.86	8.30	10.86	-31.42	-13.00	-18.42	H
3346.06	-26.64	7.20	11.57	-31.01	-13.00	-18.01	H
1673.13	-31.02	7.40	9.72	-33.34	-13.00	-20.34	V
2508.94	-28.04	8.30	10.86	<b>-30.60</b>	-13.00	-17.60	V
3346.06	-28.91	7.20	11.57	-33.28	-13.00	-20.28	V
<b>LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.23	-26.18	7.40	9.72	<b>-28.50</b>	-13.00	-15.50	H
2544.52	-27.61	8.30	10.86	-30.17	-13.00	-17.17	H
3392.73	-27.97	7.20	11.57	-32.34	-13.00	-19.34	H
1696.23	-27.81	7.40	9.72	-30.13	-13.00	-17.13	V
2544.52	-29.45	8.30	10.86	-32.01	-13.00	-19.01	V
3392.73	-29.77	7.20	11.57	-34.14	-13.00	-21.14	V

LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.18	-26.75	7.40	9.72	-29.07	-13.00	-16.07	H
2476.54	-26.71	8.30	10.86	-29.27	-13.00	-16.27	H
3301.78	-26.16	7.20	11.57	-30.53	-13.00	-17.53	H
1651.18	-29.04	7.40	9.72	-31.36	-13.00	-18.36	V
2476.54	-28.03	8.30	10.86	-30.59	-13.00	-17.59	V
3301.78	-29.33	7.20	11.57	-33.70	-13.00	-20.70	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.12	-29.03	7.40	9.72	-31.35	-13.00	-18.35	H
2508.92	-28.29	8.30	10.86	-30.85	-13.00	-17.85	H
3346.19	-26.46	7.20	11.57	-30.83	-13.00	-17.83	H
1673.12	-31.52	7.40	9.72	-33.84	-13.00	-20.84	V
2508.92	-29.80	8.30	10.86	-32.36	-13.00	-19.36	V
3346.19	-26.25	7.20	11.57	-30.62	-13.00	-17.62	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.58	-30.16	7.40	9.72	-32.48	-13.00	-19.48	H
2542.25	-26.85	8.30	10.86	-29.41	-13.00	-16.41	H
3389.93	-27.95	7.20	11.57	-32.32	-13.00	-19.32	H
1695.58	-30.36	7.40	9.72	-32.68	-13.00	-19.68	V
2542.25	-30.60	8.30	10.86	-33.16	-13.00	-20.16	V
3389.93	-28.18	7.20	11.57	-32.55	-13.00	-19.55	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.80	-26.85	7.40	9.72	-29.17	-13.00	-16.17	H
2479.40	-29.03	8.30	10.86	-31.59	-13.00	-18.59	H
3306.67	-24.75	7.20	11.57	<b>-29.12</b>	-13.00	-16.12	H
1652.80	-29.14	7.40	9.72	-31.46	-13.00	-18.46	V
2479.40	-30.04	8.30	10.86	-32.60	-13.00	-19.60	V
3306.67	-25.30	7.20	11.57	-29.67	-13.00	-16.67	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.07	-27.58	7.40	9.72	-29.90	-13.00	-16.90	H
2509.23	-29.93	8.30	10.86	-32.49	-13.00	-19.49	H
3345.99	-24.81	7.20	11.57	<b>-29.18</b>	-13.00	-16.18	H
1673.07	-30.69	7.40	9.72	-33.01	-13.00	-20.01	V
2509.23	-30.04	8.30	10.86	-32.60	-13.00	-19.60	V
3345.99	-29.46	7.20	11.57	-33.83	-13.00	-20.83	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.61	-26.43	7.40	9.72	<b>-28.75</b>	-13.00	-15.75	H
2539.23	-29.96	8.30	10.86	-32.52	-13.00	-19.52	H
3386.05	-27.45	7.20	11.57	-31.82	-13.00	-18.82	H
1693.61	-29.39	7.40	9.72	-31.71	-13.00	-18.71	V
2539.23	-27.61	8.30	10.86	-30.17	-13.00	-17.17	V
3386.05	-25.72	7.20	11.57	-30.09	-13.00	-17.09	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.98	-29.19	7.40	9.72	-31.51	-13.00	-18.51	H
2508.93	-31.20	8.30	10.86	-33.76	-13.00	-20.76	H
3346.09	-29.08	7.20	11.57	-33.45	-13.00	-20.45	H
1672.98	-28.31	7.40	9.72	-30.63	-13.00	-17.63	V
2508.93	-28.06	8.30	10.86	<b>-30.62</b>	-13.00	-17.62	V
3346.09	-26.27	7.20	11.57	-30.64	-13.00	-17.64	V

<b>LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.20	-26.85	7.40	9.72	-29.17	-13.00	-16.17	H
2473.20	-26.67	8.30	10.86	-29.23	-13.00	-16.23	H
3298.92	-25.41	7.20	11.57	-29.78	-13.00	-16.78	H
1649.20	-28.30	7.40	9.72	-30.62	-13.00	-17.62	V
2473.20	-26.91	8.30	10.86	-29.47	-13.00	-16.47	V
3298.92	-28.80	7.20	11.57	-33.17	-13.00	-20.17	V
<b>LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.00	-27.64	7.40	9.72	-29.96	-13.00	-16.96	H
2509.21	-29.98	8.30	10.86	-32.54	-13.00	-19.54	H
3345.90	-24.85	7.20	11.57	-29.22	-13.00	-16.22	H
1673.00	-28.76	7.40	9.72	-31.08	-13.00	-18.08	V
2509.21	-26.87	8.30	10.86	-29.43	-13.00	-16.43	V
3345.90	-28.41	7.20	11.57	-32.78	-13.00	-19.78	V
<b>LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.36	-29.73	7.40	9.72	-32.05	-13.00	-19.05	H
2544.60	-30.72	8.30	10.86	-33.28	-13.00	-20.28	H
3393.02	-27.45	7.20	11.57	-31.82	-13.00	-18.82	H
1696.36	-28.74	7.40	9.72	-31.06	-13.00	-18.06	V
2544.60	-30.48	8.30	10.86	-33.04	-13.00	-20.04	V
3393.02	-25.61	7.20	11.57	-29.98	-13.00	-16.98	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.26	-29.07	7.40	9.72	-31.39	-13.00	-18.39	H
2476.66	-29.50	8.30	10.86	-32.06	-13.00	-19.06	H
3301.94	-27.12	7.20	11.57	-31.49	-13.00	-18.49	H
1651.26	-30.40	7.40	9.72	-32.72	-13.00	-19.72	V
2476.66	-27.73	8.30	10.86	<b>-30.29</b>	-13.00	-17.29	V
3301.94	-30.00	7.20	11.57	-34.37	-13.00	-21.37	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.06	-26.65	7.40	9.72	<b>-28.97</b>	-13.00	-15.97	H
2509.01	-29.62	8.30	10.86	-32.18	-13.00	-19.18	H
3346.16	-27.36	7.20	11.57	-31.73	-13.00	-18.73	H
1673.06	-30.15	7.40	9.72	-32.47	-13.00	-19.47	V
2509.01	-30.70	8.30	10.86	-33.26	-13.00	-20.26	V
3346.16	-30.19	7.20	11.57	-34.56	-13.00	-21.56	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.48	-26.94	7.40	9.72	<b>-29.26</b>	-13.00	-16.26	H
2542.20	-29.78	8.30	10.86	-32.34	-13.00	-19.34	H
3389.94	-28.24	7.20	11.57	-32.61	-13.00	-19.61	H
1695.48	-28.78	7.40	9.72	-31.10	-13.00	-18.10	V
2542.20	-30.65	8.30	10.86	-33.21	-13.00	-20.21	V
3389.94	-28.16	7.20	11.57	-32.53	-13.00	-19.53	V

LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.94	-27.48	7.40	9.72	-29.80	-13.00	-16.80	H
2479.30	-30.62	8.30	10.86	-33.18	-13.00	-20.18	H
3306.73	-27.91	7.20	11.57	-32.28	-13.00	-19.28	H
1652.94	-28.46	7.40	9.72	-30.78	-13.00	-17.78	V
2479.30	-27.86	8.30	10.86	-30.42	-13.00	-17.42	V
3306.73	-28.24	7.20	11.57	-32.61	-13.00	-19.61	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.25	-29.14	7.40	9.72	-31.46	-13.00	-18.46	H
2508.96	-30.25	8.30	10.86	-32.81	-13.00	-19.81	H
3346.25	-29.09	7.20	11.57	-33.46	-13.00	-20.46	H
1673.25	-27.33	7.40	9.72	-29.65	-13.00	-16.65	V
2508.96	-27.65	8.30	10.86	-30.21	-13.00	-17.21	V
3346.25	-29.40	7.20	11.57	-33.77	-13.00	-20.77	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.83	-30.21	7.40	9.72	-32.53	-13.00	-19.53	H
2539.33	-26.94	8.30	10.86	-29.50	-13.00	-16.50	H
3385.83	-24.98	7.20	11.57	-29.35	-13.00	-16.35	H
1693.83	-31.77	7.40	9.72	-34.09	-13.00	-21.09	V
2539.33	-29.02	8.30	10.86	-31.58	-13.00	-18.58	V
3385.83	-27.19	7.20	11.57	-31.56	-13.00	-18.56	V



LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1658.06	-29.43	7.40	9.72	-31.75	-13.00	-18.75	H
2486.42	-31.15	8.30	10.86	-33.71	-13.00	-20.71	H
3315.93	-28.06	7.20	11.57	-32.43	-13.00	-19.43	H
1658.06	-29.26	7.40	9.72	-31.58	-13.00	-18.58	V
2486.42	-29.11	8.30	10.86	-31.67	-13.00	-18.67	V
3315.93	-27.13	7.20	11.57	<b>-31.50</b>	-13.00	-18.50	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.09	-27.82	7.40	9.72	-30.14	-13.00	-17.14	H
2509.13	-27.64	8.30	10.86	-30.20	-13.00	-17.20	H
3345.83	-28.31	7.20	11.57	-32.68	-13.00	-19.68	H
1673.09	-28.75	7.40	9.72	-31.07	-13.00	-18.07	V
2509.13	-27.31	8.30	10.86	-29.87	-13.00	-16.87	V
3345.83	-25.38	7.20	11.57	<b>-29.75</b>	-13.00	-16.75	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.39	-30.59	7.40	9.72	-32.91	-13.00	-19.91	H
2532.19	-30.19	8.30	10.86	-32.75	-13.00	-19.75	H
3376.05	-26.88	7.20	11.57	-31.25	-13.00	-18.25	H
1688.39	-27.37	7.40	9.72	<b>-29.69</b>	-13.00	-16.69	V
2532.19	-29.59	8.30	10.86	-32.15	-13.00	-19.15	V
3376.05	-26.74	7.20	11.57	-31.11	-13.00	-18.11	V

<b>LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.45	-26.18	7.40	9.72	<b>-28.50</b>	-13.00	-15.50	H
2494.29	-26.52	8.30	10.86	-29.08	-13.00	-16.08	H
3325.81	-27.53	7.20	11.57	-31.90	-13.00	-18.90	H
1663.45	-31.95	7.40	9.72	-34.27	-13.00	-21.27	V
2494.29	-30.61	8.30	10.86	-33.17	-13.00	-20.17	V
3325.81	-26.45	7.20	11.57	-30.82	-13.00	-17.82	V
<b>LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.22	-27.49	7.40	9.72	<b>-29.81</b>	-13.00	-16.81	H
2509.06	-31.06	8.30	10.86	-33.62	-13.00	-20.62	H
3345.99	-28.75	7.20	11.57	-33.12	-13.00	-20.12	H
1673.22	-31.61	7.40	9.72	-33.93	-13.00	-20.93	V
2509.06	-30.05	8.30	10.86	-32.61	-13.00	-19.61	V
3345.99	-26.35	7.20	11.57	-30.72	-13.00	-17.72	V
<b>LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.77	-28.08	7.40	9.72	<b>-30.40</b>	-13.00	-17.40	H
2524.46	-28.44	8.30	10.86	-31.00	-13.00	-18.00	H
3366.23	-27.74	7.20	11.57	-32.11	-13.00	-19.11	H
1683.77	-29.22	7.40	9.72	-31.54	-13.00	-18.54	V
2524.46	-29.18	8.30	10.86	-31.74	-13.00	-18.74	V
3366.23	-26.79	7.20	11.57	-31.16	-13.00	-18.16	V

<b>LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
4997.05	-30.17	7.90	15.86	<b>-38.13</b>	-25.00	-13.13	H
7495.81	-30.62	9.00	19.28	-40.90	-25.00	-15.90	H
9994.28	-32.54	8.70	23.19	-47.03	-25.00	-22.03	H
4997.05	-34.98	7.90	15.86	-42.94	-25.00	-17.94	V
7495.81	-35.16	9.00	19.28	-45.44	-25.00	-20.44	V
9994.28	-29.40	8.70	23.19	-43.89	-25.00	-18.89	V
<b>LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5186.03	-31.10	7.90	15.86	<b>-39.06</b>	-25.00	-14.06	H
7779.21	-30.56	9.00	19.28	-40.84	-25.00	-15.84	H
10372.12	-29.86	8.70	23.19	-44.35	-25.00	-19.35	H
5186.03	-34.97	7.90	15.86	-42.93	-25.00	-17.93	V
7779.21	-34.94	9.00	19.28	-45.22	-25.00	-20.22	V
10372.12	-33.01	8.70	23.19	-47.50	-25.00	-22.50	V
<b>LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5375.03	-32.64	7.90	15.86	<b>-40.60</b>	-25.00	-15.60	H
8062.44	-31.95	9.00	19.28	-42.23	-25.00	-17.23	H
10750.26	-30.57	8.70	23.19	-45.06	-25.00	-20.06	H
5375.03	-34.03	7.90	15.86	-41.99	-25.00	-16.99	V
8062.44	-31.48	9.00	19.28	-41.76	-25.00	-16.76	V
10750.26	-33.03	8.70	23.19	-47.52	-25.00	-22.52	V

<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5002.11	-31.12	7.90	15.86	<b>-39.08</b>	-25.00	-14.08	H
7503.21	-31.46	9.00	19.28	-41.74	-25.00	-16.74	H
10004.21	-31.87	8.70	23.19	-46.36	-25.00	-21.36	H
5002.11	-33.70	7.90	15.86	-41.66	-25.00	-16.66	V
7503.21	-33.61	9.00	19.28	-43.89	-25.00	-18.89	V
10004.21	-29.50	8.70	23.19	-43.99	-25.00	-18.99	V
<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.24	-33.90	7.90	15.86	-41.86	-25.00	-16.86	H
7779.16	-31.63	9.00	19.28	-41.91	-25.00	-16.91	H
10372.28	-32.32	8.70	23.19	-46.81	-25.00	-21.81	H
5186.24	-32.10	7.90	15.86	<b>-40.06</b>	-25.00	-15.06	V
7779.16	-31.27	9.00	19.28	-41.55	-25.00	-16.55	V
10372.28	-29.16	8.70	23.19	-43.65	-25.00	-18.65	V
<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.09	-30.63	7.90	15.86	<b>-38.59</b>	-25.00	-13.59	H
8055.07	-32.99	9.00	19.28	-43.27	-25.00	-18.27	H
10739.78	-33.47	8.70	23.19	-47.96	-25.00	-22.96	H
5370.09	-31.75	7.90	15.86	-39.71	-25.00	-14.71	V
8055.07	-34.50	9.00	19.28	-44.78	-25.00	-19.78	V
10739.78	-28.31	8.70	23.19	-42.80	-25.00	-17.80	V

<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5006.95	-32.32	7.90	15.86	<b>-40.28</b>	-25.00	-15.28	H
7510.56	-35.13	9.00	19.28	-45.41	-25.00	-20.41	H
10014.37	-33.45	8.70	23.19	-47.94	-25.00	-22.94	H
5006.95	-34.28	7.90	15.86	-42.24	-25.00	-17.24	V
7510.56	-32.84	9.00	19.28	-43.12	-25.00	-18.12	V
10014.37	-29.74	8.70	23.19	-44.23	-25.00	-19.23	V
<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5186.00	-29.98	7.90	15.86	<b>-37.94</b>	-25.00	-12.94	H
7779.15	-32.41	9.00	19.28	-42.69	-25.00	-17.69	H
10372.08	-30.37	8.70	23.19	-44.86	-25.00	-19.86	H
5186.00	-32.95	7.90	15.86	-40.91	-25.00	-15.91	V
7779.15	-35.04	9.00	19.28	-45.32	-25.00	-20.32	V
10372.08	-29.70	8.70	23.19	-44.19	-25.00	-19.19	V
<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5365.12	-31.35	7.90	15.86	<b>-39.31</b>	-25.00	-14.31	H
8047.35	-33.94	9.00	19.28	-44.22	-25.00	-19.22	H
10730.02	-31.69	8.70	23.19	-46.18	-25.00	-21.18	H
5365.12	-32.57	7.90	15.86	-40.53	-25.00	-15.53	V
8047.35	-31.10	9.00	19.28	-41.38	-25.00	-16.38	V
10730.02	-32.49	8.70	23.19	-46.98	-25.00	-21.98	V

<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.19	-30.71	7.90	15.86	<b>-38.67</b>	-25.00	-13.67	H
7517.87	-30.88	9.00	19.28	-41.16	-25.00	-16.16	H
10024.25	-29.09	8.70	23.19	-43.58	-25.00	-18.58	H
5012.19	-31.84	7.90	15.86	-39.80	-25.00	-14.80	V
7517.87	-31.95	9.00	19.28	-42.23	-25.00	-17.23	V
10024.25	-30.52	8.70	23.19	-45.01	-25.00	-20.01	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.81	-31.92	7.90	15.86	<b>-39.88</b>	-25.00	-14.88	H
7778.97	-30.74	9.00	19.28	-41.02	-25.00	-16.02	H
10372.16	-32.21	8.70	23.19	-46.70	-25.00	-21.70	H
5185.81	-35.43	7.90	15.86	-43.39	-25.00	-18.39	V
7778.97	-32.11	9.00	19.28	-42.39	-25.00	-17.39	V
10372.16	-29.39	8.70	23.19	-43.88	-25.00	-18.88	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5359.98	-31.76	7.90	15.86	<b>-39.72</b>	-25.00	-14.72	H
8040.11	-31.53	9.00	19.28	-41.81	-25.00	-16.81	H
10720.26	-31.92	8.70	23.19	-46.41	-25.00	-21.41	H
5359.98	-35.86	7.90	15.86	-43.82	-25.00	-18.82	V
8040.11	-31.08	9.00	19.28	-41.36	-25.00	-16.36	V
10720.26	-30.17	8.70	23.19	-44.66	-25.00	-19.66	V

<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.24	-24.69	7.20	12.56	<b>-30.05</b>	-13.00	-17.05	H
5131.84	-27.72	8.10	16.32	-35.94	-13.00	-22.94	H
6842.85	-27.61	8.30	21.13	-40.44	-13.00	-27.44	H
3421.24	-29.67	7.20	12.56	-35.03	-13.00	-22.03	V
5131.84	-24.84	8.10	16.32	-33.06	-13.00	-20.06	V
6842.85	-24.41	8.30	21.13	-37.24	-13.00	-24.24	V
<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.93	-28.19	7.20	12.56	<b>-33.55</b>	-13.00	-20.55	H
5234.92	-26.01	8.10	16.32	-34.23	-13.00	-21.23	H
6980.02	-26.26	8.30	21.13	-39.09	-13.00	-26.09	H
3489.93	-28.56	7.20	12.56	-33.92	-13.00	-20.92	V
5234.92	-26.47	8.10	16.32	-34.69	-13.00	-21.69	V
6980.02	-24.70	8.30	21.13	-37.53	-13.00	-24.53	V
<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.16	-27.65	7.20	12.56	<b>-33.01</b>	-13.00	-20.01	H
5336.97	-25.03	8.10	16.32	-33.25	-13.00	-20.25	H
7116.87	-26.58	8.30	21.13	-39.41	-13.00	-26.41	H
3558.16	-29.75	7.20	12.56	-35.11	-13.00	-22.11	V
5336.97	-28.79	8.10	16.32	-37.01	-13.00	-24.01	V
7116.87	-24.32	8.30	21.13	-37.15	-13.00	-24.15	V



LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.04	-27.74	7.20	12.56	-33.10	-13.00	-20.10	H
5134.35	-27.99	8.10	16.32	-36.21	-13.00	-23.21	H
6845.77	-23.34	8.30	21.13	-36.17	-13.00	-23.17	H
3423.04	-27.26	7.20	12.56	<b>-32.62</b>	-13.00	-19.62	V
5134.35	-26.60	8.10	16.32	-34.82	-13.00	-21.82	V
6845.77	-25.78	8.30	21.13	-38.61	-13.00	-25.61	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.86	-28.56	7.20	12.56	-33.92	-13.00	-20.92	H
5234.97	-28.82	8.10	16.32	-37.04	-13.00	-24.04	H
6980.14	-27.17	8.30	21.13	-40.00	-13.00	-27.00	H
3489.86	-25.76	7.20	12.56	<b>-31.12</b>	-13.00	-18.12	V
5234.97	-25.29	8.10	16.32	-33.51	-13.00	-20.51	V
6980.14	-24.19	8.30	21.13	-37.02	-13.00	-24.02	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.74	-25.33	7.20	12.56	-30.69	-13.00	-17.69	H
5262.28	-25.22	8.10	16.32	-33.44	-13.00	-20.44	H
7113.98	-22.74	8.30	21.13	-35.57	-13.00	-22.57	H
3556.74	-25.26	7.20	12.56	<b>-30.62</b>	-13.00	-17.62	V
5262.28	-24.60	8.10	16.32	-32.82	-13.00	-19.82	V
7113.98	-24.56	8.30	21.13	-37.39	-13.00	-24.39	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.43	-24.77	7.20	12.56	-30.13	-13.00	-17.13	H
5137.25	-27.41	8.10	16.32	-35.63	-13.00	-22.63	H
6849.97	-25.09	8.30	21.13	-37.92	-13.00	-24.92	H
3425.43	-29.52	7.20	12.56	-34.88	-13.00	-21.88	V
5137.25	-28.13	8.10	16.32	-36.35	-13.00	-23.35	V
6849.97	-23.50	8.30	21.13	-36.33	-13.00	-23.33	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.89	-27.24	7.20	12.56	-32.60	-13.00	-19.60	H
5235.16	-29.44	8.10	16.32	-37.66	-13.00	-24.66	H
6979.90	-26.24	8.30	21.13	-39.07	-13.00	-26.07	H
3489.89	-26.18	7.20	12.56	-31.54	-13.00	-18.54	V
5235.16	-26.74	8.10	16.32	-34.96	-13.00	-21.96	V
6979.90	-25.23	8.30	21.13	-38.06	-13.00	-25.06	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.79	-26.81	7.20	12.56	-32.17	-13.00	-19.17	H
5234.73	-27.26	8.10	16.32	-35.48	-13.00	-22.48	H
7110.22	-24.61	8.30	21.13	-37.44	-13.00	-24.44	H
3557.79	-28.08	7.20	12.56	-33.44	-13.00	-20.44	V
5234.73	-27.41	8.10	16.32	-35.63	-13.00	-22.63	V
7110.22	-24.72	8.30	21.13	-37.55	-13.00	-24.55	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.27	-28.46	7.20	12.56	-33.82	-13.00	-20.82	H
5144.83	-25.89	8.10	16.32	-34.11	-13.00	-21.11	H
6880.12	-25.44	8.30	21.13	-38.27	-13.00	-25.27	H
3430.27	-28.56	7.20	12.56	-33.92	-13.00	-20.92	V
5144.83	-26.36	8.10	16.32	-34.58	-13.00	-21.58	V
6880.12	-27.06	8.30	21.13	-39.89	-13.00	-26.89	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-27.40	7.20	12.56	-32.76	-13.00	-19.76	H
5234.85	-24.62	8.10	16.32	-32.84	-13.00	-19.84	H
6979.95	-23.77	8.30	21.13	-36.60	-13.00	-23.60	H
3490.04	-28.98	7.20	12.56	-34.34	-13.00	-21.34	V
5234.85	-25.07	8.10	16.32	-33.29	-13.00	-20.29	V
6979.95	-27.35	8.30	21.13	-40.18	-13.00	-27.18	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.43	-24.05	7.20	12.56	-29.41	-13.00	-16.41	H
5235.20	-25.97	8.10	16.32	-34.19	-13.00	-21.19	H
7099.85	-24.60	8.30	21.13	-37.43	-13.00	-24.43	H
3550.43	-29.89	7.20	12.56	-35.25	-13.00	-22.25	V
5235.20	-27.90	8.10	16.32	-36.12	-13.00	-23.12	V
7099.85	-26.07	8.30	21.13	-38.90	-13.00	-25.90	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.05	-28.50	7.20	12.56	-33.86	-13.00	-20.86	H
5152.47	-26.11	8.10	16.32	-34.33	-13.00	-21.33	H
6870.05	-22.68	8.30	21.13	-35.51	-13.00	-22.51	H
3435.05	-27.20	7.20	12.56	<b>-32.56</b>	-13.00	-19.56	V
5152.47	-24.53	8.10	16.32	-32.75	-13.00	-19.75	V
6870.05	-24.10	8.30	21.13	-36.93	-13.00	-23.93	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.92	-25.90	7.20	12.56	<b>-31.26</b>	-13.00	-18.26	H
5234.89	-28.46	8.10	16.32	-36.68	-13.00	-23.68	H
6980.03	-23.54	8.30	21.13	-36.37	-13.00	-23.37	H
3489.92	-27.52	7.20	12.56	-32.88	-13.00	-19.88	V
5234.89	-27.30	8.10	16.32	-35.52	-13.00	-22.52	V
6980.03	-25.36	8.30	21.13	-38.19	-13.00	-25.19	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.91	-24.36	7.20	12.56	<b>-29.72</b>	-13.00	-16.72	H
5332.30	-25.17	8.10	16.32	-33.39	-13.00	-20.39	H
7089.99	-25.66	8.30	21.13	-38.49	-13.00	-25.49	H
3544.91	-28.83	7.20	12.56	-34.19	-13.00	-21.19	V
5332.30	-26.21	8.10	16.32	-34.43	-13.00	-21.43	V
7089.99	-23.47	8.30	21.13	-36.30	-13.00	-23.30	V

<b>LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.93	-28.48	7.20	12.56	-33.84	-13.00	-20.84	H
5160.20	-27.30	8.10	16.32	-35.52	-13.00	-22.52	H
6879.95	-23.44	8.30	21.13	-36.27	-13.00	-23.27	H
3439.93	-29.39	7.20	12.56	-34.75	-13.00	-21.75	V
5160.20	-27.94	8.10	16.32	-36.16	-13.00	-23.16	V
6879.95	-25.08	8.30	21.13	-37.91	-13.00	-24.91	V
<b>LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.82	-27.92	7.20	12.56	-33.28	-13.00	-20.28	H
5235.11	-25.06	8.10	16.32	-33.28	-13.00	-20.28	H
6980.23	-22.97	8.30	21.13	-35.80	-13.00	-22.80	H
3489.82	-27.63	7.20	12.56	-32.99	-13.00	-19.99	V
5235.11	-27.44	8.10	16.32	-35.66	-13.00	-22.66	V
6980.23	-24.32	8.30	21.13	-37.15	-13.00	-24.15	V
<b>LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.06	-27.01	7.20	12.56	-32.37	-13.00	-19.37	H
5309.91	-24.95	8.10	16.32	-33.17	-13.00	-20.17	H
7080.47	-25.63	8.30	21.13	-38.46	-13.00	-25.46	H
3540.06	-29.06	7.20	12.56	-34.42	-13.00	-21.42	V
5309.91	-25.26	8.10	16.32	-33.48	-13.00	-20.48	V
7080.47	-24.96	8.30	21.13	-37.79	-13.00	-24.79	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1330.98	-26.02	6.50	9.34	-28.86	-13.00	-15.86	H
1966.22	-28.55	7.70	10.42	-31.27	-13.00	-18.27	H
2661.69	-26.30	7.90	11.12	-29.52	-13.00	-16.52	H
1330.98	-30.25	6.50	9.34	-33.09	-13.00	-20.09	V
1966.22	-27.28	7.70	10.42	-30.00	-13.00	-17.00	V
2661.69	-29.05	7.90	11.12	-32.27	-13.00	-19.27	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.24	-28.39	6.50	9.34	-31.23	-13.00	-18.23	H
2041.64	-29.85	7.70	10.42	-32.57	-13.00	-19.57	H
2721.96	-25.31	7.90	11.12	-28.53	-13.00	-15.53	H
1361.24	-27.91	6.50	9.34	-30.75	-13.00	-17.75	V
2041.64	-27.67	7.70	10.42	-30.39	-13.00	-17.39	V
2721.96	-28.71	7.90	11.12	-31.93	-13.00	-18.93	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1390.72	-29.83	6.50	9.34	-32.67	-13.00	-19.67	H
2085.97	-28.19	7.70	10.42	-30.91	-13.00	-17.91	H
2781.72	-27.06	7.90	11.12	-30.28	-13.00	-17.28	H
1390.72	-30.25	6.50	9.34	-33.09	-13.00	-20.09	V
2085.97	-28.72	7.70	10.42	-31.44	-13.00	-18.44	V
2781.72	-27.70	7.90	11.12	-30.92	-13.00	-17.92	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1335.99	-26.20	6.50	9.34	-29.04	-13.00	-16.04	H
2004.00	-27.50	7.70	10.42	-30.22	-13.00	-17.22	H
2672.11	-29.53	7.90	11.12	-32.75	-13.00	-19.75	H
1335.99	-31.72	6.50	9.34	-34.56	-13.00	-21.56	V
2004.00	-28.90	7.70	10.42	-31.62	-13.00	-18.62	V
2672.11	-26.80	7.90	11.12	-30.02	-13.00	-17.02	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.81	-29.61	6.50	9.34	-32.45	-13.00	-19.45	H
2041.42	-27.24	7.70	10.42	-29.96	-13.00	-16.96	H
2722.01	-26.47	7.90	11.12	-29.69	-13.00	-16.69	H
1360.81	-28.50	6.50	9.34	-31.34	-13.00	-18.34	V
2041.42	-27.14	7.70	10.42	-29.86	-13.00	-16.86	V
2722.01	-29.40	7.90	11.12	-32.62	-13.00	-19.62	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1385.74	-26.57	6.50	9.34	-29.41	-13.00	-16.41	H
2078.97	-27.98	7.70	10.42	-30.70	-13.00	-17.70	H
2721.79	-28.70	7.90	11.12	-31.92	-13.00	-18.92	H
1385.74	-30.24	6.50	9.34	-33.08	-13.00	-20.08	V
2078.97	-26.37	7.70	10.42	-29.09	-13.00	-16.09	V
2721.79	-26.96	7.90	11.12	-30.18	-13.00	-17.18	V



LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1341.16	-28.89	6.50	9.34	-31.73	-13.00	-18.73	H
2010.95	-29.34	7.70	10.42	-32.06	-13.00	-19.06	H
2682.09	-27.04	7.90	11.12	-30.26	-13.00	-17.26	H
1341.16	-27.36	6.50	9.34	-30.20	-13.00	-17.20	V
2010.95	-28.50	7.70	10.42	-31.22	-13.00	-18.22	V
2682.09	-26.39	7.90	11.12	<b>-29.61</b>	-13.00	-16.61	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.16	-29.36	6.50	9.34	-32.20	-13.00	-19.20	H
2041.43	-29.44	7.70	10.42	-32.16	-13.00	-19.16	H
2721.89	-26.04	7.90	11.12	<b>-29.26</b>	-13.00	-16.26	H
1361.16	-27.05	6.50	9.34	-29.89	-13.00	-16.89	V
2041.43	-29.35	7.70	10.42	-32.07	-13.00	-19.07	V
2721.89	-29.41	7.90	11.12	-32.63	-13.00	-19.63	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1380.86	-30.30	6.50	9.34	-33.14	-13.00	-20.14	H
2071.02	-29.01	7.70	10.42	-31.73	-13.00	-18.73	H
2762.07	-25.01	7.90	11.12	<b>-28.23</b>	-13.00	-15.23	H
1380.86	-31.27	6.50	9.34	-34.11	-13.00	-21.11	V
2071.02	-27.54	7.70	10.42	-30.26	-13.00	-17.26	V
2762.07	-27.05	7.90	11.12	-30.27	-13.00	-17.27	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1345.92	-27.38	6.50	9.34	-30.22	-13.00	-17.22	H
2019.10	-29.28	7.70	10.42	-32.00	-13.00	-19.00	H
2691.95	-25.42	7.90	11.12	<b>-28.64</b>	-13.00	-15.64	H
1345.92	-28.45	6.50	9.34	-31.29	-13.00	-18.29	V
2019.10	-28.72	7.70	10.42	-31.44	-13.00	-18.44	V
2691.95	-27.60	7.90	11.12	-30.82	-13.00	-17.82	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.18	-28.52	6.50	9.34	-31.36	-13.00	-18.36	H
2041.57	-28.46	7.70	10.42	-31.18	-13.00	-18.18	H
2722.11	-24.68	7.90	11.12	<b>-27.90</b>	-13.00	-14.90	H
1361.18	-31.12	6.50	9.34	-33.96	-13.00	-20.96	V
2041.57	-29.15	7.70	10.42	-31.87	-13.00	-18.87	V
2722.11	-25.85	7.90	11.12	-29.07	-13.00	-16.07	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1376.05	-26.27	6.50	9.34	-29.11	-13.00	-16.11	H
2064.18	-29.71	7.70	10.42	-32.43	-13.00	-19.43	H
2752.18	-25.89	7.90	11.12	-29.11	-13.00	-16.11	H
1376.05	-31.74	6.50	9.34	-34.58	-13.00	-21.58	V
2064.18	-26.31	7.70	10.42	-29.03	-13.00	-16.03	V
2752.18	-25.35	7.90	11.12	<b>-28.57</b>	-13.00	-15.57	V

※※※※※END OF THE REPORT※※※※※