


제품영문명 : BFXMINIONS_21 WIRELESS CHARGER(3in1)
제품국문명 : BFXMINIONS_21 무선 충전 거치대(3in1)

Model No : BF-WCM21



Connection to Power Adapter



Mobile phone charging



1. Electricity charging board has blue and green lights after the double flash light, charging plate into standby.

2. The mobile phone with wireless charging function is arranged on the charging board and the LED indicator light is displayed. For the blue long light at this time for the state of charge, the phone is full of electricity after the LED indicator light shows green.

Specification

Input: 5V/2A, 9V/2A
Output phone: 5W-7.5W-10W
Output watch: 2W
Output earphone: 3W
NW: 1529

Receiving distance: 2-10 mm
Conversion: $\geq 73\%$
Frequency: 110-205 KHz
Size: 20.5*8*9.5 cm

Compatibility

Apple phone: iPhone 11, 11 Pro, X, XS, XR, Xs Max, 8, 8 Plus.
Samsung phone: Samsung Galaxy S10, S10 Plus, S9, S9 Plus, S8, S8 Plus, S7, S7 Edge, S6 Edge Plus, Note 9, Note 8, etc.
Any of the Qi protocol phones.
Watch: Apple watch, iwatch1/iwatch2/iwatch3/iwatch4/iwatch5.
Headphones: Apple original headsets AirPods Pro/1/2.

Contents

The final product includes:
- wireless charger;
- 1000 m power cable;

Notes

Please, pay attention to the following issues, otherwise it may cause abnormal charging, high charging temperature, intermittent charging or even lack of charging.

1. Put the phone/watch at the center of charge area (as picture shows).
2. We recommend to use 2.0/3.0 Quick charger adapter (9V/1.67A), because it charges 3 devices at the same time.
3. The charging distance is 2-10 mm, so don't wear protective case which is over 3 mm thick.
4. The watch has temperature control. When the temperature reaches 40 degrees, it will stop charging automatically. When the temperature is normal, it will continue to charge.
5. Do not lay metal or magnetic objects around 6 cm of the back center of the phone during charging.
6. The lower temperature is, the faster charging speed will be. The charging speed is faster in winter than in summer.
7. Don't charge in high temperature and humid environments to avoid damage of circuit.
8. Keep out of reach of children.

FCC Compliance Statement :

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution :

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Information to User:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC RF Radiation Exposure Statement:

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter