USER MANUAL



www.getzooz.com

FEATURES

E FC (D)

- Reliable Z-Wave[™] control of lamps and small appliances
- Energy monitoring to help you manage power use
- NEW 800 series Z-Wave chip for more secure and faster control
- Extra small, doesn't block the other outlet
- Z-Wave Long Range for ultra reliable no-mesh communication
- Supports OTA firmware updates
- ETL listed for safety standards

SPECIFICATIONS

- Model Number: ZW36M
- Power: 120 VAC 60 Hz
- Maximum Load: 15 A resistive, 150 W LED bulbs, 1000 W incandescent, 1/3 hp motor
- Operating Temperature: 32° 104° F
- Dimensions: 2.6" x 1.5" x 1.14"
- Range: Up to 300 feet line of sight
- Installation and Use: Indoor only

This is an electrical device. Please use caution when installing and operating the Smart Plug. Remote control of appliances may result in unintentional or automated activation of power. Do NOT use this Z-Wave™ device to control electric heaters or other appliances which produce the risk of fire, burns, or electrical shock when unattended.

INSTALLATION

Plug the Smart Plug into any standard grounded 110 V receptacle. Do NOT connect any devices to the plug at this point. Click the Z-Wave™ button to see if the LED indicator comes on and off. If the LED indicator doesn't light up at all, please try a different receptacle.

If it's still off, please get in touch

Z-WAVE™ CONTROL


1. ADD DEVICE to your hub

Initiate inclusion (pairing) in the app (or web interface). Not sure how? ask@getzooz.com If you're using an S2 hub, it will ask you to enter the DSK PIN or scan the QR code printed on the side of the plug to complete SmartStart inclusion.

2. ACTIVATE the plug

While the hub is looking for new devices, **click the Z-Wave™ button 3 times** as quickly as possible. The LED indicator will start flashing blue to confirm inclusion mode and turn green for 1 second once inclusion is completed.

🗸 QR / PIN CODE



SmartStart enabled products can be added into a Z-Wave™ network by scanning the Z-Wave™ QR Code present on the product with a controller providing SmartStart inclusion.

Choose your hub and scan the QR code with your phone's camera. Then click on the link to access the step-by-step pairing instructions.



Z-Box Hub

SmartThings





Hubitat





NEED SOME HELP?

with our support team: ask@getzooz.com

BEFORE YOU PLUG ANYTHING IN

Do NOT connect resistive loads over 15 A. Do NOT connect appliances or motors over 8 A!

Connecting heavy duty equipment to this Smart Plug will DAMAGE the device and may cause the connected appliance to malfunction. Do NOT plug washers, dryers, refrigerators, or motors over 1/3 hp to this Smart Plug.

🛝 WARNING

- This product should be installed indoors upon completion of any building renovations.
- Prior to installation, the device should be stored in a dry, dust-and-mold-proof place.
- Do not install the Smart Plug in a place with direct sun exposure, high temperature, or humidity.
- Keep away from chemicals, water, and dust.
- Ensure the device is never close to any heat source or open flame to prevent fire.
- Ensure the device is connected to an electric power source that does not exceed the maximum load power.
- No part of the device may be replaced or repaired by the user.

ask@getzooz.com www.support.getzooz.com

TROUBLESHOOTING

The plug won't add to your system? Try this:

- Initiate EXCLUSION in your hub and click the Z-Wave[™] button 3 times as quickly as possible. Then try adding it again after it successfully excludes (this works as a reset and can be tried even if the plug was never connected to your hub in the past).
- 2. Click the Z-Wave[™] button **quicker** when adding it.
- 3. Bring the plug **closer** to your hub, it may be out of range.
- 4. Double-check if the device is powered.
- 5. Get troubleshooting tips specific to your hub at

www.support.getzooz.com

EXCLUSION (REMOVE DEVICE)

- Bring the plug within direct range of your Z-Wave[™] hub.
- Put the Z-Wave[™] hub into exclusion mode (not sure how to do that? ask@getzooz.com).
- 3. Click the **Z-Wave™ button 3 times** as quickly as possible.
- 4. Your hub will confirm exclusion and the plug will disappear from your controller's device list.

FACTORY RESET

When your network's primary controller is missing or otherwise inoperable, you may need to reset the device to factory settings manually. In order to complete the process, make sure the plug is powered, then click the Z-Wave™ button twice and hold it the third time for 10 seconds. The LED indicator will flash red 3 times to confirm a successful reset. NOTE: All previously recorded activity and custom settings will be erased from the device's memory.

ASSOCIATION

The Smart Plug supports Group 1 for Lifeline communication and Group 2 with up to 5 devices for basic on/off control. This device will send a Basic Set command to Group 2 whenever it changes its on/off status.

Please note that not all Z-Wave™ systems give users access to direct association settings so if you're note sure where to find it, please get in touch with our support and we'll be happy to help.

ADVANCED SETTINGS

Please refer to your hub's user guide for advanced programming instructions as they are different for every software.

Not sure where to start? Go to www.support.getzooz.com for detailed instructions how to change the settings on SmartThings, Hubitat, and more. Or just email us: ask@getzooz.com

Parameter 1: Decide how the LED indicator behaves depending on the on/off status of the plug. Note that the LED will flash green 3 times anytime a setting is successfully changed.

Values: 0 – LED indicator is on when the plug is on, LED indicator is off when the plug is off (default); 1 -LED indicator is on when the plug is off, LED indicator is off when the plug is on; 2 – LED indicator is always off; 3 - LED indicator is always on. Size: 1 byte dec

Parameter 2: Use this parameter to set the auto turn-off timer: the time after which you want the Smart Plug to automatically turn off once it has been turned on. The number entered as value corresponds to the number of minutes. Values: 0 – timer disabled (default):

1-65535 (minutes).

Size: 4 byte dec

Choose your hub and scan the QR code with your phone's camera. Then click on the link to access the step-by-step instructions on how to access advanced settings for the plug on your Z-Wave™ system.



Z-Box Hub





SmartThings



Home Assistant

Hubitat



This product can be included and operated in any Z-Wave™ network with other Z-Wave™ certified devices from other manufacturers and/or other applications. All nonbattery operated nodes within the network will act as repeaters regardless of vendor to increase reliability of the network. This product features the latest Security 2 (S2) framework to remove smart home network hacking risks. This device is equip-ped with a unique authentification code for trusted wireless communication. This is an ETL certified device. ETL, just like UL, is a Nationally Recognized Testing Laboratory. The ETL mark is proof of product compliance to North American safety standards.

Here is the list of command classes rted by this device

supported by this device:
0x5E-COMMAND_CLASS_ZWAVEPLUS_INFO_V2,
0x25-COMMAND_CLASS_SWITCH_BINARY_V2,
0x70-COMMAND_CLASS_CONFIGURATION_V4,
0x85-COMMAND_CLASS_ASSOCIATION_V3,
0x8E-COMMAND_CLASS_MULTI_CHANNEL_ASSOCIATION_V4,
0x59-COMMAND_CLASS_ASSOCIATION_GRP_INFO_V3,
0x32-COMMAND_CLASS_METER_V5,
0x55-COMMAND_CLASS_TRANSPORT_SERVICE_V2,
0x86-COMMAND_CLASS_VERSION_V2,
0x72-COMMAND_CLASS_MANUFACTURER_SPECIFIC_V2,
0x5A-COMMAND_CLASS_DEVICE_RESET_LOCALLY,
0x87-COMMAND_CLASS_INDICATOR_V3,
0x73-COMMAND_CLASS_POWERLEVEL,
0x9F-COMMAND_CLASS_SECURITY_2,
0x6C-COMMAND_CLASS_SUPERVISION,
0x7A-COMMAND_CLASS_FIRMWARE_UPDATE_MD_V5

WARRANTY

This product is covered under a 1vear limited warranty with extended 5-year warranty once it's registered. To read the full warranty policy, register your product, or file a warranty claim, please go to ww.getzooz.com/warranty

IN NO EVENT SHALL ZOOZ OR ITS SUBSIDIARIES AND AFFILIATES BE LIABLE FOR ANY INDIRECT. INCIDENTAL, PUNITIVE, SPECIAL, OR CONSEQUENTIAL DAMAGES, OR DAMAGES FOR LOSS OF PROFITS, REVENUE, OR USE INCURRED BY CUSTOMER OR ANY THIRD PARTY, WHETHER IN AN ACTION IN CONTRACT, OR OTHERWISE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DA-MAGES. ZOOZ'S LIABILITY AND CUSTOMER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION ARISING IN CON-NECTION WITH THIS AGREEMENT OR THE SALE OR USE OF THE PRODUCTS, WHETHER BASED ON NEGLIGENCE, STRICT LIABILITY BREACH OF WARRANTY, BREACH OF AGREEMENT, OR EQUITABLE PRINCIPLES, IS EXPRESSLY LIMITED TO, AT ZOOZ'S OPTION, REPLACEMENT OF, OR REPAYMENT OF THE PURCHASE PRICE FOR THAT PORTION OF PRODUCTS WITH RESPECT TO WHICH DA-MAGES ARE CLAIMED. ALL CLAIMS OF ANY KIND ARISING IN CONNECTION WITH THIS AGREEMENT OR THE SALE OR USE OF PRODUCTS SHALL BE DEEMED WAIVED UNLESS MADE IN WRITING WITHIN THIRTY (30) DAYS FROM ZOOZ'S DELIVERY. OR THE DATE FIXED FOR DELIVERY IN THE EVENT OF NONDELIVERY.

Parameter 3: Use this parameter to set the auto turn-on timer: the time after which you want the Smart Plug to automatically turn on once it has been turned off. The number entered as value corresponds to the number of minutes.

Values: 0 - timer disabled (default); 1-65535 (minutes). Size: 4 byte dec

Parameter 4: Choose the **recovery** state for your Smart Plug if power outage occurs.

Values: 0 – Smart Plug remembers the status prior to power outage and turns back to it (default); 1 -Smart Plug automatically turns OFF once power is restored (it ignores the status prior to power outage); 2 Smart Plug automatically turns ON once power is restored (it ignores the status prior to the power outage). Size: 1 byte dec

Scan the QR code below and click on the link to access all of the advanced settings for this plug:

ALL SETTINGS HERE



FCC NOTE

THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT. STORE INDOORS WHEN NOT IN SUITABLE FOR DRY LOCATIONS ONLY. DO NOT IMMERSE IN WATER, NOT FOR USE WHERE DIRECTLY EXPOSED TO WATER.

This device complies with Part 15 of the FCC Rules Operation is subject to the following conditions

1. This device may not cause harmful interference 2. This device must accept any interference received including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used according to instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in any given installation

If this equipment causes harmful interference to radio or television reception, the user may try to correct the interference by taking one or more of the following measures:

 Reorient or relocate receiving antenna
Increase the separation between equipment and receiver Connect equipment into a separate outlet or circuit from receiver

Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. his equipment should be installed and operated with

minimum distance 20cm between the radiator&your body.

All brand names displayed are trademarks of their respective holders.

© Zooz 2023

PAGE 3