

APPENDIX REPORT

Project No.	SHT2206032304EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT20120285011	Model No.	e360
Start test date	2020/12/23	Finish date	2020/12/23
Temperature	23.5°C	Humidity	49%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	10.45	7.97	≤ 30.00	Pass
	06	9.72	7.29		
	11	12.54	10.09		
802.11g	01	9.05	6.52	≤ 30.00	Pass
	06	8.86	5.01		
	11	11.32	7.38		
802.11n (HT20)	01	10.46	6.67	≤ 30.00	Pass
	06	8.93	5.24		
	11	11.80	8.00		
802.11n(HT40)	03	9.95	5.87	≤ 30.00	Pass
	06	10.05	6.25		
	09	11.29	7.16		




Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-3.77	≤8.00	Pass
	06	-5.02		
	11	-1.99		
802.11g	01	-14.09	≤8.00	Pass
	06	-15.43		
	11	-12.10		
802.11n(HT20)	01	-14.41	≤8.00	Pass
	06	-15.22		
	11	-12.28		
802.11n(HT40)	03	-17.57	≤8.00	Pass
	06	-16.73		
	09	-15.88		

Type:	802.11 b
CH01	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -3.77 dBm 2.4134870 GHz CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 17 DEC 2020 16:52:10 </p>
CH06	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -5.02 dBm 2.4374960 GHz CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 17 DEC 2020 16:55:33 </p>
CH11	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -1.99 dBm 2.4614890 GHz CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 17 DEC 2020 16:58:09 </p>


Type:		802.11 g
CH01	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -14.09 dBm 2.4070070 GHz</p> <p>CF 2.412 GHz 691 pts Span 25.0 MHz</p> <p>Date: 23 DEC 2020 14:31:51</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -15.43 dBm 2.4444890 GHz</p> <p>CF 2.437 GHz 691 pts Span 25.0 MHz</p> <p>Date: 23 DEC 2020 14:40:20</p>	
CH11	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -12.10 dBm 2.4551260 GHz</p> <p>CF 2.462 GHz 691 pts Span 25.0 MHz</p> <p>Date: 23 DEC 2020 14:44:35</p>	

Type:		802.11n(HT20)
CH01	<p>CF 2.412 GHz 691 pts Span 25.0 MHz</p> <p>Date: 23 DEC 2020 14:49:25</p>	
CH06	<p>CF 2.437 GHz 691 pts Span 25.0 MHz</p> <p>Date: 23 DEC 2020 14:54:47</p>	
CH11	<p>CF 2.462 GHz 691 pts Span 25.0 MHz</p> <p>Date: 23 DEC 2020 15:01:32</p>	

Type:		802.11n(HT40)
CH03	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -17.57 dBm 2.4082300 GHz</p> <p>CF 2.422 GHz 691 pts Span 55.0 MHz</p> <p>Date: 23 DEC 2020 15:06:54</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -16.73 dBm 2.4501330 GHz</p> <p>CF 2.437 GHz 691 pts Span 55.0 MHz</p> <p>Date: 23 DEC 2020 15:11:03</p>	
CH09	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -15.88 dBm 2.4493330 GHz</p> <p>CF 2.452 GHz 691 pts Span 55.0 MHz</p> <p>Date: 23 DEC 2020 15:17:45</p>	

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	8.13	≥0.5	Pass
	06	8.61		
	11	8.16		
802.11g	01	16.38	≥0.5	Pass
	06	16.53		
	11	14.55		
802.11n(HT20)	01	17.61	≥0.5	Pass
	06	17.79		
	11	15.18		
802.11n(HT40)	03	35.28	≥0.5	Pass
	06	35.22		
	09	32.70		




Type:		802.11 g																												
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -16.07 dBm 2.4038100 GHz M2[1] -9.75 dBm 2.4057900 GHz</p> <p>D1 -15.746 dBm</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40381 GHz</td> <td>-16.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.40573 GHz</td> <td>-9.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.38 MHz</td> <td>-0.36 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 14:20:15</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40381 GHz	-16.07 dBm			M2		1	2.40573 GHz	-9.75 dBm			D3	M1	1	16.38 MHz	-0.36 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.40381 GHz	-16.07 dBm																										
M2		1	2.40573 GHz	-9.75 dBm																										
D3	M1	1	16.38 MHz	-0.36 dB																										
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -19.35 dBm 2.4287800 GHz M2[1] -12.54 dBm 2.4419800 GHz</p> <p>D1 -18.540 dBm</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42879 GHz</td> <td>-19.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44198 GHz</td> <td>-12.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.53 MHz</td> <td>-0.34 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 14:25:12</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42879 GHz	-19.35 dBm			M2		1	2.44198 GHz	-12.54 dBm			D3	M1	1	16.53 MHz	-0.34 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.42879 GHz	-19.35 dBm																										
M2		1	2.44198 GHz	-12.54 dBm																										
D3	M1	1	16.53 MHz	-0.34 dB																										
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -14.49 dBm 2.4537800 GHz M2[1] -7.39 dBm 2.4557900 GHz</p> <p>D1 -13.393 dBm</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45378 GHz</td> <td>-14.49 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.45573 GHz</td> <td>-7.39 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>14.55 MHz</td> <td>0.81 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 14:41:23</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45378 GHz	-14.49 dBm			M2		1	2.45573 GHz	-7.39 dBm			D3	M1	1	14.55 MHz	0.81 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.45378 GHz	-14.49 dBm																										
M2		1	2.45573 GHz	-7.39 dBm																										
D3	M1	1	14.55 MHz	0.81 dB																										

Type:	802.11n(HT20)																												
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40318 GHz</td> <td>-16.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.40573 GHz</td> <td>-9.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.61 MHz</td> <td>0.14 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 14:46:23</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40318 GHz	-16.29 dBm			M2		1	2.40573 GHz	-9.80 dBm			D3	M1	1	17.61 MHz	0.14 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40318 GHz	-16.29 dBm																									
M2		1	2.40573 GHz	-9.80 dBm																									
D3	M1	1	17.61 MHz	0.14 dB																									
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42815 GHz</td> <td>-20.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44537 GHz</td> <td>-13.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.79 MHz</td> <td>-0.95 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 14:50:44</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42815 GHz	-20.03 dBm			M2		1	2.44537 GHz	-13.73 dBm			D3	M1	1	17.79 MHz	-0.95 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.42815 GHz	-20.03 dBm																									
M2		1	2.44537 GHz	-13.73 dBm																									
D3	M1	1	17.79 MHz	-0.95 dB																									
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45315 GHz</td> <td>-14.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.45573 GHz</td> <td>-7.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>15.18 MHz</td> <td>0.44 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 14:55:50</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45315 GHz	-14.72 dBm			M2		1	2.45573 GHz	-7.65 dBm			D3	M1	1	15.18 MHz	0.44 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45315 GHz	-14.72 dBm																									
M2		1	2.45573 GHz	-7.65 dBm																									
D3	M1	1	15.18 MHz	0.44 dB																									




Type:	802.11n(HT40)																												
CH03	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40436 GHz</td> <td>-19.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41072 GHz</td> <td>-12.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.28 MHz</td> <td>-1.51 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>CF 2.422 GHz 1001 pts Span 60.0 MHz Date: 23 DEC 2020 15:03:13</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40436 GHz	-19.59 dBm			M2		1	2.41072 GHz	-12.63 dBm			D3	M1	1	35.28 MHz	-1.51 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40436 GHz	-19.59 dBm																									
M2		1	2.41072 GHz	-12.63 dBm																									
D3	M1	1	35.28 MHz	-1.51 dB																									
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.41942 GHz</td> <td>-17.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.452 GHz</td> <td>-11.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.22 MHz</td> <td>-0.57 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>CF 2.437 GHz 1001 pts Span 60.0 MHz Date: 23 DEC 2020 15:08:19</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.41942 GHz	-17.88 dBm			M2		1	2.452 GHz	-11.45 dBm			D3	M1	1	35.22 MHz	-0.57 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.41942 GHz	-17.88 dBm																									
M2		1	2.452 GHz	-11.45 dBm																									
D3	M1	1	35.22 MHz	-0.57 dB																									
CH09	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500 IPK View</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.43688 GHz</td> <td>-18.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.45578 GHz</td> <td>-10.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>32.7 MHz</td> <td>1.51 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>CF 2.452 GHz 1001 pts Span 60.0 MHz Date: 23 DEC 2020 15:14:46</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.43688 GHz	-18.58 dBm			M2		1	2.45578 GHz	-10.64 dBm			D3	M1	1	32.7 MHz	1.51 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.43688 GHz	-18.58 dBm																									
M2		1	2.45578 GHz	-10.64 dBm																									
D3	M1	1	32.7 MHz	1.51 dB																									




Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.92	-	Pass
	06	13.25		
	11	13.10		
802.11g	01	16.78	-	Pass
	06	17.35		
	11	16.93		
802.11n(HT20)	01	18.04	-	Pass
	06	18.13		
	11	18.04		
802.11n(HT40)	03	36.50	-	Pass
	06	36.68		
	09	35.78		




Type:		802.11 g
CH01		<p> Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 IPK View M1[1] -7.76 dBm 2.4073850 GHz Occ Bw 16.783216783 MHz CF 2.412 GHz 1001 pts Span 30.0 MHz Date: 23 DEC 2020 14:30:25 </p>
CH06		<p> Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 IPK View M1[1] -8.81 dBm 2.4428440 GHz Occ Bw 17.352647353 MHz CF 2.437 GHz 1001 pts Span 30.0 MHz Date: 23 DEC 2020 14:25:19 </p>
CH11		<p> Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 IPK View M1[1] -5.59 dBm 2.4560060 GHz Occ Bw 16.933066933 MHz CF 2.462 GHz 1001 pts Span 30.0 MHz Date: 23 DEC 2020 14:41:31 </p>


Type:		802.11n(HT20)
CH01	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -6.62 dBm 2.4048670 GHz Occ Bw 18.041958042 MHz</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 23 DEC 2020 14:46:30</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -8.43 dBm 2.4459620 GHz Occ Bw 18.131868132 MHz</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 23 DEC 2020 14:50:51</p>	
CH11	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -5.57 dBm 2.4548970 GHz Occ Bw 18.041958042 MHz</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 23 DEC 2020 14:55:58</p>	

Type:		802.11n(HT40)
CH03	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>IPK View</p> <p>M1[1] -7.12 dBm 2.4098920 GHz Occ Bw 36.503496503 MHz</p> <p>CF 2.422 GHz 1001 pts Span 60.0 MHz</p> <p>Date: 23 DEC 2020 15:03:20</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>IPK View</p> <p>M1[1] -5.90 dBm 2.4516250 GHz Occ Bw 36.683316683 MHz</p> <p>CF 2.437 GHz 1001 pts Span 60.0 MHz</p> <p>Date: 23 DEC 2020 15:08:26</p>	
CH09	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>IPK View</p> <p>M1[1] -5.33 dBm 2.4542780 GHz Occ Bw 35.784215784 MHz</p> <p>CF 2.452 GHz 1001 pts Span 60.0 MHz</p> <p>Date: 23 DEC 2020 15:14:53</p>	



Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
11b	2437	8.21	8.42	97.5%	0.1
11g	2437	1.35	1.55	87.1%	0.7
11n20	2437	1.27	1.47	86.4%	0.8
11n40	2437	0.63	0.83	75.9%	1.6












Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41143 GHz</td> <td>-0.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-53.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-62.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-53.33 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 DEC 2020 16:52:20</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41143 GHz	-0.89 dBm			M2	1		2.4 GHz	-53.82 dBm			M3	1		2.39 GHz	-62.09 dBm			M4	1		2.31 GHz	-63.81 dBm			M5	1		2.399936 GHz	-53.33 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41143 GHz	-0.89 dBm																																									
M2	1		2.4 GHz	-53.82 dBm																																									
M3	1		2.39 GHz	-62.09 dBm																																									
M4	1		2.31 GHz	-63.81 dBm																																									
M5	1		2.399936 GHz	-53.33 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460991 GHz</td> <td>1.39 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-59.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-62.44 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483872 GHz</td> <td>-58.32 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 DEC 2020 16:58:20</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460991 GHz	1.39 dBm			M2	1		2.4835 GHz	-59.83 dBm			M3	1		2.5 GHz	-62.44 dBm			M4	1		2.483872 GHz	-58.32 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.460991 GHz	1.39 dBm																																									
M2	1		2.4835 GHz	-59.83 dBm																																									
M3	1		2.5 GHz	-62.44 dBm																																									
M4	1		2.483872 GHz	-58.32 dBm																																									


Test Item:	Bandedge	Type:	802.11 g
CH01			
CH11			

Test Item:	Bandedge	Type:	802.11 n(HT20)																																																
CH01		 <table border="1" data-bbox="687 591 1334 689"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td></td> <td>2.40571 GHz</td> <td>-9.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-47.06 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-59.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td></td> <td>2.399925 GHz</td> <td>-47.80 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1		2.40571 GHz	-9.26 dBm			M2	1	1		2.4 GHz	-47.06 dBm			M3	1	1		2.39 GHz	-59.56 dBm			M4	1	1		2.31 GHz	-59.99 dBm			M5	1	1		2.399925 GHz	-47.80 dBm			<p>802.11 n(HT20)</p>
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1	1		2.40571 GHz	-9.26 dBm																																														
M2	1	1		2.4 GHz	-47.06 dBm																																														
M3	1	1		2.39 GHz	-59.56 dBm																																														
M4	1	1		2.31 GHz	-59.99 dBm																																														
M5	1	1		2.399925 GHz	-47.80 dBm																																														
CH11		 <table border="1" data-bbox="687 1128 1334 1227"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td></td> <td>2.455715 GHz</td> <td>-7.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-55.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td></td> <td>2.4835826 GHz</td> <td>-55.03 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1		2.455715 GHz	-7.54 dBm			M2	1	1		2.4835 GHz	-55.91 dBm			M3	1	1		2.5 GHz	-59.93 dBm			M4	1	1		2.4835826 GHz	-55.03 dBm			<p>802.11 n(HT20)</p>								
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1	1		2.455715 GHz	-7.54 dBm																																														
M2	1	1		2.4835 GHz	-55.91 dBm																																														
M3	1	1		2.5 GHz	-59.93 dBm																																														
M4	1	1		2.4835826 GHz	-55.03 dBm																																														


Test Item:	Bandedge	Type:	802.11 n(HT40)																																																
CH03	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 303.4 μs VBW 300 kHz Mode Auto FFT Count 262/300</p> <p>Start 2.31 GHz 691 pts Stop 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td></td> <td>2.41077 GHz</td> <td>-12.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-45.46 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-59.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td></td> <td>2.399913 GHz</td> <td>-45.62 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 15:07:03</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1		2.41077 GHz	-12.97 dBm			M2	1	1		2.4 GHz	-45.46 dBm			M3	1	1		2.39 GHz	-59.32 dBm			M4	1	1		2.31 GHz	-60.31 dBm			M5	1	1		2.399913 GHz	-45.62 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1	1		2.41077 GHz	-12.97 dBm																																														
M2	1	1		2.4 GHz	-45.46 dBm																																														
M3	1	1		2.39 GHz	-59.32 dBm																																														
M4	1	1		2.31 GHz	-60.31 dBm																																														
M5	1	1		2.399913 GHz	-45.62 dBm																																														
CH09	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>Start 2.432 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td></td> <td>2.455766 GHz</td> <td>-10.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-53.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-55.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td></td> <td>2.4837391 GHz</td> <td>-51.50 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 DEC 2020 15:17:54</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1		2.455766 GHz	-10.52 dBm			M2	1	1		2.4835 GHz	-53.09 dBm			M3	1	1		2.5 GHz	-55.11 dBm			M4	1	1		2.4837391 GHz	-51.50 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1	1		2.455766 GHz	-10.52 dBm																																														
M2	1	1		2.4835 GHz	-53.09 dBm																																														
M3	1	1		2.5 GHz	-55.11 dBm																																														
M4	1	1		2.4837391 GHz	-51.50 dBm																																														

Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>		 <p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -0.22 dBm 2.4114910 GHz CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 17 DEC 2020 16:52:27</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.59 dBm 553.5080 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 17 DEC 2020 16:52:43</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -51.79 dBm 25.889167 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 17 DEC 2020 16:53:00</p>	


CH06
Reference level



CH06
30MHz~1000MHz




CH06
1GHz~26GHz




<p>CH11 Reference level</p>	<p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.38 dBm 2.4624800 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 17 DEC 2020 16:58:27</p>
<p>CH11 30MHz~1000MHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -59.96 dBm 553.5720 MHz M1 -18.600 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 17 DEC 2020 16:58:43</p>
<p>CH11 1GHz~26GHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -51.56 dBm 25.920000 GHz M1 -18.600 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 17 DEC 2020 16:59:00</p>

Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level



CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH09
Reference level



CH09
30MHz~1000MHz



CH09
1GHz~26GHz



-----End of Report-----