


Test Graphs





Appendix F: Conducted Spurious Emission


Test Result


Test Mode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE	Ant1	2402	Reference	0.44	0.44	---	PASS
			30~1000	30~1000	-57.545	<=-19.558	PASS
			1000~26500	1000~26500	-49.613	<=-19.558	PASS
		2440	Reference	0.10	0.10	---	PASS
			30~1000	30~1000	-55.844	<=-19.896	PASS
			1000~26500	1000~26500	-48.929	<=-19.896	PASS
		2480	Reference	-0.48	-0.48	---	PASS
			30~1000	30~1000	-57.46	<=-20.475	PASS
			1000~26500	1000~26500	-49.324	<=-20.475	PASS


Test Graphs













Appendix G: Duty Cycle

Test Result

Test Mode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
BLE	Ant1	2402	0.41	0.63	64.00	---	PASS
		2440	0.41	0.63	64.00	---	PASS
		2480	0.41	0.63	63.91	---	PASS

Test Graphs





*** End of Report ***