


## 1. Know the product



## 2. Specifications

Specifications			
Product	Pocket Stabilizer	Model No.	ES-01
Folded Dimension	140*42*52mm/ 5.51*1.65*2.04 inches	Working Hours	> 2 hours
Weight	Approx. 160g/0.352 lbs	Charging Time	1.5 hours
Battery Capacity	≥1000mAh	Static Power	60uA
Charging Parameter	5V / 0.5A	Stability Augmentation Angle	0~330°
Working Temperature	-20°C~60°C	Stability Augmentation Accuracy	0.1°

Indicator Light	
Light Status	<b>Indicator Light 1 - Charging</b> ● Red - The indicator light is Red during the battery charging. Once it's fully charged, the indicator light will be off.
	<b>Indicator Light 2 - Low Power</b> ● Blue - When the battery voltage is lower than 3V or lock-rotor over 5 seconds, the indicator light will flash 3 times per second.
	<b>Indicator Light 3 - Bluetooth</b> ● Blue - When the bluetooth of the product is connected, the indicator light is blue. When the bluetooth of the product is not connected or failed to connect, the indicator light will be off.

## 3. Operation

### Operation:

- ① Attaching the Mobile Phone: Enlarge the Mobile Phone Clamp to fix the mobile phone on it, and adjust mobile phone to the balance position.
- ② Power ON/OFF: Pull down the power button to turn on the product, pull up the power button to turn off the product.
- ③ Horizontal or Vertical Shooting: After turning on, it will automatically rotate the mobile phone to the balance position, and it will be defaulted to horizontal shooting mode. If switching shooting mode is needed during use, turn the mobile phone to the vertical screen or landscape screen and keep the position for 3 seconds to finish the switching.
- ④ Bluetooth Connection: Turn on the bluetooth of both stabilizer and mobile phone, and search the bluetooth name "SIRUI-ES-01-#1234" of the stabilizer on your mobile phone to connect.
- ⑤ Fill Light: Press the Fill Light button to adjust the light level.
- ⑥ Charging: Charge the stabilizer with the standard cable connecting to the USB port. The stabilizer will be fully charged in about 1.5 hours.


### Power Shut Down When Rotor Locked Overtime

- ① When the rotor is stuck over 5 seconds, the indicator light 2 will start to flash (3 times per second) as a reminder. When the rotor is not locked, the indicator light will stop to flash.
- ② When the rotor is stuck over 10 seconds, the product will turn off the power automatically for self-protection, and the Fill Light will flash 6 times per second as a reminder.
- ③ When the rotor of the product is stuck, manually rotate the Mobile Phone Clamp to switch to other modes or shut down and restart to restore power and return to normal work.

### Attention:

- ① When the product is no-loading, it's normal that the product shakes after turning on.
- ② Mobile Phone must be firmly fixed on the Clamp before turning on the stabilizer. Turn off the power before removing the mobile phone from the stabilizer. Strictly prohibit to turn on the stabilizer without loading.
- ③ Turn off the stabilizer when not in use.

## 4. Use of Adjustment Screw



Notes: When the stabilizer lose the center of gravity due to the mobile phone auxiliary accessories (like the auxiliary lens as shown above), it can be properly adjusted with the Adjustment Screw. (As shown above, when A>B, the center of gravity for the photography equipment can be adjusted.)

## WARRANTY CARD / INFORMATION

Dear SIRUI Customer:

Thank you for your purchase of SIRUI Professional Product! SIRUI warrants that your purchase is free from defects in materials and workmanship under normal use during the Limited Warranty Period. The Warranty begins on the original date of purchase on your sales receipt and is not transferable. If service is required, a copy of the sales receipt must be included with an explanation of the problem.

Product	Warranty Length
Single Handheld Stabilizer	1 year

Model: \_\_\_\_\_ Date: \_\_\_\_\_

Store: \_\_\_\_\_ Serial Number: \_\_\_\_\_

Warranty coverage can differ from region to region.

Please see the contact information below for product registration, information and service for the region the product was purchased in.  
SIRUI 1 Year Limited Warranty of the product. This warranty shall be limited to repair, adjustment and/or replacement of SIRUI or its authorized distributor's option, of defective parts, free of charge (except the cost of transportation to the distributor/service center). Responsibility is limited to the actual cost of the item. Call or Email with questions and service before sending any product to the center in your region. Below is a listing of contact information for Product Registration, Service Inquiries and Questions. SIRUI will not be responsible for expenses or inconveniences, or consequential damages to equipment, or by breach of any expressed or implied warranties.

Warranty Address and Contact Information:  
(Please contact the seller or the local distributor where the product was purchased for warranty issues or questions and before any product is sent.)

1. Guangdong SIRUI Optical Co., Ltd.  
The Third Industrial District, Wugulashan Town, Zhongshan City, Guangdong, China  
Tel: 0086-760-88897373 Fax: 0086-760-88207082  
Http://www.sirui.com E-mail: info@sirui-photo.com  
Service Hotline: 0086-400 830 2259

2. SIRUI USA, LLC

Address: 29 Commerce Court Verona, NJ 07044  
www.sirui.com  
Service Toll Free: 866-573-0829 E-mail: info@sirui.com  
FOR PRODUCTS PURCHASED IN THE USA PLEASE SEE:  
For full details on USA Warranty Terms and Limitations:  
www.sirui.com/warranty.html  
To register products: www.sirui.com/product-registration.html

3. Focus Nordic AB

For technical support, service or repairs, please contact:  
Sweden: info@focusnordic.se www.focusnordic.se  
Denmark: info@focusnordic.no www.focusnordic.no  
Finland: info@focusnordic.fi www.focusnordic.fi  
Iceland: info@focusnordic.is www.focusnordic.is  
Latvia: info@focusnordic.lv www.focusnordic.lv  
Lithuania: info@focusnordic.lt www.focusnordic.lt  
Poland: info@focusnordic.pl www.focusnordic.pl

4. SIRUI Europe GmbH (European Service Center)

Address: Fredericostr. 2, 14059 Berlin, Germany  
Phone: +49 221 94 99 64-60 E-mail: info@sirui.de  
(Please contact the seller or your local distributor for warranty issues.)

5. T&E Imaging B.V.

Address: Argonweg 135, 1362AD Almere, The Netherlands  
Telephone: +31 (0)36 8460348 E-mail: service@t&e-imaging.nl  
(Exclusive Distributor for Netherlands, Belgium, Luxembourg)  
www.sirui-photo.nl

6. 대광엔터테인먼트

한국 총판, 기술지원 및 보충서비스 제공.  
서울특별시 영구 남대문로 10, 1층  
Tel: 02-752-3304 Fax: 02-774-9903  
www.sirui.co.kr loweprokr@gmail.com

Specifications are subject to change without notice.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.