




XMi Tech

· 深圳市讯美智联电子有限公司
· Shenzhen Xmittech Electronic Co.,Ltd.


Antenna size




Passive Test For 2.4g									
Freq (MHz)	Effi (%)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	AttH (dB)	AttV (dB)
2400	7.2	-1.46	-3.61	6.765	0.432	-1.46	-40.65	43	43
2410	7.98	-1.11	-3.26	7.55	0.435	-1.11	-38.48	43.06	43.09
2420	8.26	-1	-3.15	7.843	0.416	-1	-36.74	43.19	43.25
2430	8.04	-1.11	-3.26	7.635	0.401	-1.11	-36.49	43.18	43.2
2440	8.66	-0.78	-2.93	8.241	0.421	-0.78	-35.34	43.26	43.26
2450	9.17	-0.51	-2.66	8.729	0.444	-0.51	-35.76	43.34	43.32
2460	7.25	-1.59	-3.74	6.919	0.33	-1.59	-38.23	43.06	43.12
2470	7	-1.64	-3.79	6.642	0.355	-1.64	-34.46	43.03	43.1
2480	8.14	-0.94	-3.09	7.694	0.442	-0.94	-33.18	43.28	43.33
2490	8.69	-0.57	-2.72	8.224	0.468	-0.57	-34.42	43.34	43.38
2500	7.98	-0.79	-2.94	7.546	0.439	-0.79	-36.21	43.41	43.47

Application Information	
04Version	5.244.350
TotalTime	3m 43s 875ms
AdditionalInfor	NULL


2400.00MHz - 2500.00MHz Gain




2400.00MHz - 2500.00MHz Efficiency




**Unit:dBi
2400.000MHz H**




2400.000MHz E1




2400.000MHz E2




2450.000MHz H




2450.000MHz E1




2450.000MHz E2



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

