



Color  
Matt black



Operating time  
24/7



Orientation  
Portrait and  
Landscape



Warranty  
3 years



Exists in  
49" and 55"

50 Route de la Reine 92 100 Boulogne-Billancourt FRANCE  
+33 (0)1 49 21 00 61  
contact@vitrinemia.com  
www.vitrinemia.com



# vitrinemia



## Eco Smart Display 100

Brighten up your business with VITRINEMEDIA's brand-new LCD display!

With its outstanding image quality and slim design, the ESD<sup>™</sup> is the ideal solution for businesses and organizations looking for a reliable, high-resolution display that stands out.

### High Brightness

Featuring a high brightness of 4000 nits and a matt effect to avoid window reflections, your picture will always be clear even in direct sunlight.

### Auto Brightness Sensor

The display brightness is adaptive and varies according to the surrounding light conditions. In well-lit environments, the brightness is raised to enhance visibility, while in low-light settings, it is lowered to conserve power.

### Open Pluggable Specification (OPS) Slot

The OPS slot follows international standard allowing you to use the VM Player (or any standard OPS player from the market), and hide it in the casing. This quick connection also eases maintenance or upgrade of players.

### Remote Console

A platform dedicated to safely and remotely managing your display to give a seamless experience to your customers and decrease considerably the downtime of your display.

### Energy Efficient

With a maximum power consumption of 230W, the display offers high energy efficiency with high brightness. ESD<sup>™</sup> also offers a longer lifespan than traditional displays, meaning lower long-term costs.

### Smart Thermal Management

The perfect display solution for window displays with regulated temperatures (0-50°C) and ventilated protection that maintain ideal operating conditions.

### Compatibility

Compatible with the whole product range of fixation systems, back covers, and light-boxes suspension accessories.

# vitrinemia



Color  
**Matt black**



Operating time  
**24/7**



Orientation  
**Portrait and  
Landscape**



Warranty  
**3 years**



Exists in  
**49" and 55"**

50 Route de la Reine 92 100 Boulogne-Billancourt FRANCE

+33 (0)1 49 21 00 61

[contact@vitrinemia.com](mailto:contact@vitrinemia.com)

[www.vitrinemia.com](http://www.vitrinemia.com)



## Warning:

Changes or modifications to this unit not expressly approved by the party responsible Montserrat-Regular arfor compliance could void the user ' s authority to operate the equipment.

## NOTE:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.


## FCC Statement:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The equipment complies with FCC Radiation exposure limit set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

# Technical Specifications



## Dimensions (mm)


Format	A	B	C1	C2	C3	D	E
49"	1100	630	49	89	95	12	1232
55"	1236	707	49	89	95	12	1390

Brightness	4000nits
Screen Resolution	1920x1080 (FHD)
Aspect Ratio	16:9
Contrast Ratio	1000:1
Viewing Angle (H x V)	178° x 178°
Lifespan	50 000hrs
Power Consumption	230w (Max.)
Network Connection	Wi-Fi/Ethernet
Audio	Yes
OS	Android 11
RAM	4GB
ROM	32GB
Net Weight	49" : 18kg 55" : 21kg









# FIXATION SYSTEMS

## Floor laid plate



## Floor fixed plate



## VESA fixation





# FIXATION SYSTEMS

Cable suspension

Ceiling rigid fixation

AIR WALL



# BACK COVER

Plastic back cover



Textile back cover







Lighted back cover





# OPTIONS

## Suspended light-boxes



## Suspended VM LIGHT&PLAYs

