





Test Mode:	802.11ac VHT80 Average	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5138.330	7.79	40.27	48.06	54.00	-5.94	AVG
2	5150.000	8.27	40.27	48.54	54.00	-5.46	AVG




Test Mode:	802.11ac VHT80 Peak	Channel:	5290 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	20.06	40.49	60.55	74.00	-13.45	peak
2	5354.400	21.25	40.50	61.75	74.00	-12.25	peak




Test Mode:	802.11ac VHT80 Average	Channel:	5290 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	7.56	40.49	48.05	54.00	-5.95	AVG
2	5354.400	7.00	40.50	47.50	54.00	-6.50	AVG




Test Mode:	802.11ac VHT80 Peak	Channel:	5530 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.560	22.17	40.62	62.79	74.00	-11.21	peak
2	5460.000	17.42	40.62	58.04	68.20	-10.16	peak
3	5470.000	18.88	40.63	59.51	68.20	-8.69	peak




Test Mode:	802.11ac VHT80 Average	Channel:	5530 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.560	5.11	40.62	45.73	54.00	-8.27	AVG
2	5460.000	4.35	40.62	44.97	54.00	-9.03	AVG
3	5470.000	5.78	40.63	46.41	54.00	-7.59	AVG




Test Mode:	802.11ac VHT80 Peak	Channel:	5610 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	15.96	41.27	57.23	68.20	-10.97	peak



Test Mode:	802.11ac VHT80 Peak	Channel:	5775 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5723.600	30.92	41.26	72.18	119.01	-46.83	peak
2	5725.000	27.32	41.27	68.59	122.20	-53.61	peak
3	5850.000	23.84	41.60	65.44	122.20	-56.76	peak
4	5860.000	26.21	41.62	67.83	109.40	-41.57	peak



### 8.2. SPURIOUS EMISSIONS (1 GHZ ~ 7 GHZ)

Test Mode:	802.11a 20	Channel:	5180 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1834.000	54.72	-11.61	43.11	74.00	-30.89	peak
2	4558.000	41.93	-1.91	40.02	74.00	-33.98	peak
3	5116.000	43.29	-0.02	43.27	74.00	-30.73	peak
4	5656.000	38.97	0.87	39.84	74.00	-34.16	peak
5	5956.000	38.40	1.73	40.13	74.00	-33.87	peak
6	6658.000	37.20	4.49	41.69	74.00	-32.31	peak






Test Mode:	802.11a 20	Channel:	5180v
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2578.000	44.02	-8.26	35.76	74.00	-38.24	peak
2	3922.000	51.15	-4.70	46.45	74.00	-27.55	peak
3	4102.000	46.95	-4.01	42.94	74.00	-31.06	peak
4	5182.000	47.01	0.06	47.07	74.00	-26.93	peak
5	5686.000	38.50	0.96	39.46	74.00	-34.54	peak
6	6808.000	35.96	5.24	41.20	74.00	-32.80	peak




Test Mode:	802.11a 20	Channel:	5200 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	47.52	-11.33	36.19	74.00	-37.81	peak
2	3094.000	45.69	-6.77	38.92	74.00	-35.08	peak
3	4582.000	41.34	-1.82	39.52	74.00	-34.48	peak
4	5116.000	42.13	-0.02	42.11	74.00	-31.89	peak
5	5872.000	37.75	1.48	39.23	74.00	-34.77	peak
6	6592.000	36.82	4.19	41.01	74.00	-32.99	peak




Test Mode:	802.11a 20	Channel:	5200 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2374.000	43.78	-9.14	34.64	74.00	-39.36	peak
2	2890.000	50.45	-7.32	43.13	74.00	-30.87	peak
3	4558.000	41.97	-1.91	40.06	74.00	-33.94	peak
4	5194.000	42.96	0.07	43.03	74.00	-30.97	peak
5	5656.000	39.35	0.87	40.22	74.00	-33.78	peak
6	6772.000	36.36	5.07	41.43	74.00	-32.57	peak




Test Mode:	802.11a 20	Channel:	5240 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1912.000	47.72	-11.35	36.37	74.00	-37.63	peak
2	4222.000	40.92	-3.44	37.48	74.00	-36.52	peak
3	4762.000	41.24	-1.10	40.14	74.00	-33.86	peak
4	5122.000	41.22	-0.02	41.20	74.00	-32.80	peak
5	5668.000	38.62	0.91	39.53	74.00	-34.47	peak
6	6784.000	36.01	5.13	41.14	74.00	-32.86	peak




Test Mode:	802.11a 20	Channel:	5240 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	3550.000	42.67	-5.71	36.96	74.00	-37.04	peak
2	4408.000	41.66	-2.56	39.10	74.00	-34.90	peak
3	4672.000	40.58	-1.46	39.12	74.00	-34.88	peak
4	5248.000	47.47	0.13	47.60	74.00	-26.40	peak
5	5950.000	38.45	1.70	40.15	74.00	-33.85	peak
6	6796.000	35.22	5.19	40.41	74.00	-33.59	peak




Test Mode:	802.11a 20	Channel:	5260 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1924.000	48.13	-11.31	36.82	74.00	-37.18	peak
2	3538.000	43.41	-5.74	37.67	74.00	-36.33	peak
3	4762.000	40.26	-1.10	39.16	74.00	-34.84	peak
4	5098.000	40.90	-0.03	40.87	74.00	-33.13	peak
5	5422.000	39.49	0.32	39.81	74.00	-34.19	peak
6	6424.000	41.48	3.43	44.91	74.00	-29.09	peak




Test Mode:	802.11a 20	Channel:	5260 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2644.000	45.12	-8.06	37.06	74.00	-36.94	peak
2	3754.000	43.99	-5.15	38.84	74.00	-35.16	peak
3	4864.000	41.50	-0.70	40.80	74.00	-33.20	peak
4	5260.000	48.03	0.15	48.18	74.00	-25.82	peak
5	5860.000	38.42	1.45	39.87	74.00	-34.13	peak
6	6784.000	36.92	5.13	42.05	74.00	-31.95	peak



Test Mode:	802.11a 20	Channel:	5280 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1924.000	47.29	-11.31	35.98	74.00	-38.02	peak
2	3652.000	47.43	-5.44	41.99	74.00	-32.01	peak
3	4396.000	42.19	-2.63	39.56	74.00	-34.44	peak
4	5116.000	40.88	-0.02	40.86	74.00	-33.14	peak
5	5446.000	40.02	0.35	40.37	74.00	-33.63	peak
6	6796.000	35.94	5.19	41.13	74.00	-32.87	peak






Test Mode:	802.11a 20	Channel:	5280 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2560.000	44.09	-8.31	35.78	74.00	-38.22	peak
2	3526.000	42.47	-5.78	36.69	74.00	-37.31	peak
3	4582.000	41.59	-1.82	39.77	74.00	-34.23	peak
4	5278.000	41.60	0.17	41.77	74.00	-32.23	peak
5	5686.000	38.39	0.96	39.35	74.00	-34.65	peak
6	6784.000	36.06	5.13	41.19	74.00	-32.81	peak




Test Mode:	802.11a 20	Channel:	5320 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	47.48	-11.33	36.15	74.00	-37.85	peak
2	2398.000	45.32	-9.02	36.30	74.00	-37.70	peak
3	4546.000	41.56	-1.96	39.60	74.00	-34.40	peak
4	4864.000	40.69	-0.70	39.99	74.00	-34.01	peak
5	5404.000	42.36	0.31	42.67	74.00	-31.33	peak
6	6778.000	35.89	5.10	40.99	74.00	-33.01	peak




Test Mode:	802.11a 20	Channel:	5320 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2638.000	46.74	-8.07	38.67	74.00	-35.33	peak
2	3580.000	42.26	-5.63	36.63	74.00	-37.37	peak
3	4600.000	41.87	-1.74	40.13	74.00	-33.87	peak
4	5320.000	49.89	0.21	50.10	74.00	-23.90	peak
5	5686.000	38.86	0.96	39.82	74.00	-34.18	peak
6	6790.000	35.81	5.15	40.96	74.00	-33.04	peak




Test Mode:	802.11a 20	Channel:	5500 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	47.55	-13.00	34.55	74.00	-39.45	peak
2	1918.000	48.78	-11.33	37.45	74.00	-36.55	peak
3	3820.000	42.92	-4.97	37.95	74.00	-36.05	peak
4	4672.000	41.47	-1.46	40.01	74.00	-33.99	peak
5	5440.000	41.47	0.35	41.82	74.00	-32.18	peak
6	6784.000	35.72	5.13	40.85	74.00	-33.15	peak




Test Mode:	802.11a 20	Channel:	5500 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1816.000	50.48	-11.67	38.81	74.00	-35.19	peak
2	4348.000	42.71	-2.85	39.86	74.00	-34.14	peak
3	4864.000	41.17	-0.70	40.47	74.00	-33.53	peak
4	5500.000	43.37	0.42	43.79	74.00	-30.21	peak
5	5818.000	38.75	1.33	40.08	74.00	-33.92	peak
6	6622.000	37.36	4.32	41.68	74.00	-32.32	peak




Test Mode:	802.11a 20	Channel:	5580 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	48.58	-11.33	37.25	74.00	-36.75	peak
2	3616.000	42.55	-5.53	37.02	74.00	-36.98	peak
3	4558.000	42.04	-1.91	40.13	74.00	-33.87	peak
4	4864.000	40.30	-0.70	39.60	74.00	-34.40	peak
5	5416.000	39.43	0.32	39.75	74.00	-34.25	peak
6	6652.000	36.82	4.47	41.29	74.00	-32.71	peak




Test Mode:	802.11a 20	Channel:	5580 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1678.000	47.21	-12.12	35.09	74.00	-38.91	peak
2	3442.000	42.93	-5.98	36.95	74.00	-37.05	peak
3	4606.000	41.63	-1.72	39.91	74.00	-34.09	peak
4	4852.000	40.71	-0.74	39.97	74.00	-34.03	peak
5	5866.000	38.18	1.47	39.65	74.00	-34.35	peak
6	6658.000	36.93	4.49	41.42	74.00	-32.58	peak



Test Mode:	802.11a 20	Channel:	5700 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	47.82	-13.00	34.82	74.00	-39.18	peak
2	1918.000	47.86	-11.33	36.53	74.00	-37.47	peak
3	4402.000	42.51	-2.60	39.91	74.00	-34.09	peak
4	4732.000	40.66	-1.22	39.44	74.00	-34.56	peak
5	5842.000	41.58	1.39	42.97	74.00	-31.03	peak
6	6808.000	35.29	5.24	40.53	74.00	-33.47	peak






Test Mode:	802.11a 20	Channel:	5700 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1804.000	51.14	-11.71	39.43	74.00	-34.57	peak
2	2578.000	44.70	-8.26	36.44	74.00	-37.56	peak
3	4528.000	41.93	-2.03	39.90	74.00	-34.10	peak
4	4900.000	40.65	-0.55	40.10	74.00	-33.90	peak
5	5704.000	46.94	1.00	47.94	74.00	-26.06	peak
6	6658.000	36.05	4.49	40.54	74.00	-33.46	peak




Test Mode:	802.11a 20	Channel:	5720 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	48.83	-11.33	37.50	74.00	-36.50	peak
2	4102.000	44.77	-4.01	40.76	74.00	-33.24	peak
3	4510.000	41.71	-2.10	39.61	74.00	-34.39	peak
4	5716.000	45.66	1.04	46.70	74.00	-27.30	peak
5	5878.000	40.32	1.51	41.83	74.00	-32.17	peak
6	6784.000	35.98	5.13	41.11	74.00	-32.89	peak




Test Mode:	802.11a 20	Channel:	5720 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2470.000	44.53	-8.65	35.88	74.00	-38.12	peak
2	4432.000	42.09	-2.46	39.63	74.00	-34.37	peak
3	4846.000	40.21	-0.77	39.44	74.00	-34.56	peak
4	5716.000	48.54	1.04	49.58	74.00	-24.42	peak
5	5956.000	38.92	1.73	40.65	74.00	-33.35	peak
6	6784.000	36.22	5.13	41.35	74.00	-32.65	peak




Test Mode:	802.11a 20	Channel:	5745 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	49.19	-13.00	36.19	74.00	-37.81	peak
2	1918.000	48.45	-11.33	37.12	74.00	-36.88	peak
3	4666.000	41.75	-1.48	40.27	74.00	-33.73	peak
4	5746.000	48.30	1.12	49.42	74.00	-24.58	peak
5	5902.000	42.28	1.57	43.85	74.00	-30.15	peak
6	6784.000	36.41	5.13	41.54	74.00	-32.46	peak




Test Mode:	802.11a 20	Channel:	5745 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1462.000	52.39	-12.89	39.50	74.00	-34.50	peak
2	2644.000	44.11	-8.06	36.05	74.00	-37.95	peak
3	4516.000	41.96	-2.08	39.88	74.00	-34.12	peak
4	4864.000	40.53	-0.70	39.83	74.00	-34.17	peak
5	5746.000	48.87	1.12	49.99	74.00	-24.01	peak
6	6658.000	36.50	4.49	40.99	74.00	-33.01	peak




Test Mode:	802.11a 20	Channel:	5785 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	47.94	-11.33	36.61	74.00	-37.39	peak
2	4708.000	41.03	-1.31	39.72	74.00	-34.28	peak
3	5668.000	42.08	0.91	42.99	74.00	-31.01	peak
4	5782.000	47.69	1.23	48.92	74.00	-25.08	peak
5	5884.000	44.25	1.52	45.77	74.00	-28.23	peak
6	6784.000	36.19	5.13	41.32	74.00	-32.68	peak




Test Mode:	802.11a 20	Channel:	5785 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1300.000	52.61	-13.64	38.97	74.00	-35.03	peak
2	1486.000	50.97	-12.78	38.19	74.00	-35.81	peak
3	4432.000	42.05	-2.46	39.59	74.00	-34.41	peak
4	4864.000	40.92	-0.70	40.22	74.00	-33.78	peak
5	5782.000	47.02	1.23	48.25	74.00	-25.75	peak
6	6664.000	36.94	4.54	41.48	74.00	-32.52	peak



Test Mode:	802.11a 20	Channel:	5825 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2398.000	45.46	-9.02	36.44	74.00	-37.56	peak
2	4558.000	41.27	-1.91	39.36	74.00	-34.64	peak
3	5674.000	40.78	0.92	41.70	74.00	-32.30	peak
4	5818.000	45.93	1.33	47.26	74.00	-26.74	peak
5	5884.000	45.87	1.52	47.39	74.00	-26.61	peak
6	6796.000	36.75	5.19	41.94	74.00	-32.06	peak





Test Mode:	802.11a 20	Channel:	5825 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	46.13	-11.33	34.80	74.00	-39.20	peak
2	2566.000	44.56	-8.29	36.27	74.00	-37.73	peak
3	3544.000	43.54	-5.73	37.81	74.00	-36.19	peak
4	4732.000	41.26	-1.22	40.04	74.00	-33.96	peak
5	5830.000	47.15	1.36	48.51	74.00	-25.49	peak
6	6874.000	36.11	5.57	41.68	74.00	-32.32	peak



### 8.3. SPURIOUS EMISSIONS (7 GHZ ~ 18 GHZ)


Test Mode:	802.11a 20	Channel:	5180 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	38.76	6.52	45.28	74.00	-28.72	peak
2	8947.000	37.79	9.98	47.77	74.00	-26.23	peak
3	10355.000	37.50	12.52	50.02	74.00	-23.98	peak
4	11807.000	33.55	17.34	50.89	74.00	-23.11	peak
5	13996.000	30.14	21.87	52.01	74.00	-21.99	peak
6	17989.000	25.87	26.04	51.91	74.00	-22.09	peak




Test Mode:	802.11a 20	Channel:	5180 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.38	10.46	47.84	74.00	-26.16	peak
2	10355.000	39.23	12.52	51.75	74.00	-22.25	peak
3	11829.000	32.81	17.38	50.19	74.00	-23.81	peak
4	13534.000	30.47	20.73	51.20	74.00	-22.80	peak
5	13908.000	29.88	21.66	51.54	74.00	-22.46	peak
6	17923.000	25.80	25.60	51.40	74.00	-22.60	peak




Test Mode:	802.11a 20	Channel:	5200 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.76	10.39	47.15	74.00	-26.85	peak
2	10399.000	39.60	12.61	52.21	74.00	-21.79	peak
3	11367.000	35.23	16.22	51.45	74.00	-22.55	peak
4	11873.000	33.64	17.46	51.10	74.00	-22.90	peak
5	13556.000	30.66	20.78	51.44	74.00	-22.56	peak
6	18000.000	25.96	26.12	52.08	74.00	-21.92	peak




Test Mode:	802.11a 20	Channel:	5200 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.61	10.46	48.07	74.00	-25.93	peak
2	10399.000	42.16	12.61	54.77	74.00	-19.23	peak
3	10399.000	29.44	12.61	42.05	54.00	-11.95	AVG
4	11378.000	35.26	16.26	51.52	74.00	-22.48	peak
5	13600.000	30.99	20.89	51.88	74.00	-22.12	peak
6	13908.000	30.38	21.66	52.04	74.00	-21.96	peak
7	17989.000	25.61	26.04	51.65	74.00	-22.35	peak




Test Mode:	802.11a 20	Channel:	5240 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.11	10.38	47.49	74.00	-26.51	peak
2	10476.000	41.96	12.77	54.73	74.00	-19.27	peak
3	10476.000	29.11	12.77	41.88	54.00	-12.12	AVG
4	11675.000	34.10	17.10	51.20	74.00	-22.80	peak
5	12753.000	32.50	18.14	50.64	74.00	-23.36	peak
6	13589.000	30.66	20.86	51.52	74.00	-22.48	peak
7	18000.000	25.27	26.12	51.39	74.00	-22.61	peak




Test Mode:	802.11a 20	Channel:	5240 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.75	10.46	48.21	74.00	-25.79	peak
2	10476.000	42.83	12.77	55.60	74.00	-18.40	peak
3	10476.000	29.59	12.77	42.36	54.00	-11.64	AVG
4	11807.000	33.19	17.34	50.53	74.00	-23.47	peak
5	13534.000	30.02	20.73	50.75	74.00	-23.25	peak
6	14073.000	29.55	21.57	51.12	74.00	-22.88	peak
7	17934.000	25.85	25.67	51.52	74.00	-22.48	peak



Test Mode:	802.11a 20	Channel:	5260 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	37.88	10.47	48.35	74.00	-25.65	peak
2	10520.000	42.50	12.90	55.40	74.00	-18.60	peak
3	10520.000	30.61	12.90	43.51	54.00	-10.49	AVG
4	11807.000	34.39	17.34	51.73	74.00	-22.27	peak
5	13534.000	30.89	20.73	51.62	74.00	-22.38	peak
6	13974.000	29.33	21.82	51.15	74.00	-22.85	peak
7	18000.000	25.00	26.12	51.12	74.00	-22.88	peak






Test Mode:	802.11a 20	Channel:	5260 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.83	10.56	47.39	74.00	-26.61	peak
2	10520.000	44.01	12.90	56.91	74.00	-17.09	peak
3	10520.000	31.17	12.90	44.07	54.00	-9.93	AVG
4	11345.000	35.46	16.14	51.60	74.00	-22.40	peak
5	11829.000	34.11	17.38	51.49	74.00	-22.51	peak
6	13666.000	31.30	21.05	52.35	74.00	-21.65	peak
7	17934.000	26.57	25.67	52.24	74.00	-21.76	peak




Test Mode:	802.11a 20	Channel:	5280 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	39.34	6.76	46.10	74.00	-27.90	peak
2	9343.000	37.77	10.55	48.32	74.00	-25.68	peak
3	10564.000	43.75	13.06	56.81	74.00	-17.19	peak
4	10564.000	31.63	13.06	44.69	54.00	-9.31	AVG
5	11367.000	34.58	16.22	50.80	74.00	-23.20	peak
6	13908.000	29.43	21.66	51.09	74.00	-22.91	peak
7	17978.000	26.00	25.97	51.97	74.00	-22.03	peak




Test Mode:	802.11a 20	Channel:	5280 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.37	10.39	47.76	74.00	-26.24	peak
2	10564.000	43.43	13.06	56.49	74.00	-17.51	peak
3	10564.000	31.24	13.06	44.30	54.00	-9.70	AVG
4	11422.000	34.55	16.46	51.01	74.00	-22.99	peak
5	11796.000	33.93	17.32	51.25	74.00	-22.75	peak
6	13974.000	30.41	21.82	52.23	74.00	-21.77	peak
7	17945.000	26.28	25.75	52.03	74.00	-21.97	peak




Test Mode:	802.11a 20	Channel:	5320 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.48	10.43	47.91	74.00	-26.09	peak
2	10641.000	44.03	13.36	57.39	74.00	-16.61	peak
3	10641.000	31.16	13.36	44.52	54.00	-9.48	AVG
4	11015.000	35.53	14.79	50.32	74.00	-23.68	peak
5	11367.000	33.98	16.22	50.20	74.00	-23.80	peak
6	13985.000	28.77	21.85	50.62	74.00	-23.38	peak
7	17912.000	25.72	25.52	51.24	74.00	-22.76	peak




Test Mode:	802.11a 20	Channel:	5320 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.07	10.28	47.35	74.00	-26.65	peak
2	10641.000	43.03	13.36	56.39	74.00	-17.61	peak
3	10641.000	31.07	13.36	44.43	54.00	-9.57	AVG
4	11345.000	35.02	16.14	51.16	74.00	-22.84	peak
5	11708.000	33.83	17.16	50.99	74.00	-23.01	peak
6	13974.000	28.89	21.82	50.71	74.00	-23.29	peak
7	17923.000	25.86	25.60	51.46	74.00	-22.54	peak




Test Mode:	802.11a 20	Channel:	5500 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.35	10.52	48.87	74.00	-25.13	peak
2	10245.000	35.88	12.28	48.16	74.00	-25.84	peak
3	11818.000	33.45	17.36	50.81	74.00	-23.19	peak
4	12225.000	33.19	17.75	50.94	74.00	-23.06	peak
5	13985.000	28.94	21.85	50.79	74.00	-23.21	peak
6	17901.000	25.97	25.45	51.42	74.00	-22.58	peak




Test Mode:	802.11a 20	Channel:	5500 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.54	10.46	48.00	74.00	-26.00	peak
2	11026.000	35.96	14.82	50.78	74.00	-23.22	peak
3	11796.000	34.26	17.32	51.58	74.00	-22.42	peak
4	13941.000	28.64	21.73	50.37	74.00	-23.63	peak
5	16504.000	29.86	18.36	48.22	74.00	-25.78	peak
6	17648.000	28.08	23.72	51.80	74.00	-22.20	peak



Test Mode:	802.11a 20	Channel:	5580 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.53	10.51	48.04	74.00	-25.96	peak
2	11158.000	37.02	15.37	52.39	74.00	-21.61	peak
3	11840.000	34.02	17.40	51.42	74.00	-22.58	peak
4	13864.000	30.65	21.53	52.18	74.00	-21.82	peak
5	16746.000	31.90	19.45	51.35	74.00	-22.65	peak
6	17945.000	26.42	25.75	52.17	74.00	-21.83	peak






Test Mode:	802.11a 20	Channel:	5580 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9090.000	37.44	10.39	47.83	74.00	-26.17	peak
2	11169.000	36.58	15.42	52.00	74.00	-22.00	peak
3	11356.000	35.57	16.19	51.76	74.00	-22.24	peak
4	13974.000	30.21	21.82	52.03	74.00	-21.97	peak
5	16746.000	30.66	19.45	50.11	74.00	-23.89	peak
6	17923.000	26.07	25.60	51.67	74.00	-22.33	peak




Test Mode:	802.11a 20	Channel:	5700 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	37.39	10.35	47.74	74.00	-26.26	peak
2	11400.000	40.81	16.36	57.17	74.00	-16.83	peak
3	11400.000	30.08	16.36	46.44	54.00	-7.56	AVG
4	12621.000	32.03	17.98	50.01	74.00	-23.99	peak
5	13919.000	29.83	21.68	51.51	74.00	-22.49	peak
6	15679.000	32.87	16.79	49.66	74.00	-24.34	peak
7	17945.000	25.47	25.75	51.22	74.00	-22.78	peak




Test Mode:	802.11a 20	Channel:	5700 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	36.79	10.58	47.37	74.00	-26.63	peak
2	11400.000	41.22	16.36	57.58	74.00	-16.42	peak
3	11400.000	27.53	16.36	43.89	54.00	-10.11	AVG
4	12192.000	33.75	17.74	51.49	74.00	-22.51	peak
5	13655.000	31.94	21.03	52.97	74.00	-21.03	peak
6	13952.000	30.55	21.76	52.31	74.00	-21.69	peak
7	17989.000	26.61	26.04	52.65	74.00	-21.35	peak




Test Mode:	802.11a 20	Channel:	5720 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.35	10.43	47.78	74.00	-26.22	peak
2	11444.000	40.70	16.53	57.23	74.00	-16.77	peak
3	11444.000	29.63	16.53	46.16	54.00	-7.84	AVG
4	11840.000	33.91	17.40	51.31	74.00	-22.69	peak
5	13523.000	30.65	20.70	51.35	74.00	-22.65	peak
6	13963.000	29.97	21.78	51.75	74.00	-22.25	peak
7	18000.000	26.37	26.12	52.49	74.00	-21.51	peak




Test Mode:	802.11a 20	Channel:	5720 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.14	10.39	47.53	74.00	-26.47	peak
2	10938.000	35.30	14.48	49.78	74.00	-24.22	peak
3	11444.000	40.00	16.53	56.53	74.00	-17.47	peak
4	11444.000	28.18	16.53	44.71	54.00	-9.29	AVG
5	11796.000	34.36	17.32	51.68	74.00	-22.32	peak
6	13985.000	29.47	21.85	51.32	74.00	-22.68	peak
7	17934.000	26.91	25.67	52.58	74.00	-21.42	peak




Test Mode:	802.11a 20	Channel:	5745 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	39.33	6.69	46.02	74.00	-27.98	peak
2	9189.000	39.02	10.46	49.48	74.00	-24.52	peak
3	11488.000	41.10	16.72	57.82	74.00	-16.18	peak
4	11488.000	28.37	16.72	45.09	54.00	-8.91	AVG
5	13600.000	30.98	20.89	51.87	74.00	-22.13	peak
6	13974.000	30.00	21.82	51.82	74.00	-22.18	peak
7	17978.000	26.26	25.97	52.23	74.00	-21.77	peak




Test Mode:	802.11a 20	Channel:	5745 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	38.54	9.98	48.52	74.00	-25.48	peak
2	11488.000	38.47	16.72	55.19	74.00	-18.81	peak
3	11488.000	26.13	16.72	42.85	54.00	-11.15	AVG
4	11796.000	33.28	17.32	50.60	74.00	-23.40	peak
5	14007.000	29.62	21.85	51.47	74.00	-22.53	peak
6	17241.000	30.14	21.62	51.76	74.00	-22.24	peak
7	18000.000	26.23	26.12	52.35	74.00	-21.65	peak



Test Mode:	802.11a 20	Channel:	5785 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.84	10.51	48.35	74.00	-25.65	peak
2	10795.000	35.81	13.94	49.75	74.00	-24.25	peak
3	11576.000	39.59	16.91	56.50	74.00	-17.50	peak
4	11576.000	27.72	16.91	44.63	54.00	-9.37	AVG
5	13501.000	30.00	20.64	50.64	74.00	-23.36	peak
6	13908.000	29.80	21.66	51.46	74.00	-22.54	peak
7	17945.000	25.85	25.75	51.60	74.00	-22.40	peak






Test Mode:	802.11a 20	Channel:	5785 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	37.46	9.98	47.44	74.00	-26.56	peak
2	11070.000	34.60	15.01	49.61	74.00	-24.39	peak
3	11576.000	38.06	16.91	54.97	74.00	-19.03	peak
4	11576.000	25.19	16.91	42.10	54.00	-11.90	AVG
5	13501.000	29.00	20.64	49.64	74.00	-24.36	peak
6	13996.000	29.03	21.87	50.90	74.00	-23.10	peak
7	17934.000	26.71	25.67	52.38	74.00	-21.62	peak




Test Mode:	802.11a 20	Channel:	5825 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	38.81	10.53	49.34	74.00	-24.66	peak
2	11642.000	37.50	17.03	54.53	74.00	-19.47	peak
3	11642.000	24.80	17.03	41.83	54.00	-12.17	AVG
4	12313.000	31.94	17.78	49.72	74.00	-24.28	peak
5	13710.000	29.85	21.16	51.01	74.00	-22.99	peak
6	13963.000	30.17	21.78	51.95	74.00	-22.05	peak
7	17967.000	26.43	25.89	52.32	74.00	-21.68	peak




Test Mode:	802.11a 20	Channel:	5825 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.15	10.46	47.61	74.00	-26.39	peak
2	11653.000	40.88	17.05	57.93	74.00	-16.07	peak
3	11653.000	28.34	17.05	45.39	54.00	-8.61	AVG
4	12709.000	33.73	18.09	51.82	74.00	-22.18	peak
5	13556.000	31.34	20.78	52.12	74.00	-21.88	peak
6	14216.000	30.68	20.98	51.66	74.00	-22.34	peak
7	17945.000	26.74	25.75	52.49	74.00	-21.51	peak




Test Mode:	802.11n HT20	Channel:	5180 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.26	10.46	47.72	74.00	-26.28	peak
2	11389.000	33.35	16.31	49.66	74.00	-24.34	peak
3	13512.000	30.43	20.68	51.11	74.00	-22.89	peak
4	13886.000	30.09	21.60	51.69	74.00	-22.31	peak
5	17659.000	27.78	23.78	51.56	74.00	-22.44	peak
6	18000.000	25.54	26.12	51.66	74.00	-22.34	peak




Test Mode:	802.11n HT20	Channel:	5180 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.89	10.40	47.29	74.00	-26.71	peak
2	10245.000	36.34	12.28	48.62	74.00	-25.38	peak
3	11829.000	34.17	17.38	51.55	74.00	-22.45	peak
4	12247.000	32.68	17.77	50.45	74.00	-23.55	peak
5	13985.000	29.52	21.85	51.37	74.00	-22.63	peak
6	18000.000	25.20	26.12	51.32	74.00	-22.68	peak




Test Mode:	802.11n HT20	Channel:	5200 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.52	10.46	46.98	74.00	-27.02	peak
2	10399.000	36.50	12.61	49.11	74.00	-24.89	peak
3	11378.000	34.67	16.26	50.93	74.00	-23.07	peak
4	12643.000	31.91	18.01	49.92	74.00	-24.08	peak
5	13842.000	29.52	21.49	51.01	74.00	-22.99	peak
6	17978.000	25.04	25.97	51.01	74.00	-22.99	peak




Test Mode:	802.11n HT20	Channel:	5200 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.26	6.69	44.95	74.00	-29.05	peak
2	8870.000	38.08	9.44	47.52	74.00	-26.48	peak
3	10399.000	37.01	12.61	49.62	74.00	-24.38	peak
4	11840.000	33.34	17.40	50.74	74.00	-23.26	peak
5	13534.000	29.51	20.73	50.24	74.00	-23.76	peak
6	17967.000	25.13	25.89	51.02	74.00	-22.98	peak



Test Mode:	802.11n HT20	Channel:	5240 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.72	10.81	47.53	74.00	-26.47	peak
2	10487.000	38.15	12.79	50.94	74.00	-23.06	peak
3	11829.000	33.01	17.38	50.39	74.00	-23.61	peak
4	13534.000	30.12	20.73	50.85	74.00	-23.15	peak
5	13864.000	29.53	21.53	51.06	74.00	-22.94	peak
6	17934.000	24.80	25.67	50.47	74.00	-23.53	peak






Test Mode:	802.11n HT20	Channel:	5240 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7737.000	38.54	6.66	45.20	74.00	-28.80	peak
2	9057.000	36.93	10.38	47.31	74.00	-26.69	peak
3	10487.000	37.38	12.79	50.17	74.00	-23.83	peak
4	11840.000	32.88	17.40	50.28	74.00	-23.72	peak
5	13886.000	30.42	21.60	52.02	74.00	-21.98	peak
6	18000.000	26.49	26.12	52.61	74.00	-21.39	peak




Test Mode:	802.11n HT20	Channel:	5260 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.43	10.58	48.01	74.00	-25.99	peak
2	10520.000	42.21	12.90	55.11	74.00	-18.89	peak
3	10520.000	30.38	12.90	43.28	54.00	-10.72	AVG
4	11081.000	35.99	15.05	51.04	74.00	-22.96	peak
5	11829.000	33.23	17.38	50.61	74.00	-23.39	peak
6	13974.000	30.05	21.82	51.87	74.00	-22.13	peak
7	17967.000	25.00	25.89	50.89	74.00	-23.11	peak




Test Mode:	802.11n HT20	Channel:	5260 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.52	6.57	45.09	74.00	-28.91	peak
2	9145.000	36.68	10.43	47.11	74.00	-26.89	peak
3	10520.000	40.96	12.90	53.86	74.00	-20.14	peak
4	10520.000	27.76	12.90	40.66	54.00	-13.34	AVG
5	11510.000	34.00	16.79	50.79	74.00	-23.21	peak
6	13985.000	29.47	21.85	51.32	74.00	-22.68	peak
7	17945.000	25.62	25.75	51.37	74.00	-22.63	peak




Test Mode:	802.11n HT20	Channel:	5280 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.54	6.54	45.08	74.00	-28.92	peak
2	8848.000	37.78	9.29	47.07	74.00	-26.93	peak
3	10564.000	42.14	13.06	55.20	74.00	-18.80	peak
4	10564.000	29.77	13.06	42.83	54.00	-11.17	AVG
5	11356.000	34.26	16.19	50.45	74.00	-23.55	peak
6	13809.000	28.42	21.41	49.83	74.00	-24.17	peak
7	17956.000	24.27	25.82	50.09	74.00	-23.91	peak




Test Mode:	802.11n HT20	Channel:	5280 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8012.000	38.69	6.44	45.13	74.00	-28.87	peak
2	9365.000	37.60	10.57	48.17	74.00	-25.83	peak
3	10553.000	40.75	13.02	53.77	74.00	-20.23	peak
4	10553.000	28.49	13.02	41.51	54.00	-12.49	AVG
5	11378.000	34.17	16.26	50.43	74.00	-23.57	peak
6	13963.000	29.60	21.78	51.38	74.00	-22.62	peak
7	17956.000	25.48	25.82	51.30	74.00	-22.70	peak




Test Mode:	802.11n HT20	Channel:	5320 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.40	6.68	45.08	74.00	-28.92	peak
2	9189.000	37.45	10.46	47.91	74.00	-26.09	peak
3	10641.000	42.32	13.36	55.68	74.00	-18.32	peak
4	10641.000	30.09	13.36	43.45	54.00	-10.55	AVG
5	11741.000	34.86	17.22	52.08	74.00	-21.92	peak
6	13963.000	30.74	21.78	52.52	74.00	-21.48	peak
7	18000.000	26.40	26.12	52.52	74.00	-21.48	peak




Test Mode:	802.11n HT20	Channel:	5320 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.37	10.41	47.78	74.00	-26.22	peak
2	10652.000	40.07	13.40	53.47	74.00	-20.53	peak
3	10652.000	27.77	13.40	41.17	54.00	-12.83	AVG
4	11356.000	34.94	16.19	51.13	74.00	-22.87	peak
5	13501.000	31.57	20.64	52.21	74.00	-21.79	peak
6	13842.000	30.23	21.49	51.72	74.00	-22.28	peak
7	18000.000	25.83	26.12	51.95	74.00	-22.05	peak



Test Mode:	802.11n HT20	Channel:	5500 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7726.000	38.76	6.68	45.44	74.00	-28.56	peak
2	9068.000	37.31	10.39	47.70	74.00	-26.30	peak
3	10993.000	37.88	14.70	52.58	74.00	-21.42	peak
4	11818.000	33.39	17.36	50.75	74.00	-23.25	peak
5	14084.000	29.17	21.52	50.69	74.00	-23.31	peak
6	17714.000	25.72	24.16	49.88	74.00	-24.12	peak






Test Mode:	802.11n HT20	Channel:	5500 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.74	10.45	47.19	74.00	-26.81	peak
2	10256.000	35.65	12.31	47.96	74.00	-26.04	peak
3	11290.000	34.96	15.90	50.86	74.00	-23.14	peak
4	13567.000	30.25	20.80	51.05	74.00	-22.95	peak
5	14073.000	29.60	21.57	51.17	74.00	-22.83	peak
6	18000.000	25.66	26.12	51.78	74.00	-22.22	peak




Test Mode:	802.11n HT20	Channel:	5580 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10828.000	36.01	14.07	50.08	74.00	-23.92	peak
2	11367.000	35.41	16.22	51.63	74.00	-22.37	peak
3	11873.000	33.80	17.46	51.26	74.00	-22.74	peak
4	13578.000	30.19	20.83	51.02	74.00	-22.98	peak
5	13952.000	28.88	21.76	50.64	74.00	-23.36	peak
6	17967.000	25.34	25.89	51.23	74.00	-22.77	peak




Test Mode:	802.11n HT20	Channel:	5580 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.54	10.21	47.75	74.00	-26.25	peak
2	11158.000	34.96	15.37	50.33	74.00	-23.67	peak
3	11367.000	34.23	16.22	50.45	74.00	-23.55	peak
4	12654.000	31.30	18.01	49.31	74.00	-24.69	peak
5	13985.000	28.74	21.85	50.59	74.00	-23.41	peak
6	17989.000	25.68	26.04	51.72	74.00	-22.28	peak




Test Mode:	802.11n HT20	Channel:	5700 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7671.000	38.70	6.71	45.41	74.00	-28.59	peak
2	9266.000	37.09	10.51	47.60	74.00	-26.40	peak
3	11400.000	38.76	16.36	55.12	74.00	-18.88	peak
4	11400.000	27.26	16.36	43.62	54.00	-10.38	AVG
5	12621.000	31.46	17.98	49.44	74.00	-24.56	peak
6	13952.000	29.56	21.76	51.32	74.00	-22.68	peak
7	18000.000	25.37	26.12	51.49	74.00	-22.51	peak




Test Mode:	802.11n HT20	Channel:	5700 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.58	10.47	47.05	74.00	-26.95	peak
2	9662.000	37.66	11.01	48.67	74.00	-25.33	peak
3	11400.000	40.08	16.36	56.44	74.00	-17.56	peak
4	11400.000	28.01	16.36	44.37	54.00	-9.63	AVG
5	13611.000	31.50	20.92	52.42	74.00	-21.58	peak
6	13985.000	29.98	21.85	51.83	74.00	-22.17	peak
7	18000.000	25.80	26.12	51.92	74.00	-22.08	peak




Test Mode:	802.11n HT20	Channel:	5720 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.91	10.46	47.37	74.00	-26.63	peak
2	11015.000	35.34	14.79	50.13	74.00	-23.87	peak
3	11444.000	44.12	16.53	60.65	74.00	-13.35	peak
4	11444.000	32.07	16.53	48.60	54.00	-5.40	AVG
5	13644.000	30.62	20.99	51.61	74.00	-22.39	peak
6	13908.000	30.73	21.66	52.39	74.00	-21.61	peak
7	17989.000	25.98	26.04	52.02	74.00	-21.98	peak




Test Mode:	802.11n HT20	Channel:	5720 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.34	10.39	47.73	74.00	-26.27	peak
2	10828.000	35.16	14.07	49.23	74.00	-24.77	peak
3	11433.000	40.85	16.50	57.35	74.00	-16.65	peak
4	11433.000	29.23	16.50	45.73	54.00	-8.27	AVG
5	13534.000	31.06	20.73	51.79	74.00	-22.21	peak
6	13985.000	30.48	21.85	52.33	74.00	-21.67	peak
7	17736.000	27.69	24.32	52.01	74.00	-21.99	peak



Test Mode:	802.11n HT20	Channel:	5745 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.37	10.38	47.75	74.00	-26.25	peak
2	10311.000	36.15	12.42	48.57	74.00	-25.43	peak
3	11488.000	43.33	16.72	60.05	74.00	-13.95	peak
4	11488.000	31.81	16.72	48.53	54.00	-5.47	AVG
5	13809.000	29.73	21.41	51.14	74.00	-22.86	peak
6	17230.000	29.34	21.57	50.91	74.00	-23.09	peak
7	18000.000	25.31	26.12	51.43	74.00	-22.57	peak






Test Mode:	802.11n HT20	Channel:	5745 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.00	6.64	45.64	74.00	-28.36	peak
2	9354.000	36.99	10.56	47.55	74.00	-26.45	peak
3	11488.000	41.72	16.72	58.44	74.00	-15.56	peak
4	11488.000	30.13	16.72	46.85	54.00	-7.15	AVG
5	13622.000	31.15	20.95	52.10	74.00	-21.90	peak
6	14007.000	29.20	21.85	51.05	74.00	-22.95	peak
7	17923.000	26.08	25.60	51.68	74.00	-22.32	peak




Test Mode:	802.11n HT20	Channel:	5785 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.09	10.58	47.67	74.00	-26.33	peak
2	10960.000	35.10	14.57	49.67	74.00	-24.33	peak
3	11576.000	44.92	16.91	61.83	74.00	-12.17	peak
4	11576.000	34.99	16.91	51.90	54.00	-2.10	AVG
5	13556.000	28.92	20.78	49.70	74.00	-24.30	peak
6	13963.000	28.20	21.78	49.98	74.00	-24.02	peak
7	17989.000	25.87	26.04	51.91	74.00	-22.09	peak




Test Mode:	802.11n HT20	Channel:	5785 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.95	10.43	47.38	74.00	-26.62	peak
2	10443.000	35.31	12.70	48.01	74.00	-25.99	peak
3	11565.000	43.96	16.89	60.85	74.00	-13.15	peak
4	11565.000	33.24	16.89	50.13	54.00	-3.87	AVG
5	12214.000	32.39	17.76	50.15	74.00	-23.85	peak
6	13853.000	27.49	21.52	49.01	74.00	-24.99	peak
7	17989.000	26.20	26.04	52.24	74.00	-21.76	peak




Test Mode:	802.11n HT20	Channel:	5825 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.56	10.46	48.02	74.00	-25.98	peak
2	10894.000	35.74	14.32	50.06	74.00	-23.94	peak
3	11653.000	46.65	17.05	63.70	74.00	-10.30	peak
4	11653.000	33.55	17.05	50.60	54.00	-3.40	AVG
5	13413.000	31.08	20.26	51.34	74.00	-22.66	peak
6	14029.000	29.59	21.76	51.35	74.00	-22.65	peak
7	18000.000	26.49	26.12	52.61	74.00	-21.39	peak




Test Mode:	802.11n HT20	Channel:	5825 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	38.87	6.60	45.47	74.00	-28.53	peak
2	9200.000	36.56	10.46	47.02	74.00	-26.98	peak
3	11653.000	42.75	17.05	59.80	74.00	-14.20	peak
4	11653.000	31.01	17.05	48.06	54.00	-5.94	AVG
5	13622.000	29.24	20.95	50.19	74.00	-23.81	peak
6	14029.000	28.81	21.76	50.57	74.00	-23.43	peak
7	18000.000	25.96	26.12	52.08	74.00	-21.92	peak




Test Mode:	802.11n HT40	Channel:	5190 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.94	6.68	45.62	74.00	-28.38	peak
2	9189.000	37.41	10.46	47.87	74.00	-26.13	peak
3	10399.000	36.87	12.61	49.48	74.00	-24.52	peak
4	11686.000	33.60	17.12	50.72	74.00	-23.28	peak
5	13974.000	29.82	21.82	51.64	74.00	-22.36	peak
6	18000.000	25.55	26.12	51.67	74.00	-22.33	peak




Test Mode:	802.11n HT40	Channel:	5190 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9431.000	36.89	10.61	47.50	74.00	-26.50	peak
2	10377.000	35.91	12.56	48.47	74.00	-25.53	peak
3	11818.000	31.50	17.36	48.86	74.00	-25.14	peak
4	13050.000	30.75	18.66	49.41	74.00	-24.59	peak
5	13688.000	29.88	21.10	50.98	74.00	-23.02	peak
6	18000.000	25.38	26.12	51.50	74.00	-22.50	peak



Test Mode:	802.11n HT40	Channel:	5230 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.45	10.38	47.83	74.00	-26.17	peak
2	10443.000	37.64	12.70	50.34	74.00	-23.66	peak
3	11290.000	35.47	15.90	51.37	74.00	-22.63	peak
4	12214.000	32.48	17.76	50.24	74.00	-23.76	peak
5	13996.000	30.17	21.87	52.04	74.00	-21.96	peak
6	18000.000	25.85	26.12	51.97	74.00	-22.03	peak






Test Mode:	802.11n HT40	Channel:	5230 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	38.55	6.46	45.01	74.00	-28.99	peak
2	9079.000	36.94	10.39	47.33	74.00	-26.67	peak
3	10454.000	37.41	12.73	50.14	74.00	-23.86	peak
4	11664.000	33.49	17.08	50.57	74.00	-23.43	peak
5	13600.000	29.94	20.89	50.83	74.00	-23.17	peak
6	17945.000	26.33	25.75	52.08	74.00	-21.92	peak




Test Mode:	802.11n HT40	Channel:	5270 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	36.45	10.76	47.21	74.00	-26.79	peak
2	10542.000	36.82	12.98	49.80	74.00	-24.20	peak
3	11686.000	32.04	17.12	49.16	74.00	-24.84	peak
4	13556.000	29.62	20.78	50.40	74.00	-23.60	peak
5	13919.000	29.75	21.68	51.43	74.00	-22.57	peak
6	17923.000	26.29	25.60	51.89	74.00	-22.11	peak




Test Mode:	802.11n HT40	Channel:	5270 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.54	10.05	47.59	74.00	-26.41	peak
2	10542.000	37.25	12.98	50.23	74.00	-23.77	peak
3	11367.000	33.94	16.22	50.16	74.00	-23.84	peak
4	13600.000	29.77	20.89	50.66	74.00	-23.34	peak
5	13974.000	29.33	21.82	51.15	74.00	-22.85	peak
6	17934.000	25.36	25.67	51.03	74.00	-22.97	peak




Test Mode:	802.11n HT40	Channel:	5310 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.23	10.21	47.44	74.00	-26.56	peak
2	10619.000	39.16	13.28	52.44	74.00	-21.56	peak
3	11576.000	32.74	16.91	49.65	74.00	-24.35	peak
4	13600.000	29.77	20.89	50.66	74.00	-23.34	peak
5	13908.000	29.09	21.66	50.75	74.00	-23.25	peak
6	17945.000	25.59	25.75	51.34	74.00	-22.66	peak




Test Mode:	802.11n HT40	Channel:	5310 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9662.000	36.10	11.01	47.11	74.00	-26.89	peak
2	10619.000	37.15	13.28	50.43	74.00	-23.57	peak
3	11554.000	33.32	16.87	50.19	74.00	-23.81	peak
4	13556.000	30.23	20.78	51.01	74.00	-22.99	peak
5	14040.000	28.78	21.70	50.48	74.00	-23.52	peak
6	18000.000	24.96	26.12	51.08	74.00	-22.92	peak




Test Mode:	802.11n HT40	Channel:	5510 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.77	6.68	44.45	74.00	-29.55	peak
2	9310.000	37.81	10.54	48.35	74.00	-25.65	peak
3	11741.000	32.39	17.22	49.61	74.00	-24.39	peak
4	13534.000	30.13	20.73	50.86	74.00	-23.14	peak
5	13864.000	30.00	21.53	51.53	74.00	-22.47	peak
6	17725.000	27.26	24.24	51.50	74.00	-22.50	peak




Test Mode:	802.11n HT40	Channel:	5510 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.35	10.43	47.78	74.00	-26.22	peak
2	10179.000	36.21	12.14	48.35	74.00	-25.65	peak
3	10817.000	34.76	14.03	48.79	74.00	-25.21	peak
4	11378.000	33.02	16.26	49.28	74.00	-24.72	peak
5	13985.000	29.16	21.85	51.01	74.00	-22.99	peak
6	17912.000	25.39	25.52	50.91	74.00	-23.09	peak



Test Mode:	802.11n HT40	Channel:	5590 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.03	6.68	44.71	74.00	-29.29	peak
2	9167.000	37.63	10.45	48.08	74.00	-25.92	peak
3	10443.000	36.10	12.70	48.80	74.00	-25.20	peak
4	11741.000	33.30	17.22	50.52	74.00	-23.48	peak
5	13996.000	30.78	21.87	52.65	74.00	-21.35	peak
6	18000.000	25.72	26.12	51.84	74.00	-22.16	peak






Test Mode:	802.11n HT40	Channel:	5590 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.41	10.49	47.90	74.00	-26.10	peak
2	11070.000	35.79	15.01	50.80	74.00	-23.20	peak
3	11400.000	34.65	16.36	51.01	74.00	-22.99	peak
4	13501.000	30.27	20.64	50.91	74.00	-23.09	peak
5	13908.000	29.16	21.66	50.82	74.00	-23.18	peak
6	17945.000	26.86	25.75	52.61	74.00	-21.39	peak




Test Mode:	802.11n HT40	Channel:	5670 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.33	9.90	47.23	74.00	-26.77	peak
2	10245.000	36.27	12.28	48.55	74.00	-25.45	peak
3	11345.000	35.21	16.14	51.35	74.00	-22.65	peak
4	12236.000	31.97	17.76	49.73	74.00	-24.27	peak
5	13941.000	29.09	21.73	50.82	74.00	-23.18	peak
6	17978.000	24.57	25.97	50.54	74.00	-23.46	peak




Test Mode:	802.11n HT40	Channel:	5670 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.89	6.54	45.43	74.00	-28.57	peak
2	9068.000	37.53	10.39	47.92	74.00	-26.08	peak
3	11334.000	36.32	16.09	52.41	74.00	-21.59	peak
4	11334.000	23.19	16.09	39.28	54.00	-14.72	AVG
5	13501.000	29.28	20.64	49.92	74.00	-24.08	peak
6	14040.000	29.34	21.70	51.04	74.00	-22.96	peak
7	18000.000	25.73	26.12	51.85	74.00	-22.15	peak




Test Mode:	802.11n HT40	Channel:	5710 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.95	10.46	47.41	74.00	-26.59	peak
2	10960.000	36.13	14.57	50.70	74.00	-23.30	peak
3	11433.000	39.53	16.50	56.03	74.00	-17.97	peak
4	11433.000	27.99	16.50	44.49	54.00	-9.51	AVG
5	11708.000	33.87	17.16	51.03	74.00	-22.97	peak
6	13512.000	30.92	20.68	51.60	74.00	-22.40	peak
7	17945.000	25.97	25.75	51.72	74.00	-22.28	peak




Test Mode:	802.11n HT40	Channel:	5710 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8870.000	38.18	9.44	47.62	74.00	-26.38	peak
2	10234.000	35.22	12.26	47.48	74.00	-26.52	peak
3	11422.000	37.44	16.46	53.90	74.00	-20.10	peak
4	11422.000	24.76	16.46	41.22	54.00	-12.78	AVG
5	11818.000	32.53	17.36	49.89	74.00	-24.11	peak
6	13534.000	28.69	20.73	49.42	74.00	-24.58	peak
7	18000.000	23.53	26.12	49.65	74.00	-24.35	peak




Test Mode:	802.11n HT40	Channel:	5755 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.21	6.69	44.90	74.00	-29.10	peak
2	9200.000	37.79	10.46	48.25	74.00	-25.75	peak
3	11510.000	41.72	16.79	58.51	74.00	-15.49	peak
4	11510.000	29.72	16.79	46.51	54.00	-7.49	AVG
5	13556.000	29.21	20.78	49.99	74.00	-24.01	peak
6	14073.000	28.50	21.57	50.07	74.00	-23.93	peak
7	17912.000	25.47	25.52	50.99	74.00	-23.01	peak




Test Mode:	802.11n HT40	Channel:	5755 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.55	10.46	48.01	74.00	-25.99	peak
2	10179.000	36.11	12.14	48.25	74.00	-25.75	peak
3	11510.000	38.96	16.79	55.75	74.00	-18.25	peak
4	11510.000	26.59	16.79	43.38	54.00	-10.62	AVG
5	11818.000	33.63	17.36	50.99	74.00	-23.01	peak
6	13875.000	30.25	21.57	51.82	74.00	-22.18	peak
7	17978.000	25.19	25.97	51.16	74.00	-22.84	peak



Test Mode:	802.11n HT40	Channel:	5795 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.81	10.39	47.20	74.00	-26.80	peak
2	10399.000	35.81	12.61	48.42	74.00	-25.58	peak
3	11587.000	43.03	16.93	59.96	74.00	-14.04	peak
4	11587.000	30.40	16.93	47.33	54.00	-6.67	AVG
5	12621.000	33.00	17.98	50.98	74.00	-23.02	peak
6	14029.000	29.39	21.76	51.15	74.00	-22.85	peak
7	18000.000	25.63	26.12	51.75	74.00	-22.25	peak






Test Mode:	802.11n HT40	Channel:	5795 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.55	10.53	48.08	74.00	-25.92	peak
2	10278.000	36.51	12.35	48.86	74.00	-25.14	peak
3	11587.000	40.20	16.93	57.13	74.00	-16.87	peak
4	11587.000	28.73	16.93	45.66	54.00	-8.34	AVG
5	12269.000	32.84	17.77	50.61	74.00	-23.39	peak
6	13985.000	29.45	21.85	51.30	74.00	-22.70	peak
7	17725.000	27.99	24.24	52.23	74.00	-21.77	peak




Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.13	10.21	47.34	74.00	-26.66	peak
2	10465.000	35.85	12.75	48.60	74.00	-25.40	peak
3	10927.000	35.39	14.45	49.84	74.00	-24.16	peak
4	11499.000	33.25	16.77	50.02	74.00	-23.98	peak
5	13919.000	29.57	21.68	51.25	74.00	-22.75	peak
6	17989.000	24.68	26.04	50.72	74.00	-23.28	peak




Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	36.64	10.79	47.43	74.00	-26.57	peak
2	10432.000	38.84	12.67	51.51	74.00	-22.49	peak
3	11686.000	32.60	17.12	49.72	74.00	-24.28	peak
4	12643.000	31.76	18.01	49.77	74.00	-24.23	peak
5	13930.000	29.26	21.71	50.97	74.00	-23.03	peak
6	18000.000	25.87	26.12	51.99	74.00	-22.01	peak




Test Mode:	802.11ac VHT80	Channel:	5290 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.84	6.54	45.38	74.00	-28.62	peak
2	8936.000	37.36	9.90	47.26	74.00	-26.74	peak
3	10608.000	37.86	13.23	51.09	74.00	-22.91	peak
4	11686.000	33.40	17.12	50.52	74.00	-23.48	peak
5	13919.000	28.72	21.68	50.40	74.00	-23.60	peak
6	18000.000	26.28	26.12	52.40	74.00	-21.60	peak




Test Mode:	802.11ac VHT80	Channel:	5290 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	38.33	6.47	44.80	74.00	-29.20	peak
2	8947.000	37.59	9.98	47.57	74.00	-26.43	peak
3	10597.000	37.81	13.19	51.00	74.00	-23.00	peak
4	11730.000	32.62	17.19	49.81	74.00	-24.19	peak
5	13644.000	30.65	20.99	51.64	74.00	-22.36	peak
6	18000.000	26.37	26.12	52.49	74.00	-21.51	peak




Test Mode:	802.11ac VHT80	Channel:	5530 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	38.40	10.28	48.68	74.00	-25.32	peak
2	10520.000	35.48	12.90	48.38	74.00	-25.62	peak
3	11532.000	32.93	16.83	49.76	74.00	-24.24	peak
4	12698.000	31.47	18.08	49.55	74.00	-24.45	peak
5	13666.000	29.87	21.05	50.92	74.00	-23.08	peak
6	17956.000	26.33	25.82	52.15	74.00	-21.85	peak




Test Mode:	802.11ac VHT80	Channel:	5530 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.51	10.43	47.94	74.00	-26.06	peak
2	10894.000	34.95	14.32	49.27	74.00	-24.73	peak
3	11829.000	32.76	17.38	50.14	74.00	-23.86	peak
4	12709.000	31.32	18.09	49.41	74.00	-24.59	peak
5	14073.000	30.12	21.57	51.69	74.00	-22.31	peak
6	18000.000	26.01	26.12	52.13	74.00	-21.87	peak



Test Mode:	802.11ac VHT80	Channel:	5610 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10190.000	35.84	12.18	48.02	74.00	-25.98	peak
2	10905.000	35.59	14.36	49.95	74.00	-24.05	peak
3	11510.000	33.52	16.79	50.31	74.00	-23.69	peak
4	13556.000	29.56	20.78	50.34	74.00	-23.66	peak
5	13941.000	29.01	21.73	50.74	74.00	-23.26	peak
6	17714.000	26.89	24.16	51.05	74.00	-22.95	peak






Test Mode:	802.11ac VHT80	Channel:	5610 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.57	10.46	48.03	74.00	-25.97	peak
2	10256.000	35.73	12.31	48.04	74.00	-25.96	peak
3	11400.000	33.08	16.36	49.44	74.00	-24.56	peak
4	13622.000	29.57	20.95	50.52	74.00	-23.48	peak
5	13919.000	29.63	21.68	51.31	74.00	-22.69	peak
6	18000.000	25.80	26.12	51.92	74.00	-22.08	peak




Test Mode:	802.11ac VHT80	Channel:	5690 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.46	10.38	47.84	74.00	-26.16	peak
2	11015.000	36.00	14.79	50.79	74.00	-23.21	peak
3	11411.000	38.24	16.41	54.65	74.00	-19.35	peak
4	11411.000	25.94	16.41	42.35	54.00	-11.65	AVG
5	12698.000	33.75	18.08	51.83	74.00	-22.17	peak
6	13611.000	30.28	20.92	51.20	74.00	-22.80	peak
7	17934.000	26.21	25.67	51.88	74.00	-22.12	peak




Test Mode:	802.11ac VHT80	Channel:	5690 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7660.000	38.93	6.73	45.66	74.00	-28.34	peak
2	9266.000	37.67	10.51	48.18	74.00	-25.82	peak
3	11400.000	36.35	16.36	52.71	74.00	-21.29	peak
4	11400.000	23.85	16.36	40.21	54.00	-13.79	AVG
5	12302.000	32.04	17.78	49.82	74.00	-24.18	peak
6	13952.000	29.81	21.76	51.57	74.00	-22.43	peak
7	17967.000	25.45	25.89	51.34	74.00	-22.66	peak




Test Mode:	802.11ac VHT80	Channel:	5775 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.63	10.39	48.02	74.00	-25.98	peak
2	11576.000	41.75	16.91	58.66	74.00	-15.34	peak
3	11576.000	29.21	16.91	46.12	54.00	-7.88	AVG
4	12720.000	33.13	18.09	51.22	74.00	-22.78	peak
5	13446.000	30.63	20.41	51.04	74.00	-22.96	peak
6	13919.000	29.06	21.68	50.74	74.00	-23.26	peak
7	17945.000	25.63	25.75	51.38	74.00	-22.62	peak



Test Mode:	802.11ac VHT80	Channel:	5775 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	37.55	10.47	48.02	74.00	-25.98	peak
2	10256.000	36.24	12.31	48.55	74.00	-25.45	peak
3	11576.000	37.45	16.91	54.36	74.00	-19.64	peak
4	11576.000	25.70	16.91	42.61	54.00	-11.39	AVG
5	12346.000	31.79	17.79	49.58	74.00	-24.42	peak
6	13974.000	29.16	21.82	50.98	74.00	-23.02	peak
7	17956.000	25.75	25.82	51.57	74.00	-22.43	peak



### 8.4. SPURIOUS EMISSIONS (9 KHZ ~ 30 MHZ)


Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Loop Antenna Face On To The EUT	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	76.72	-101.40	-24.68	47.60	-72.28	peak
2	0.0221	70.63	-101.35	-30.72	40.71	-71.43	peak
3	0.0279	68.17	-101.38	-33.21	38.69	-71.90	peak
4	0.0514	62.68	-101.48	-38.80	33.38	-72.18	peak
5	0.0675	62.64	-101.56	-38.92	31.02	-69.94	peak
6	0.0911	61.11	-101.72	-40.61	28.41	-69.02	peak




Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Loop Antenna Face On To The EUT	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1595	75.86	-101.65	-25.79	23.55	-49.34	peak
2	0.1816	73.04	-101.68	-28.64	22.42	-51.06	peak
3	0.2197	69.77	-101.75	-31.98	20.76	-52.74	peak
4	0.2782	65.29	-101.83	-36.54	18.71	-55.25	peak
5	0.3800	62.02	-101.94	-39.92	16.01	-55.93	peak
6	0.4364	58.86	-101.99	-43.13	14.80	-57.93	peak



Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Loop Antenna Face On To The EUT	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5039	63.93	-62.07	1.86	33.56	-31.70	peak
2	0.8296	61.94	-62.17	-0.23	29.23	-29.46	peak
3	1.2214	58.62	-62.16	-3.54	25.87	-29.41	peak
4	4.4443	56.29	-61.40	-5.11	29.54	-34.65	peak
5	10.7299	54.98	-60.83	-5.85	29.54	-35.39	peak
6	25.8978	54.76	-60.36	-5.60	29.54	-35.14	peak





### 8.5. SPURIOUS EMISSIONS (18 GHZ ~ 26 GHZ)


Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18224.000	50.27	-5.53	44.74	74.00	-29.26	peak
2	18832.000	50.05	-5.35	44.70	74.00	-29.30	peak
3	21600.000	50.52	-4.54	45.98	74.00	-28.02	peak
4	22096.000	50.04	-4.38	45.66	74.00	-28.34	peak
5	23064.000	48.49	-3.42	45.07	74.00	-28.93	peak
6	25760.000	46.32	-0.63	45.69	74.00	-28.31	peak



Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18576.000	50.29	-5.30	44.99	74.00	-29.01	peak
2	20584.000	49.50	-5.27	44.23	74.00	-29.77	peak
3	21544.000	48.26	-4.63	43.63	74.00	-30.37	peak
4	23088.000	48.02	-3.41	44.61	74.00	-29.39	peak
5	24968.000	47.26	-2.14	45.12	74.00	-28.88	peak
6	25728.000	45.61	-0.72	44.89	74.00	-29.11	peak



### 8.6. SPURIOUS EMISSIONS (30 MHZ ~ 1 GHZ)


Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	129.9100	34.54	-19.36	15.18	43.50	-28.32	QP
2	297.7200	35.26	-15.44	19.82	46.00	-26.18	QP
3	332.6400	45.77	-14.62	31.15	46.00	-14.85	QP
4	499.4800	34.46	-11.48	22.98	46.00	-23.02	QP
5	829.2800	43.07	-6.69	36.38	46.00	-9.62	QP
6	995.1500	34.93	-4.20	30.73	54.00	-23.27	QP



Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	32.9100	42.19	-19.22	22.97	40.00	-17.03	QP
2	74.6200	44.90	-20.92	23.98	40.00	-16.02	QP
3	332.6400	43.61	-14.62	28.99	46.00	-17.01	QP
4	527.6100	36.11	-10.88	25.23	46.00	-20.77	QP
5	831.2199	46.83	-6.66	40.17	46.00	-5.83	QP
6	1000.0000	39.98	-4.15	35.83	54.00	-18.17	QP



### 8.7. SPURIOUS EMISSIONS (26 GHZ ~ 40 GHZ)


Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	52.29	-4.74	47.55	74.00	-26.45	peak
2	28786.000	47.49	-0.64	46.85	74.00	-27.15	peak
3	32762.000	48.95	-1.21	47.74	74.00	-26.26	peak
4	35366.000	46.40	2.59	48.99	74.00	-25.01	peak
5	36192.000	45.37	3.43	48.80	74.00	-25.20	peak
6	38320.000	45.56	3.77	49.33	74.00	-24.67	peak



Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	52.53	-4.78	47.75	74.00	-26.25	peak
2	31320.000	48.61	-0.93	47.68	74.00	-26.32	peak
3	34302.000	46.95	1.10	48.05	74.00	-25.95	peak
4	36164.000	45.06	3.52	48.58	74.00	-25.42	peak
5	37158.000	45.34	3.17	48.51	74.00	-25.49	peak
6	39062.000	44.98	4.30	49.28	74.00	-24.72	peak



## 9. ANTENNA REQUIREMENTS

### APPLICABLE REQUIREMENTS

Please refer to FCC §15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC §15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### RESULTS

Complies

---

**END OF REPORT**