



Profile: 23B0641R	Page No.: 21
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5415.280	51.354	13.188	-22.646	74.000	38.166	PK
2		5460.000	49.283	10.610	-24.717	74.000	38.673	PK

Profile: 23B0641R	Page No.: 22
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.560	-1.113	-16.440	54.000	38.673	AV

Profile: 23B0641R	Page No.: 23
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5420.240	51.778	13.607	-22.222	74.000	38.171	PK
2		5460.000	48.779	10.106	-25.221	74.000	38.673	PK

Profile: 23B0641R	Page No.: 24
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5421.200	37.744	-0.429	-16.256	54.000	38.173	AV
2		5460.000	36.627	-2.046	-17.373	54.000	38.673	AV

Profile: 23B0641R	Page No.: 25
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	55.424	17.734	-18.576	74.000	37.691	PK

Profile: 23B0641R	Page No.: 26
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	43.233	5.543	-10.767	54.000	37.691	AV

Profile: 23B0641R	Page No.: 27
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.386	18.696	-17.614	74.000	37.691	PK

Profile: 23B0641R	Page No.: 28
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.269	6.579	-9.731	54.000	37.691	AV

Profile: 23B0641R	Page No.: 29
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	50.699	12.676	-23.301	74.000	38.023	PK
2	*	5354.260	54.877	16.852	-19.123	74.000	38.025	PK

Profile: 23B0641R	Page No.: 30
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.632	0.609	-15.368	54.000	38.023	AV
2		5356.300	38.183	0.125	-15.817	54.000	38.057	AV

Profile: 23B0641R	Page No.: 31
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.390	11.367	-24.610	74.000	38.023	PK
2		5379.250	50.111	11.825	-23.889	74.000	38.286	PK
3	*	5387.410	50.646	12.354	-23.354	74.000	38.292	PK

Profile: 23B0641R	Page No.: 32
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	38.430	0.407	-15.570	54.000	38.023	AV
2	*	5354.430	38.520	0.492	-15.480	54.000	38.028	AV

Profile: 23B0641R	Page No.: 33
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5447.020	50.077	11.496	-23.923	74.000	38.581	PK
2		5452.960	50.014	11.207	-23.986	74.000	38.807	PK
3	*	5460.000	50.173	11.500	-23.827	74.000	38.673	PK

Profile: 23B0641R	Page No.: 34
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.036	-0.637	-15.964	54.000	38.673	AV

Profile: 23B0641R	Page No.: 35
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.460	51.135	12.388	-22.865	74.000	38.747	PK
2		5460.000	49.853	11.180	-24.147	74.000	38.673	PK

Profile: 23B0641R	Page No.: 36
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.970	-0.703	-16.030	54.000	38.673	AV

Profile: 23B0641R	Page No.: 37
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5092.710	51.526	13.877	-22.474	74.000	37.649	PK
2		5150.000	49.349	11.659	-24.651	74.000	37.691	PK

Profile: 23B0641R	Page No.: 38
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5100.990	37.371	-0.274	-16.629	54.000	37.646	AV
2	*	5150.000	38.158	0.468	-15.842	54.000	37.691	AV

Profile: 23B0641R	Page No.: 39
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5088.570	51.264	13.597	-22.736	74.000	37.668	PK
2		5150.000	50.606	12.916	-23.394	74.000	37.691	PK

Profile: 23B0641R	Page No.: 40
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.826	1.136	-15.174	54.000	37.691	AV

Profile: 23B0641R	Page No.: 41
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.155	11.132	-24.845	74.000	38.023	PK
2	*	5352.600	50.670	12.671	-23.330	74.000	38.000	PK

Profile: 23B0641R	Page No.: 42
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.414	-0.609	-16.586	54.000	38.023	AV

Profile: 23B0641R	Page No.: 43
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.753	11.730	-24.247	74.000	38.023	PK
2	*	5406.300	50.423	12.267	-23.577	74.000	38.156	PK

Profile: 23B0641R	Page No.: 44
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.272	-0.751	-16.728	54.000	38.023	AV

Profile: 23B0641R	Page No.: 45
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5421.360	51.364	13.191	-22.636	74.000	38.173	PK
2	*	5423.600	51.408	13.231	-22.592	74.000	38.177	PK
3		5460.000	49.747	11.074	-24.253	74.000	38.673	PK

Profile: 23B0641R	Page No.: 46
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5418.160	37.253	-0.916	-16.747	54.000	38.169	AV
2		5460.000	37.186	-1.487	-16.814	54.000	38.673	AV

Profile: 23B0641R	Page No.: 47
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5414.000	50.934	12.769	-23.066	74.000	38.165	PK
2		5424.400	50.649	12.471	-23.351	74.000	38.179	PK
3		5460.000	48.726	10.053	-25.274	74.000	38.673	PK

Profile: 23B0641R	Page No.: 48
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5422.640	37.614	-0.561	-16.386	54.000	38.176	AV
2		5460.000	36.932	-1.741	-17.068	54.000	38.673	AV

Profile: 23B0641R	Page No.: 49
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.007	15.317	-20.993	74.000	37.691	PK

Profile: 23B0641R	Page No.: 50
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.591	3.901	-12.409	54.000	37.691	AV

Profile: 23B0641R	Page No.: 51
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	54.168	16.478	-19.832	74.000	37.691	PK

Profile: 23B0641R	Page No.: 52
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	42.259	4.569	-11.741	54.000	37.691	AV

Profile: 23B0641R	Page No.: 53
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	52.272	14.249	-21.728	74.000	38.023	PK
2	*	5354.090	53.216	15.193	-20.784	74.000	38.023	PK

Profile: 23B0641R	Page No.: 54
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	40.155	2.132	-13.845	54.000	38.023	AV

Profile: 23B0641R	Page No.: 55
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	52.015	13.992	-21.985	74.000	38.023	PK
2		5353.070	53.119	15.112	-20.881	74.000	38.007	PK
3	*	5356.130	53.455	15.400	-20.545	74.000	38.055	PK

Profile: 23B0641R	Page No.: 56
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	40.552	2.529	-13.448	54.000	38.023	AV

Profile: 23B0641R	Page No.: 57
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5446.840	50.356	11.782	-23.644	74.000	38.574	PK
2	*	5450.440	50.484	11.773	-23.516	74.000	38.711	PK
3		5460.000	49.341	10.668	-24.659	74.000	38.673	PK

Profile: 23B0641R	Page No.: 58
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.889	-0.784	-16.111	54.000	38.673	AV

Profile: 23B0641R	Page No.: 59
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5432.260	50.976	12.785	-23.024	74.000	38.191	PK
2		5460.000	50.139	11.466	-23.861	74.000	38.673	PK

Profile: 23B0641R	Page No.: 60
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.667	-1.006	-16.333	54.000	38.673	AV

Profile: 23B0641R	Page No.: 61
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5138.250	58.267	20.401	-15.733	74.000	37.865	PK
2		5150.000	56.203	18.513	-17.797	74.000	37.691	PK

Profile: 23B0641R	Page No.: 62
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.908	7.218	-9.092	54.000	37.691	AV

Profile: 23B0641R	Page No.: 63
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5115.000	58.528	20.815	-15.472	74.000	37.713	PK
2		5150.000	57.085	19.395	-16.915	74.000	37.691	PK

Profile: 23B0641R	Page No.: 64
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.643	7.953	-8.357	54.000	37.691	AV

Profile: 23B0641R	Page No.: 65
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.123	18.100	-17.877	74.000	38.023	PK
2	*	5355.420	57.571	19.527	-16.429	74.000	38.043	PK
3		5361.930	57.478	19.332	-16.522	74.000	38.146	PK
4		5372.430	56.897	18.630	-17.103	74.000	38.267	PK
5		5379.150	56.961	18.675	-17.039	74.000	38.286	PK

Profile: 23B0641R	Page No.: 66
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.191	7.168	-8.809	54.000	38.023	AV

Profile: 23B0641R	Page No.: 67
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.002	17.979	-17.998	74.000	38.023	PK
2	*	5361.930	57.710	19.564	-16.290	74.000	38.146	PK
3		5378.940	57.306	19.021	-16.694	74.000	38.286	PK

Profile: 23B0641R	Page No.: 68
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.283	7.260	-8.717	54.000	38.023	AV

Profile: 23B0641R	Page No.: 69
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.240	60.744	22.020	-13.256	74.000	38.724	PK
2		5460.000	54.535	15.862	-19.465	74.000	38.673	PK

Profile: 23B0641R	Page No.: 70
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5457.800	45.101	6.364	-8.899	54.000	38.737	AV
2	*	5458.900	45.296	6.591	-8.704	54.000	38.705	AV
3		5460.000	43.919	5.246	-10.081	54.000	38.673	AV

Profile: 23B0641R	Page No.: 71
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.680	59.484	20.772	-14.516	74.000	38.712	PK
2		5460.000	55.163	16.490	-18.837	74.000	38.673	PK

Profile: 23B0641R	Page No.: 72
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/10 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.360	44.747	5.997	-9.253	54.000	38.750	AV
2		5460.000	43.949	5.276	-10.051	54.000	38.673	AV

Profile: 23B0641R	Page No.: 1
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 1: Transmit at 5745MHz by 802.11a with Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.480	50.387	11.393	-49.269	99.656	38.995	PK
2		5717.450	56.193	17.163	-53.894	110.087	39.030	PK
3		5723.830	59.820	20.897	-59.714	119.533	38.923	PK
4		5731.200	66.214	27.308	-55.986	122.200	38.905	PK

Profile: 23B0641R	Page No.: 2
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 1: Transmit at 5745MHz by 802.11a with Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.380	49.175	10.190	-49.669	98.844	38.985	PK
2		5716.900	53.951	14.911	-55.983	109.933	39.040	PK
3		5723.170	59.589	20.655	-58.440	118.029	38.934	PK
4		5730.320	66.558	27.656	-55.642	122.200	38.902	PK

Profile: 23B0641R	Page No.: 3
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 1: Transmit at 5785MHz by 802.11a with Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.505	50.088	11.039	-53.274	103.361	39.049	PK
2		5708.780	49.149	9.978	-58.512	107.661	39.171	PK
3		5722.720	48.865	9.924	-68.137	117.003	38.942	PK
4		5851.870	48.146	8.657	-69.789	117.935	39.490	PK
5		5868.475	48.741	9.440	-58.284	107.025	39.301	PK
6	*	5885.900	48.280	8.696	-48.827	97.107	39.584	PK

Profile: 23B0641R	Page No.: 4
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 1: Transmit at 5785MHz by 802.11a with Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.175	48.537	9.546	-50.894	99.431	38.991	PK
2		5709.395	48.874	9.708	-58.959	107.833	39.167	PK
3		5722.925	47.698	8.760	-69.772	117.470	38.938	PK
4		5852.280	48.520	9.038	-68.480	117.000	39.482	PK
5		5865.400	48.496	9.192	-59.390	107.886	39.304	PK
6		5881.800	46.889	7.479	-53.260	100.150	39.410	PK

Profile: 23B0641R	Page No.: 5
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 1: Transmit at 5825MHz by 802.11a with Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5842.720	63.796	24.228	-58.404	122.200	39.568	PK
2		5852.080	55.297	15.811	-62.160	117.456	39.486	PK
3		5857.920	52.322	12.942	-57.659	109.981	39.380	PK
4	*	5885.280	48.980	9.422	-48.587	97.567	39.558	PK

Profile: 23B0641R	Page No.: 6
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 1: Transmit at 5825MHz by 802.11a with Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5844.320	62.960	23.360	-59.240	122.200	39.600	PK
2		5853.520	55.359	15.899	-58.815	114.173	39.460	PK
3		5858.560	51.408	12.039	-58.394	109.802	39.369	PK
4	*	5880.480	49.389	10.035	-51.741	101.129	39.354	PK

Profile: 23B0641R	Page No.: 7
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5745MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.730	51.313	12.338	-46.314	97.627	38.975	PK
2		5709.530	53.819	14.655	-54.052	107.871	39.164	PK
3		5724.380	64.751	25.838	-56.036	120.787	38.914	PK
4		5728.560	69.757	30.861	-52.443	122.200	38.896	PK

Profile: 23B0641R	Page No.: 8
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:45
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5745MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.030	50.487	11.487	-49.575	100.062	39.000	PK
2		5716.680	56.280	17.237	-53.591	109.872	39.043	PK
3		5721.740	62.658	23.700	-52.110	114.768	38.958	PK
4	*	5731.970	74.910	36.002	-47.290	122.200	38.908	PK

Profile: 23B0641R	Page No.: 9
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:48
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5785MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.045	50.192	11.170	-51.356	101.548	39.022	PK
2		5709.190	51.804	12.634	-55.972	107.776	39.170	PK
3		5723.540	48.945	10.017	-69.928	118.872	38.928	PK
4		5853.920	49.053	9.601	-64.208	113.262	39.453	PK
5		5863.965	51.691	12.386	-56.596	108.287	39.305	PK
6	*	5885.900	49.473	9.889	-47.634	97.107	39.584	PK

Profile: 23B0641R	Page No.: 10
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5785MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.890	50.994	11.952	-51.914	102.908	39.042	PK
2		5703.450	52.087	12.974	-54.080	106.167	39.113	PK
3		5721.490	48.889	9.927	-65.309	114.198	38.962	PK
4		5853.510	49.107	9.647	-65.089	114.196	39.460	PK
5		5871.140	51.430	12.132	-54.849	106.279	39.298	PK
6	*	5882.620	48.268	8.823	-51.273	99.541	39.445	PK

Profile: 23B0641R	Page No.: 11
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5825MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5845.120	68.327	28.716	-53.873	122.200	39.611	PK
2		5850.560	60.006	20.493	-60.917	120.923	39.513	PK
3		5862.880	53.803	14.497	-54.788	108.591	39.306	PK
4	*	5884.400	49.497	9.976	-48.723	98.220	39.520	PK

Profile: 23B0641R	Page No.: 12
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/09 - 23:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 2: Transmit at 5825MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5844.640	68.120	28.514	-54.080	122.200	39.605	PK
2		5851.920	57.890	18.402	-59.931	117.821	39.489	PK
3		5859.360	54.467	15.112	-55.111	109.578	39.354	PK
4	*	5883.600	49.512	10.025	-49.302	98.814	39.486	PK

Profile: 23B0641R	Page No.: 13
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5755MHz by 802.11n (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.010	53.327	14.305	-48.195	101.522	39.021	PK
2	*	5717.890	65.287	26.264	-44.923	110.210	39.023	PK
3		5723.090	67.855	28.920	-49.991	117.846	38.935	PK
4		5726.730	69.714	30.825	-52.486	122.200	38.889	PK

Profile: 23B0641R	Page No.: 14
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5755MHz by 802.11n (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.880	53.522	14.502	-47.904	101.426	39.020	PK
2	*	5714.900	64.976	25.903	-44.397	109.374	39.073	PK
3		5723.870	69.638	30.716	-49.987	119.624	38.922	PK
4		5729.980	71.734	32.833	-50.466	122.200	38.901	PK

Profile: 23B0641R	Page No.: 15
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5795MHz by 802.11n (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5838.025	60.213	20.737	-61.987	122.200	39.476	PK
2		5853.280	52.411	12.947	-62.310	114.721	39.464	PK
3		5861.515	52.384	13.068	-56.590	108.974	39.315	PK
4	*	5880.685	50.772	11.409	-50.206	100.977	39.362	PK

Profile: 23B0641R	Page No.: 16
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 3: Transmit at 5795MHz by 802.11n (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5845.585	57.520	17.918	-64.680	122.200	39.603	PK
2		5851.525	55.008	15.512	-63.714	118.722	39.495	PK
3		5861.380	53.594	14.276	-55.417	109.012	39.318	PK
4	*	5886.895	51.597	11.970	-44.772	96.369	39.627	PK

Profile: 23B0641R	Page No.: 17
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5745MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.600	50.774	11.787	-48.233	99.007	38.986	PK
2		5715.690	55.285	16.225	-54.310	109.595	39.060	PK
3		5724.050	63.641	24.722	-56.394	120.035	38.919	PK
4		5728.230	67.548	28.654	-54.652	122.200	38.894	PK

Profile: 23B0641R	Page No.: 18
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5745MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.790	50.287	11.268	-51.073	101.360	39.019	PK
2		5714.920	56.341	17.268	-53.038	109.379	39.073	PK
3		5723.720	62.921	23.997	-56.361	119.283	38.925	PK
4		5729.330	68.076	29.177	-54.124	122.200	38.899	PK

Profile: 23B0641R	Page No.: 19
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5785MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5698.530	52.315	13.255	-51.802	104.117	39.059	PK
2		5708.370	52.045	12.879	-55.501	107.546	39.166	PK
3		5722.720	48.414	9.473	-68.588	117.003	38.942	PK
4		5852.280	49.149	9.667	-67.851	117.000	39.482	PK
5		5869.295	51.918	12.618	-54.877	106.795	39.300	PK
6		5880.160	49.132	9.792	-52.235	101.367	39.341	PK

Profile: 23B0641R	Page No.: 20
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5785MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.045	50.382	11.360	-51.166	101.548	39.022	PK
2		5707.550	51.659	12.502	-55.657	107.316	39.157	PK
3		5722.105	49.940	10.988	-65.661	115.601	38.952	PK
4		5851.665	48.820	9.327	-69.583	118.403	39.493	PK
5		5865.605	51.825	12.521	-56.004	107.828	39.304	PK
6	*	5885.080	48.953	9.403	-48.763	97.716	39.549	PK

Profile: 23B0641R	Page No.: 21
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5825MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5845.440	69.311	29.706	-52.889	122.200	39.605	PK
2		5853.600	55.731	16.273	-58.260	113.991	39.458	PK
3		5866.720	50.948	11.645	-56.569	107.516	39.303	PK
4	*	5880.800	49.912	10.544	-50.980	100.892	39.367	PK

Profile: 23B0641R	Page No.: 22
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 4: Transmit at 5825MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5845.520	66.885	27.281	-55.315	122.200	39.604	PK
2		5851.680	57.639	18.146	-60.730	118.369	39.492	PK
3		5859.920	53.579	14.235	-55.841	109.421	39.344	PK
4	*	5882.480	50.107	10.668	-49.538	99.645	39.439	PK

Profile: 23B0641R	Page No.: 23
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5755MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.510	54.117	15.149	-42.610	96.726	38.968	PK
2		5710.090	61.177	22.022	-46.851	108.028	39.154	PK
3		5723.220	64.919	25.986	-53.224	118.143	38.933	PK
4		5731.020	70.627	31.722	-51.573	122.200	38.905	PK

Profile: 23B0641R	Page No.: 24
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5755MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5689.420	53.507	14.534	-43.891	97.398	38.973	PK
2		5714.900	63.115	24.042	-46.258	109.374	39.073	PK
3	*	5720.620	69.389	30.412	-42.825	112.214	38.977	PK
4		5729.070	72.087	33.189	-50.113	122.200	38.897	PK

Profile: 23B0641R	Page No.: 25
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5795MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5840.995	61.127	21.593	-61.073	122.200	39.534	PK
2		5853.955	52.919	13.467	-60.263	113.182	39.452	PK
3		5859.220	52.018	12.661	-57.599	109.617	39.357	PK
4	*	5881.225	50.891	11.505	-49.686	100.576	39.386	PK

Profile: 23B0641R	Page No.: 26
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 5: Transmit at 5795MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5840.995	62.471	22.937	-59.729	122.200	39.534	PK
2		5851.120	53.791	14.288	-65.855	119.646	39.503	PK
3		5860.975	52.198	12.873	-56.927	109.125	39.326	PK
4	*	5883.115	50.576	11.110	-48.598	99.174	39.466	PK

Profile: 23B0641R	Page No.: 27
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5775MHz by 802.11ac (80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.750	62.579	23.604	-35.062	97.642	38.975	PK
2		5703.500	64.359	25.246	-41.822	106.181	39.113	PK
3		5724.000	64.301	25.381	-55.620	119.921	38.919	PK
4		5852.500	54.508	15.030	-61.991	116.499	39.478	PK
5		5863.250	57.091	17.785	-51.397	108.488	39.306	PK
6		5878.750	52.733	13.442	-49.681	102.414	39.292	PK

Profile: 23B0641R	Page No.: 28
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/06/28 - 00:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 3.3Vdc
Note: Mode 6: Transmit at 5775MHz by 802.11ac (80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5680.750	59.880	20.960	-31.113	90.994	38.920	PK
2		5710.750	64.825	25.682	-43.387	108.212	39.143	PK
3		5723.250	64.000	25.068	-54.211	118.211	38.932	PK
4		5851.750	58.155	18.663	-60.054	118.209	39.492	PK
5		5865.750	56.796	17.493	-50.991	107.788	39.303	PK
6		5876.750	52.583	13.290	-51.317	103.900	39.293	PK

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp). Test Photograph.
3. We evaluated/tested both SISO and MIMO mode,shown in report is the worst data.

The End