


Test Report

Project Information			
EUT:	IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT 2.1/3.0/4.2/5.0		
Model:	SKI.WB822CU.5	Environment:	23.6°C 53%
Mode:	11N20_2462	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 17:23:30

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	2483.5078	55.25	6.24	74.00	18.75	150	2	PK	Horizont
2	2486.4605	55.90	6.26	74.00	18.10	150	355	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	6.24	40.80	54.00	13.20	150	2	Horizontal
2	2486.4605	6.27	41.07	54.00	12.93	161.5	153.9	Horizontal

Test Report

Project Information			
EUT:	IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT 2.1/3.0/4.2/5.0		
Model:	SKI.WB822CU.5	Environment:	23.6°C 53%
Mode:	11N20_2462	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 17:24:15

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	2483.5078	46.69	6.24	74.00	27.31	150	40	PK	Vertical
2	2484.3131	50.00	6.25	74.00	24.00	150	14	PK	Vertical

Test Report

Project Information			
EUT:	IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT 2.1/3.0/4.2/5.0		
Model:	SKI.WB822CU.5	Environment:	23.6°C 53%
Mode:	11N40_2422	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 17:32:56

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	2387.3187	63.84	5.65	74.00	10.16	150	158	PK	Horizont
2	2390.0200	63.91	5.65	74.00	10.09	150	183	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2387.3188	5.65	49.81	54.00	4.19	150	202.9	Horizontal
2	2390.0200	5.65	50.19	54.00	3.81	150	183	Horizontal

Test Report

Project Information			
EUT:	IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT 2.1/3.0/4.2/5.0		
Model:	SKI.WB822CU.5	Environment:	23.6°C 53%
Mode:	11N40_2422	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 17:33:44

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	2386.4782	52.01	5.65	74.00	21.99	150	158	PK	Vertical
2	2390.0200	48.16	5.65	74.00	25.84	150	116	PK	Vertical

Test Report

Project Information			
EUT:	IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT 2.1/3.0/4.2/5.0		
Model:	SKI.WB822CU.5	Environment:	23.6°C 53%
Mode:	11N40_2462	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 17:39:05

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	2483.5078	55.86	6.24	74.00	18.14	150	10	PK	Horizont
2	2484.7733	60.12	6.25	74.00	13.88	150	151	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	6.24	42.40	54.00	11.60	150	10	Horizontal
2	2484.7734	6.25	43.32	54.00	10.68	160.7	154.8	Horizontal

Test Report

Project Information			
EUT:	IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT 2.1/3.0/4.2/5.0		
Model:	SKI.WB822CU.5	Environment:	23.6°C 53%
Mode:	11N40_2462	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 17:39:50

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	2483.5078	49.29	6.24	74.00	24.71	150	4	PK	Vertical
2	2484.5815	51.26	6.25	74.00	22.74	150	186	PK	Vertical

END OF REPORT