


Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5190	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 20:49:35

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5028.0265	55.05	16.41	74.00	18.95	150	173	PK	Vertical
2	5150.0375	53.87	16.46	74.00	20.13	150	333	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5028.0265	16.41	47.43	54.00	6.57	150	173	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5310	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 20:56:54

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	54.93	16.65	74.00	19.07	150	91	PK	Horizont
2	5352.3962	59.75	16.66	74.00	14.25	150	95	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	46.10	54.00	7.90	150	91	Horizontal
2	5352.3960	16.66	48.47	54.00	5.53	150	88	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5310	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 20:57:43

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	54.15	16.65	74.00	19.85	150	42	PK	Vertical
2	5369.9850	55.59	16.73	74.00	18.41	150	210	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	46.06	54.00	7.94	150	42	Vertical
2	5369.9850	16.73	46.61	54.00	7.39	150	210	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5510	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 21:04:08

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5458.5443	58.30	16.86	74.00	15.70	150	94	PK	Horizont
2	5460.0400	56.68	16.86	74.00	17.32	150	4	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.5448	16.86	48.68	54.00	5.32	150	86.4	Horizontal
2	5460.0400	16.86	48.09	54.00	5.91	150	4	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5510	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 21:04:56

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5433.6343	55.48	16.85	74.00	18.52	150	4	PK	Vertical
2	5460.0400	53.58	16.86	74.00	20.42	150	152	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.6343	16.85	47.63	54.00	6.37	150	4	Vertical
2	5460.0400	16.86	47.07	54.00	6.93	150	152	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5670	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 21:13:51

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	55.35	17.99	74.00	18.65	150	358	PK	Horizont
2	5732.5988	57.53	18.03	74.00	16.47	150	91	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	49.21	54.00	4.79	150	358	Horizontal
2	5732.5983	18.03	50.71	54.00	3.29	150	135.8	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11N40_5670	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 21:14:39

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	55.13	17.99	74.00	18.87	150	219	PK	Vertical
2	5750.4827	57.02	18.13	74.00	16.98	150	214	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	49.33	54.00	4.67	150	219	Vertical
2	5750.4827	18.13	50.68	54.00	3.32	150	214	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5180	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 21:21:47

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5147.6713	56.15	16.47	74.00	17.85	150	66	PK	Horizont
2	5150.0375	53.28	16.46	74.00	20.72	150	196	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.6710	16.47	47.96	54.00	6.04	150	87.7	Horizontal
2	5150.0375	16.46	45.60	54.00	8.40	150	196	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5180	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-08 21:22:35

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5065.8229	55.05	16.50	74.00	18.95	150	348	PK	Vertical
2	5150.0375	53.22	16.46	74.00	20.78	150	189	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5065.8229	16.50	47.94	54.00	6.06	150	348	Vertical
2	5150.0375	16.46	45.64	54.00	8.36	150	189	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5320	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:33:37

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	54.85	16.65	74.00	19.15	150	191	PK	Horizont
2	5352.4362	56.80	16.66	74.00	17.20	150	80	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.65	47.90	54.00	6.10	150	191	Horizontal
2	5352.4362	16.66	48.87	54.00	5.13	150	80	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5320	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:34:25

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	53.23	16.65	74.00	20.77	150	357	PK	Vertical
2	5462.3562	55.56	16.86	74.00	18.44	150	222	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5462.3562	16.86	48.91	54.00	5.09	150	222	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5500	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:40:15

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5455.9030	56.03	16.86	74.00	17.97	150	359	PK	Horizont
2	5460.0300	54.43	16.86	74.00	19.57	150	114	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.9030	16.86	49.06	54.00	4.94	150	359	Horizontal
2	5460.0300	16.86	48.13	54.00	5.87	150	114	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5500	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:41:04

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5444.2721	55.30	16.86	74.00	18.70	150	151	PK	Vertical
2	5460.0300	53.67	16.86	74.00	20.33	150	73	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5444.2721	16.86	47.64	54.00	6.36	150	151	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5700	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:51:41

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	54.99	17.99	74.00	19.01	150	153	PK	Horizont
2	5744.6548	57.65	18.10	74.00	16.35	150	286	PK	Horizont
3	5744.6548	57.65	18.10	74.00	16.35	150	286	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.74	54.00	4.26	150	153	Horizontal
2	5744.6548	18.10	51.24	54.00	2.76	150	286	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC20_5700	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:52:30

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	54.53	17.99	74.00	19.47	150	112	PK	Vertical
2	5725.7454	57.95	18.00	74.00	16.05	150	326	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.87	54.00	4.13	150	112	Vertical
2	5725.7454	18.00	51.11	54.00	2.89	150	326	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC40_5190	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:57:06

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5148.5743	59.93	16.47	74.00	14.07	150	86	PK	Horizont
2	5150.0375	57.48	16.46	74.00	16.52	150	82	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.5743	16.47	49.66	54.00	4.34	150	86	Horizontal
2	5150.0375	16.46	48.60	54.00	5.40	150	82	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC40_5190	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 10:57:55

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5027.5763	55.74	16.41	74.00	18.26	150	200	PK	Vertical
2	5150.0375	52.61	16.46	74.00	21.39	150	2	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5027.5763	16.41	47.31	54.00	6.69	150	200	Vertical
2	5150.0375	16.46	46.24	54.00	7.76	150	2	Vertical

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC40_5310	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 11:05:54

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	56.04	16.65	74.00	17.96	150	15	PK	Horizont
2	5351.6758	59.72	16.66	74.00	14.28	150	90	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	46.99	54.00	7.01	150	15	Horizontal
2	5351.6758	16.66	48.96	54.00	5.04	150	90	Horizontal

Test Report

Project Information			
EUT:	23.6°C 53%IEEE 802.11a/b/g/n/ac 2T2R Wi-Fi Module Integrated BT		
Model:	SKI.WB822CU.5	Environment:	
Mode:	11AC40_5310	Voltage:	DC 3.3V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-01-09 11:06:42

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	53.20	16.65	74.00	20.80	150	185	PK	Vertical
2	5375.1476	55.93	16.75	74.00	18.07	150	26	PK	Vertical

AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5375.1476	16.75	45.97	54.00	8.03	150	26	Vertical